

Pesticide monitoring 2009 Romania on September 11, 2010 at 02:48:27 PM
Table A0: Summary of samples taken in 2009 by product class

<i>Samples</i>	<i>Total</i>	<i>Without Residues</i>		<i>With residues below MRL</i>		<i>Above MRL</i>	
			<i>%</i>		<i>%</i>		<i>%</i>
Babyfood	307	307	100%	0	0.0%	0	0.0%
Cereals	170	163	96%	6	3.5%	1	0.6%
Processed products	59	58	98%	0	0.0%	1	1.7%
Sum (fruit, vegetables, other plant origin)	3182	2611	82%	552	17%	19	0.6%
	3718	3139	84%	558	15%	21	0.6%

Totals for Cereals, Sum (fruit, vegetables, other plant origin) and Animal products are for unprocessed commodities

<i>Region</i>	<i>Samples</i>	<i>Above MRL</i>
Domestic	52%	0.6%
EEA	22%	0.1%
TC	17%	0.6%
UNK	9.7%	1.1%

Pesticide monitoring 2009 Romania on September 11, 2010 at 02:48:27 PM
Table A1: Exceedence of EC MRL, number of samples exceeding MRL and percentage of samples below the EC MRL

Strategy=Enforcement

Product Class	Product	Total			Domestic			EEA			Third Country			Non Organic			Raw			Process					
		Ex		%	Ex		%	Ex		%	Ex		%	Ex		%	Ex		%	Ex		%			
Cereals	Wheat	1	0	100	1	0	100	0	0	.	0	0	.	0	0	.	1	0	100	1	0	100	0	0	.
Cereals		1	0	100	1	0	100	0	0	.	0	0	.	0	0	.	1	0	100	1	0	100	0	0	.
Fruit and Nuts	Apples	3	0	100	3	0	100	0	0	.	0	0	.	0	0	.	3	0	100	3	0	100	0	0	.
	Plums	4	2	50	4	2	50	0	0	.	0	0	.	0	0	.	4	2	50	4	2	50	0	0	.
Fruit and Nuts		7	2	71.4	7	2	71.4	0	0	.	0	0	.	0	0	.	7	2	71.4	7	2	71.4	0	0	.
Vegetables	Tomatoes	3	0	100	3	0	100	0	0	.	0	0	.	0	0	.	3	0	100	3	0	100	0	0	.
Vegetables		3	0	100	3	0	100	0	0	.	0	0	.	0	0	.	3	0	100	3	0	100	0	0	.
		11	2	81.8	11	2	81.8	0	0	.	0	0	.	0	0	.	11	2	81.8	11	2	81.8	0	0	.

Ex = number of samples above EC MRL % = percentage of samples compliant according to EC MRL
Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of EC MRL, number of samples exceeding MRL and percentage of samples below the EC MRL

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country			Organic			Non Organic			Raw			Process		
		Ex	%		Ex	%		Ex	%		Ex	%		Ex	%		Ex	%		Ex	%		Ex	%	
Baby and infant food	Procesed cereal-based foods	307	0	100	6	0	100	269	0	.	32	0	100	0	0	.	307	0	100	0	0	.	307	0	100
Baby and infant food		307	0	100	6	0	100	269	0	.	32	0	100	0	0	.	307	0	100	0	0	.	307	0	100
Cereals	Maize	48	0	100	45	0	100	0	0	.	1	0	100	0	0	.	48	0	100	46	0	100	2	0	100
	Rice	51	1	98	0	0	.	20	0	.	14	0	100	0	0	.	51	1	98	24	0	100	27	1	96.3
	Wheat	107	1	99.1	92	1	98.9	4	0	.	0	0	.	0	0	.	107	1	99.1	99	1	99	8	0	100
Cereals		206	2	99	137	1	99.3	24	0	.	15	0	100	0	0	.	206	2	99	169	1	99.4	37	1	97.3
Fruit and Nuts	Apples	319	2	99.4	192	1	99.5	91	1	.	15	0	100	0	0	.	319	2	99.4	318	2	99.4	1	0	100
	Apricots	16	0	100	14	0	100	0	0	.	2	0	100	0	0	.	16	0	100	16	0	100	0	0	.
	Bananas	109	0	100	0	0	.	3	0	.	94	0	100	0	0	.	109	0	100	109	0	100	0	0	.
	Cherries	76	0	100	71	0	100	1	0	.	0	0	.	0	0	.	76	0	100	76	0	100	0	0	.
	Cranberries	1	0	100	1	0	100	0	0	.	0	0	.	0	0	.	1	0	100	1	0	100	0	0	.
	Figs	1	0	100	0	0	.	0	0	.	1	0	100	0	0	.	1	0	100	1	0	100	0	0	.
	Grapefruit	76	0	100	0	0	.	6	0	.	56	0	100	0	0	.	76	0	100	76	0	100	0	0	.
	Kiwi	22	0	100	0	0	.	17	0	.	3	0	100	0	0	.	22	0	100	22	0	100	0	0	.
	Lemons	70	1	98.6	0	0	.	9	0	.	51	1	98	0	0	.	70	1	98.6	70	1	98.6	0	0	.
	Mandarins	66	0	100	0	0	.	25	0	.	28	0	100	0	0	.	66	0	100	66	0	100	0	0	.
	Oranges	129	0	100	0	0	.	60	0	.	47	0	100	0	0	.	129	0	100	122	0	100	7	0	100
	Other stone fruits	3	0	100	0	0	.	1	0	.	1	0	100	0	0	.	3	0	100	3	0	100	0	0	.
	Peaches	86	2	97.7	33	0	100	38	0	.	8	1	87.5	0	0	.	86	2	97.7	86	2	97.7	0	0	.
	Pears	94	1	98.9	43	0	100	17	0	.	27	1	96.3	0	0	.	94	1	98.9	94	1	98.9	0	0	.
	Plums	57	0	100	41	0	100	7	0	.	0	0	.	0	0	.	57	0	100	57	0	100	0	0	.
	Quinces	1	0	100	0	0	.	0	0	.	1	0	100	0	0	.	1	0	100	1	0	100	0	0	.

Ex = number of samples above EC MRL % = percentage of samples compliant according to EC MRL

Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of EC MRL, number of samples exceeding MRL and percentage of samples below the EC MRL

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country			Organic			Non Organic			Raw			Process		
		Ex	%		Ex	%		Ex	%		Ex	%		Ex	%		Ex	%		Ex	%		Ex	%	
	Strawberries	111	0	100	76	0	100	11	0	.	15	0	100	0	0	.	111	0	100	111	0	100	0	0	.
	Table grapes	134	2	98.5	68	2	97.1	26	0	.	18	0	100	0	0	.	134	2	98.5	134	2	98.5	0	0	.
	Wine grapes	109	0	100	109	0	100	0	0	.	0	0	.	0	0	.	109	0	100	109	0	100	0	0	.
Fruit and Nuts		1480	8	99.5	648	3	99.5	312	1	.	367	3	99.2	0	0	.	1480	8	99.5	1472	8	99.5	8	0	100
Oil plants	Oilseeds	5	0	100	4	0	100	0	0	.	1	0	100	0	0	.	5	0	100	5	0	100	0	0	.
	Peanuts	1	0	100	0	0	.	0	0	.	1	0	100	0	0	.	1	0	100	1	0	100	0	0	.
	Pumpkin seeds	1	0	100	0	0	.	0	0	.	1	0	100	0	0	.	1	0	100	1	0	100	0	0	.
	Sunflower seed	3	2	33.3	3	2	33.3	0	0	.	0	0	.	0	0	.	3	2	33.3	3	2	33.3	0	0	.
Oil plants		10	2	80	7	2	71.4	0	0	.	3	0	100	0	0	.	10	2	80	10	2	80	0	0	.
Pulses	Beans (dry)	10	0	100	0	0	.	1	0	.	5	0	100	0	0	.	10	0	100	7	0	100	3	0	100
Pulses		10	0	100	0	0	.	1	0	.	5	0	100	0	0	.	10	0	100	7	0	100	3	0	100
Sugar plants	Sugar beet	7	0	100	7	0	100	0	0	.	0	0	.	0	0	.	7	0	100	7	0	100	0	0	.
Sugar plants		7	0	100	7	0	100	0	0	.	0	0	.	0	0	.	7	0	100	7	0	100	0	0	.
Vegetables	Aubergines (egg plants)	45	0	100	28	0	100	5	0	.	4	0	100	0	0	.	45	0	100	45	0	100	0	0	.
	Beans (with pods)	33	0	100	29	0	100	2	0	.	0	0	.	0	0	.	33	0	100	33	0	100	0	0	.
	Beans (without pods)	53	0	100	38	0	100	2	0	.	10	0	100	0	0	.	53	0	100	48	0	100	5	0	100
	Beetroot	16	0	100	16	0	100	0	0	.	0	0	.	0	0	.	16	0	100	16	0	100	0	0	.
	Brassica vegetables	13	0	100	2	0	100	4	0	.	7	0	100	0	0	.	13	0	100	12	0	100	1	0	100
	Carrots	117	0	100	50	0	100	22	0	.	36	0	100	0	0	.	117	0	100	117	0	100	0	0	.
	Cauliflower	30	0	100	23	0	100	2	0	.	0	0	.	0	0	.	30	0	100	30	0	100	0	0	.

Ex = number of samples above EC MRL % = percentage of samples compliant according to EC MRL

Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of EC MRL, number of samples exceeding MRL and percentage of samples below the EC MRL

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country			Organic			Non Organic			Raw			Process		
		Ex	%	Ex	%	Ex	%	Ex	%	Ex	%	Ex	%	Ex	%	Ex	%	Ex	%	Ex	%	Ex	%		
	Celeriac	22	0	100	22	0	100	0	0	.	0	0	.	0	0	.	22	0	100	22	0	100	0	0	.
	Celery	1	0	100	0	0	.	1	0	.	0	0	.	0	0	.	1	0	100	1	0	100	0	0	.
	Courgettes	25	0	100	20	0	100	0	0	.	3	0	100	0	0	.	25	0	100	25	0	100	0	0	.
	Cucumbers	109	1	99.1	73	1	98.6	8	0	.	14	0	100	0	0	.	109	1	99.1	109	1	99.1	0	0	.
	Cultivated fungi	41	0	100	31	0	100	1	0	.	0	0	.	0	0	.	41	0	100	41	0	100	0	0	.
	Garlic	2	0	100	0	0	.	0	0	.	2	0	100	0	0	.	2	0	100	2	0	100	0	0	.
	Head cabbage	87	0	100	57	0	100	6	0	.	5	0	100	0	0	.	87	0	100	87	0	100	0	0	.
	Leek	15	0	100	15	0	100	0	0	.	0	0	.	0	0	.	15	0	100	15	0	100	0	0	.
	Lettuce	90	1	98.9	59	0	100	14	0	.	4	0	100	0	0	.	90	1	98.9	90	1	98.9	0	0	.
	Melons	36	0	100	29	0	100	3	0	.	3	0	100	0	0	.	36	0	100	36	0	100	0	0	.
	Onions	109	0	100	44	0	100	40	0	.	8	0	100	0	0	.	109	0	100	109	0	100	0	0	.
	Parsley	7	1	85.7	7	1	85.7	0	0	.	0	0	.	0	0	.	7	1	85.7	7	1	85.7	0	0	.
	Parsley root	2	0	100	2	0	100	0	0	.	0	0	.	0	0	.	2	0	100	2	0	100	0	0	.
	Parsnips	2	0	100	2	0	100	0	0	.	0	0	.	0	0	.	2	0	100	2	0	100	0	0	.
	Peas (with pods)	3	0	100	0	0	.	1	0	.	0	0	.	0	0	.	3	0	100	3	0	100	0	0	.
	Peas (without pods)	26	0	100	20	0	100	0	0	.	4	0	100	0	0	.	26	0	100	22	0	100	4	0	100
	Peppers	189	2	98.9	120	0	100	24	0	.	23	1	95.7	0	0	.	189	2	98.9	189	2	98.9	0	0	.
	Potatoes	215	0	100	151	0	100	36	0	.	4	0	100	0	0	.	215	0	100	215	0	100	0	0	.
	Red mustard	1	0	100	1	0	100	0	0	.	0	0	.	0	0	.	1	0	100	1	0	100	0	0	.
	Spinach	43	0	100	39	0	100	0	0	.	0	0	.	0	0	.	43	0	100	43	0	100	0	0	.
	Sweet corn	1	0	100	1	0	100	0	0	.	0	0	.	0	0	.	1	0	100	1	0	100	0	0	.
	Tomatoes	278	2	99.3	166	2	98.8	31	0	.	66	0	100	0	0	.	278	2	99.3	277	2	99.3	1	0	100
	Watermelons	38	0	100	31	0	100	2	0	.	2	0	100	0	0	.	38	0	100	38	0	100	0	0	.

Ex = number of samples above EC MRL % = percentage of samples compliant according to EC MRL

Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of EC MRL, number of samples exceeding MRL and percentage of samples below the EC MRL

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country			Organic			Non Organic			Raw			Process		
		Ex	%		Ex	%		Ex	%		Ex	%		Ex	%		Ex	%		Ex	%		Ex	%	
	Wild fungi	38	0	100	38	0	100	0	0	.	0	0	.	0	0	.	38	0	100	38	0	100	0	0	.
Vegetables		1687	7	99.6	1114	4	99.6	204	0	.	195	1	99.5	0	0	.	1687	7	99.6	1676	7	99.6	11	0	100
		3707	19	99.5	1919	10	99.5	810	1	.	617	4	99.4	0	0	.	3707	19	99.5	3341	18	99.5	366	1	99.7

Ex = number of samples above EC MRL % = percentage of samples compliant according to EC MRL
 Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Enforcement

Product Class	Product	Total			Domestic			EEA			Third Country			Non Organic			Raw			Process					
		ND	%		ND	%		ND	%		ND	%		ND	%		ND	%		ND	%				
Cereals	Wheat	1	0	100	1	0	100	0	0	.	0	0	.	0	0	.	1	0	100	1	0	100	0	0	.
Cereals		1	0	100	1	0	100	0	0	.	0	0	.	0	0	.	1	0	100	1	0	100	0	0	.
Fruit and Nuts	Apples	3	0	100	3	0	100	0	0	.	0	0	.	0	0	.	3	0	100	3	0	100	0	0	.
	Plums	4	2	50	4	2	50	0	0	.	0	0	.	0	0	.	4	2	50	4	2	50	0	0	.
Fruit and Nuts		7	2	71.4	7	2	71.4	0	0	.	0	0	.	0	0	.	7	2	71.4	7	2	71.4	0	0	.
Vegetables	Tomatoes	3	0	100	3	0	100	0	0	.	0	0	.	0	0	.	3	0	100	3	0	100	0	0	.
Vegetables		3	0	100	3	0	100	0	0	.	0	0	.	0	0	.	3	0	100	3	0	100	0	0	.
		11	2	81.8	11	2	81.8	0	0	.	0	0	.	0	0	.	11	2	81.8	11	2	81.8	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country			Organic
		ND	%		ND	%		ND	%		ND	%		
Baby and infant food	Processed cereal-based foods	307	0	100	6	0	100	269	0	100	32	0	100	0
Baby and infant food		307	0	100	6	0	100	269	0	100	32	0	100	0
Cereals	Maize	48	0	100	45	0	100	0	0	.	1	0	100	0
	Rice	51	1	98	0	0	.	20	0	100	14	0	100	0
	Wheat	107	7	93.5	92	7	92.4	4	0	100	0	0	.	0
Cereals		206	8	96.1	137	7	94.9	24	0	100	15	0	100	0
Fruit and Nuts	Apples	319	100	68.7	192	69	64.1	91	22	75.8	15	2	86.7	0
	Apricots	16	3	81.3	14	3	78.6	0	0	.	2	0	100	0
	Bananas	109	10	90.8	0	0	.	3	0	100	94	9	90.4	0
	Cherries	76	7	90.8	71	7	90.1	1	0	100	0	0	.	0
	Cranberries	1	0	100	1	0	100	0	0	.	0	0	.	0
	Figs	1	1	0	0	0	.	0	0	.	1	1	0	0
	Grapefruit	76	39	48.7	0	0	.	6	2	66.7	56	32	42.9	0
	Kiwi	22	2	90.9	0	0	.	17	2	88.2	3	0	100	0
	Lemons	70	25	64.3	0	0	.	9	3	66.7	51	19	62.7	0
	Mandarins	66	29	56.1	0	0	.	25	14	44	28	9	67.9	0
	Oranges	129	45	65.1	0	0	.	60	25	58.3	47	18	61.7	0
	Other stone fruits	3	1	66.7	0	0	.	1	0	100	1	1	0	0
	Peaches	86	33	61.6	33	13	60.6	38	16	57.9	8	3	62.5	0
	Pears	94	19	79.8	43	5	88.4	17	4	76.5	27	8	70.4	0
	Plums	57	10	82.5	41	10	75.6	7	0	100	0	0	.	0
	Quinces	1	0	100	0	0	.	0	0	.	1	0	100	0
	Strawberries	111	13	88.3	76	10	86.8	11	1	90.9	15	2	86.7	0
Table grapes	134	55	59	68	25	63.2	26	16	38.5	18	9	50	0	
Wine grapes	109	35	67.9	109	35	67.9	0	0	.	0	0	.	0	

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
 Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	ND		Non Organic		Raw			Process			
		ND	%	ND	%	ND	%	ND	%	ND	%	
Baby and infant food	Procesed cereal-based foods	0	.	307	0	100	0	0	.	307	0	100
Baby and infant food		0	.	307	0	100	0	0	.	307	0	100
Cereals	Maize	0	.	48	0	100	46	0	100	2	0	100
	Rice	0	.	51	1	98	24	0	100	27	1	96.3
	Wheat	0	.	107	7	93.5	99	7	92.9	8	0	100
Cereals		0	.	206	8	96.1	169	7	95.9	37	1	97.3
Fruit and Nuts	Apples	0	.	319	100	68.7	318	100	68.6	1	0	100
	Apricots	0	.	16	3	81.3	16	3	81.3	0	0	.
	Bananas	0	.	109	10	90.8	109	10	90.8	0	0	.
	Cherries	0	.	76	7	90.8	76	7	90.8	0	0	.
	Cranberries	0	.	1	0	100	1	0	100	0	0	.
	Figs	0	.	1	1	0	1	1	0	0	0	.
	Grapefruit	0	.	76	39	48.7	76	39	48.7	0	0	.
	Kiwi	0	.	22	2	90.9	22	2	90.9	0	0	.
	Lemons	0	.	70	25	64.3	70	25	64.3	0	0	.
	Mandarins	0	.	66	29	56.1	66	29	56.1	0	0	.
	Oranges	0	.	129	45	65.1	122	45	63.1	7	0	100
	Other stone fruits	0	.	3	1	66.7	3	1	66.7	0	0	.
	Peaches	0	.	86	33	61.6	86	33	61.6	0	0	.
	Pears	0	.	94	19	79.8	94	19	79.8	0	0	.
	Plums	0	.	57	10	82.5	57	10	82.5	0	0	.
	Quinces	0	.	1	0	100	1	0	100	0	0	.
	Strawberries	0	.	111	13	88.3	111	13	88.3	0	0	.
	Table grapes	0	.	134	55	59	134	55	59	0	0	.
	Wine grapes	0	.	109	35	67.9	109	35	67.9	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
 Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		ND	%		ND	%		ND	%		ND	%	
Fruit and Nuts		1480	427	71.1	648	177	72.7	312	105	66.3	367	113	69.2
Oil plants	Oilseeds	5	0	100	4	0	100	0	0	.	1	0	100
	Peanuts	1	0	100	0	0	.	0	0	.	1	0	100
	Pumpkin seeds	1	0	100	0	0	.	0	0	.	1	0	100
	Sunflower seed	3	2	33.3	3	2	33.3	0	0	.	0	0	.
Oil plants		10	2	80	7	2	71.4	0	0	.	3	0	100
Pulses	Beans (dry)	10	0	100	0	0	.	1	0	100	5	0	100
Pulses		10	0	100	0	0	.	1	0	100	5	0	100
Sugar plants	Sugar beet	7	0	100	7	0	100	0	0	.	0	0	.
Sugar plants		7	0	100	7	0	100	0	0	.	0	0	.
Vegetables	Aubergines (egg plants)	45	0	100	28	0	100	5	0	100	4	0	100
	Beans (with pods)	33	2	93.9	29	2	93.1	2	0	100	0	0	.
	Beans (without pods)	53	0	100	38	0	100	2	0	100	10	0	100
	Beetroot	16	0	100	16	0	100	0	0	.	0	0	.
	Brassica vegetables	13	0	100	2	0	100	4	0	100	7	0	100
	Carrots	117	12	89.7	50	8	84	22	1	95.5	36	3	91.7
	Cauliflower	30	0	100	23	0	100	2	0	100	0	0	.
	Celeriac	22	0	100	22	0	100	0	0	.	0	0	.
	Celery	1	0	100	0	0	.	1	0	100	0	0	.
	Courgettes	25	0	100	20	0	100	0	0	.	3	0	100
	Cucumbers	109	14	87.2	73	10	86.3	8	1	87.5	14	1	92.9
	Cultivated fungi	41	5	87.8	31	4	87.1	1	0	100	0	0	.
	Garlic	2	0	100	0	0	.	0	0	.	2	0	100
	Head cabbage	87	2	97.7	57	1	98.2	6	0	100	5	0	100
	Leek	15	0	100	15	0	100	0	0	.	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
 Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Organic			Non Organic			Raw			Process		
		ND	%		ND	%		ND	%		ND	%	
Fruit and Nuts		0	0	.	1480	427	71.1	1472	427	71	8	0	100
Oil plants	Oilseeds	0	0	.	5	0	100	5	0	100	0	0	.
	Peanuts	0	0	.	1	0	100	1	0	100	0	0	.
	Pumpkin seeds	0	0	.	1	0	100	1	0	100	0	0	.
	Sunflower seed	0	0	.	3	2	33.3	3	2	33.3	0	0	.
Oil plants		0	0	.	10	2	80	10	2	80	0	0	.
Pulses	Beans (dry)	0	0	.	10	0	100	7	0	100	3	0	100
Pulses		0	0	.	10	0	100	7	0	100	3	0	100
Sugar plants	Sugar beet	0	0	.	7	0	100	7	0	100	0	0	.
Sugar plants		0	0	.	7	0	100	7	0	100	0	0	.
Vegetables	Aubergines (egg plants)	0	0	.	45	0	100	45	0	100	0	0	.
	Beans (with pods)	0	0	.	33	2	93.9	33	2	93.9	0	0	.
	Beans (without pods)	0	0	.	53	0	100	48	0	100	5	0	100
	Beetroot	0	0	.	16	0	100	16	0	100	0	0	.
	Brassica vegetables	0	0	.	13	0	100	12	0	100	1	0	100
	Carrots	0	0	.	117	12	89.7	117	12	89.7	0	0	.
	Cauliflower	0	0	.	30	0	100	30	0	100	0	0	.
	Celeriac	0	0	.	22	0	100	22	0	100	0	0	.
	Celery	0	0	.	1	0	100	1	0	100	0	0	.
	Courgettes	0	0	.	25	0	100	25	0	100	0	0	.
	Cucumbers	0	0	.	109	14	87.2	109	14	87.2	0	0	.
	Cultivated fungi	0	0	.	41	5	87.8	41	5	87.8	0	0	.
	Garlic	0	0	.	2	0	100	2	0	100	0	0	.
	Head cabbage	0	0	.	87	2	97.7	87	2	97.7	0	0	.
	Leek	0	0	.	15	0	100	15	0	100	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
 Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Total	Domestic			EEA			Third Country				
			ND	%	ND	%	ND	%	ND	%			
	Lettuce	90	16	82.2	59	10	83.1	14	4	71.4	4	0	100
	Melons	36	4	88.9	29	2	93.1	3	1	66.7	3	1	66.7
	Onions	109	3	97.2	44	1	97.7	40	2	95	8	0	100
	Parsley	7	1	85.7	7	1	85.7	0	0	.	0	0	.
	Parsley root	2	0	100	2	0	100	0	0	.	0	0	.
	Parsnips	2	0	100	2	0	100	0	0	.	0	0	.
	Peas (with pods)	3	1	66.7	0	0	.	1	1	0	0	0	.
	Peas (without pods)	26	0	100	20	0	100	0	0	.	4	0	100
	Peppers	189	14	92.6	120	6	95	24	1	95.8	23	5	78.3
	Potatoes	215	12	94.4	151	8	94.7	36	4	88.9	4	0	100
	Red mustard	1	0	100	1	0	100	0	0	.	0	0	.
	Spinach	43	1	97.7	39	0	100	0	0	.	0	0	.
	Sweet corn	1	0	100	1	0	100	0	0	.	0	0	.
	Tomatoes	278	50	82	166	31	81.3	31	7	77.4	66	10	84.8
	Watermelons	38	3	92.1	31	1	96.8	2	0	100	2	2	0
	Wild fungi	38	0	100	38	0	100	0	0	.	0	0	.
Vegetables		1687	140	91.7	1114	85	92.4	204	22	89.2	195	22	88.7
		3707	577	84.4	1919	271	85.9	810	127	84.3	617	135	78.1

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
 Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Organic			Non Organic			Raw			Process		
		ND	%	.	ND	%	.	ND	%	.	ND	%	.
	Lettuce	0	0	.	90	16	82.2	90	16	82.2	0	0	.
	Melons	0	0	.	36	4	88.9	36	4	88.9	0	0	.
	Onions	0	0	.	109	3	97.2	109	3	97.2	0	0	.
	Parsley	0	0	.	7	1	85.7	7	1	85.7	0	0	.
	Parsley root	0	0	.	2	0	100	2	0	100	0	0	.
	Parsnips	0	0	.	2	0	100	2	0	100	0	0	.
	Peas (with pods)	0	0	.	3	1	66.7	3	1	66.7	0	0	.
	Peas (without pods)	0	0	.	26	0	100	22	0	100	4	0	100
	Peppers	0	0	.	189	14	92.6	189	14	92.6	0	0	.
	Potatoes	0	0	.	215	12	94.4	215	12	94.4	0	0	.
	Red mustard	0	0	.	1	0	100	1	0	100	0	0	.
	Spinach	0	0	.	43	1	97.7	43	1	97.7	0	0	.
	Sweet corn	0	0	.	1	0	100	1	0	100	0	0	.
	Tomatoes	0	0	.	278	50	82	277	50	81.9	1	0	100
	Watermelons	0	0	.	38	3	92.1	38	3	92.1	0	0	.
	Wild fungi	0	0	.	38	0	100	38	0	100	0	0	.
Vegetables		0	0	.	1687	140	91.7	1676	140	91.6	11	0	100
		0	0	.	3707	577	84.4	3341	576	82.8	366	1	99.7

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
 Figures in bold are subtotals and totals for product groups

Pesticide monitoring 2009 Romania on September 11, 2010 at 02:48:27 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Animal Feed	Animal Products	Baby/Infant Food	Cereals	Fruit and Nuts	Infusions	Oil plants	Pulses	Spices	Sugar Plants	Vegetables
1	Acephate	0	0	0	147	1051	0	1	0	0	6	1198
2	Acetamiprid	0	0	0	147	1051	0	1	0	0	6	1198
3	Aldrin	0	0	307	28	240	0	3	8	0	0	244
4	Aldrin and Dieldrin	0	0	0	157	1145	0	4	2	0	7	1306
5	Atrazine	0	0	0	181	1297	0	4	8	0	6	1443
6	Azinphos-ethyl	0	0	0	184	1302	0	5	8	0	6	1449
7	Azinphos-methyl	0	0	0	189	1384	0	7	8	0	7	1531
8	Azoxystrobin	0	0	0	147	1051	0	1	0	0	6	1198
9	Benalaxyl	0	0	0	147	1051	0	1	0	0	6	1198
10	Benfuracarb	0	0	0	147	1051	0	1	0	0	6	1198
11	Bifenthrin	0	0	0	182	1349	0	4	8	0	6	1492
12	Biphenyl	0	0	0	147	1051	0	1	0	0	6	1198
13	Bitertanol	0	0	0	147	1051	0	1	0	0	6	1198
14	Bromophos	0	0	0	147	1051	0	1	0	0	6	1198
15	Bromophos-methyl	0	0	0	34	246	0	3	8	0	0	245
16	Bromopropylate	0	0	0	147	1051	0	1	0	0	6	1198
17	Buprofezin	0	0	0	147	1051	0	1	0	0	6	1198
18	Captan	0	0	0	181	1361	0	4	8	0	6	1499
19	Carbaryl	0	0	0	183	1315	0	4	8	0	7	1475
20	Carbendazim	0	0	0	147	1051	0	1	0	0	6	1198
21	Carbofuran	0	0	0	179	1297	0	4	8	0	6	1458
22	Carbofuran (sum)	0	0	0	1	9	0	0	0	0	0	6
23	Carbosulfan	0	0	0	178	1293	0	4	8	0	6	1446
24	Chinomethionat	0	0	307	0	0	0	0	0	0	0	0
25	Chlorbenside	0	0	0	147	1051	0	1	0	0	6	1198
26	Chlordane (sum)	0	0	0	147	1052	0	1	0	0	6	1200
27	Chlorfenson	0	0	0	147	1051	0	1	0	0	6	1198
28	Chlorothalonil	0	0	0	181	1361	0	4	8	0	6	1499

Pesticide monitoring 2009 Romania on September 11, 2010 at 02:48:27 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Animal Feed	Animal Products	Baby/Infant Food	Cereals	Fruit and Nuts	Infusions	Oil plants	Pulses	Spices	Sugar Plants	Vegetables
29	Chlorpropham	0	0	0	147	1051	0	1	0	0	6	1198
30	Chlorpyrifos	0	0	0	189	1384	0	7	8	0	7	1531
31	Chlorpyrifos-methyl	0	0	0	189	1384	0	7	8	0	7	1531
32	Cyfluthrin	0	0	0	1	46	0	0	0	0	0	34
33	Cyfluthrin (sum)	0	0	0	181	1303	0	4	8	0	6	1458
34	Cyhalothrin	0	0	0	33	283	0	3	8	0	0	281
35	Cypermethrin (sum)	0	0	0	184	1360	0	4	8	0	7	1513
36	Cyprodinil	0	0	0	147	1051	0	1	0	0	6	1198
37	Cyromazine	0	0	0	34	246	0	3	8	0	0	245
38	DDD, p,p-	0	0	307	0	0	0	0	0	0	0	0
39	DDE, p,p-	0	0	307	147	1051	0	1	0	0	6	1198
40	DDT (sum)	0	0	0	38	334	0	6	10	0	1	352
41	DDT, o,p-	0	0	0	147	1051	0	1	0	0	6	1198
42	DDT, p,p-	0	0	307	148	1055	0	1	0	0	6	1203
43	Deltamethrin	0	0	0	183	1356	0	4	8	0	7	1508
44	Desmethylformamido-Pirimicarb	0	0	0	147	1051	0	1	0	0	6	1198
45	Diazinon	0	0	0	189	1384	0	7	8	0	7	1531
46	Dichlofluanid	0	0	0	179	1300	0	4	8	0	6	1452
47	Dichlorvos	0	0	0	185	1365	0	5	8	0	6	1499
48	Dicofol (sum)	0	0	0	0	2	0	0	0	0	0	2
49	Dicofol o, p'	0	0	0	147	1052	0	1	0	0	6	1202
50	Dicofol p, p'	0	0	0	32	246	0	3	8	0	0	248
51	Dicrotophos	0	0	307	0	0	0	0	0	0	0	0
52	Dieldrin	0	0	307	28	240	0	3	8	0	0	244
53	Difenoconazole	0	0	0	147	1051	0	1	0	0	6	1198
54	Dimefox	0	0	307	0	0	0	0	0	0	0	0
55	Dimethoate	0	0	307	35	304	0	3	8	0	0	288
56	Dimethoate (sum)	0	0	0	154	1120	0	4	0	0	7	1270

Pesticide monitoring 2009 Romania on September 11, 2010 at 02:48:27 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Animal Feed	Animal Products	Baby/Infant Food	Cereals	Fruit and Nuts	Infusions	Oil plants	Pulses	Spices	Sugar Plants	Vegetables
85	Heptachlor	0	0	307	181	1363	0	4	8	0	6	1503
86	Heptachlor (sum)	0	0	0	4	22	0	3	2	0	1	47
87	Heptenophos	0	0	307	0	0	0	0	0	0	0	0
88	Hexachlorobenzene	0	0	307	38	334	0	6	10	0	1	352
89	Imazalil	0	0	0	179	1300	0	4	8	0	6	1452
90	Imidacloprid	0	0	0	184	1302	0	5	8	0	6	1449
91	Iprodione	0	0	0	181	1364	0	4	8	0	6	1505
92	Iprovalicarb	0	0	0	147	1051	0	1	0	0	6	1198
93	Isofenphos	0	0	307	0	0	0	0	0	0	0	0
94	Jodfenphos	0	0	307	0	0	0	0	0	0	0	0
95	Keto-Endrin	0	0	307	0	0	0	0	0	0	0	0
96	Kresoxim-methyl	0	0	0	147	1051	0	1	0	0	6	1198
97	Lambda-Cyhalothrin	0	0	0	182	1309	0	4	8	0	6	1460
98	Lime sulphur	0	0	0	2	4	0	0	0	0	1	9
99	Lindane	0	0	307	183	1381	0	7	10	0	6	1541
100	Malaoxon	0	0	307	0	0	0	0	0	0	0	0
101	Malathion	0	0	307	1	49	0	0	0	0	0	45
102	Malathion (sum)	0	0	0	188	1335	0	7	8	0	7	1486
103	Mecarbam	0	0	307	0	0	0	0	0	0	0	0
104	Mepanipyrim (sum)	0	0	0	147	1051	0	1	0	0	6	1198
105	Metalaxyl	0	0	0	147	1051	0	1	0	0	6	1198
106	Metalaxyl (sum)	0	0	307	0	0	0	0	0	0	0	0
107	Metconazole	0	0	0	147	1051	0	1	0	0	6	1198
108	Methamidophos	0	0	307	147	1051	0	1	0	0	6	1198
109	Methidathion	0	0	0	189	1384	0	7	8	0	7	1531
110	Methiocarb	0	0	0	147	1051	0	1	0	0	6	1198
111	Methomyl	0	0	0	147	1051	0	1	0	0	6	1198
112	Methoxychlor	0	0	307	148	1056	0	1	0	0	6	1205

Pesticide monitoring 2009 Romania on September 11, 2010 at 02:48:27 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Animal Feed	Animal Products	Baby/Infant Food	Cereals	Fruit and Nuts	Infusions	Oil plants	Pulses	Spices	Sugar Plants	Vegetables
113	Metribuzin	0	0	307	181	1297	0	4	8	0	6	1443
114	Metsulfuron-methyl	0	0	0	0	1	0	0	0	0	0	4
115	Mevinphos	0	0	307	39	272	0	4	8	0	0	274
116	Molinate	0	0	307	0	0	0	0	0	0	0	0
117	Monocrotophos	0	0	307	147	1051	0	1	0	0	6	1198
118	Myclobutanil	0	0	307	147	1051	0	1	0	0	6	1198
119	Naled	0	0	307	0	0	0	0	0	0	0	0
120	Nitrofen	0	0	0	147	1051	0	1	0	0	6	1198
121	Omethoate	0	0	307	35	264	0	3	8	0	0	261
122	Orthophenylphenol	0	0	0	147	1051	0	1	0	0	6	1198
123	Oxadixyl	0	0	0	147	1051	0	1	0	0	6	1198
124	Oxydemeton-methyl	0	0	307	147	1051	0	1	0	0	6	1198
125	Paraoxon	0	0	307	0	0	0	0	0	0	0	0
126	Parathion	0	0	0	41	315	0	6	8	0	1	317
127	Parathion ethyl	0	0	307	1	18	0	0	0	0	0	16
128	Parathion-methyl	0	0	307	186	1369	0	5	8	0	6	1510
129	Penconazole	0	0	0	147	1051	0	1	0	0	6	1198
130	Pendimethalin	0	0	0	147	1051	0	1	0	0	6	1198
131	Pentachlorobenzene	0	0	307	0	0	0	0	0	0	0	0
132	Permethrin (sum)	0	0	0	182	1309	0	4	8	0	6	1460
133	Phenthoate	0	0	307	0	0	0	0	0	0	0	0
134	Phorate	0	0	307	186	1369	0	5	8	0	6	1510
135	Phosalone	0	0	307	186	1369	0	5	8	0	6	1510
136	Phosmet (sum)	0	0	307	0	0	0	0	0	0	0	0
137	Pirimicarb (sum)	0	0	307	0	0	0	0	0	0	0	0
138	Pirimiphos-methyl	0	0	307	189	1384	0	7	8	0	7	1531
139	Prochloraz (sum)	0	0	0	147	1051	0	1	0	0	6	1198
140	Procymidone	0	0	307	147	1051	0	1	0	0	6	1198

Strategy=Enforcement Region=Domestic Origin=Romania

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Cereals	Wheat	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	3	0	0	0	0	0
Fruit and Nuts	Plums	Unprocessed	Non-organic production	4	2	2	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	3	0	0	0	0	0
<i>Origin</i>				11	2	2	0	0	0
<i>Region</i>				11	2	2	0	0	0
<i>Strategy</i>				11	2	2	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=Domestic Origin=Romania

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Baby and infant food	Processed cereal-based foods	Processed	Production method unknown	6	0	0	0	0	0
Cereals	Maize	Unprocessed	Non-organic production	45	0	0	0	0	0
Cereals	Wheat	Unprocessed	Non-organic production	92	7	1	92	6	1
Fruit and Nuts	Apples	Unprocessed	Non-organic production	192	69	1	0	0	0
Fruit and Nuts	Apricots	Unprocessed	Non-organic production	14	3	0	0	0	0
Fruit and Nuts	Cherries	Unprocessed	Non-organic production	71	7	0	0	0	0
Fruit and Nuts	Cranberries	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Non-organic production	33	13	0	0	0	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	43	5	0	0	0	0
Fruit and Nuts	Plums	Unprocessed	Non-organic production	41	10	0	0	0	0
Fruit and Nuts	Strawberries	Unprocessed	Non-organic production	76	10	0	0	0	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	68	25	2	68	25	2
Fruit and Nuts	Wine grapes	Unprocessed	Non-organic production	109	35	0	0	0	0
Oil plants	Oilseeds	Unprocessed	Non-organic production	4	0	0	0	0	0
Oil plants	Sunflower seed	Unprocessed	Non-organic production	3	2	2	0	0	0
Sugar plants	Sugar beet	Unprocessed	Non-organic production	7	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	28	0	0	28	0	0
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	29	2	0	0	0	0
Vegetables	Beans (without pods)	Unprocessed	Non-organic production	38	0	0	0	0	0
Vegetables	Beetroot	Unprocessed	Non-organic production	16	0	0	0	0	0
Vegetables	Brassica vegetables	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	50	8	0	0	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	23	0	0	23	0	0
Vegetables	Celeriac	Unprocessed	Non-organic production	22	0	0	0	0	0
Vegetables	Courgettes	Unprocessed	Non-organic production	20	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=Domestic Origin=Romania

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Cucumbers	Freezing	Non-organic production	1	1	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	72	9	1	0	0	0
Vegetables	Cultivated fungi	Unprocessed	Non-organic production	31	4	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	57	1	0	0	0	0
Vegetables	Leek	Unprocessed	Non-organic production	15	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	59	10	0	0	0	0
Vegetables	Melons	Unprocessed	Non-organic production	29	2	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	44	1	0	0	0	0
Vegetables	Parsley	Unprocessed	Non-organic production	7	1	1	0	0	0
Vegetables	Parsley root	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Parsnips	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Peas (without pods)	Unprocessed	Non-organic production	20	0	0	20	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	120	6	0	82	4	0
Vegetables	Potatoes	Unprocessed	Non-organic production	151	8	0	0	0	0
Vegetables	Red mustard	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	39	0	0	0	0	0
Vegetables	Sweet corn	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	166	31	2	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	31	1	0	0	0	0
Vegetables	Wild fungi	Unprocessed	Non-organic production	38	0	0	0	0	0
<i>Origin</i>				1919	271	10	313	35	3
<i>Region</i>				1919	271	10	313	35	3

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=EEA Origin=Austria

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruit and Nuts	Apples	Unprocessed	Non-organic production	8	2	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	16	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	7	0	0	0	0	0
<i>Origin</i>				31	2	0	0	0	0

Strategy=Surveillance Region=EEA Origin=Belgium

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruit and Nuts	Pears	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Beans (with pods)	Freezing	Non-organic production	1	0	0	0	0	0
Vegetables	Peas (with pods)	Freezing	Non-organic production	1	1	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	9	0	0	0	0	0
<i>Origin</i>				12	2	0	0	0	0

Strategy=Surveillance Region=EEA Origin=Bulgaria

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Cereals	Rice	Dehydration	Non-organic production	1	0	0	0	0	0
Vegetables	Brassica vegetables	Unprocessed	Non-organic production	4	0	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	3	0	0	0	0	0
<i>Origin</i>				8	0	0	0	0	0

Strategy=Surveillance Region=EEA Origin=Cyprus

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	1	0	0	1	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=EEA Origin=Czech Republic

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Baby and infant food	Procesed cereal-based foods	Processed	Production method unknown	2	0	0	0	0	0

Strategy=Surveillance Region=EEA Origin=France

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Dehydration	Non-organic production	3	0	0	0	0	0
Cereals	Rice	Dehydration	Production method unknown	1	0	0	0	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	2	1	0	0	0	0
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				8	1	0	1	0	0

Strategy=Surveillance Region=EEA Origin=Germany

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Baby and infant food	Procesed cereal-based foods	Processed	Production method unknown	24	0	0	0	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	7	1	0	0	0	0
<i>Origin</i>				33	2	0	0	0	0

Strategy=Surveillance Region=EEA Origin=Greece

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Dehydration	Non-organic production	5	0	0	0	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	2	1	0	0	0	0
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	1	0	0	1	0	0
Fruit and Nuts	Grapefruit	Unprocessed	Non-organic production	4	2	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=EEA Origin=Greece

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruit and Nuts	Kiwi	Unprocessed	Non-organic production	13	1	0	0	0	0
Fruit and Nuts	Lemons	Unprocessed	Non-organic production	2	1	0	0	0	0
Fruit and Nuts	Mandarins	Unprocessed	Non-organic production	15	9	0	0	0	0
Fruit and Nuts	Oranges	Unknown	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	45	19	0	0	0	0
Fruit and Nuts	Oranges	Unprocessed	Production method unknown	1	0	0	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Non-organic production	13	6	0	0	0	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	2	2	0	0	0	0
Fruit and Nuts	Plums	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Strawberries	Unprocessed	Non-organic production	9	0	0	0	0	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	8	8	0	8	8	0
Vegetables	Carrots	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	3	0	0	0	0	0
Vegetables	Melons	Unprocessed	Non-organic production	2	1	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	6	1	0	6	1	0
Vegetables	Potatoes	Unprocessed	Non-organic production	6	2	0	0	0	0
Vegetables	Potatoes	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	2	1	0	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	2	0	0	0	0	0
<i>Origin</i>				147	54	0	16	9	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=EEA Origin=Hungary

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Unprocessed	Non-organic production	1	0	0	0	0	0
Cereals	Wheat	Unprocessed	Non-organic production	4	0	0	4	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	2	1	0	0	0	0
Fruit and Nuts	Cherries	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	4	1	0	0	0	0
<i>Origin</i>				12	2	0	4	0	0

Strategy=Surveillance Region=EEA Origin=Italy

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Dehydration	Non-organic production	3	0	0	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	5	0	0	0	0	0
Fruit and Nuts	Apples	Unknown	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	39	9	1	0	0	0
Fruit and Nuts	Grapefruit	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruit and Nuts	Kiwi	Unprocessed	Non-organic production	4	1	0	0	0	0
Fruit and Nuts	Mandarins	Unprocessed	Non-organic production	3	0	0	0	0	0
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Non-organic production	8	4	0	0	0	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Strawberries	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	17	8	0	17	8	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	3	0	0	3	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	3	1	0	0	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	6	2	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=EEA Origin=Italy

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Onions	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	2	1	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	7	1	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Production method unknown	1	1	0	0	0	0
<i>Origin</i>				109	29	1	21	8	0

Strategy=Surveillance Region=EEA Origin=Netherlands

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Baby and infant food	Procesed cereal-based foods	Processed	Production method unknown	1	0	0	0	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	4	2	0	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	4	0	0	0	0	0
Vegetables	Celery	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	8	2	0	0	0	0
Vegetables	Onions	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	16	0	0	16	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	8	1	0	0	0	0
<i>Origin</i>				54	6	0	18	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=EEA Origin=Poland

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Baby and infant food	Procesed cereal-based foods	Processed	Production method unknown	81	0	0	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	29	4	0	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Non-organic production	4	0	0	0	0	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	9	0	0	0	0	0
Fruit and Nuts	Plums	Unprocessed	Non-organic production	4	0	0	0	0	0
Pulses	Beans (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Beans (with pods)	Freezing	Non-organic production	1	0	0	0	0	0
Vegetables	Beans (without pods)	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	13	0	0	0	0	0
Vegetables	Cultivated fungi	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	4	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	13	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	5	1	0	0	0	0
<i>Origin</i>				<i>170</i>	<i>6</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>

Strategy=Surveillance Region=EEA Origin=Portugal

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Baby and infant food	Procesed cereal-based foods	Processed	Production method unknown	27	0	0	0	0	0
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				<i>28</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=EEA Origin=Slovakia

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Potatoes	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Region=EEA Origin=Slovenia

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruit and Nuts	Apples	Unprocessed	Non-organic production	2	1	0	0	0	0

Strategy=Surveillance Region=EEA Origin=Spain

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Baby and infant food	Procesed cereal-based foods	Processed	Integrated Pest Management	1	0	0	0	0	0
Baby and infant food	Procesed cereal-based foods	Processed	Production method unknown	133	0	0	0	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Lemons	Unprocessed	Non-organic production	7	2	0	0	0	0
Fruit and Nuts	Mandarins	Unprocessed	Non-organic production	7	5	0	0	0	0
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	11	6	0	0	0	0
Fruit and Nuts	Other stone fruits	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Non-organic production	12	5	0	0	0	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	2	1	0	0	0	0
Fruit and Nuts	Plums	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Plums	Unprocessed	Production method unknown	1	0	0	0	0	0
Fruit and Nuts	Strawberries	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	2	1	0	0	0	0
Vegetables	Melons	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	2	0	0	2	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	8	2	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=EEA Origin=Spain

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Origin				192	22	0	3	0	0
Region				810	127	1	64	17	0

Strategy=Surveillance Region=TC Origin=Afghanistan

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Argentina

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruit and Nuts	Lemons	Unprocessed	Non-organic production	4	0	0	0	0	0
Fruit and Nuts	Mandarins	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	6	0	0	0	0	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	9	2	0	0	0	0
Fruit and Nuts	Quinces	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	1	0	0	1	0	0
Oil plants	Peanuts	Unprocessed	Production method unknown	1	0	0	0	0	0
Origin				24	2	0	1	0	0

Strategy=Surveillance Region=TC Origin=Bosnia And Herzegovina

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruit and Nuts	Apples	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	1	0	0	1	0	0
Origin				2	0	0	1	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=TC Origin=Brazil

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	1	0	0	1	0	0

Strategy=Surveillance Region=TC Origin=Canada

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Peas (without pods)	Dehydration	Production method unknown	4	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Chile

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruit and Nuts	Kiwi	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	3	2	0	0	0	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruit and Nuts	Table grapes	Unprocessed	Production method unknown	1	0	0	1	0	0
<i>Origin</i>				6	3	0	2	1	0

Strategy=Surveillance Region=TC Origin=China

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Dehydration	Non-organic production	1	0	0	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	1	0	0	0	0	0
Cereals	Rice	Unprocessed	Production method unknown	1	0	0	0	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	6	2	0	0	0	0
Oil plants	Pumpkin seeds	Unprocessed	Non-organic production	1	0	0	0	0	0
Pulses	Beans (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Beans (without pods)	Dehydration	Non-organic production	2	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=TC Origin=China

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Beans (without pods)	Freezing	Non-organic production	4	0	0	0	0	0
Vegetables	Beans (without pods)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Garlic	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				25	3	0	0	0	0

Strategy=Surveillance Region=TC Origin=Colombia

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	10	0	0	10	0	0

Strategy=Surveillance Region=TC Origin=Costa Rica

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	5	0	0	5	0	0

Strategy=Surveillance Region=TC Origin=Dominican Republic

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruit and Nuts	Pears	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Ecuador

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	66	8	0	66	4	0
Fruit and Nuts	Bananas	Unprocessed	Production method unknown	3	0	0	3	0	0
<i>Origin</i>				69	8	0	69	4	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=TC Origin=Egypt

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Cereals	Rice	Unprocessed	Non-organic production	6	0	0	0	0	0
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	8	2	0	0	0	0
Fruit and Nuts	Strawberries	Unprocessed	Non-organic production	1	0	0	0	0	0
Pulses	Beans (dry)	Dehydration	Non-organic production	1	0	0	0	0	0
Pulses	Beans (dry)	Unprocessed	Non-organic production	3	0	0	0	0	0
Vegetables	Beans (without pods)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				21	2	0	0	0	0

Strategy=Surveillance Region=TC Origin=Georgia

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Potatoes	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Guadeloupe

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	1	0	0	1	0	0

Strategy=Surveillance Region=TC Origin=Guatemala

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	2	0	0	2	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=TC Origin=India

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Cereals	Rice	Dehydration	Non-organic production	2	0	0	0	0	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	1	0	0	1	0	0
<i>Origin</i>				3	0	0	1	0	0

Strategy=Surveillance Region=TC Origin=Jordan

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Watermelons	Unprocessed	Non-organic production	1	1	0	0	0	0

Strategy=Surveillance Region=TC Origin=Kyrgyzstan

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Beans (without pods)	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Macedonia

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Brassica vegetables	Unknown	Non-organic production	1	0	0	0	0	0
Vegetables	Brassica vegetables	Unprocessed	Non-organic production	2	0	0	0	0	0
<i>Origin</i>				4	0	0	1	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=TC Origin=Moldova

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruit and Nuts	Apples	Unprocessed	Non-organic production	8	0	0	0	0	0
Fruit and Nuts	Oranges	Processed	Non-organic production	2	0	0	0	0	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	3	0	0	3	0	0
Oil plants	Oilseeds	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				14	0	0	3	0	0

Strategy=Surveillance Region=TC Origin=Morocco

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruit and Nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				2	1	0	0	0	0

Strategy=Surveillance Region=TC Origin=Non EEA

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruit and Nuts	Grapefruit	Unprocessed	Non-organic production	2	1	0	0	0	0
Fruit and Nuts	Lemons	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	5	2	0	0	0	0
<i>Origin</i>				8	3	0	0	0	0

Strategy=Surveillance Region=TC Origin=Pakistan

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruit and Nuts	Mandarins	Unprocessed	Non-organic production	2	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=TC Origin=Peru

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	1	1	0	1	1	0

Strategy=Surveillance Region=TC Origin=Serbia

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Maize	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	4	0	0	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Non-organic production	4	1	0	0	0	0
Vegetables	Brassica vegetables	Unprocessed	Non-organic production	4	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	4	0	0	0	0	0
<i>Origin</i>				19	1	0	0	0	0

Strategy=Surveillance Region=TC Origin=South Africa

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	1	0	0	1	0	0
Fruit and Nuts	Grapefruit	Unprocessed	Non-organic production	3	1	0	0	0	0
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	4	3	0	4	3	0
<i>Origin</i>				10	4	0	5	3	0

Strategy=Surveillance Region=TC Origin=Suriname

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	1	0	0	1	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=TC Origin=Switzerland

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Baby and infant food	Procesed cereal-based foods	Processed	Production method unknown	2	0	0	0	0	0
Cereals	Rice	Dehydration	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				3	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Syria

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruit and Nuts	Mandarins	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	4	0	0	0	0	0
<i>Origin</i>				5	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Thailand

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Tokelau

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruit and Nuts	Grapefruit	Unprocessed	Production method unknown	3	0	0	0	0	0
Fruit and Nuts	Lemons	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Courgettes	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Production method unknown	2	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Production method unknown	1	0	0	1	0	0
Vegetables	Tomatoes	Unprocessed	Production method unknown	3	0	0	0	0	0
<i>Origin</i>				11	0	0	1	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=TC Origin=Turkey

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Baby and infant food	Procesed cereal-based foods	Processed	Production method unknown	30	0	0	0	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Apricots	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	4	1	0	4	0	0
Fruit and Nuts	Figs	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Grapefruit	Unprocessed	Non-organic production	44	30	0	0	0	0
Fruit and Nuts	Grapefruit	Unprocessed	Production method unknown	3	0	0	0	0	0
Fruit and Nuts	Kiwi	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruit and Nuts	Lemons	Unprocessed	Non-organic production	45	19	1	0	0	0
Fruit and Nuts	Mandarins	Unprocessed	Non-organic production	21	7	0	0	0	0
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	22	14	0	0	0	0
Fruit and Nuts	Other stone fruits	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Non-organic production	3	2	1	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Production method unknown	1	0	0	0	0	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	8	2	1	0	0	0
Fruit and Nuts	Strawberries	Unprocessed	Non-organic production	14	2	0	0	0	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	5	4	0	5	4	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	3	0	0	3	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	36	3	0	0	0	0
Vegetables	Courgettes	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	12	1	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Melons	Unprocessed	Non-organic production	3	1	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	2	0	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=TC Origin=Turkey

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Peppers	Unprocessed	Non-organic production	22	5	1	22	5	1
Vegetables	Potatoes	Unprocessed	Non-organic production	3	0	0	0	0	0
Vegetables	Tomatoes	Freezing	Non-organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unknown	Non-organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	55	10	0	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	1	1	0	0	0	0
<i>Origin</i>				352	105	4	34	9	1

Strategy=Surveillance Region=TC Origin=Ukraine

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Beans (without pods)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				3	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Uruguay

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruit and Nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	0	0	0

Strategy=Surveillance Region=TC Origin=Vietnam

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Cereals	Rice	Dehydration	Non-organic production	1	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=TC Origin=Zimbabwe

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruit and Nuts	Grapefruit	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Region</i>				617	135	4	139	18	1

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=UNK Origin=Unknown

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Maize	Dehydration	Non-organic production	2	0	0	0	0	0
Cereals	Rice	Dehydration	Non-organic production	9	1	1	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	8	0	0	0	0	0
Cereals	Wheat	Dehydration	Non-organic production	8	0	0	0	0	0
Cereals	Wheat	Unprocessed	Non-organic production	3	0	0	3	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	21	7	0	0	0	0
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	12	1	0	12	1	0
Fruit and Nuts	Cherries	Unprocessed	Non-organic production	3	0	0	0	0	0
Fruit and Nuts	Cherries	Unprocessed	Production method unknown	1	0	0	0	0	0
Fruit and Nuts	Grapefruit	Unprocessed	Non-organic production	14	5	0	0	0	0
Fruit and Nuts	Kiwi	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruit and Nuts	Lemons	Unprocessed	Non-organic production	10	3	0	0	0	0
Fruit and Nuts	Mandarins	Unprocessed	Non-organic production	12	6	0	0	0	0
Fruit and Nuts	Mandarins	Unprocessed	Production method unknown	1	0	0	0	0	0
Fruit and Nuts	Oranges	Juicing	Non-organic production	2	0	0	2	0	0
Fruit and Nuts	Oranges	Juicing	Production method unknown	2	0	0	2	0	0
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	17	2	0	0	0	0
Fruit and Nuts	Oranges	Unprocessed	Production method unknown	1	0	0	0	0	0
Fruit and Nuts	Other stone fruits	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Non-organic production	6	1	1	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Production method unknown	1	0	0	0	0	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	5	2	0	0	0	0
Fruit and Nuts	Pears	Unprocessed	Production method unknown	2	0	0	0	0	0
Fruit and Nuts	Plums	Unprocessed	Non-organic production	8	0	0	0	0	0
Fruit and Nuts	Plums	Unprocessed	Production method unknown	1	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=UNK Origin=Unknown

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruit and Nuts	Strawberries	Freezing	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Strawberries	Unprocessed	Non-organic production	6	0	0	0	0	0
Fruit and Nuts	Strawberries	Unprocessed	Production method unknown	2	0	0	0	0	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	20	5	0	20	5	0
Fruit and Nuts	Table grapes	Unprocessed	Production method unknown	2	0	0	2	0	0
Pulses	Beans (dry)	Cooking in air (Baking)	Non-organic production	1	0	0	0	0	0
Pulses	Beans (dry)	Dehydration	Non-organic production	1	0	0	0	0	0
Pulses	Beans (dry)	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	6	0	0	6	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Production method unknown	2	0	0	2	0	0
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Beans (without pods)	Dehydration	Non-organic production	3	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	7	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Production method unknown	2	0	0	0	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	5	0	0	5	0	0
Vegetables	Courgettes	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Cucumbers	Freezing	Non-organic production	1	1	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	12	0	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Production method unknown	1	1	0	0	0	0
Vegetables	Cultivated fungi	Unprocessed	Non-organic production	9	1	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	16	1	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Production method unknown	3	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	11	1	0	0	0	0
Vegetables	Lettuce	Unprocessed	Production method unknown	2	1	1	0	0	0
Vegetables	Melons	Unprocessed	Non-organic production	1	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=UNK Origin=Unknown

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Onions	Unprocessed	Non-organic production	15	0	0	0	0	0
Vegetables	Onions	Unprocessed	Production method unknown	2	0	0	0	0	0
Vegetables	Peas (with pods)	Freezing	Non-organic production	1	0	0	0	0	0
Vegetables	Peas (with pods)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peas (without pods)	Unprocessed	Non-organic production	2	0	0	2	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	22	2	1	22	2	1
Vegetables	Potatoes	Unprocessed	Non-organic production	20	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Production method unknown	4	0	0	0	0	0
Vegetables	Spinach	Freezing	Non-organic production	3	1	0	0	0	0
Vegetables	Spinach	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	14	2	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	3	0	0	0	0	0
<i>Origin</i>				361	44	4	78	8	1
<i>Region</i>				361	44	4	78	8	1
<i>Strategy</i>				3707	577	19	594	78	5
				3718	579	21	594	78	5

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of EC MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Babyfood

<i>Origin</i>	<i>Total</i>	<i>Between LOQ and MRL</i>			<i>Non Compliance</i>
		<i>Below LOQ</i>	<i>Above MRL</i>		
Czech Republic	2	2	0	0	0
Germany	24	24	0	0	0
Netherlands	1	1	0	0	0
Poland	81	81	0	0	0
Portugal	27	27	0	0	0
Romania	6	6	0	0	0
Spain	134	134	0	0	0
Switzerland	2	2	0	0	0
Turkey	30	30	0	0	0
ProductType	307	307	0	0	0

ProductType=Cereals

<i>Origin</i>	<i>Total</i>	<i>Between LOQ and MRL</i>			<i>Non Compliance</i>
		<i>Below LOQ</i>	<i>Above MRL</i>		
Bulgaria	1	1	0	0	0
China	3	3	0	0	0
Egypt	6	6	0	0	0
France	4	4	0	0	0
Greece	5	5	0	0	0
Hungary	5	5	0	0	0
India	2	2	0	0	0
Italy	8	8	0	0	0
Poland	1	1	0	0	0
Romania	138	131	6	1	1

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Cereals

Origin	Total	Between LOQ			Non Compliance
		Below LOQ	and MRL	Above MRL	
Serbia	1	1	0	0	0
Switzerland	1	1	0	0	0
Thailand	1	1	0	0	0
Unknown	30	29	0	1	1
Vietnam	1	1	0	0	0
ProductType	207	199	6	2	2

ProductType=Fruit and Nuts

Origin	Total	Between LOQ			Non Compliance
		Below LOQ	and MRL	Above MRL	
Afghanistan	1	1	0	0	0
Argentina	23	21	2	0	0
Austria	8	6	2	0	0
Belgium	1	0	1	0	0
Bosnia And Herzegovina	1	1	0	0	0
Brazil	1	1	0	0	0
Chile	6	3	3	0	0
China	8	5	3	0	0
Colombia	10	10	0	0	0
Costa Rica	5	5	0	0	0
Cyprus	1	1	0	0	0
Dominican Republic	1	1	0	0	0
Ecuador	69	61	8	0	0
Egypt	9	7	2	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Fruit and Nuts

<i>Origin</i>	<i>Total</i>	<i>Between LOQ</i>			<i>Non Compliance</i>
		<i>Below LOQ</i>	<i>and MRL</i>	<i>Above MRL</i>	
France	3	2	1	0	0
Germany	1	0	1	0	0
Greece	117	68	49	0	0
Guadeloupe	1	1	0	0	0
Guatemala	2	2	0	0	0
Hungary	3	2	1	0	0
India	1	1	0	0	0
Italy	77	54	22	1	1
Macedonia	1	1	0	0	0
Moldova	13	13	0	0	0
Morocco	1	0	1	0	0
Netherlands	8	5	3	0	0
Non EEA	8	5	3	0	0
Pakistan	2	2	0	0	0
Peru	1	0	1	0	0
Poland	46	42	4	0	0
Portugal	1	1	0	0	0
Romania	655	476	174	5	5
Serbia	8	7	1	0	0
Slovenia	2	1	1	0	0
South Africa	10	6	4	0	0
Spain	44	25	19	0	0
Suriname	1	1	0	0	0
Syria	1	1	0	0	0
Tokelau	4	4	0	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Fruit and Nuts

<i>Origin</i>	<i>Total</i>	<i>Between LOQ</i>		<i>Non Compliance</i>
		<i>Below LOQ</i>	<i>and MRL</i>	
Turkey	177	93	81	3
Unknown	153	121	31	1
Uruguay	1	0	1	0
Zimbabwe	1	1	0	0
<i>ProductType</i>	1487	1058	419	10

ProductType=Others

<i>Origin</i>	<i>Total</i>	<i>Between LOQ</i>		<i>Non Compliance</i>
		<i>Below LOQ</i>	<i>and MRL</i>	
Argentina	1	1	0	0
China	2	2	0	0
Egypt	4	4	0	0
Moldova	1	1	0	0
Poland	1	1	0	0
Romania	14	12	0	2
Unknown	4	4	0	0
<i>ProductType</i>	27	25	0	2

Figures in bold totals for all countries

ProductType=Vegetables

<i>Origin</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Non Compliance</i>
Austria	23	23	0	0	0
Belgium	11	10	1	0	0
Bosnia And Herzegovina	1	1	0	0	0
Bulgaria	7	7	0	0	0
Canada	4	4	0	0	0
China	12	12	0	0	0
Egypt	2	2	0	0	0
France	1	1	0	0	0
Georgia	1	1	0	0	0
Germany	8	7	1	0	0
Greece	25	20	5	0	0
Hungary	4	3	1	0	0
Italy	24	18	6	0	0
Jordan	1	0	1	0	0
Kyrgyzstan	1	1	0	0	0
Macedonia	3	3	0	0	0
Morocco	1	1	0	0	0
Netherlands	45	42	3	0	0
Poland	41	39	2	0	0
Romania	1117	1032	81	4	4
Serbia	10	10	0	0	0
Slovakia	1	1	0	0	0
Spain	14	11	3	0	0
Syria	4	4	0	0	0
Tokelau	7	7	0	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Vegetables

<i>Origin</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Non Compliance</i>
Turkey	145	124	20	1	1
Ukraine	3	3	0	0	0
Unknown	174	163	9	2	2
<i>ProductType</i>	1690	1550	133	7	7
	3718	3139	558	21	21

Figures in bold totals for all countries

Product=Aubergines (egg plants) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Acephate	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.005	0.02
Acetamiprid	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.005	0.1
Azinphos-methyl	0.010	0.050	43	43	0	0	0.025	0.010	0.005	0.025	0.05
Azoxystrobin	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.005	2
Benfuracarb	0.025	0.025	30	30	0	0	0.013	0.013	0.013	0.013	0.05
Bifenthrin	0.010	0.025	43	43	0	0	0.013	0.010	0.013	0.013	0.2
Bromopropylate	0.025	0.025	30	30	0	0	0.013	0.013	0.013	0.013	0.05
Buprofezin	0.025	0.025	30	30	0	0	0.013	0.013	0.013	0.013	1
Captan	0.010	0.050	42	42	0	0	0.025	0.019	0.025	0.025	0.02
Carbaryl	0.025	0.050	42	42	0	0	0.025	0.016	0.013	0.025	0.05
Carbosulfan	0.010	0.025	41	41	0	0	0.013	0.010	0.013	0.013	0.05
Chlorothalonil	0.010	0.025	42	42	0	0	0.013	0.010	0.013	0.013	2
Chlorpyrifos	0.010	0.025	43	43	0	0	0.013	0.010	0.013	0.013	0.5
Chlorpyrifos-methyl	0.010	0.025	43	43	0	0	0.013	0.010	0.013	0.013	0.5
Cyfluthrin (sum)	0.010	0.025	41	41	0	0	0.013	0.010	0.013	0.013	0.1
Cypermethrin (sum)	0.010	0.100	44	44	0	0	0.050	0.012	0.013	0.013	0.5
Cyprodinil	0.025	0.025	30	30	0	0	0.013	0.013	0.013	0.013	1
Deltamethrin	0.010	0.100	43	43	0	0	0.050	0.011	0.013	0.013	0.3
Diazinon	0.010	0.025	43	43	0	0	0.013	0.010	0.013	0.013	0.01
Dichlofluanid	0.020	0.025	41	41	0	0	0.013	0.012	0.013	0.013	.
Dichlorvos	0.010	0.025	42	42	0	0	0.013	0.010	0.013	0.013	0.01
Difenoconazole	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.005	0.05
Dimethoate (sum)	0.010	0.020	32	32	0	0	0.010	0.005	0.005	0.005	0.02
Diphenylamine	0.025	0.025	30	30	0	0	0.013	0.013	0.013	0.013	0.05

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Aubergines (egg plants) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Endosulfan (sum)	0.010	0.050	44	44	0	0	0.025	0.011	0.013	0.013	0.05
Ethion	0.010	0.025	43	43	0	0	0.013	0.010	0.013	0.013	0.01
Fenhexamid	0.050	0.050	30	30	0	0	0.025	0.025	0.025	0.025	1
Fenitrothion	0.025	0.025	30	30	0	0	0.013	0.013	0.013	0.013	0.01
Fludioxonil	0.025	0.025	30	30	0	0	0.013	0.013	0.013	0.013	1
Folpet	0.010	0.025	42	42	0	0	0.013	0.010	0.013	0.013	0.02
Imazalil	0.010	0.020	41	41	0	0	0.010	0.006	0.005	0.010	0.02
Imidacloprid	0.010	0.010	41	41	0	0	0.005	0.005	0.005	0.005	0.5
Iprodione	0.010	0.050	42	42	0	0	0.025	0.019	0.025	0.025	5
Iprovalicarb	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.005	0.05
Kresoxim-methyl	0.025	0.025	30	30	0	0	0.013	0.013	0.013	0.013	0.5
Malathion (sum)	0.010	0.025	41	41	0	0	0.013	0.010	0.013	0.013	0.02
Mepanipyrim (sum)	0.025	0.025	30	30	0	0	0.013	0.013	0.013	0.013	1
Metconazole	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.005	0.02
Methamidophos	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.005	0.01
Methidathion	0.010	0.025	43	43	0	0	0.013	0.010	0.013	0.013	0.02
Monocrotophos	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.005	0
Myclobutanil	0.050	0.050	30	30	0	0	0.025	0.025	0.025	0.025	0.3
Parathion	0.010	0.050	13	13	0	0	0.025	0.007	0.005	0.025	0.05
Penconazole	0.025	0.025	30	30	0	0	0.013	0.013	0.013	0.013	0.1
Phosalone	0.010	0.050	43	43	0	0	0.025	0.011	0.013	0.013	0.05
Pirimiphos-methyl	0.010	0.050	43	43	0	0	0.025	0.011	0.013	0.013	0.05
Prochloraz (sum)	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.005	0.05
Procymidone	0.025	0.025	30	30	0	0	0.013	0.013	0.013	0.013	2

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Aubergines (egg plants) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Profenofos	0.025	0.025	30	30	0	0	0.013	0.013	0.013	0.013	0.05
Propargite	0.025	0.025	30	30	0	0	0.013	0.013	0.013	0.013	2
Pyrimethanil	0.025	0.025	30	30	0	0	0.013	0.013	0.013	0.013	1
Spiroxamine	0.050	0.050	30	30	0	0	0.025	0.025	0.025	0.025	0.05
Tebuconazole	0.025	0.025	30	30	0	0	0.013	0.013	0.013	0.013	0.5
Thiabendazole	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.005	0.05
Tolclofos-methyl	0.025	0.025	30	30	0	0	0.013	0.013	0.013	0.013	1
Tolyfluanid (sum)	0.025	0.025	30	30	0	0	0.013	0.013	0.013	0.013	3
Triadimefon (sum)	0.050	0.050	30	30	0	0	0.025	0.025	0.025	0.025	0.1
Triazophos	0.050	0.050	30	30	0	0	0.025	0.025	0.025	0.025	0.01
Trifloxystrobin	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.005	0.02

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Bananas Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Acephate	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.005	0.02
Acetamiprid	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.005	0.01
Azinphos-methyl	0.010	0.050	104	104	0	0	0.025	0.009	0.005	0.025	0.05
Azoxystrobin	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.005	2
Benfuracarb	0.025	0.025	66	66	0	0	0.013	0.012	0.013	0.013	0.05
Bifenthrin	0.010	0.025	102	102	0	0	0.013	0.010	0.013	0.013	0.1
Bromopropylate	0.025	0.025	66	66	0	0	0.013	0.012	0.013	0.013	0.05
Buprofezin	0.025	0.025	66	66	0	0	0.013	0.012	0.013	0.013	0.5
Captan	0.010	0.050	103	103	0	0	0.025	0.018	0.025	0.025	0.02
Carbaryl	0.025	0.100	85	85	0	0	0.050	0.016	0.013	0.025	0.05
Carbosulfan	0.010	0.025	83	83	0	0	0.013	0.011	0.013	0.013	0.05
Chlorothalonil	0.010	0.025	103	103	0	0	0.013	0.010	0.013	0.013	0.2
Chlorpyrifos	0.010	0.025	104	102	2	0	0.066	0.012	0.013	0.013	3
Chlorpyrifos-methyl	0.010	0.025	104	104	0	0	0.013	0.011	0.013	0.013	0.05
Cyfluthrin (sum)	0.010	0.025	83	83	0	0	0.013	0.011	0.013	0.013	0.02
Cypermethrin (sum)	0.010	0.100	103	103	0	0	0.050	0.011	0.013	0.013	0.05
Cyprodinil	0.025	0.025	66	66	0	0	0.013	0.012	0.013	0.013	0.05
Deltamethrin	0.010	0.100	102	102	0	0	0.050	0.011	0.013	0.013	0.05
Diazinon	0.010	0.025	104	104	0	0	0.013	0.011	0.013	0.013	0.01
Dichlofluanid	0.020	0.025	84	84	0	0	0.013	0.012	0.013	0.013	.
Dichlorvos	0.010	0.025	102	102	0	0	0.013	0.011	0.013	0.013	0.01
Dicofol (sum)	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.010	0.02
Difenoconazole	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.005	0.1
Dimethoate (sum)	0.010	0.020	87	87	0	0	0.010	0.006	0.005	0.010	0.02

**For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg**

Product=Bananas Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Diphenylamine	0.025	0.025	66	66	0	0	0.013	0.012	0.013	0.013	0.05
Endosulfan (sum)	0.010	0.050	104	104	0	0	0.025	0.011	0.013	0.013	0.05
Ethion	0.010	0.025	104	104	0	0	0.013	0.011	0.013	0.013	0.01
Fenhexamid	0.050	0.050	66	66	0	0	0.025	0.025	0.025	0.025	0.05
Fenitrothion	0.025	0.025	66	66	0	0	0.013	0.012	0.013	0.013	0.01
Fludioxonil	0.025	0.025	66	66	0	0	0.013	0.012	0.013	0.013	0.05
Folpet	0.010	0.025	104	104	0	0	0.013	0.010	0.013	0.013	0.02
Imazalil	0.010	0.020	84	83	1	0	0.022	0.006	0.005	0.010	2
Imidacloprid	0.010	0.020	84	84	0	0	0.010	0.005	0.005	0.005	0.05
Iprodione	0.010	0.050	104	104	0	0	0.025	0.018	0.025	0.025	0.02
Iprovalicarb	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.005	0.05
Kresoxim-methyl	0.025	0.025	66	66	0	0	0.013	0.012	0.013	0.013	0.05
Malathion (sum)	0.010	0.025	85	85	0	0	0.013	0.011	0.013	0.013	0.02
Mepanipyrim (sum)	0.025	0.025	66	66	0	0	0.013	0.012	0.013	0.013	0.01
Metconazole	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.005	0.02
Methamidophos	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.005	0.01
Methidathion	0.010	0.025	104	104	0	0	0.013	0.011	0.013	0.013	.
Monocrotophos	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.005	0
Myclobutanil	0.050	0.050	66	64	2	0	0.130	0.027	0.025	0.025	2
Parathion	0.010	0.050	38	38	0	0	0.025	0.008	0.010	0.010	0.05
Penconazole	0.025	0.025	66	66	0	0	0.013	0.012	0.013	0.013	0.05
Phosalone	0.010	0.050	103	103	0	0	0.025	0.011	0.013	0.013	0.05
Pirimiphos-methyl	0.010	0.050	104	104	0	0	0.025	0.011	0.013	0.013	0.05
Prochloraz (sum)	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.005	0.05

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Bananas Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Procymidone	0.025	0.025	66	66	0	0	0.013	0.012	0.013	0.013	0.02
Profenofos	0.025	0.025	66	66	0	0	0.013	0.012	0.013	0.013	0.05
Propargite	0.025	0.025	66	66	0	0	0.013	0.012	0.013	0.013	0.01
Pyrimethanil	0.025	0.025	66	66	0	0	0.013	0.012	0.013	0.013	0.1
Spiroxamine	0.050	0.050	66	66	0	0	0.025	0.025	0.025	0.025	3
Tebuconazole	0.025	0.025	66	66	0	0	0.013	0.012	0.013	0.013	0.05
Thiabendazole	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.005	5
Tolclofos-methyl	0.025	0.025	66	66	0	0	0.013	0.012	0.013	0.013	0.05
Tolyfluanid (sum)	0.025	0.025	66	66	0	0	0.013	0.012	0.013	0.013	0.05
Triadimefon (sum)	0.050	0.050	66	66	0	0	0.025	0.025	0.025	0.025	0.2
Triazophos	0.050	0.050	66	66	0	0	0.025	0.025	0.025	0.025	0.01
Trifloxystrobin	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.005	0.05

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Cauliflower Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Acephate	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.005	0.02
Acetamiprid	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.005	0.01
Azinphos-methyl	0.010	0.050	29	29	0	0	0.025	0.009	0.005	0.025	0.05
Azoxystrobin	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.005	0.5
Benfuracarb	0.025	0.025	22	22	0	0	0.013	0.013	0.013	0.013	0.05
Bifenthrin	0.010	0.025	28	28	0	0	0.013	0.011	0.013	0.013	0.2
Bromopropylate	0.025	0.025	22	22	0	0	0.013	0.013	0.013	0.013	0.05
Buprofezin	0.025	0.025	22	22	0	0	0.013	0.013	0.013	0.013	0.05
Captan	0.010	0.050	28	28	0	0	0.025	0.021	0.025	0.025	0.02
Carbaryl	0.025	0.050	27	27	0	0	0.025	0.015	0.013	0.025	0.05
Carbosulfan	0.010	0.025	27	27	0	0	0.013	0.011	0.013	0.013	0.05
Chlorothalonil	0.010	0.025	28	28	0	0	0.013	0.011	0.013	0.013	3
Chlorpyrifos	0.010	0.025	29	29	0	0	0.013	0.011	0.013	0.013	0.05
Chlorpyrifos-methyl	0.010	0.025	29	29	0	0	0.013	0.011	0.013	0.013	0.05
Cyfluthrin (sum)	0.010	0.025	27	27	0	0	0.013	0.011	0.013	0.013	0.05
Cypermethrin (sum)	0.010	0.025	28	28	0	0	0.013	0.011	0.013	0.013	0.5
Cyprodinil	0.025	0.025	22	22	0	0	0.013	0.013	0.013	0.013	0.05
Deltamethrin	0.010	0.025	28	28	0	0	0.013	0.011	0.013	0.013	0.1
Diazinon	0.010	0.025	29	29	0	0	0.013	0.011	0.013	0.013	0.01
Dichlofluanid	0.020	0.025	27	27	0	0	0.013	0.012	0.013	0.013	.
Dichlorvos	0.010	0.025	29	29	0	0	0.013	0.011	0.013	0.013	0.01
Difenoconazole	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.005	0.2
Dimethoate (sum)	0.010	0.020	24	24	0	0	0.010	0.005	0.005	0.005	0.2
Diphenylamine	0.025	0.025	22	22	0	0	0.013	0.013	0.013	0.013	0.05

**For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg**

Product=Cauliflower Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Endosulfan (sum)	0.010	0.025	29	29	0	0	0.013	0.011	0.013	0.013	0.05
Ethion	0.010	0.025	29	29	0	0	0.013	0.011	0.013	0.013	0.01
Fenhexamid	0.050	0.050	22	22	0	0	0.025	0.025	0.025	0.025	0.05
Fenitrothion	0.025	0.025	22	22	0	0	0.013	0.013	0.013	0.013	0.01
Fludioxonil	0.025	0.025	22	22	0	0	0.013	0.013	0.013	0.013	0.05
Folpet	0.010	0.025	28	28	0	0	0.013	0.011	0.013	0.013	0.02
Imazalil	0.010	0.020	27	27	0	0	0.010	0.006	0.005	0.010	0.02
Imidacloprid	0.010	0.010	27	27	0	0	0.005	0.005	0.005	0.005	0.5
Iprodione	0.010	0.050	28	28	0	0	0.025	0.021	0.025	0.025	0.1
Iprovalicarb	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.005	0.05
Kresoxim-methyl	0.025	0.025	22	22	0	0	0.013	0.013	0.013	0.013	0.05
Malathion (sum)	0.010	0.025	27	27	0	0	0.013	0.011	0.013	0.013	0.02
Mepanipyrim (sum)	0.025	0.025	22	22	0	0	0.013	0.013	0.013	0.013	0.01
Metconazole	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.005	0.02
Methamidophos	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.005	0.02
Methidathion	0.010	0.025	29	29	0	0	0.013	0.011	0.013	0.013	0.02
Monocrotophos	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.005	0
Myclobutanil	0.050	0.050	22	22	0	0	0.025	0.025	0.025	0.025	0.02
Parathion	0.010	0.020	7	7	0	0	0.010	0.006	0.005	0.010	0.05
Penconazole	0.025	0.025	22	22	0	0	0.013	0.013	0.013	0.013	0.05
Phosalone	0.010	0.025	29	29	0	0	0.013	0.011	0.013	0.013	0.05
Pirimiphos-methyl	0.010	0.025	29	29	0	0	0.013	0.011	0.013	0.013	1
Prochloraz (sum)	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.005	0.05
Procymidone	0.025	0.025	22	22	0	0	0.013	0.013	0.013	0.013	0.02

**For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg**

Product=Cauliflower Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Profenofos	0.025	0.025	22	22	0	0	0.013	0.013	0.013	0.013	0.05
Propargite	0.025	0.025	22	22	0	0	0.013	0.013	0.013	0.013	0.01
Pyrimethanil	0.025	0.025	22	22	0	0	0.013	0.013	0.013	0.013	0.05
Spiroxamine	0.050	0.050	22	22	0	0	0.025	0.025	0.025	0.025	0.05
Tebuconazole	0.025	0.025	22	22	0	0	0.013	0.013	0.013	0.013	1
Thiabendazole	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.005	0.05
Tolclofos-methyl	0.025	0.025	22	22	0	0	0.013	0.013	0.013	0.013	0.5
Tolyfluanid (sum)	0.025	0.025	22	22	0	0	0.013	0.013	0.013	0.013	0.05
Triadimefon (sum)	0.050	0.050	22	22	0	0	0.025	0.025	0.025	0.025	0.1
Triazophos	0.050	0.050	22	22	0	0	0.025	0.025	0.025	0.025	0.01
Trifloxystrobin	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.005	0.05

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Oranges Treatment=Juicing

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Azinphos-methyl	0.050	0.050	4	4	0	0	0.025	0.025	0.025	0.025	0.05
Bifenthrin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0.1
Captan	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0.02
Carbaryl	0.050	0.050	4	4	0	0	0.025	0.025	0.025	0.025	0.05
Carbosulfan	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0.05
Chlorothalonil	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0.01
Chlorpyrifos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0.3
Chlorpyrifos-methyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0.5
Cyfluthrin (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0.02
Cypermethrin (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	2
Deltamethrin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0.05
Diazinon	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0.01
Dichlofluanid	0.020	0.020	4	4	0	0	0.010	0.010	0.010	0.010	.
Dichlorvos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0.01
Endosulfan (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0.05
Ethion	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0.01
Folpet	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0.02
Imazalil	0.020	0.020	4	4	0	0	0.010	0.010	0.010	0.010	5
Imidacloprid	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	1
Iprodione	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0.02
Malathion (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	7
Methidathion	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	5
Parathion	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0.05

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Oranges Treatment=Juicing

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ	and MRL						
Phosalone	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0.05
Pirimiphos-methyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	1

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Peas (without pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Acephate	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.005	0.02
Acetamiprid	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.005	0.01
Azinphos-methyl	0.010	0.050	22	22	0	0	0.025	0.007	0.005	0.025	0.05
Azoxystrobin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.005	0.2
Benfuracarb	0.025	0.025	20	20	0	0	0.013	0.013	0.013	0.013	0.05
Bifenthrin	0.010	0.025	22	22	0	0	0.013	0.012	0.013	0.013	0.05
Bromopropylate	0.025	0.025	20	20	0	0	0.013	0.013	0.013	0.013	0.05
Buprofezin	0.025	0.025	20	20	0	0	0.013	0.013	0.013	0.013	0.5
Captan	0.010	0.050	22	22	0	0	0.025	0.023	0.025	0.025	0.02
Carbaryl	0.025	0.050	22	22	0	0	0.025	0.014	0.013	0.025	0.05
Carbosulfan	0.010	0.025	22	22	0	0	0.013	0.012	0.013	0.013	0.05
Chlorothalonil	0.010	0.025	22	22	0	0	0.013	0.012	0.013	0.013	0.3
Chlorpyrifos	0.010	0.025	22	22	0	0	0.013	0.012	0.013	0.013	0.05
Chlorpyrifos-methyl	0.010	0.025	22	22	0	0	0.013	0.012	0.013	0.013	0.05
Cyfluthrin (sum)	0.010	0.025	22	22	0	0	0.013	0.012	0.013	0.013	0.05
Cypermethrin (sum)	0.010	0.025	22	22	0	0	0.013	0.012	0.013	0.013	0.05
Cyprodinil	0.025	0.025	20	20	0	0	0.013	0.013	0.013	0.013	0.1
Deltamethrin	0.010	0.025	22	22	0	0	0.013	0.012	0.013	0.013	0.2
Diazinon	0.010	0.025	22	22	0	0	0.013	0.012	0.013	0.013	0.01
Dichlofluanid	0.020	0.025	22	22	0	0	0.013	0.012	0.013	0.013	.
Dichlorvos	0.010	0.025	22	22	0	0	0.013	0.012	0.013	0.013	0.01
Difenoconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.005	1
Dimethoate (sum)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.005	0.02
Diphenylamine	0.025	0.025	20	20	0	0	0.013	0.013	0.013	0.013	0.05

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Peas (without pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Endosulfan (sum)	0.010	0.025	22	22	0	0	0.013	0.012	0.013	0.013	0.05
Ethion	0.010	0.025	22	22	0	0	0.013	0.012	0.013	0.013	0.01
Fenhexamid	0.050	0.050	20	20	0	0	0.025	0.025	0.025	0.025	0.05
Fenitrothion	0.025	0.025	20	20	0	0	0.013	0.013	0.013	0.013	0.01
Fludioxonil	0.025	0.025	20	20	0	0	0.013	0.013	0.013	0.013	0.05
Folpet	0.010	0.025	22	22	0	0	0.013	0.012	0.013	0.013	0.02
Imazalil	0.010	0.020	22	22	0	0	0.010	0.005	0.005	0.010	0.02
Imidacloprid	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.005	0.05
Iprodione	0.010	0.050	22	22	0	0	0.025	0.023	0.025	0.025	0.3
Iprovalicarb	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.005	0.05
Kresoxim-methyl	0.025	0.025	20	20	0	0	0.013	0.013	0.013	0.013	0.05
Malathion (sum)	0.010	0.025	22	22	0	0	0.013	0.012	0.013	0.013	0.02
Mepanipyrim (sum)	0.025	0.025	20	20	0	0	0.013	0.013	0.013	0.013	0.01
Metconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.005	0.05
Methamidophos	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.005	0.01
Methidathion	0.010	0.025	22	22	0	0	0.013	0.012	0.013	0.013	0.02
Monocrotophos	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.005	0
Myclobutanil	0.050	0.050	20	20	0	0	0.025	0.025	0.025	0.025	0.02
Parathion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.005	0.05
Penconazole	0.025	0.025	20	20	0	0	0.013	0.013	0.013	0.013	0.05
Phosalone	0.010	0.025	22	22	0	0	0.013	0.012	0.013	0.013	0.05
Pirimiphos-methyl	0.010	0.025	22	22	0	0	0.013	0.012	0.013	0.013	0.05
Prochloraz (sum)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.005	0.05
Procymidone	0.025	0.025	20	20	0	0	0.013	0.013	0.013	0.013	0.3

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Peas (without pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Profenofos	0.025	0.025	20	20	0	0	0.013	0.013	0.013	0.013	0.05
Propargite	0.025	0.025	20	20	0	0	0.013	0.013	0.013	0.013	0.01
Pyrimethanil	0.025	0.025	20	20	0	0	0.013	0.013	0.013	0.013	0.2
Spiroxamine	0.050	0.050	20	20	0	0	0.025	0.025	0.025	0.025	0.05
Tebuconazole	0.025	0.025	20	20	0	0	0.013	0.013	0.013	0.013	0.05
Thiabendazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.005	0.05
Tolclofos-methyl	0.025	0.025	20	20	0	0	0.013	0.013	0.013	0.013	0.05
Tolyfluanid (sum)	0.025	0.025	20	20	0	0	0.013	0.013	0.013	0.013	0.05
Triadimefon (sum)	0.050	0.050	20	20	0	0	0.025	0.025	0.025	0.025	0.1
Triazophos	0.050	0.050	20	20	0	0	0.025	0.025	0.025	0.025	0.01
Trifloxystrobin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.005	0.02

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Peppers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Acephate	0.010	0.010	106	106	0	0	0.005	0.005	0.005	0.005	0.02
Acetamiprid	0.010	0.010	106	106	0	0	0.005	0.005	0.005	0.005	0.3
Azinphos-methyl	0.010	0.050	143	143	0	0	0.025	0.010	0.005	0.025	0.05
Azoxystrobin	0.010	0.010	106	106	0	0	0.005	0.005	0.005	0.005	2
Benfuracarb	0.025	0.025	106	106	0	0	0.013	0.012	0.013	0.013	0.05
Bifenthrin	0.010	0.050	142	141	1	0	0.040	0.011	0.013	0.013	0.2
Bromopropylate	0.025	0.025	106	106	0	0	0.013	0.012	0.013	0.013	0.05
Buprofezin	0.025	0.025	106	106	0	0	0.013	0.012	0.013	0.013	1
Captan	0.010	0.050	141	141	0	0	0.025	0.020	0.025	0.025	0.1
Carbaryl	0.025	0.050	139	139	0	0	0.025	0.015	0.013	0.025	0.05
Carbosulfan	0.010	0.050	138	138	0	0	0.025	0.011	0.013	0.013	0.05
Chlorothalonil	0.010	0.025	141	141	0	0	0.013	0.011	0.013	0.013	2
Chlorpyrifos	0.010	0.025	143	141	2	0	0.130	0.012	0.013	0.013	0.5
Chlorpyrifos-methyl	0.010	0.025	143	143	0	0	0.013	0.011	0.013	0.013	0.5
Cyfluthrin (sum)	0.010	0.025	138	137	1	0	0.150	0.012	0.013	0.013	0.3
Cypermethrin (sum)	0.010	0.100	144	144	0	0	0.050	0.011	0.013	0.013	0.5
Cyprodinil	0.025	0.025	106	106	0	0	0.013	0.012	0.013	0.013	1
Deltamethrin	0.010	0.100	143	143	0	0	0.050	0.011	0.013	0.013	0.2
Diazinon	0.010	0.025	143	143	0	0	0.013	0.011	0.013	0.013	0.05
Dichlofluanid	0.020	0.025	138	138	0	0	0.013	0.012	0.013	0.013	.
Dichlorvos	0.010	0.025	140	140	0	0	0.013	0.011	0.013	0.013	0.01
Difenoconazole	0.010	0.010	106	106	0	0	0.005	0.005	0.005	0.005	0.05
Dimethoate (sum)	0.010	0.020	111	111	0	0	0.010	0.005	0.005	0.005	0.02
Diphenylamine	0.025	0.025	106	106	0	0	0.013	0.012	0.013	0.013	0.05

**For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg**

Product=Peppers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Endosulfan (sum)	0.010	0.050	143	143	0	0	0.025	0.011	0.013	0.013	1
Ethion	0.010	0.025	143	143	0	0	0.013	0.011	0.013	0.013	0.01
Fenhexamid	0.050	0.050	106	106	0	0	0.025	0.025	0.025	0.025	2
Fenitrothion	0.025	0.025	106	106	0	0	0.013	0.012	0.013	0.013	0.01
Fludioxonil	0.025	0.025	106	106	0	0	0.013	0.012	0.013	0.013	2
Folpet	0.010	0.025	141	141	0	0	0.013	0.011	0.013	0.013	0.02
Imazalil	0.010	0.020	138	138	0	0	0.010	0.006	0.005	0.010	0.02
Imidacloprid	0.010	0.010	138	138	0	0	0.005	0.005	0.005	0.005	1
Iprodione	0.010	0.050	141	140	1	0	0.490	0.023	0.025	0.025	5
Iprovalicarb	0.010	0.010	106	106	0	0	0.005	0.005	0.005	0.005	0.05
Kresoxim-methyl	0.025	0.025	106	105	1	0	0.090	0.013	0.013	0.013	1
Malathion (sum)	0.010	0.025	140	140	0	0	0.013	0.011	0.013	0.013	0.1
Mepanipyrim (sum)	0.025	0.025	106	106	0	0	0.013	0.012	0.013	0.013	0.01
Metconazole	0.010	0.010	106	106	0	0	0.005	0.005	0.005	0.005	0.02
Methamidophos	0.010	0.010	106	106	0	0	0.005	0.005	0.005	0.005	0.01
Methidathion	0.010	0.025	143	140	1	2	0.040	0.011	0.013	0.013	0.02
Monocrotophos	0.010	0.010	106	106	0	0	0.005	0.005	0.005	0.005	0
Myclobutanil	0.050	0.050	106	106	0	0	0.025	0.025	0.025	0.025	0.5
Parathion	0.010	0.050	37	37	0	0	0.025	0.006	0.005	0.010	0.05
Penconazole	0.025	0.025	106	106	0	0	0.013	0.012	0.013	0.013	0.2
Phosalone	0.010	0.050	141	141	0	0	0.025	0.011	0.013	0.013	0.05
Pirimiphos-methyl	0.010	0.050	143	143	0	0	0.025	0.011	0.013	0.013	1
Prochloraz (sum)	0.010	0.010	106	106	0	0	0.005	0.005	0.005	0.005	0.05
Procymidone	0.025	0.025	106	104	2	0	0.200	0.015	0.013	0.013	2

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Peppers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Profenofos	0.025	0.025	106	106	0	0	0.013	0.012	0.013	0.013	0.05
Propargite	0.025	0.025	106	105	1	0	0.110	0.013	0.013	0.013	2
Pyrimethanil	0.025	0.025	106	106	0	0	0.013	0.012	0.013	0.013	2
Spiroxamine	0.050	0.050	106	106	0	0	0.025	0.025	0.025	0.025	0.05
Tebuconazole	0.025	0.025	106	106	0	0	0.013	0.012	0.013	0.013	0.5
Thiabendazole	0.010	0.010	106	106	0	0	0.005	0.005	0.005	0.005	0.05
Tolclofos-methyl	0.025	0.025	106	106	0	0	0.013	0.012	0.013	0.013	1
Tolyfluanid (sum)	0.025	0.025	106	106	0	0	0.013	0.012	0.013	0.013	2
Triadimefon (sum)	0.050	0.050	106	105	1	0	0.100	0.026	0.025	0.025	0.5
Triazophos	0.050	0.050	106	106	0	0	0.025	0.025	0.025	0.025	0.01
Trifloxystrobin	0.010	0.010	106	106	0	0	0.005	0.005	0.005	0.005	0.3

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Table grapes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Acephate	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.005	0.02
Acetamiprid	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.005	0.01
Azinphos-methyl	0.010	0.050	126	126	0	0	0.025	0.010	0.005	0.025	0.05
Azoxystrobin	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.005	2
Benfuracarb	0.025	0.025	96	96	0	0	0.013	0.012	0.013	0.013	0.05
Bifenthrin	0.010	0.050	121	118	3	0	0.050	0.012	0.013	0.013	0.2
Bromopropylate	0.025	0.025	96	96	0	0	0.013	0.012	0.013	0.013	2
Buprofezin	0.025	0.025	96	96	0	0	0.013	0.012	0.013	0.013	1
Captan	0.010	0.050	123	123	0	0	0.025	0.021	0.025	0.025	0.02
Carbaryl	0.025	0.100	122	122	0	0	0.050	0.015	0.013	0.025	0.05
Carbofuran (sum)	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.010	0.02
Carbosulfan	0.010	0.050	118	118	0	0	0.025	0.011	0.013	0.013	0.05
Chlorothalonil	0.010	0.025	123	123	0	0	0.013	0.011	0.013	0.013	1
Chlorpyrifos	0.010	0.025	126	122	4	0	0.397	0.017	0.013	0.013	0.5
Chlorpyrifos-methyl	0.010	0.025	126	123	3	0	0.150	0.013	0.013	0.013	0.2
Cyfluthrin (sum)	0.010	0.025	119	119	0	0	0.013	0.011	0.013	0.013	0.3
Cypermethrin (sum)	0.010	0.100	124	121	3	0	0.270	0.017	0.013	0.025	0.5
Cyprodinil	0.025	0.025	96	85	11	0	0.900	0.036	0.013	0.140	5
Deltamethrin	0.010	0.100	124	124	0	0	0.050	0.011	0.013	0.013	0.2
Diazinon	0.010	0.025	126	126	0	0	0.013	0.011	0.013	0.013	0.01
Dichlofluanid	0.020	0.025	120	120	0	0	0.013	0.012	0.013	0.013	.
Dichlorvos	0.010	0.025	124	124	0	0	0.013	0.011	0.013	0.013	0.01
Difenoconazole	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.005	0.5
Dimethoate (sum)	0.010	0.020	101	101	0	0	0.010	0.005	0.005	0.005	0.02

**For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg**

Product=Table grapes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Diphenylamine	0.025	0.025	96	96	0	0	0.013	0.012	0.013	0.013	0.05
Endosulfan (sum)	0.010	0.025	125	123	2	0	0.077	0.012	0.013	0.013	0.5
Ethion	0.010	0.025	126	126	0	0	0.013	0.011	0.013	0.013	0.01
Fenhexamid	0.050	0.050	96	88	8	0	3.050	0.093	0.025	0.410	5
Fenitrothion	0.025	0.025	96	96	0	0	0.013	0.012	0.013	0.013	0.01
Fludioxonil	0.025	0.025	96	87	9	0	0.470	0.024	0.013	0.090	2
Folpet	0.010	0.025	123	121	0	2	0.940	0.023	0.013	0.013	0.02
Imazalil	0.010	0.020	120	120	0	0	0.010	0.006	0.005	0.010	0.02
Imidacloprid	0.010	0.010	120	120	0	0	0.005	0.005	0.005	0.005	1
Iprodione	0.010	0.050	123	121	2	0	0.490	0.026	0.025	0.025	10
Iprovalicarb	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.005	2
Kresoxim-methyl	0.025	0.025	96	96	0	0	0.013	0.012	0.013	0.013	1
Malathion (sum)	0.010	0.025	123	123	0	0	0.013	0.011	0.013	0.013	5
Mepanipyrim (sum)	0.025	0.025	96	96	0	0	0.013	0.012	0.013	0.013	3
Metconazole	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.005	0.02
Methamidophos	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.005	0.01
Methidathion	0.010	0.025	126	126	0	0	0.013	0.011	0.013	0.013	0.02
Monocrotophos	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.005	0
Myclobutanil	0.050	0.050	96	93	3	0	0.220	0.028	0.025	0.025	1
Parathion	0.010	0.020	29	29	0	0	0.010	0.005	0.005	0.010	0.05
Penconazole	0.025	0.025	96	92	4	0	0.080	0.014	0.013	0.013	0.2
Phosalone	0.010	0.050	124	124	0	0	0.025	0.011	0.013	0.013	0.05
Pirimiphos-methyl	0.010	0.025	126	126	0	0	0.013	0.011	0.013	0.013	0.05
Prochloraz (sum)	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.005	0.05

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Table grapes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ	and MRL						
Procymidone	0.025	0.025	96	85	11	0	1.200	0.051	0.013	0.280	5
Profenofos	0.025	0.025	96	96	0	0	0.013	0.012	0.013	0.013	0.05
Propargite	0.025	0.025	96	92	4	0	0.330	0.021	0.013	0.013	7
Pyrimethanil	0.025	0.025	96	87	9	0	0.660	0.028	0.013	0.130	5
Spiroxamine	0.050	0.050	96	96	0	0	0.025	0.025	0.025	0.025	1
Tebuconazole	0.025	0.025	96	94	2	0	0.130	0.014	0.013	0.013	2
Thiabendazole	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.005	0.05
Tolclofos-methyl	0.025	0.025	96	96	0	0	0.013	0.012	0.013	0.013	0.05
Tolyfluanid (sum)	0.025	0.025	96	95	1	0	0.070	0.013	0.013	0.013	5
Triadimefon (sum)	0.050	0.050	96	95	1	0	0.150	0.026	0.025	0.025	2
Triazophos	0.050	0.050	96	96	0	0	0.025	0.025	0.025	0.025	0.01
Trifloxystrobin	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.005	5

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Wheat Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ	and MRL						
Acephate	0.010	0.010	85	85	0	0	0.005	0.005	0.005	0.005	0.02
Acetamiprid	0.010	0.010	85	85	0	0	0.005	0.005	0.005	0.005	0.01
Azinphos-methyl	0.010	0.050	96	96	0	0	0.025	0.007	0.005	0.025	0.05
Azoxystrobin	0.010	0.010	85	85	0	0	0.005	0.005	0.005	0.005	0.3
Benfuracarb	0.025	0.025	85	85	0	0	0.013	0.012	0.013	0.013	0.05
Bifenthrin	0.010	0.050	91	91	0	0	0.025	0.012	0.013	0.013	0.5
Bromopropylate	0.025	0.025	85	85	0	0	0.013	0.012	0.013	0.013	0.05
Buprofezin	0.025	0.025	85	85	0	0	0.013	0.012	0.013	0.013	0.05
Captan	0.010	0.050	89	89	0	0	0.025	0.024	0.025	0.025	0.02
Carbaryl	0.025	0.050	90	90	0	0	0.025	0.013	0.013	0.025	0.5
Carbofuran (sum)	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.010	0.02
Carbosulfan	0.010	0.025	88	88	0	0	0.013	0.012	0.013	0.013	0.05
Chlorothalonil	0.010	0.025	89	89	0	0	0.013	0.012	0.013	0.013	0.1
Chlorpyrifos	0.010	0.025	96	95	0	1	0.310	0.015	0.013	0.013	0.05
Chlorpyrifos-methyl	0.010	0.025	96	92	4	0	0.390	0.017	0.013	0.013	3
Cyfluthrin (sum)	0.010	0.025	91	91	0	0	0.013	0.012	0.013	0.013	0.02
Cypermethrin (sum)	0.010	0.100	92	92	0	0	0.050	0.013	0.013	0.013	2
Cyprodinil	0.025	0.025	85	85	0	0	0.013	0.012	0.013	0.013	0.5
Deltamethrin	0.010	0.050	92	92	0	0	0.025	0.012	0.013	0.013	2
Diazinon	0.010	0.025	96	96	0	0	0.013	0.012	0.013	0.013	0.02
Dichlofluanid	0.020	0.025	88	88	0	0	0.013	0.012	0.013	0.013	.
Dichlorvos	0.010	0.025	94	94	0	0	0.013	0.012	0.013	0.013	0.01
Difenoconazole	0.010	0.010	85	85	0	0	0.005	0.005	0.005	0.005	0.1
Dimethoate (sum)	0.010	0.020	90	90	0	0	0.010	0.005	0.005	0.005	0.3

**For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg**

Product=Wheat Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ							
Diphenylamine	0.025	0.025	85	85	0	0	0.013	0.012	0.013	0.013	0.05
Endosulfan (sum)	0.010	0.025	90	90	0	0	0.013	0.012	0.013	0.013	0.05
Ethion	0.010	0.025	96	96	0	0	0.013	0.012	0.013	0.013	0.01
Fenhexamid	0.050	0.050	85	85	0	0	0.025	0.025	0.025	0.025	0.05
Fenitrothion	0.025	0.025	85	85	0	0	0.013	0.012	0.013	0.013	0.5
Fludioxonil	0.025	0.025	85	85	0	0	0.013	0.012	0.013	0.013	0.2
Folpet	0.010	0.025	89	89	0	0	0.013	0.012	0.013	0.013	2
Imazalil	0.010	0.020	88	88	0	0	0.010	0.005	0.005	0.005	0.02
Imidacloprid	0.010	0.020	93	93	0	0	0.010	0.005	0.005	0.005	0.1
Iprodione	0.010	0.050	89	89	0	0	0.025	0.024	0.025	0.025	0.5
Iprovalicarb	0.010	0.010	85	85	0	0	0.005	0.005	0.005	0.005	0.05
Kresoxim-methyl	0.025	0.025	85	85	0	0	0.013	0.012	0.013	0.013	0.05
Malathion (sum)	0.010	0.025	96	96	0	0	0.013	0.012	0.013	0.013	8
Mepanipyrim (sum)	0.025	0.025	85	85	0	0	0.013	0.012	0.013	0.013	0.01
Metconazole	0.010	0.010	85	85	0	0	0.005	0.005	0.005	0.005	0.1
Methamidophos	0.010	0.010	85	85	0	0	0.005	0.005	0.005	0.005	0.01
Methidathion	0.010	0.025	96	96	0	0	0.013	0.012	0.013	0.013	0.02
Monocrotophos	0.010	0.010	85	85	0	0	0.005	0.005	0.005	0.005	0
Myclobutanil	0.050	0.050	85	85	0	0	0.025	0.025	0.025	0.025	0.02
Parathion	0.010	0.020	10	10	0	0	0.010	0.006	0.005	0.010	0.05
Penconazole	0.025	0.025	85	85	0	0	0.013	0.012	0.013	0.013	0.05
Phosalone	0.010	0.050	94	94	0	0	0.025	0.012	0.013	0.013	0.05
Pirimiphos-methyl	0.010	0.025	96	94	2	0	1.990	0.037	0.013	0.013	5
Prochloraz (sum)	0.010	0.010	85	85	0	0	0.005	0.005	0.005	0.005	0.5

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Wheat Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
				Below LOQ	and MRL						
Procymidone	0.025	0.025	85	85	0	0	0.013	0.012	0.013	0.013	0.02
Profenofos	0.025	0.025	85	85	0	0	0.013	0.012	0.013	0.013	0.05
Propargite	0.025	0.025	85	85	0	0	0.013	0.012	0.013	0.013	0.01
Pyrimethanil	0.025	0.025	85	85	0	0	0.013	0.012	0.013	0.013	0.05
Spiroxamine	0.050	0.050	85	85	0	0	0.025	0.025	0.025	0.025	0.05
Tebuconazole	0.025	0.025	85	85	0	0	0.013	0.012	0.013	0.013	0.2
Thiabendazole	0.010	0.010	85	85	0	0	0.005	0.005	0.005	0.005	0.05
Tolclofos-methyl	0.025	0.025	85	85	0	0	0.013	0.012	0.013	0.013	0.05
Tolyfluanid (sum)	0.025	0.025	85	85	0	0	0.013	0.012	0.013	0.013	0.05
Triadimefon (sum)	0.050	0.050	85	85	0	0	0.025	0.025	0.025	0.025	0.2
Triazophos	0.050	0.050	85	85	0	0	0.025	0.025	0.025	0.025	0.02
Trifloxystrobin	0.010	0.010	85	85	0	0	0.005	0.005	0.005	0.005	0.05

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Pesticide monitoring 2009 Romania on September 11, 2010 at 02:48:27 PM
Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Cereals

<i>ProductGroup</i>	<i>Product</i>	<i>Compound</i>	<i>Min LOQ</i>	<i>Max LOQ</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Max Residue Level</i>	<i>Mean Residue Level</i>	<i>Median Residue Level</i>	<i>P95 Residue Level</i>	<i>ECMRL</i>
Cereals	Wheat	Chlorpyrifos	0.010	0.025	96	95	0	1	0.310	0.015	0.013	0.013	0.05
		Chlorpyrifos-methyl	0.010	0.025	96	92	4	0	0.390	0.017	0.013	0.013	3
		Flucythrinate	0.010	0.025	90	89	1	0	0.030	0.012	0.013	0.013	0.05
		Pirimiphos-methyl	0.010	0.025	96	94	2	0	1.990	0.037	0.013	0.013	5

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Pesticide monitoring 2009 Romania on September 11, 2010 at 02:48:27 PM
Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL			Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
						Below LOQ	Above MRL						
Berries and small fruit	Strawberries	Chlorothalonil	0.010	0.025	110	108	2	0	0.090	0.013	0.013	0.013	3
		Cyprodinil	0.025	0.025	101	99	2	0	0.140	0.015	0.013	0.013	5
		Fenhexamid	0.050	0.050	101	100	1	0	4.730	0.072	0.025	0.025	5
		Fludioxonil	0.025	0.025	101	100	1	0	0.160	0.014	0.013	0.013	3
		Iprodione	0.010	0.050	110	109	1	0	0.140	0.024	0.025	0.025	15
		Procymidone	0.025	0.025	101	93	8	0	0.130	0.017	0.013	0.040	5
	Table grapes	Bifenthrin	0.010	0.050	121	118	3	0	0.050	0.012	0.013	0.013	0.2
		Chlorpyrifos	0.010	0.025	126	122	4	0	0.397	0.017	0.013	0.013	0.5
		Chlorpyrifos-methyl	0.010	0.025	126	123	3	0	0.150	0.013	0.013	0.013	0.2
		Cypermethrin (sum)	0.010	0.100	124	121	3	0	0.270	0.017	0.013	0.025	0.5
		Cyprodinil	0.025	0.025	96	85	11	0	0.900	0.036	0.013	0.140	5
		Endosulfan (sum)	0.010	0.025	125	123	2	0	0.077	0.012	0.013	0.013	0.5
		Fenhexamid	0.050	0.050	96	88	8	0	3.050	0.093	0.025	0.410	5
		Fludioxonil	0.025	0.025	96	87	9	0	0.470	0.024	0.013	0.090	2
		Folpet	0.010	0.025	123	121	0	2	0.940	0.023	0.013	0.013	0.02
		Iprodione	0.010	0.050	123	121	2	0	0.490	0.026	0.025	0.025	10
		Metalaxyl	0.025	0.025	96	95	1	0	0.040	0.013	0.013	0.013	.
		Myclobutanil	0.050	0.050	96	93	3	0	0.220	0.028	0.025	0.025	1
		Penconazole	0.025	0.025	96	92	4	0	0.080	0.014	0.013	0.013	0.2
	Procymidone	0.025	0.025	96	85	11	0	1.200	0.051	0.013	0.280	5	
	Propargite	0.025	0.025	96	92	4	0	0.330	0.021	0.013	0.013	7	
	Pyrimethanil	0.025	0.025	96	87	9	0	0.660	0.028	0.013	0.130	5	
	Tebuconazole	0.025	0.025	96	94	2	0	0.130	0.014	0.013	0.013	2	
	Tolyfluanid (sum)	0.025	0.025	96	95	1	0	0.070	0.013	0.013	0.013	5	

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
						Below LOQ							
		Triadimefon (sum)	0.050	0.050	96	95	1	0	0.150	0.026	0.025	0.025	2
	Wine grapes	Carbendazim	0.020	0.020	109	108	1	0	0.360	0.013	0.010	0.010	.
		Cyprodinil	0.025	0.025	109	99	10	0	0.130	0.016	0.013	0.040	5
		Fenhexamid	0.050	0.050	109	107	2	0	0.310	0.028	0.025	0.025	5
		Fludioxonil	0.025	0.025	109	107	2	0	0.050	0.013	0.013	0.013	2
		Folpet	0.025	0.025	109	106	3	0	1.760	0.036	0.013	0.013	5
		Metalaxyl	0.025	0.025	109	107	2	0	0.060	0.013	0.013	0.013	.
		Procymidone	0.025	0.025	109	104	5	0	0.450	0.021	0.013	0.013	5
		Propargite	0.025	0.025	109	105	4	0	0.230	0.018	0.013	0.013	7
		Pyrimethanil	0.025	0.025	109	100	9	0	1.220	0.049	0.013	0.300	5
		Tebuconazole	0.025	0.025	109	103	6	0	0.090	0.016	0.013	0.030	2
		Vinclozolin	0.025	0.025	109	108	1	0	0.080	0.013	0.013	0.013	.
Brassica vegetables	Head cabbage	Azoxystrobin	0.010	0.010	63	62	1	0	0.010	0.005	0.005	0.005	0.3
		Chlorpyrifos	0.010	0.025	83	82	1	0	0.017	0.011	0.013	0.013	1
Bulb vegetables	Onions	Chlorothalonil	0.010	0.025	81	80	1	0	0.078	0.011	0.013	0.013	0.5
		Deltamethrin	0.010	0.100	84	83	1	0	0.090	0.012	0.013	0.025	0.1
		Diazinon	0.010	0.025	84	83	1	0	0.028	0.010	0.013	0.013	0.05
		Iprodione	0.010	0.050	82	81	1	0	0.050	0.019	0.025	0.025	0.2
Citrus fruit	Grapefruit	Bromopropylate	0.025	0.025	37	33	4	0	0.530	0.040	0.013	0.400	2
		Chlorpyrifos	0.010	0.025	72	46	26	0	0.300	0.045	0.013	0.220	0.3
		Orthophenylphenol	0.025	0.025	37	13	24	0	3.090	0.316	0.170	1.010	.
	Lemons	Bromopropylate	0.025	0.025	29	21	8	0	0.430	0.053	0.013	0.190	2
		Chlorpropham	0.025	0.025	29	27	2	0	0.050	0.015	0.013	0.050	.
		Chlorpyrifos	0.010	0.025	66	56	9	1	0.220	0.018	0.013	0.090	0.2

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL	
						Below LOQ	Above MRL						
		Imazalil	0.010	0.020	58	57	1	0	0.188	0.011	0.008	0.010	5
		Iprodione	0.010	0.050	62	61	1	0	0.879	0.029	0.008	0.025	5
		Myclobutanil	0.050	0.050	29	28	1	0	1.140	0.063	0.025	0.025	3
		Orthophenylphenol	0.025	0.025	29	12	17	0	2.990	0.576	0.250	2.890	.
		Propargite	0.025	0.025	29	28	1	0	0.100	0.016	0.013	0.013	3
	Mandarins	Bromopropylate	0.025	0.025	38	36	2	0	0.110	0.017	0.013	0.080	2
		Chlorpyrifos	0.010	0.025	60	43	17	0	0.390	0.038	0.013	0.135	2
		Chlorpyrifos-methyl	0.010	0.025	60	59	1	0	0.040	0.010	0.013	0.013	1
		Cypermethrin (sum)	0.010	0.100	60	59	1	0	0.070	0.012	0.013	0.031	2
		Flucythrinate	0.010	0.025	57	56	1	0	0.030	0.010	0.013	0.013	0.05
		Imazalil	0.010	0.020	57	56	1	0	0.324	0.012	0.005	0.010	5
		Orthophenylphenol	0.025	0.025	38	26	12	0	12.500	0.475	0.013	1.570	.
		Pyrimethanil	0.025	0.025	38	37	1	0	2.000	0.065	0.013	0.013	10
		Vinclozolin	0.010	0.025	57	56	1	0	0.030	0.010	0.013	0.013	.
	Oranges	Bromopropylate	0.025	0.025	65	62	3	0	0.590	0.026	0.013	0.013	2
		Chlorpropham	0.025	0.025	65	64	1	0	0.060	0.013	0.013	0.013	.
		Chlorpyrifos	0.010	0.025	106	86	20	0	0.240	0.025	0.013	0.100	0.3
		Cypermethrin (sum)	0.010	0.100	105	104	1	0	0.070	0.012	0.013	0.013	2
		Fenvalerate and Esfenvalerate (sum of RR and SS isom)	0.010	0.025	99	98	1	0	0.015	0.010	0.013	0.013	0.02
		Imazalil	0.010	0.020	97	96	1	0	0.060	0.007	0.005	0.010	5
		Lambda-Cyhalothrin	0.010	0.025	99	98	1	0	0.030	0.010	0.013	0.013	0.1
		Malathion (sum)	0.010	0.025	101	100	1	0	0.017	0.010	0.013	0.013	7
		Methidathion	0.010	0.025	106	101	5	0	2.146	0.036	0.013	0.013	5
		Orthophenylphenol	0.025	0.025	65	37	28	0	4.360	0.419	0.013	1.350	.

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL			Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
						Below LOQ	Above MRL						
Fruiting vegetables	Cucumbers	Profenofos	0.025	0.025	65	64	1	0	0.050	0.013	0.013	0.013	0.05
		Bifenthrin	0.010	0.025	102	101	1	0	0.036	0.011	0.013	0.013	0.1
		Buprofezin	0.025	0.025	72	71	1	0	0.040	0.013	0.013	0.013	1
		Chlorothalonil	0.010	0.025	103	97	6	0	0.430	0.021	0.013	0.028	1
		Chlorpyrifos	0.010	0.050	106	104	1	1	0.063	0.012	0.013	0.013	0.05
		Iprodione	0.010	0.050	103	100	3	0	0.130	0.022	0.025	0.025	2
		Metalaxyl	0.025	0.025	72	71	1	0	0.040	0.013	0.013	0.013	.
	Melons	Cypermethrin (sum)	0.010	0.025	36	34	2	0	0.040	0.014	0.013	0.030	0.2
		Endosulfan (sum)	0.010	0.025	36	35	1	0	0.050	0.013	0.013	0.013	0.05
		Procymidone	0.025	0.025	35	34	1	0	0.160	0.017	0.013	0.013	1
	Peppers	Bifenthrin	0.010	0.050	180	179	1	0	0.040	0.011	0.013	0.013	0.2
		Carbendazim	0.020	0.020	144	143	1	0	0.030	0.010	0.010	0.010	.
		Chlorpyrifos	0.010	0.025	181	179	2	0	0.130	0.012	0.013	0.013	0.5
		Cyfluthrin (sum)	0.010	0.025	176	175	1	0	0.150	0.012	0.013	0.013	0.3
		Imidacloprid	0.010	0.010	176	175	1	0	0.040	0.005	0.005	0.005	1
		Iprodione	0.010	0.050	179	178	1	0	0.490	0.024	0.025	0.025	5
		Kresoxim-methyl	0.025	0.025	144	143	1	0	0.090	0.013	0.013	0.013	1
		Methidathion	0.010	0.025	181	178	1	2	0.040	0.012	0.013	0.013	0.02
		Procymidone	0.025	0.025	144	142	2	0	0.200	0.014	0.013	0.013	2
		Propargite	0.025	0.025	144	143	1	0	0.110	0.013	0.013	0.013	2
Tomatoes	Propiconazole	0.010	0.010	144	143	1	0	0.010	0.005	0.005	0.005	0.05	
	Triadimefon (sum)	0.050	0.050	144	143	1	0	0.100	0.026	0.025	0.025	0.5	
	Bifenthrin	0.010	0.050	247	246	1	0	0.070	0.012	0.013	0.013	0.2	
	Bromopropylate	0.025	0.025	202	200	2	0	0.380	0.015	0.013	0.013	1	

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
						Below LOQ							
		Buprofezin	0.025	0.025	202	200	2	0	0.170	0.013	0.013	0.013	1
		Captan	0.010	0.050	249	248	1	0	0.062	0.022	0.025	0.025	2
		Chlorothalonil	0.010	0.025	249	235	14	0	0.180	0.015	0.013	0.040	2
		Chlorpyrifos	0.010	0.050	254	252	2	0	0.155	0.012	0.013	0.013	0.5
		Chlorpyrifos-methyl	0.010	0.050	254	252	2	0	0.090	0.012	0.013	0.013	0.5
		Cyfluthrin	0.015	0.020	8	7	1	0	0.040	0.012	0.008	0.040	.
		Cyprodinil	0.025	0.025	202	201	1	0	0.390	0.014	0.013	0.013	1
		Diazinon	0.010	0.025	254	253	0	1	0.450	0.013	0.013	0.013	0.01
		Endosulfan (sum)	0.010	0.050	255	254	1	0	0.465	0.013	0.013	0.013	0.5
		Fenhexamid	0.050	0.050	202	201	1	0	0.220	0.026	0.025	0.025	1
		Iprodione	0.010	0.050	249	245	4	0	0.870	0.028	0.025	0.025	5
		Lambda-Cyhalothrin	0.010	0.025	241	239	2	0	0.070	0.012	0.013	0.013	0.1
		Permethrin (sum)	0.010	0.050	241	240	0	1	0.760	0.015	0.013	0.013	0.05
		Pirimiphos-methyl	0.010	0.050	254	253	1	0	0.044	0.012	0.013	0.013	1
		Procymidone	0.025	0.025	202	187	15	0	0.350	0.021	0.013	0.070	2
		Propargite	0.025	0.025	202	198	4	0	0.430	0.016	0.013	0.013	2
		Pyrimethanil	0.025	0.025	202	201	1	0	0.060	0.013	0.013	0.013	1
		Tebuconazole	0.025	0.025	202	201	1	0	0.060	0.013	0.013	0.013	1
		Vinclozolin	0.010	0.025	238	237	1	0	0.050	0.012	0.013	0.013	.
	Watermelons	Bromopropylate	0.025	0.025	35	34	1	0	0.040	0.013	0.013	0.013	0.05
		Chlorpyrifos	0.010	0.025	38	37	1	0	0.049	0.013	0.013	0.013	0.05
		Cypermethrin (sum)	0.010	0.025	38	37	1	0	0.060	0.013	0.013	0.013	0.2
Fungi	Cultivated fungi	Chlorpyrifos	0.010	0.025	39	38	1	0	0.050	0.012	0.013	0.013	0.05
		Orthophenylphenol	0.025	0.025	29	28	1	0	0.180	0.018	0.013	0.013	.

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL	
						Below LOQ								
Leaf vegetables and fresh herbs	Lettuce	Prochloraz (sum)	0.010	0.010	29	28	1	0	0.040	0.006	0.005	0.005	2	
		Pyrimethanil	0.025	0.025	29	27	2	0	0.050	0.014	0.013	0.025	0.05	
		Bifenthrin	0.010	0.025	87	85	2	0	0.390	0.017	0.013	0.013	2	
		Chlorothalonil	0.010	0.025	87	86	0	1	0.026	0.011	0.013	0.013	0.01	
		Chlorpyrifos-methyl	0.010	0.025	89	88	1	0	0.040	0.011	0.013	0.013	0.05	
		Cypermethrin (sum)	0.010	0.100	88	87	1	0	0.060	0.012	0.013	0.013	2	
		Cyprodinil	0.025	0.025	69	68	1	0	0.060	0.013	0.013	0.013	10	
		Fenhexamid	0.050	0.050	69	68	1	0	0.980	0.039	0.025	0.025	30	
		Iprodione	0.010	0.050	87	84	3	0	1.230	0.056	0.025	0.025	10	
		Lambda-Cyhalothrin	0.010	0.025	86	84	2	0	0.070	0.012	0.013	0.013	0.5	
		Metribuzin	0.025	0.025	86	84	2	0	0.060	0.013	0.013	0.013	0.1	
		Procymidone	0.025	0.025	69	64	5	0	3.810	0.098	0.013	0.380	5	
Propyzamide	0.025	0.025	69	68	1	0	0.210	0.015	0.013	0.013	1			
Tolclofos-methyl	0.025	0.025	69	68	1	0	0.100	0.014	0.013	0.013	2			
Legume vegetables, fresh	Parsley	Chlorothalonil	0.025	0.025	7	6	0	1	19.600	2.811	0.013	19.600	5	
	Spinach	Lambda-Cyhalothrin	0.010	0.025	43	42	1	0	0.024	0.012	0.013	0.013	0.5	
	Beans (with pods)	Chlorothalonil	0.010	0.025	33	31	2	0	0.070	0.015	0.013	0.060	5	
Miscellaneous fruit	Bananas	Peas (with pods)	Iprodione	0.010	0.010	3	2	1	0	0.116	0.042	0.005	0.116	2
		Bitertanol	0.025	0.025	66	61	5	0	0.380	0.029	0.013	0.140	3	
Miscellaneous fruit	Bananas	Chlorpyrifos	0.010	0.025	104	102	2	0	0.066	0.012	0.013	0.013	3	
		Imazalil	0.010	0.020	84	83	1	0	0.022	0.006	0.005	0.010	2	
		Myclobutanil	0.050	0.050	66	64	2	0	0.130	0.027	0.025	0.025	2	

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
						Below LOQ							
	Figs	Chlorpyrifos-methyl	0.010	0.010	1	0	1	0	0.012	0.012	0.012	0.012	0.05
	Kiwi	Fenhexamid	0.050	0.050	21	20	1	0	6.270	0.322	0.025	0.025	10
		Orthophenylphenol	0.025	0.025	21	20	1	0	0.060	0.015	0.013	0.013	.
Oilseeds	Sunflower seed	Fenvalerate and Esfenvalerate (sum of RR and SS isom)	0.010	0.010	2	0	0	2	0.600	0.554	0.554	0.600	0.05
		Pirimiphos-methyl	0.010	0.020	3	1	0	2	0.185	0.085	0.060	0.185	0.05
Pome fruit	Apples	Acetamiprid	0.010	0.010	232	231	1	0	0.040	0.005	0.005	0.005	0.1
		Bifenthrin	0.010	0.050	274	262	12	0	0.180	0.015	0.013	0.025	0.3
		Bromopropylate	0.025	0.025	232	230	2	0	0.140	0.013	0.013	0.013	2
		Captan	0.010	0.050	277	273	4	0	0.258	0.024	0.025	0.025	3
		Carbendazim	0.020	0.020	232	225	7	0	0.200	0.014	0.010	0.010	.
		Chlorothalonil	0.010	0.025	277	273	4	0	0.110	0.012	0.013	0.013	1
		Chlorpyrifos	0.010	0.025	283	258	25	0	0.345	0.017	0.013	0.040	0.5
		Chlorpyrifos-methyl	0.010	0.025	283	272	11	0	0.260	0.014	0.013	0.013	0.5
		Cyfluthrin (sum)	0.010	0.025	269	267	2	0	0.150	0.012	0.013	0.013	0.2
		Cypermethrin (sum)	0.010	0.100	275	265	10	0	0.740	0.019	0.013	0.025	1
		Cyprodinil	0.025	0.025	232	229	3	0	0.200	0.014	0.013	0.013	1
		Desmethylformamido-Pirimicarb	0.025	0.025	232	227	5	0	0.120	0.013	0.013	0.013	.
		Diphenylamine	0.025	0.025	232	230	2	0	2.650	0.028	0.013	0.013	5
		Fenitrothion	0.025	0.025	232	231	0	1	0.166	0.013	0.013	0.013	0.01
		Fludioxonil	0.025	0.025	232	227	5	0	0.220	0.014	0.013	0.013	5
		Folpet	0.010	0.025	278	275	3	0	0.130	0.012	0.013	0.013	3
		Iprodione	0.010	0.050	278	276	2	0	0.767	0.025	0.025	0.025	5
		Myclobutanil	0.050	0.050	232	231	1	0	0.060	0.025	0.025	0.025	0.5
		Orthophenylphenol	0.025	0.025	232	231	1	0	0.070	0.013	0.013	0.013	.

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
						Below LOQ	MRL						
		Phosalone	0.010	0.050	280	279	0	1	0.056	0.012	0.013	0.013	0.05
		Propargite	0.025	0.025	232	223	9	0	0.580	0.024	0.013	0.013	3
		Pyrimethanil	0.025	0.025	232	227	5	0	0.060	0.013	0.013	0.013	5
		Tebuconazole	0.025	0.025	232	226	6	0	0.270	0.016	0.013	0.013	1
		Vinclozolin	0.010	0.025	264	263	1	0	0.190	0.012	0.013	0.013	.
	Pears	Bifenthrin	0.010	0.050	84	82	2	0	0.040	0.011	0.013	0.013	0.3
		Captan	0.010	0.050	84	82	2	0	0.177	0.022	0.025	0.025	3
		Carbendazim	0.020	0.020	63	62	1	0	0.620	0.020	0.010	0.010	.
		Chlorpyrifos	0.010	0.025	85	80	5	0	0.110	0.013	0.013	0.030	0.5
		Chlorpyrifos-methyl	0.010	0.025	85	83	2	0	0.030	0.011	0.013	0.013	0.5
		Cyprodinil	0.025	0.025	63	62	1	0	0.070	0.013	0.013	0.013	1
		Folpet	0.010	0.025	84	83	1	0	0.085	0.012	0.013	0.013	3
		Lambda-Cyhalothrin	0.010	0.025	81	79	1	1	0.131	0.013	0.013	0.013	0.1
		Malathion (sum)	0.010	0.025	82	80	2	0	0.030	0.011	0.013	0.013	0.5
		Phosalone	0.010	0.050	84	83	1	0	0.030	0.011	0.013	0.013	0.05
		Pyrimethanil	0.025	0.025	63	61	2	0	1.260	0.037	0.013	0.013	5
		Tebuconazole	0.025	0.025	63	62	1	0	0.110	0.014	0.013	0.013	1
Root and tuber vegetables	Carrots	Chlorpyrifos	0.010	0.025	97	93	4	0	0.060	0.012	0.013	0.013	0.1
		Flucythrinate	0.010	0.025	90	88	2	0	0.030	0.011	0.013	0.013	0.05
		Iprodione	0.010	0.050	99	96	3	0	0.220	0.025	0.025	0.025	0.5
		Pirimiphos-methyl	0.010	0.025	97	96	1	0	0.060	0.011	0.013	0.013	1
		Tebuconazole	0.025	0.025	69	66	3	0	0.060	0.014	0.013	0.013	0.5
	Potatoes	Carbendazim	0.020	0.020	162	161	1	0	0.020	0.010	0.010	0.010	.
		Chlorpropham	0.025	0.025	162	153	9	0	8.150	0.129	0.013	0.070	.

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL			Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
						Below LOQ	Above MRL						
Stone fruit	Apricots	Chlorpyrifos	0.010	0.025	196	195	1	0	0.030	0.011	0.013	0.013	0.05
		Pyrimethanil	0.025	0.025	162	161	1	0	0.030	0.013	0.013	0.013	0.05
		Chlorothalonil	0.010	0.025	16	15	1	0	0.060	0.015	0.013	0.060	1
		Chlorpyrifos	0.010	0.025	16	15	1	0	0.050	0.014	0.013	0.050	0.05
		Cypermethrin (sum)	0.010	0.025	16	15	1	0	0.280	0.028	0.013	0.280	2
		Cyprodinil	0.025	0.025	14	13	1	0	0.040	0.014	0.013	0.040	2
	Cherries	Procymidone	0.025	0.025	14	13	1	0	0.130	0.021	0.013	0.130	2
		Cypermethrin (sum)	0.010	0.025	76	73	3	0	0.440	0.023	0.013	0.013	1
		Lambda-Cyhalothrin	0.010	0.025	76	74	2	0	0.090	0.013	0.013	0.013	0.1
		Myclobutanil	0.050	0.050	71	69	2	0	0.090	0.027	0.025	0.025	1
	Other stone fruits	Tebuconazole	0.025	0.025	71	70	1	0	0.450	0.019	0.013	0.013	5
		Lambda-Cyhalothrin	0.010	0.010	3	2	1	0	0.074	0.028	0.005	0.074	0.1
	Peaches	Atrazine	0.025	0.025	76	75	1	0	0.050	0.013	0.013	0.013	0.05
		Bifenthrin	0.010	0.050	79	77	2	0	0.120	0.014	0.013	0.013	0.2
		Bitertanol	0.025	0.025	61	60	1	0	0.080	0.014	0.013	0.013	1
		Chlorpropham	0.025	0.025	61	60	1	0	0.060	0.013	0.013	0.013	.
		Chlorpyrifos	0.010	0.025	79	69	8	2	0.385	0.025	0.013	0.080	0.2
		Chlorpyrifos-methyl	0.010	0.025	79	77	2	0	0.090	0.012	0.013	0.013	0.5
		Cyhalothrin	0.010	0.015	17	16	1	0	0.063	0.009	0.005	0.063	.
		Cypermethrin (sum)	0.010	0.050	79	78	1	0	0.060	0.012	0.013	0.013	2
Cyprodinil		0.025	0.025	61	59	2	0	0.090	0.014	0.013	0.013	2	
Fludioxonil		0.025	0.025	61	60	1	0	0.025	0.013	0.013	0.013	7	
Procymidone		0.025	0.025	61	55	6	0	0.930	0.034	0.013	0.080	2	
Propargite		0.025	0.025	61	59	2	0	0.060	0.014	0.013	0.013	4	

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL			Max Residue Level	Mean Residue Level	Median Residue Level	P95 Residue Level	ECMRL
						Below LOQ	Above MRL						
		Tebuconazole	0.025	0.025	61	50	11	0	0.100	0.020	0.013	0.060	1
	Plums	Bifenthrin	0.010	0.050	53	51	2	0	0.090	0.013	0.013	0.025	0.2
		Carbendazim	0.020	0.020	41	38	3	0	0.200	0.016	0.010	0.030	.
		Desmethylformamido-Pirimicarb	0.025	0.025	41	39	2	0	0.080	0.016	0.013	0.013	.
		Procymidone	0.025	0.025	41	40	1	0	0.120	0.015	0.013	0.013	2
		Propargite	0.025	0.025	41	40	1	0	0.070	0.014	0.013	0.013	4
		Pyrimethanil	0.025	0.025	41	40	1	0	0.030	0.013	0.013	0.013	3
		Tebuconazole	0.025	0.025	41	40	1	0	0.180	0.017	0.013	0.013	0.5

For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Pesticide monitoring 2009 Romania on September 11, 2010 at 02:48:27 PM
Table C3: Results of national programme processed conventional products where residues were detected

ProductClass=Cereals

<i>ProductGroup</i>	<i>Product</i>	<i>Treatment</i>	<i>Compound</i>	<i>Min LOQ</i>	<i>Max LOQ</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Max Residue Level</i>	<i>Mean Residue Level</i>	<i>Median Residue Level</i>	<i>P95 Residue Level</i>
Cereals	Rice	Dehydration	Chlorpyrifos	0.010	0.010	18	17	0	1	0.068	0.008	0.005	0.068

**For mean, median and 95th percentile (P95) residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Strategy=Enforcement

<i>Sample Code</i>	<i>Origin</i>	<i>Product</i>	<i>Sampling point</i>	<i>Treatment</i>	<i>Organic</i>	<i>Residue</i>	<i>LOQ</i>	<i>Level</i>	<i>Unit</i>	<i>ECMRL</i>	<i>Evaluation</i>
RO321-ANSVSA-1625	RO	Plums	Cold storage	Unprocessed		Folpet	0.010	1.120	mg/kg	0.02	Non compliant
RO321-ANSVSA-1624	RO	Plums	Cold storage	Unprocessed		Folpet	0.010	1.740	mg/kg	0.02	Non compliant

Non compliant samples represent samples above EC MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above EC MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Strategy=Surveillance

<i>Sample Code</i>	<i>Origin</i>	<i>Product</i>	<i>Sampling point</i>	<i>Treatment</i>	<i>Organic</i>	<i>Residue</i>	<i>LOQ</i>	<i>Level</i>	<i>Unit</i>	<i>ECMRL</i>	<i>Evaluation</i>
RO321-ANSVSA-719	XX	Rice	Retail sale	Dehydration		Chlorpyrifos	0.010	0.068	mg/kg		Non compliant
Iccrppv09-0275	RO	Wheat	Distribution: wholesale and retail sale	Unprocessed		Chlorpyrifos	0.025	0.310	mg/kg	0.05	Non compliant
Iccrppv09-2293	RO	Apples	Distribution: wholesale and retail sale	Unprocessed		Fenitrothion	0.025	0.166	mg/kg	0.01	Non compliant
RO321-ANSVSA-654	IT	Apples	Retail sale	Unprocessed		Phosalone	0.010	0.056	mg/kg	0.05	Non compliant
RO321-ANSVSA-1108	RO	Cucumbers	Wholesale	Unprocessed		Chlorpyrifos	0.010	0.063	mg/kg	0.05	Non compliant
RO321-ANSVSA-1869	TR	Lemons	Import activities	Unprocessed		Chlorpyrifos	0.010	0.220	mg/kg	0.20	Non compliant
RO321-ANSVSA-495	XX	Lettuce	Retail sale	Unprocessed		Chlorothalonil	0.010	0.026	mg/kg	0.01	Non compliant
Iccrppv09-1545	RO	Parsley	Distribution: wholesale and retail sale	Unprocessed		Chlorothalonil	0.025	19.600	mg/kg	5.00	Non compliant
RO321-ANSVSA-1673	TR	Peaches	Import activities	Unprocessed		Chlorpyrifos	0.010	0.385	mg/kg	0.20	Non compliant
RO321-ANSVSA-1959	XX	Peaches	Wholesale	Unprocessed		Chlorpyrifos	0.010	0.300	mg/kg	0.20	Non compliant
RO321-ANSVSA-1884	TR	Pears	Import activities	Unprocessed		Lambda-Cyhalothrin	0.010	0.131	mg/kg	0.10	Non compliant
RO321-ANSVSA-245	XX	Peppers	Wholesale	Unprocessed		Methidathion	0.010	0.033	mg/kg	0.02	Non compliant
RO321-ANSVSA-378	TR	Peppers	Wholesale	Unprocessed		Methidathion	0.010	0.040	mg/kg	0.02	Non compliant
RO321-ANSVSA-3625	RO	Sunflower seed	Wholesale	Unprocessed		Fenvalerate and Esfenvalerate (sum of RR and SS isom	0.010	0.600	mg/kg	0.05	Non compliant
RO321-ANSVSA-3626	RO	Sunflower seed	Wholesale	Unprocessed		Fenvalerate and Esfenvalerate (sum of RR and SS isom	0.010	0.508	mg/kg	0.05	Non compliant

Non compliant samples represent samples above EC MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above EC MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Strategy=Surveillance

<i>Sample Code</i>	<i>Origin</i>	<i>Product</i>	<i>Sampling point</i>	<i>Treatment</i>	<i>Organic Residue</i>	<i>LOQ</i>	<i>Level</i>	<i>Unit</i>	<i>ECMRL</i>	<i>Evaluation</i>
RO321-ANSVSA-3625	RO	Sunflower seed	Wholesale	Unprocessed	Pirimiphos-methyl	0.010	0.060	mg/kg	0.05	Non compliant
RO321-ANSVSA-3626	RO	Sunflower seed	Wholesale	Unprocessed	Pirimiphos-methyl	0.010	0.185	mg/kg	0.05	Non compliant
Iccrppv09-2048	RO	Table grapes	Distribution: wholesale and retail sale	Unprocessed	Folpet	0.025	0.557	mg/kg	0.02	Non compliant
Iccrppv09-1906	RO	Table grapes	Distribution: wholesale and retail sale	Unprocessed	Folpet	0.025	0.940	mg/kg	0.02	Non compliant
Iccrppv09-1214	RO	Tomatoes	Distribution: wholesale and retail sale	Unprocessed	Diazinon	0.025	0.450	mg/kg	0.01	Non compliant
Iccrppv09-1543	RO	Tomatoes	Distribution: wholesale and retail sale	Unprocessed	Permethrin (sum)	0.025	0.760	mg/kg	0.05	Non compliant

Non compliant samples represent samples above EC MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above EC MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

<i>Product Class</i>	<i>Product</i>	<i>Processed</i>	<i>n0</i>	<i>n1</i>	<i>n2</i>	<i>n3</i>	<i>n4</i>	<i>n6</i>
Baby and infant food	Procesed cereal-based foods	Y	307
Cereals	Maize		46
Cereals	Maize	Y	2
Cereals	Rice		24
Cereals	Rice	Y	26	1
Cereals	Wheat		93	6	1	.	.	.
Cereals	Wheat	Y	8
Fruit and Nuts	Apples		221	82	14	3	1	.
Fruit and Nuts	Apples	Y	1
Fruit and Nuts	Apricots		13	1	2	.	.	.
Fruit and Nuts	Bananas		99	10
Fruit and Nuts	Cherries		69	6	1	.	.	.
Fruit and Nuts	Cranberries		1
Fruit and Nuts	Figs		.	1
Fruit and Nuts	Grapefruit		37	27	9	3	.	.
Fruit and Nuts	Kiwi		20	2
Fruit and Nuts	Lemons		45	12	10	3	.	.
Fruit and Nuts	Mandarins		37	24	2	3	.	.
Fruit and Nuts	Oranges		77	30	12	3	.	.
Fruit and Nuts	Oranges	Y	7
Fruit and Nuts	Other stone fruits		2	1
Fruit and Nuts	Peaches		53	27	4	2	.	.
Fruit and Nuts	Pears		75	17	1	1	.	.
Fruit and Nuts	Plums		49	11	1	.	.	.
Fruit and Nuts	Quinces		1
Fruit and Nuts	Strawberries		98	11	2	.	.	.
Fruit and Nuts	Table grapes		79	36	13	5	.	1

Column nX indicates number of residues detected in product.
To avoid duplicates residues marked as part of sum are excluded

<i>Product Class</i>	<i>Product</i>	<i>Processed</i>	<i>n0</i>	<i>n1</i>	<i>n2</i>	<i>n3</i>	<i>n4</i>	<i>n6</i>
Fruit and Nuts	Wine grapes		74	28	4	3	.	.
Oil plants	Oilseeds		5
Oil plants	Peanuts		1
Oil plants	Pumpkin seeds		1
Oil plants	Sunflower seed		1	.	2	.	.	.
Pulses	Beans (dry)		7
Pulses	Beans (dry)	Y	3
Sugar plants	Sugar beet		7
Vegetables	Aubergines (egg plants)		45
Vegetables	Beans (with pods)		31	2
Vegetables	Beans (without pods)		48
Vegetables	Beans (without pods)	Y	5
Vegetables	Beetroot		16
Vegetables	Brassica vegetables		12
Vegetables	Brassica vegetables	Y	1
Vegetables	Carrots		105	11	1	.	.	.
Vegetables	Cauliflower		30
Vegetables	Celeriac		22
Vegetables	Celery		1
Vegetables	Courgettes		25
Vegetables	Cucumbers		95	14
Vegetables	Cultivated fungi		36	5
Vegetables	Garlic		2
Vegetables	Head cabbage		85	2
Vegetables	Leek		15
Vegetables	Lettuce		74	11	5	.	.	.
Vegetables	Melons		32	4

Column nX indicates number of residues detected in product.
To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2009 Romania on September 11, 2010 at 02:48:27 PM
Table E1: Number of residues detected by product

<i>Product Class</i>	<i>Product</i>	<i>Processed</i>	<i>n0</i>	<i>n1</i>	<i>n2</i>	<i>n3</i>	<i>n4</i>	<i>n6</i>
Vegetables	Onions		106	2	1	.	.	.
Vegetables	Parsley		6	1
Vegetables	Parsley root		2
Vegetables	Parsnips		2
Vegetables	Peas (with pods)		2	1
Vegetables	Peas (without pods)		22
Vegetables	Peas (without pods)	Y	4
Vegetables	Peppers		175	12	2	.	.	.
Vegetables	Potatoes		203	12
Vegetables	Red mustard		1
Vegetables	Spinach		42	1
Vegetables	Sweet corn		1
Vegetables	Tomatoes		230	41	9	.	.	.
Vegetables	Tomatoes	Y	1
Vegetables	Watermelons		35	3
Vegetables	Wild fungi		38
			3139	455	96	26	1	1

Column nX indicates number of residues detected in product.
To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2009 Romania on September 11, 2010 at 02:48:27 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apples

<i>Code</i>	<i>Origin</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
RO321-ANSVSA-654	IT	3	Phosalone(0.056)	Vinclozolin(0.19)	Chlorpyrifos(0.029)			
lccrppv09-0062	RO	2	Myclobutanil(0.06)	Bromopropylate(0.14)				
lccrppv09-0097	RO	4	Tebuconazole(0.27)	Chlorothalonil(0.03)	Chlorpyrifos(0.17)	Cypermethrin (sum)(0.17)		
lccrppv09-0106	RO	2	Diphenylamine(2.65)	Cypermethrin (sum)(0.05)				
lccrppv09-0157	NL	2	Cypermethrin (sum)(0.74)	Desmethylformamido-Pirimicarb(0.12)				
lccrppv09-0160	IT	2	Cypermethrin (sum)(0.65)	Chlorpyrifos(0.03)				
lccrppv09-0407	RO	2	Cypermethrin (sum)(0.07)	Folpet(0.12)				
lccrppv09-0413	RO	2	Cypermethrin (sum)(0.13)	Folpet(0.13)				
lccrppv09-1643	RO	2	Chlorothalonil(0.11)	Chlorpyrifos-methyl(0.22)				
lccrppv09-2091	RO	2	Pyrimethanil(0.05)	Carbendazim(0.17)				
lccrppv09-2093	RO	2	Bifenthrin(0.1)	Chlorpyrifos-methyl(0.03)				
lccrppv09-2127	PL	2	Pyrimethanil(0.03)	Propargite(0.06)				
lccrppv09-2182	GR	2	Chlorpyrifos(0.1)	Propargite(0.33)				
lccrppv09-2220	RO	3	Pyrimethanil(0.03)	Cyprodinil(0.15)	Fludioxonil(0.08)			
lccrppv09-2293	RO	3	Fludioxonil(0.22)	Cyprodinil(0.2)	Fenitrothion(0.166)			
lccrppv09-2365	RO	2	Tebuconazole(0.16)	Fludioxonil(0.06)				
lccrppv09-2367	RO	2	Fludioxonil(0.06)	Tebuconazole(0.08)				
lccrppv09-2368	RO	2	Tebuconazole(0.16)	Fludioxonil(0.05)				

To avoid duplicates residues marked as part of sum are excluded

Product=Apricots

<i>Code</i>	<i>Origin</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
<i>lccrppv09-1173</i>	RO	2	Procymidone(0.13)	Chlorpyrifos(0.05)				
<i>lccrppv09-1221</i>	RO	2	Cypermethrin (sum)(0.28)	Chlorothalonil(0.06)				

Product=Carrots

<i>Code</i>	<i>Origin</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
<i>lccrppv09-0095</i>	RO	2	Flucythrinate(0.03)	Pirimiphos-methyl(0.06)				

Product=Cherries

<i>Code</i>	<i>Origin</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
<i>lccrppv09-0839</i>	RO	2	Lambda-Cyhalothrin(0.03)	Myclobutanil(0.09)				

Product=Grapefruit

<i>Code</i>	<i>Origin</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
<i>lccrppv09-0007</i>	TR	2	Chlorpyrifos(0.04)	Orthophenylphenol(0.09)				
<i>lccrppv09-0066</i>	XX	2	Orthophenylphenol(0.21)	Chlorpyrifos(0.09)				
<i>lccrppv09-0139</i>	TR	3	Orthophenylphenol(0.46)	Bromopropylate(0.04)	Chlorpyrifos(0.03)			
<i>lccrppv09-0291</i>	TR	2	Orthophenylphenol(0.83)	Chlorpyrifos(0.27)				
<i>lccrppv09-0320</i>	TR	3	Orthophenylphenol(0.39)	Bromopropylate(0.08)	Chlorpyrifos(0.04)			
<i>lccrppv09-0352</i>	TR	2	Chlorpyrifos(0.19)	Orthophenylphenol(0.27)				
<i>lccrppv09-0415</i>	TR	2	Orthophenylphenol(3.09)	Chlorpyrifos(0.18)				
<i>lccrppv09-0479</i>	TR	3	Chlorpyrifos(0.22)	Orthophenylphenol(1.01)	Bromopropylate(0.53)			
<i>lccrppv09-0491</i>	TR	2	Orthophenylphenol(0.68)	Chlorpyrifos(0.22)				
<i>lccrppv09-0590</i>	TR	2	Chlorpyrifos(0.09)	Orthophenylphenol(0.17)				

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2009 Romania on September 11, 2010 at 02:48:27 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Grapefruit

<i>Code</i>	<i>Origin</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
<i>lccrppv09-0595</i>	GR	2	Orthophenylphenol(0.17)	Bromopropylate(0.4)				
<i>lccrppv09-0677</i>	TR	2	Orthophenylphenol(0.19)	Chlorpyrifos(0.26)				

Product=Lemons

<i>Code</i>	<i>Origin</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
<i>lccrppv09-0292</i>	TR	2	Orthophenylphenol(1.05)	Chlorpyrifos(0.1)				
<i>lccrppv09-0343</i>	TR	2	Orthophenylphenol(2.07)	Bromopropylate(0.19)				
<i>lccrppv09-0376</i>	TR	2	Orthophenylphenol(1.6)	Bromopropylate(0.09)				
<i>lccrppv09-0478</i>	TR	2	Orthophenylphenol(0.4)	Chlorpyrifos(0.11)				
<i>lccrppv09-0492</i>	TR	2	Orthophenylphenol(0.49)	Bromopropylate(0.13)				
<i>lccrppv09-0509</i>	TR	2	Orthophenylphenol(0.32)	Bromopropylate(0.43)				
<i>lccrppv09-0510</i>	TR	3	Orthophenylphenol(0.25)	Chlorpyrifos(0.03)	Bromopropylate(0.17)			
<i>lccrppv09-0516</i>	ES	3	Orthophenylphenol(0.15)	Myclobutanil(1.14)	Chlorpropham(0.05)			
<i>lccrppv09-0519</i>	TR	3	Orthophenylphenol(2.99)	Chlorpropham(0.05)	Bromopropylate(0.13)			
<i>lccrppv09-0572</i>	TR	2	Orthophenylphenol(0.53)	Bromopropylate(0.1)				
<i>lccrppv09-0575</i>	TR	2	Orthophenylphenol(1.1)	Bromopropylate(0.04)				
<i>lccrppv09-0597</i>	TR	2	Chlorpyrifos(0.03)	Orthophenylphenol(0.43)				
<i>lccrppv09-0622</i>	TR	2	Propargite(0.1)	Orthophenylphenol(1.54)				

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2009 Romania on September 11, 2010 at 02:48:27 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lettuce

<i>Code</i>	<i>Origin</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
<i>lccrppv09-0604</i>	RO	2	Metribuzin(0.05)	Bifenthrin(0.16)				
<i>lccrppv09-0645</i>	RO	2	Iprodione(0.98)	Bifenthrin(0.39)				
<i>lccrppv09-0714</i>	RO	2	Cypermethrin (sum)(0.06)	Iprodione(1.23)				
<i>lccrppv09-0716</i>	RO	2	Procymidone(0.64)	Iprodione(0.95)				
<i>lccrppv09-0794</i>	RO	2	Lambda-Cyhalothrin(0.07)	Propyzamide(0.21)				

Product=Mandarins

<i>Code</i>	<i>Origin</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
<i>lccrppv09-0004</i>	GR	3	Bromopropylate(0.08)	Orthophenylphenol(0.72)	Chlorpyrifos(0.025)			
<i>lccrppv09-0408</i>	XX	3	Cypermethrin (sum)(0.07)	Chlorpyrifos(0.27)	Flucythrinate(0.03)			
<i>lccrppv09-0417</i>	TR	2	Orthophenylphenol(12.5)	Chlorpyrifos(0.12)				
<i>lccrppv09-0490</i>	ES	3	Orthophenylphenol(0.26)	Bromopropylate(0.11)	Chlorpyrifos(0.06)			
<i>lccrppv09-0744</i>	ES	2	Chlorpyrifos(0.39)	Orthophenylphenol(1.57)				

Product=Onions

<i>Code</i>	<i>Origin</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
<i>RO411-ANSVSA-2209</i>	RO	2	Iprodione(0.05)	Chlorothalonil(0.078)				

To avoid duplicates residues marked as part of sum are excluded

Product=Oranges

<i>Code</i>	<i>Origin</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
RO321-ANSVSA-3046	TR	3	Methidathion(0.067)	Imazalil(0.06)	Fenvalerate and Esfenvalerate (sum of RR and SS isom(0.015)			
RO321-ANSVSA-308	ES	2	Malathion (sum)(0.017)	Chlorpyrifos(0.061)				
lccrppv09-0002	TR	2	Orthophenylphenol(1.19)	Chlorpyrifos(0.05)				
lccrppv09-0048	TR	3	Orthophenylphenol(0.3)	Chlorpyrifos(0.03)	Bromopropylate(0.08)			
lccrppv09-0073	TR	2	Orthophenylphenol(0.3)	Chlorpyrifos(0.08)				
lccrppv09-0141	TR	2	Orthophenylphenol(0.32)	Chlorpyrifos(0.05)				
lccrppv09-0402	EG	2	Orthophenylphenol(2.98)	Lambda-Cyhalothrin(0.03)				
lccrppv09-0462	TR	2	Chlorpyrifos(0.17)	Bromopropylate(0.59)				
lccrppv09-0489	EG	3	Orthophenylphenol(0.8)	Chlorpyrifos(0.08)	Profenofos(0.05)			
lccrppv09-0565	ES	2	Orthophenylphenol(3.5)	Chlorpyrifos(0.1)				
lccrppv09-0629	GR	2	Chlorpyrifos(0.03)	Orthophenylphenol(0.4)				
lccrppv09-0644	TR	2	Orthophenylphenol(1.29)	Methidathion(0.09)				
lccrppv09-0654	TR	2	Chlorpyrifos(0.1)	Cypermethrin (sum)(0.07)				
lccrppv09-0664	TR	2	Orthophenylphenol(0.92)	Methidathion(0.2)				
lccrppv09-0675	TR	2	Orthophenylphenol(0.18)	Chlorpyrifos(0.24)				

Product=Peaches

<i>Code</i>	<i>Origin</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
lccrppv09-1108	TR	2	Procymidone(0.12)	Chlorpyrifos(0.07)				
lccrppv09-1145	RO	2	Procymidone(0.08)	Chlorpyrifos(0.03)				
lccrppv09-1250	GR	2	Procymidone(0.06)	Chlorpyrifos(0.18)				
lccrppv09-1308	RO	3	Cyprodinil(0.03)	Chlorpyrifos-methyl(0.03)	Chlorpyrifos(0.08)			
lccrppv09-1311	RO	2	Tebuconazole(0.1)	Chlorpyrifos-methyl(0.09)				
lccrppv09-1816	ES	3	Propargite(0.06)	Fludioxonil(0.025)	Cyprodinil(0.09)			

To avoid duplicates residues marked as part of sum are excluded

Product=Pears

Code	Origin	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
RO411-ANSVSA-2730	ES	2	Folpet(0.085)	Captan(0.025)				
lccrppv09-1978	GR	3	Tebuconazole(0.11)	Chlorpyrifos-methyl(0.03)	Chlorpyrifos(0.03)			

Product=Peppers

Code	Origin	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
lccrppv09-1476	RO	2	Procymidone(0.2)	Bifenthrin(0.04)				
lccrppv09-1983	RO	2	Propiconazole(0.01)	Imidacloprid(0.04)				

Product=Plums

Code	Origin	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
lccrppv09-1751	RO	2	Tebuconazole(0.18)	Bifenthrin(0.09)				

Product=Strawberries

Code	Origin	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
lccrppv09-0763	RO	2	Procymidone(0.03)	Chlorothalonil(0.03)				
lccrppv09-0793	IT	2	Fludioxonil(0.16)	Cyprodinil(0.14)				

Product=Sunflower seed

Code	Origin	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
RO321-ANSVSA-3625	RO	2	Pirimiphos-methyl(0.06)	Fenvalerate and Esfenvalerate (sum of RR and SS isom(0.6)				
RO321-ANSVSA-3626	RO	2	Pirimiphos-methyl(0.185)	Fenvalerate and Esfenvalerate (sum of RR and SS isom(0.508)				

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2009 Romania on September 11, 2010 at 02:48:27 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Table grapes

<i>Code</i>	<i>Origin</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
<i>lccrppv09-0585</i>	ZA	2	Penconazole(0.08)	Cypermethrin (sum)(0.27)				
<i>lccrppv09-0653</i>	CL	2	Iprodione(0.49)	Fenhexamid(1.66)				
<i>lccrppv09-1249</i>	TR	3	Pyrimethanil(0.13)	Procymidone(0.14)	Cypermethrin (sum)(0.27)			
<i>lccrppv09-1358</i>	TR	3	Tolyfluanid (sum)(0.07)	Pyrimethanil(0.03)	Penconazole(0.03)			
<i>lccrppv09-1665</i>	GR	2	Fludioxonil(0.1)	Cyprodinil(0.31)				
<i>lccrppv09-1740</i>	RO	2	Fludioxonil(0.04)	Cyprodinil(0.14)				
<i>lccrppv09-1778</i>	GR	2	Cyprodinil(0.26)	Chlorpyrifos-methyl(0.09)				
<i>lccrppv09-1799</i>	RO	2	Procymidone(0.2)	Chlorpyrifos(0.03)				
<i>lccrppv09-1814</i>	GR	2	Fludioxonil(0.29)	Cyprodinil(0.17)				
<i>lccrppv09-1817</i>	GR	2	Fludioxonil(0.11)	Cyprodinil(0.11)				
<i>lccrppv09-1834</i>	RO	2	Fludioxonil(0.06)	Cyprodinil(0.06)				
<i>lccrppv09-1837</i>	RO	2	Pyrimethanil(0.05)	Metalaxyl(0.04)				
<i>lccrppv09-1906</i>	RO	2	Folpet(0.94)	Bifenthrin(0.05)				
<i>lccrppv09-1947</i>	RO	3	Procymidone(0.3)	Fludioxonil(0.04)	Cyprodinil(0.14)			
<i>lccrppv09-1948</i>	RO	2	Procymidone(0.28)	Chlorpyrifos-methyl(0.12)				
<i>lccrppv09-1977</i>	IT	2	Pyrimethanil(0.66)	Tebuconazole(0.13)				
<i>lccrppv09-2049</i>	IT	6	Pyrimethanil(0.21)	Penconazole(0.04)	Fenhexamid(0.06)	Cyprodinil(0.9)	Chlorpyrifos-methyl(0.15)	Fludioxonil(0.47)
<i>lccrppv09-2050</i>	RO	3	Procymidone(0.2)	Cyprodinil(0.1)	Fludioxonil(0.09)			
<i>lccrppv09-2051</i>	RO	3	Procymidone(0.06)	Fludioxonil(0.04)	Cyprodinil(0.04)			

To avoid duplicates residues marked as part of sum are excluded

Product=Tomatoes

Code	Origin	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
lccrppv09-0398	TR	2	Fenhexamid(0.22)	Cyprodinil(0.39)				
lccrppv09-0698	TR	2	Tebuconazole(0.06)	Iprodione(0.46)				
lccrppv09-0998	RO	2	Procymidone(0.06)	Buprofezin(0.03)				
lccrppv09-1001	RO	2	Procymidone(0.35)	Chlorothalonil(0.18)				
lccrppv09-1072	RO	2	Procymidone(0.12)	Chlorothalonil(0.05)				
lccrppv09-1073	RO	2	Chlorothalonil(0.09)	Procymidone(0.1)				
lccrppv09-1074	RO	2	Procymidone(0.17)	Chlorothalonil(0.07)				
lccrppv09-1381	RO	2	Propargite(0.09)	Procymidone(0.2)				
lccrppv09-1554	RO	2	Iprodione(0.87)	Chlorothalonil(0.04)				

Product=Wheat

Code	Origin	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
lccrppv09-0245	RO	2	Pirimiphos-methyl(1.99)	Chlorpyrifos-methyl(0.39)				

Product=Wine grapes

Code	Origin	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
lccrppv09-1706	RO	2	Tebuconazole(0.09)	Pyrimethanil(0.6)				
lccrppv09-1830	RO	2	Pyrimethanil(0.15)	Fenhexamid(0.1)				
lccrppv09-1831	RO	2	Pyrimethanil(0.09)	Fenhexamid(0.31)				
lccrppv09-1840	RO	2	Pyrimethanil(0.2)	Metalaxyl(0.06)				
lccrppv09-1946	RO	3	Procymidone(0.04)	Fludioxonil(0.05)	Cyprodinil(0.13)			
lccrppv09-2054	RO	3	Procymidone(0.17)	Fludioxonil(0.05)	Cyprodinil(0.08)			
lccrppv09-2056	RO	3	Procymidone(0.1)	Carbendazim(0.36)	Cyprodinil(0.04)			

To avoid duplicates residues marked as part of sum are excluded

<i>Reporting Country</i>	<i>Laboratory</i>	<i>Transmission</i>	<i>File</i>	<i>Laboratory Accreditation</i>	<i>Method Status</i>	<i>Determinations</i>	<i>Received</i>
RO	RO113-ANSVSA	3125	AnalyticalMeasure1 Cluj.xml	None		540	06SEP10:10:43:52
RO	RO213-ANSVSA	2556	AnalyticalMeasure1 Iasi.xml	Accredited		1183	26AUG10:10:30:47
RO	RO213-MS	3128	AnalyticalMeasure1 Ministry of Health.xml	None		23946	06SEP10:10:45:24
RO	RO224-ANSVSA	3127	AnalyticalMeasure1 Galati.xml	None		1108	06SEP10:10:44:36
RO	RO312-ANSVSA	3124	AnalyticalMeasure1 Calarasi.xml	Accredited		447	06SEP10:10:43:37
RO	RO321-ANSVSA	3261	AnalyticalMeasure1 Bucharest corected.xml	Accredited	ISO/IEC17025	501	08SEP10:10:28:06
RO	RO321-ANSVSA	3261	AnalyticalMeasure1 Bucharest corected.xml	Accredited		27876	08SEP10:10:28:06
RO	RO411-ANSVSA	3390	AnalyticalMeasureRO411.xml	None	ISO/IEC17025	67	10SEP10:17:34:26
RO	RO411-ANSVSA	3390	AnalyticalMeasureRO411.xml	None		2710	10SEP10:17:34:26
RO	RO_321_LCCRPPV	2540	AnalyticalMeasure1.xml	Accredited	Not validated	72090	26AUG10:08:57:35
RO	RO_321_LCCRPPV	2540	AnalyticalMeasure1.xml	Accredited	ISO/IEC17025	199449	26AUG10:08:57:35