

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Business Rule Check

Note: sample code and result code can be supplied on request

<i>ErrorType</i>	<i>ErrorCode</i>	<i>ErrorDescription</i>	<i>Variable</i>	<i>VariableValue</i>	<i>NumberRecordFailing</i>
W	WR15C	The reported LOQ is greater than the reported result value	resVAL\$resLOQ	0.04\$0.05	1
W	WR30A	Please check result evaluation, the MRL changed in 2011	resEvaluation\$resVal\$EU MRL	J002A\$0.059\$0.05	1
W	WR30A	Please check result evaluation, the MRL changed in 2011	resEvaluation\$resVal\$EU MRL	J002A\$0.066\$0.05	1
W	WR30A	Please check result evaluation, the MRL changed in 2011	resEvaluation\$resVal\$EU MRL	J031A\$0.024\$5	1
W	WR30A	Please check result evaluation, the MRL changed in 2011	resEvaluation\$resVal\$EU MRL	J031A\$0.026\$5	1
W	WR30A	Please check result evaluation, the MRL changed in 2011	resEvaluation\$resVal\$EU MRL	J031A\$0.027\$5	1

<i>Samples</i>	<i>Total</i>	<i>Without Residues</i>		<i>With residues below MRL</i>		<i>Exceeding MRL</i>		<i>Non Compliant</i>	
			<i>%</i>		<i>%</i>		<i>%</i>		<i>%</i>
Animal products	346	317	92%	29	8.4%	0	0.0%	0	0.0%
Baby food	84	68	81%	16	19%	0	0.0%	0	0.0%
Cereals	213	195	92%	18	8.5%	0	0.0%	0	0.0%
Fish products	2	2	100%	0	0.0%	0	0.0%	0	0.0%
Processed products	48	41	85%	1	2.1%	6	13%	4	8.3%
Sum of fruits and nuts, vegetables, other plant products	3082	2192	71%	860	28%	30	1.0%	20	0.6%
	3775	2815	75%	924	24%	36	1.0%	24	0.6%

Totals for Cereals, Sum (fruit, vegetables, other plant origin) and Animal products are for unprocessed commodities

Strategy=Enforcement

<i>Origin</i>	<i>Samples</i>	<i>Samples %</i>	<i>Exceeding MRL</i>	<i>Exceeding MRL %</i>	<i>Non Compliant</i>	<i>Non Compliant %</i>
Domestic	3	.08%	0	.00%	0	.00%
TC	1	.03%	0	.00%	0	.00%

Strategy=Surveillance

<i>Origin</i>	<i>Samples</i>	<i>Samples %</i>	<i>Exceeding MRL</i>	<i>Exceeding MRL %</i>	<i>Non Compliant</i>	<i>Non Compliant %</i>
Domestic	2429	64%	17	.70%	12	.49%
EEA	630	17%	2	.32%	1	.16%
TC	686	18%	15	2.2%	9	1.3%
UNK	26	.69%	2	7.7%	2	7.7%

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Enforcement

<i>Product Class</i>	<i>Product</i>	<i>Total</i>	<i>Ex</i>	<i>%</i>	<i>Domestic</i>	<i>Ex</i>	<i>%</i>	<i>EEA</i>	<i>Ex</i>	<i>%</i>	<i>Third Country</i>	<i>Ex</i>	<i>%</i>
Vegetables	Lettuce	3	0	100	3	0	100	0	0	.	0	0	.
	Tomatoes	1	0	100	0	0	.	0	0	.	1	0	100
Vegetables		4	0	100	3	0	100	0	0	.	1	0	100
		4	0	100	3	0	100	0	0	.	1	0	100

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Enforcement

Product Class	Product	Organic			Non Organic			Raw			Process		
		Ex	%		Ex	%		Ex	%		Ex	%	
Vegetables	Lettuce	0	0	.	3	0	100	3	0	100	0	0	.
	Tomatoes	0	0	.	1	0	100	1	0	100	0	0	.
Vegetables		0	0	.	4	0	100	4	0	100	0	0	.
		0	0	.	4	0	100	4	0	100	0	0	.

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		Ex	%		Ex	%		Ex	%		Ex	%	
Animal products	Bovine Fat	11	0	100	11	0	100	0	0	.	0	0	.
	Bovine Meat	6	0	100	6	0	100	0	0	.	0	0	.
	Eggs Chicken	49	0	100	49	0	100	0	0	.	0	0	.
	Eggs Quail	2	0	100	2	0	100	0	0	.	0	0	.
	Honey	44	0	100	44	0	100	0	0	.	0	0	.
	Horses, asses, mules or hinnies Meat	2	0	100	2	0	100	0	0	.	0	0	.
	Milk and milk products	19	0	100	19	0	100	0	0	.	0	0	.
	Other farm animals Fat	5	0	100	5	0	100	0	0	.	0	0	.
	Other farm animals Meat	2	0	100	2	0	100	0	0	.	0	0	.
	Poultry fat	29	0	100	29	0	100	0	0	.	0	0	.
	Poultry liver	1	0	100	1	0	100	0	0	.	0	0	.
	Poultry meat	60	0	100	60	0	100	0	0	.	0	0	.
	Sheep Fat	22	0	100	22	0	100	0	0	.	0	0	.
	Swine Fat free of lean meat	86	0	100	86	0	100	0	0	.	0	0	.
	Swine Liver	4	0	100	4	0	100	0	0	.	0	0	.
	Swine Meat	20	0	100	20	0	100	0	0	.	0	0	.
Animal products		362	0	100	362	0	100	0	0	.	0	0	.
Baby food	Baby food for infants and young children	3	0	100	0	0	.	3	0	100	0	0	.
	Follow-on formulae	4	0	100	0	0	.	4	0	100	0	0	.
	Infant formulae	3	0	100	0	0	.	3	0	100	0	0	.
	Processed cereal-based baby foods	74	0	100	1	0	100	73	0	100	0	0	.
Baby food		84	0	100	1	0	100	83	0	100	0	0	.
Cereals	Maize	46	0	100	46	0	100	0	0	.	0	0	.
	Rice	50	0	100	0	0	.	36	0	100	11	0	100
	Rye	14	0	100	14	0	100	0	0	.	0	0	.

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		Ex	%	Ex	%	Ex	%	Ex	%	Ex	%		
Cereals	Wheat	115	0	100	95	0	100	8	0	100	10	0	100
		225	0	100	155	0	100	44	0	100	21	0	100
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	2	0	100	2	0	100	0	0	.	0	0	.
Fish products		2	0	100	2	0	100	0	0	.	0	0	.
Fruits and nuts	Apples	264	3	98.9	209	1	99.5	42	0	100	7	0	100
	Apricots	25	0	100	21	0	100	3	0	100	1	0	100
	Bananas	90	0	100	0	0	.	4	0	100	82	0	100
	Blueberries	2	0	100	2	0	100	0	0	.	0	0	.
	Cherries	67	0	100	66	0	100	1	0	100	0	0	.
	Grapefruit	106	4	96.2	0	0	.	5	0	100	100	4	96
	Kiwi	37	0	100	0	0	.	30	0	100	7	0	100
	Lemons	88	0	100	0	0	.	3	0	100	82	0	100
	Mandarins	76	0	100	0	0	.	34	0	100	41	0	100
	Mangoes	3	1	66.7	0	0	.	0	0	.	3	1	66.7
	Oranges	106	0	100	2	0	100	77	0	100	24	0	100
	Peaches	60	0	100	27	0	100	32	0	100	1	0	100
	Pears	80	0	100	41	0	100	23	0	100	16	0	100
	Pineapples	6	0	100	0	0	.	1	0	100	5	0	100
	Plums	63	0	100	55	0	100	5	0	100	3	0	100
	Pomegranate	10	3	70	0	0	.	0	0	.	10	3	70
	Quinces	5	0	100	0	0	.	3	0	100	2	0	100
	Strawberries	91	1	98.9	67	0	100	9	0	100	15	1	93.3
	Table and Wine grapes	3	0	100	0	0	.	0	0	.	3	0	100
	Table grapes	112	1	99.1	61	0	100	27	0	100	24	1	95.8
	Wine grapes	141	9	93.6	138	9	93.5	3	0	100	0	0	.

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		Ex	%		Ex	%		Ex	%		Ex	%	
Fruits and nuts		1435	22	98.5	689	10	98.5	302	0	100	426	10	97.7
Other plant products	Beans (dry)	43	0	100	0	0	.	2	0	100	41	0	100
	Lentils (dry)	3	0	100	0	0	.	0	0	.	3	0	100
	Sugar beet	5	0	100	5	0	100	0	0	.	0	0	.
Other plant products		51	0	100	5	0	100	2	0	100	44	0	100
Other products (incl. not classified and animal feed)	NOT IN LIST	1	0	100	0	0	.	0	0	.	1	0	100
Other products (incl. not classified and animal feed)		1	0	100	0	0	.	0	0	.	1	0	100
Vegetables	Aubergines (egg plants)	31	0	100	22	0	100	6	0	100	3	0	100
	Beans (with pods)	37	0	100	35	0	100	2	0	100	0	0	.
	Beans (without pods)	34	0	100	34	0	100	0	0	.	0	0	.
	Beetroot	19	0	100	19	0	100	0	0	.	0	0	.
	Broccoli	3	0	100	1	0	100	2	0	100	0	0	.
	Carrots	67	1	98.5	43	0	100	9	1	88.9	15	0	100
	Cauliflower	29	0	100	22	0	100	6	0	100	1	0	100
	Celery	39	1	97.4	26	0	100	9	1	88.9	4	0	100
	Courgettes	42	0	100	34	0	100	1	0	100	7	0	100
	Cucumbers	93	3	96.8	65	2	96.9	12	0	100	16	1	93.8
	Cultivated fungi	30	0	100	29	0	100	1	0	100	0	0	.
	Garlic	26	0	100	1	0	100	2	0	100	23	0	100
	Head cabbage	91	0	100	74	0	100	7	0	100	10	0	100
	Kale	4	0	100	2	0	100	2	0	100	0	0	.
	Leek	21	0	100	14	0	100	6	0	100	1	0	100
	Lettuce	77	4	94.8	56	4	92.9	18	0	100	3	0	100
	Melons	40	1	97.5	29	0	100	5	0	100	6	1	83.3

*Ex = number of samples above MRL; % = percentage of samples below MRL
 Figures in bold are subtotals and totals for product groups*

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		Ex	%		Ex	%		Ex	%		Ex	%	
	Onions	102	0	100	54	0	100	34	0	100	14	0	100
	Parsley	14	0	100	14	0	100	0	0	.	0	0	.
	Parsley root	2	0	100	2	0	100	0	0	.	0	0	.
	Parsnips	7	0	100	5	0	100	1	0	100	1	0	100
	Peas (with pods)	19	0	100	19	0	100	0	0	.	0	0	.
	Peas (without pods)	10	0	100	2	0	100	4	0	100	4	0	100
	Peppers	167	2	98.8	130	0	100	12	0	100	23	2	91.3
	Potatoes	167	0	100	147	0	100	18	0	100	2	0	100
	Pumpkins	1	0	100	1	0	100	0	0	.	0	0	.
	Radishes	50	0	100	50	0	100	0	0	.	0	0	.
	Spinach	60	1	98.3	55	1	98.2	3	0	100	2	0	100
	Spring onions	44	0	100	37	0	100	1	0	100	6	0	100
	Tomatoes	229	1	99.6	160	0	100	31	0	100	37	1	97.3
	Watermelons	56	0	100	33	0	100	7	0	100	16	0	100
Vegetables		1611	14	99.1	1215	7	99.4	199	2	99	194	5	97.4
		3771	36	99	2429	17	99.3	630	2	99.7	686	15	97.8

*Ex = number of samples above MRL; % = percentage of samples below MRL
 Figures in bold are subtotals and totals for product groups*

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	Product	Organic			Non			Raw			Process		
		Ex	%	Ex	%	Ex	%	Ex	%	Ex	%		
Animal products	Bovine Fat	0	0	.	11	0	100	11	0	100	0	0	.
	Bovine Meat	0	0	.	6	0	100	6	0	100	0	0	.
	Eggs Chicken	0	0	.	49	0	100	49	0	100	0	0	.
	Eggs Quail	0	0	.	2	0	100	2	0	100	0	0	.
	Honey	0	0	.	44	0	100	28	0	100	16	0	100
	Horses, asses, mules or hinnies Meat	0	0	.	2	0	100	2	0	100	0	0	.
	Milk and milk products	0	0	.	19	0	100	19	0	100	0	0	.
	Other farm animals Fat	0	0	.	5	0	100	5	0	100	0	0	.
	Other farm animals Meat	0	0	.	2	0	100	2	0	100	0	0	.
	Poultry fat	0	0	.	29	0	100	29	0	100	0	0	.
	Poultry liver	0	0	.	1	0	100	1	0	100	0	0	.
	Poultry meat	0	0	.	60	0	100	60	0	100	0	0	.
	Sheep Fat	0	0	.	22	0	100	22	0	100	0	0	.
	Swine Fat free of lean meat	0	0	.	86	0	100	86	0	100	0	0	.
	Swine Liver	0	0	.	4	0	100	4	0	100	0	0	.
	Swine Meat	0	0	.	20	0	100	20	0	100	0	0	.
	Animal products		0	0	.	362	0	100	346	0	100	16	0
Baby food	Baby food for infants and young children	3	0	100	0	0	.	0	0	.	3	0	100
	Follow-on formulae	4	0	100	0	0	.	0	0	.	4	0	100
	Infant formulae	3	0	100	0	0	.	0	0	.	3	0	100
	Processed cereal-based baby foods	74	0	100	0	0	.	0	0	.	74	0	100
Baby food		84	0	100	0	0	.	0	0	.	84	0	100
Cereals	Maize	0	0	.	46	0	100	46	0	100	0	0	.
	Rice	0	0	.	50	0	100	50	0	100	0	0	.
	Rye	0	0	.	14	0	100	14	0	100	0	0	.

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	Product	Organic			Non			Raw			Process		
		Ex	%	Ex	%	Ex	%	Ex	%	Ex	%		
Cereals	Wheat	0	0	.	115	0	100	103	0	100	12	0	100
		0	0	.	225	0	100	213	0	100	12	0	100
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	0	0	.	2	0	100	2	0	100	0	0	.
Fish products		0	0	.	2	0	100	2	0	100	0	0	.
Fruits and nuts	Apples	0	0	.	264	3	98.9	264	3	98.9	0	0	.
	Apricots	0	0	.	25	0	100	25	0	100	0	0	.
	Bananas	0	0	.	90	0	100	90	0	100	0	0	.
	Blueberries	0	0	.	2	0	100	2	0	100	0	0	.
	Cherries	0	0	.	67	0	100	67	0	100	0	0	.
	Grapefruit	0	0	.	106	4	96.2	106	4	96.2	0	0	.
	Kiwi	0	0	.	37	0	100	37	0	100	0	0	.
	Lemons	0	0	.	88	0	100	88	0	100	0	0	.
	Mandarins	0	0	.	76	0	100	76	0	100	0	0	.
	Mangoes	0	0	.	3	1	66.7	3	1	66.7	0	0	.
	Oranges	0	0	.	106	0	100	99	0	100	7	0	100
	Peaches	0	0	.	60	0	100	60	0	100	0	0	.
	Pears	0	0	.	80	0	100	80	0	100	0	0	.
	Pineapples	0	0	.	6	0	100	6	0	100	0	0	.
	Plums	0	0	.	63	0	100	63	0	100	0	0	.
	Pomegranate	0	0	.	10	3	70	10	3	70	0	0	.
	Quinces	0	0	.	5	0	100	5	0	100	0	0	.
	Strawberries	0	0	.	91	1	98.9	91	1	98.9	0	0	.
	Table and Wine grapes	0	0	.	3	0	100	3	0	100	0	0	.
	Table grapes	0	0	.	112	1	99.1	112	1	99.1	0	0	.
	Wine grapes	0	0	.	141	9	93.6	130	3	97.7	11	6	45.5

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	Product	Organic			Non			Raw			Process		
		Ex	%	Ex	%	Ex	%	Ex	%	Ex	%		
Fruits and nuts		0	0	.	1435	22	98.5	1417	16	98.9	18	6	66.7
Other plant products	Beans (dry)	0	0	.	43	0	100	43	0	100	0	0	.
	Lentils (dry)	0	0	.	3	0	100	3	0	100	0	0	.
	Sugar beet	0	0	.	5	0	100	5	0	100	0	0	.
Other plant products		0	0	.	51	0	100	51	0	100	0	0	.
Other products (incl. not classified and animal feed)	NOT IN LIST	0	0	.	1	0	100	1	0	100	0	0	.
Other products (incl. not classified and animal feed)		0	0	.	1	0	100	1	0	100	0	0	.
Vegetables	Aubergines (egg plants)	0	0	.	31	0	100	31	0	100	0	0	.
	Beans (with pods)	0	0	.	37	0	100	37	0	100	0	0	.
	Beans (without pods)	0	0	.	34	0	100	34	0	100	0	0	.
	Beetroot	0	0	.	19	0	100	19	0	100	0	0	.
	Broccoli	0	0	.	3	0	100	3	0	100	0	0	.
	Carrots	0	0	.	67	1	98.5	66	1	98.5	1	0	100
	Cauliflower	0	0	.	29	0	100	29	0	100	0	0	.
	Celery	0	0	.	39	1	97.4	39	1	97.4	0	0	.
	Courgettes	0	0	.	42	0	100	42	0	100	0	0	.
	Cucumbers	0	0	.	93	3	96.8	93	3	96.8	0	0	.
	Cultivated fungi	0	0	.	30	0	100	30	0	100	0	0	.
	Garlic	0	0	.	26	0	100	26	0	100	0	0	.
	Head cabbage	0	0	.	91	0	100	91	0	100	0	0	.
	Kale	0	0	.	4	0	100	4	0	100	0	0	.
	Leek	0	0	.	21	0	100	21	0	100	0	0	.
	Lettuce	0	0	.	77	4	94.8	77	4	94.8	0	0	.
	Melons	0	0	.	40	1	97.5	40	1	97.5	0	0	.

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	Product	Organic			Non			Raw			Process		
		Ex	%	Ex	%	Ex	%	Ex	%	Ex	%		
	Onions	0	0	.	102	0	100	102	0	100	0	0	.
	Parsley	0	0	.	14	0	100	14	0	100	0	0	.
	Parsley root	0	0	.	2	0	100	2	0	100	0	0	.
	Parsnips	0	0	.	7	0	100	7	0	100	0	0	.
	Peas (with pods)	0	0	.	19	0	100	19	0	100	0	0	.
	Peas (without pods)	0	0	.	10	0	100	10	0	100	0	0	.
	Peppers	0	0	.	167	2	98.8	167	2	98.8	0	0	.
	Potatoes	0	0	.	167	0	100	167	0	100	0	0	.
	Pumpkins	0	0	.	1	0	100	1	0	100	0	0	.
	Radishes	0	0	.	50	0	100	50	0	100	0	0	.
	Spinach	0	0	.	60	1	98.3	59	1	98.3	1	0	100
	Spring onions	0	0	.	44	0	100	44	0	100	0	0	.
	Tomatoes	0	0	.	229	1	99.6	229	1	99.6	0	0	.
	Watermelons	0	0	.	56	0	100	56	0	100	0	0	.
Vegetables		0	0	.	1611	14	99.1	1609	14	99.1	2	0	100
		84	0	100	3687	36	99	3639	30	99.2	132	6	95.5

*Ex = number of samples above MRL; % = percentage of samples below MRL
 Figures in bold are subtotals and totals for product groups*

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Enforcement

Product Class	Product	Total	Domestic			EEA			Third Country				
			ND	%	ND	%	ND	%	ND	%			
Vegetables	Lettuce	3	3	0	3	3	0	0	0	.	0	0	.
	Tomatoes	1	1	0	0	0	.	0	0	.	1	1	0
Vegetables		4	4	0	3	3	0	0	0	.	1	1	0
		4	4	0	3	3	0	0	0	.	1	1	0

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Enforcement

Product Class	Product	Organic			Non			Raw			Process		
		ND	%		Organic	ND	%	ND	%		ND	%	
Vegetables	Lettuce	0	0	.	3	3	0	3	3	0	0	0	.
	Tomatoes	0	0	.	1	1	0	1	1	0	0	0	.
Vegetables		0	0	.	4	4	0	4	4	0	0	0	.
		0	0	.	4	4	0	4	4	0	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
 Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		ND	%		ND	%		ND	%		ND	%	
Animal products	Bovine Fat	11	2	81.8	11	2	81.8	0	0	.	0	0	.
	Bovine Meat	6	0	100	6	0	100	0	0	.	0	0	.
	Eggs Chicken	49	7	85.7	49	7	85.7	0	0	.	0	0	.
	Eggs Quail	2	0	100	2	0	100	0	0	.	0	0	.
	Honey	44	0	100	44	0	100	0	0	.	0	0	.
	Horses, asses, mules or hinnies Meat	2	0	100	2	0	100	0	0	.	0	0	.
	Milk and milk products	19	8	57.9	19	8	57.9	0	0	.	0	0	.
	Other farm animals Fat	5	0	100	5	0	100	0	0	.	0	0	.
	Other farm animals Meat	2	0	100	2	0	100	0	0	.	0	0	.
	Poultry fat	29	4	86.2	29	4	86.2	0	0	.	0	0	.
	Poultry liver	1	0	100	1	0	100	0	0	.	0	0	.
	Poultry meat	60	0	100	60	0	100	0	0	.	0	0	.
	Sheep Fat	22	5	77.3	22	5	77.3	0	0	.	0	0	.
	Swine Fat free of lean meat	86	3	96.5	86	3	96.5	0	0	.	0	0	.
	Swine Liver	4	0	100	4	0	100	0	0	.	0	0	.
	Swine Meat	20	0	100	20	0	100	0	0	.	0	0	.
Animal products		362	29	92	362	29	92	0	0	.	0	0	.
Baby food	Baby food for infants and young children	3	0	100	0	0	.	3	0	100	0	0	.
	Follow-on formulae	4	1	75	0	0	.	4	1	75	0	0	.
	Infant formulae	3	2	33.3	0	0	.	3	2	33.3	0	0	.
	Processed cereal-based baby foods	74	13	82.4	1	0	100	73	13	82.2	0	0	.
Baby food		84	16	81	1	0	100	83	16	80.7	0	0	.
Cereals	Maize	46	0	100	46	0	100	0	0	.	0	0	.
	Rice	50	4	92	0	0	.	36	4	88.9	11	0	100
	Rye	14	1	92.9	14	1	92.9	0	0	.	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
 Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		ND	%		ND	%		ND	%		ND	%	
Cereals	Wheat	115	13	88.7	95	10	89.5	8	0	100	10	2	80
		225	18	92	155	11	92.9	44	4	90.9	21	2	90.5
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	2	0	100	2	0	100	0	0	.	0	0	.
Fish products		2	0	100	2	0	100	0	0	.	0	0	.
Fruits and nuts	Apples	264	113	57.2	209	76	63.6	42	28	33.3	7	3	57.1
	Apricots	25	4	84	21	4	81	3	0	100	1	0	100
	Bananas	90	32	64.4	0	0	.	4	2	50	82	29	64.6
	Blueberries	2	0	100	2	0	100	0	0	.	0	0	.
	Cherries	67	15	77.6	66	15	77.3	1	0	100	0	0	.
	Grapefruit	106	94	11.3	0	0	.	5	5	0	100	88	12
	Kiwi	37	8	78.4	0	0	.	30	7	76.7	7	1	85.7
	Lemons	88	68	22.7	0	0	.	3	2	33.3	82	63	23.2
	Mandarins	76	51	32.9	0	0	.	34	25	26.5	41	26	36.6
	Mangoes	3	3	0	0	0	.	0	0	.	3	3	0
	Oranges	106	65	38.7	2	1	50	77	45	41.6	24	18	25
	Peaches	60	23	61.7	27	9	66.7	32	13	59.4	1	1	0
	Pears	80	27	66.3	41	4	90.2	23	13	43.5	16	10	37.5
	Pineapples	6	3	50	0	0	.	1	1	0	5	2	60
	Plums	63	10	84.1	55	9	83.6	5	1	80	3	0	100
	Pomegranate	10	6	40	0	0	.	0	0	.	10	6	40
	Quinces	5	3	40	0	0	.	3	2	33.3	2	1	50
	Strawberries	91	20	78	67	12	82.1	9	3	66.7	15	5	66.7
	Table and Wine grapes	3	0	100	0	0	.	0	0	.	3	0	100
	Table grapes	112	59	47.3	61	29	52.5	27	20	25.9	24	10	58.3
	Wine grapes	141	77	45.4	138	76	44.9	3	1	66.7	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
 Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Total	ND	%	Domestic	ND	%	EEA	ND	%	Third Country	ND	%
Fruits and nuts		1435	681	52.5	689	235	65.9	302	168	44.4	426	266	37.6
Other plant products	Beans (dry)	43	0	100	0	0	.	2	0	100	41	0	100
	Lentils (dry)	3	0	100	0	0	.	0	0	.	3	0	100
	Sugar beet	5	0	100	5	0	100	0	0	.	0	0	.
Other plant products		51	0	100	5	0	100	2	0	100	44	0	100
Other products (incl. not classified and animal feed)	NOT IN LIST	1	0	100	0	0	.	0	0	.	1	0	100
Other products (incl. not classified and animal feed)		1	0	100	0	0	.	0	0	.	1	0	100
Vegetables	Aubergines (egg plants)	31	2	93.5	22	0	100	6	2	66.7	3	0	100
	Beans (with pods)	37	3	91.9	35	2	94.3	2	1	50	0	0	.
	Beans (without pods)	34	0	100	34	0	100	0	0	.	0	0	.
	Beetroot	19	0	100	19	0	100	0	0	.	0	0	.
	Broccoli	3	0	100	1	0	100	2	0	100	0	0	.
	Carrots	67	13	80.6	43	7	83.7	9	3	66.7	15	3	80
	Cauliflower	29	1	96.6	22	1	95.5	6	0	100	1	0	100
	Celery	39	8	79.5	26	2	92.3	9	5	44.4	4	1	75
	Courgettes	42	3	92.9	34	0	100	1	0	100	7	3	57.1
	Cucumbers	93	24	74.2	65	10	84.6	12	7	41.7	16	7	56.3
	Cultivated fungi	30	2	93.3	29	2	93.1	1	0	100	0	0	.
	Garlic	26	1	96.2	1	0	100	2	0	100	23	1	95.7
	Head cabbage	91	1	98.9	74	0	100	7	1	85.7	10	0	100
	Kale	4	1	75	2	0	100	2	1	50	0	0	.
	Leek	21	2	90.5	14	0	100	6	2	66.7	1	0	100
	Lettuce	77	20	74	56	13	76.8	18	7	61.1	3	0	100
	Melons	40	3	92.5	29	0	100	5	1	80	6	2	66.7

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		ND	%		ND	%		ND	%		ND	%	
	Onions	102	4	96.1	54	3	94.4	34	0	100	14	1	92.9
	Parsley	14	3	78.6	14	3	78.6	0	0	.	0	0	.
	Parsley root	2	0	100	2	0	100	0	0	.	0	0	.
	Parsnips	7	1	85.7	5	0	100	1	0	100	1	1	0
	Peas (with pods)	19	1	94.7	19	1	94.7	0	0	.	0	0	.
	Peas (without pods)	10	1	90	2	0	100	4	1	75	4	0	100
	Peppers	167	19	88.6	130	8	93.8	12	0	100	23	11	52.2
	Potatoes	167	19	88.6	147	13	91.2	18	6	66.7	2	0	100
	Pumpkins	1	0	100	1	0	100	0	0	.	0	0	.
	Radishes	50	5	90	50	5	90	0	0	.	0	0	.
	Spinach	60	14	76.7	55	11	80	3	1	66.7	2	2	0
	Spring onions	44	5	88.6	37	5	86.5	1	0	100	6	0	100
	Tomatoes	229	54	76.4	160	28	82.5	31	10	67.7	37	16	56.8
	Watermelons	56	2	96.4	33	0	100	7	1	85.7	16	1	93.8
Vegetables		1611	212	86.8	1215	114	90.6	199	49	75.4	194	49	74.7
		3771	956	74.6	2429	389	84	630	237	62.4	686	317	53.8

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
 Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Organic			Non			Raw			Process		
		ND	%		Organic	ND	%	ND	%		ND	%	
Animal products	Bovine Fat	0	0	.	11	2	81.8	11	2	81.8	0	0	.
	Bovine Meat	0	0	.	6	0	100	6	0	100	0	0	.
	Eggs Chicken	0	0	.	49	7	85.7	49	7	85.7	0	0	.
	Eggs Quail	0	0	.	2	0	100	2	0	100	0	0	.
	Honey	0	0	.	44	0	100	28	0	100	16	0	100
	Horses, asses, mules or hinnies Meat	0	0	.	2	0	100	2	0	100	0	0	.
	Milk and milk products	0	0	.	19	8	57.9	19	8	57.9	0	0	.
	Other farm animals Fat	0	0	.	5	0	100	5	0	100	0	0	.
	Other farm animals Meat	0	0	.	2	0	100	2	0	100	0	0	.
	Poultry fat	0	0	.	29	4	86.2	29	4	86.2	0	0	.
	Poultry liver	0	0	.	1	0	100	1	0	100	0	0	.
	Poultry meat	0	0	.	60	0	100	60	0	100	0	0	.
	Sheep Fat	0	0	.	22	5	77.3	22	5	77.3	0	0	.
	Swine Fat free of lean meat	0	0	.	86	3	96.5	86	3	96.5	0	0	.
	Swine Liver	0	0	.	4	0	100	4	0	100	0	0	.
	Swine Meat	0	0	.	20	0	100	20	0	100	0	0	.
Animal products		0	0	.	362	29	92	346	29	91.6	16	0	100
Baby food	Baby food for infants and young children	3	0	100	0	0	.	0	0	.	3	0	100
	Follow-on formulae	4	1	75	0	0	.	0	0	.	4	1	75
	Infant formulae	3	2	33.3	0	0	.	0	0	.	3	2	33.3
	Processed cereal-based baby foods	74	13	82.4	0	0	.	0	0	.	74	13	82.4
Baby food		84	16	81	0	0	.	0	0	.	84	16	81
Cereals	Maize	0	0	.	46	0	100	46	0	100	0	0	.
	Rice	0	0	.	50	4	92	50	4	92	0	0	.
	Rye	0	0	.	14	1	92.9	14	1	92.9	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
 Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Organic			Non			Raw			Process		
		ND	%		Organic	ND	%	ND	%		ND	%	
Cereals	Wheat	0	0	.	115	13	88.7	103	13	87.4	12	0	100
		0	0	.	225	18	92	213	18	91.5	12	0	100
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	0	0	.	2	0	100	2	0	100	0	0	.
Fish products		0	0	.	2	0	100	2	0	100	0	0	.
Fruits and nuts	Apples	0	0	.	264	113	57.2	264	113	57.2	0	0	.
	Apricots	0	0	.	25	4	84	25	4	84	0	0	.
	Bananas	0	0	.	90	32	64.4	90	32	64.4	0	0	.
	Blueberries	0	0	.	2	0	100	2	0	100	0	0	.
	Cherries	0	0	.	67	15	77.6	67	15	77.6	0	0	.
	Grapefruit	0	0	.	106	94	11.3	106	94	11.3	0	0	.
	Kiwi	0	0	.	37	8	78.4	37	8	78.4	0	0	.
	Lemons	0	0	.	88	68	22.7	88	68	22.7	0	0	.
	Mandarins	0	0	.	76	51	32.9	76	51	32.9	0	0	.
	Mangoes	0	0	.	3	3	0	3	3	0	0	0	.
	Oranges	0	0	.	106	65	38.7	99	65	34.3	7	0	100
	Peaches	0	0	.	60	23	61.7	60	23	61.7	0	0	.
	Pears	0	0	.	80	27	66.3	80	27	66.3	0	0	.
	Pineapples	0	0	.	6	3	50	6	3	50	0	0	.
	Plums	0	0	.	63	10	84.1	63	10	84.1	0	0	.
	Pomegranate	0	0	.	10	6	40	10	6	40	0	0	.
	Quinces	0	0	.	5	3	40	5	3	40	0	0	.
	Strawberries	0	0	.	91	20	78	91	20	78	0	0	.
	Table and Wine grapes	0	0	.	3	0	100	3	0	100	0	0	.
	Table grapes	0	0	.	112	59	47.3	112	59	47.3	0	0	.
	Wine grapes	0	0	.	141	77	45.4	130	70	46.2	11	7	36.4

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Organic			Non			Raw			Process		
		ND	%		Organic	ND	%	ND	%		ND	%	
Fruits and nuts		0	0	.	1435	681	52.5	1417	674	52.4	18	7	61.1
Other plant products	Beans (dry)	0	0	.	43	0	100	43	0	100	0	0	.
	Lentils (dry)	0	0	.	3	0	100	3	0	100	0	0	.
	Sugar beet	0	0	.	5	0	100	5	0	100	0	0	.
Other plant products		0	0	.	51	0	100	51	0	100	0	0	.
Other products (incl. not classified and animal feed)	NOT IN LIST	0	0	.	1	0	100	1	0	100	0	0	.
Other products (incl. not classified and animal feed)		0	0	.	1	0	100	1	0	100	0	0	.
Vegetables	Aubergines (egg plants)	0	0	.	31	2	93.5	31	2	93.5	0	0	.
	Beans (with pods)	0	0	.	37	3	91.9	37	3	91.9	0	0	.
	Beans (without pods)	0	0	.	34	0	100	34	0	100	0	0	.
	Beetroot	0	0	.	19	0	100	19	0	100	0	0	.
	Broccoli	0	0	.	3	0	100	3	0	100	0	0	.
	Carrots	0	0	.	67	13	80.6	66	13	80.3	1	0	100
	Cauliflower	0	0	.	29	1	96.6	29	1	96.6	0	0	.
	Celery	0	0	.	39	8	79.5	39	8	79.5	0	0	.
	Courgettes	0	0	.	42	3	92.9	42	3	92.9	0	0	.
	Cucumbers	0	0	.	93	24	74.2	93	24	74.2	0	0	.
	Cultivated fungi	0	0	.	30	2	93.3	30	2	93.3	0	0	.
	Garlic	0	0	.	26	1	96.2	26	1	96.2	0	0	.
	Head cabbage	0	0	.	91	1	98.9	91	1	98.9	0	0	.
	Kale	0	0	.	4	1	75	4	1	75	0	0	.
	Leek	0	0	.	21	2	90.5	21	2	90.5	0	0	.
	Lettuce	0	0	.	77	20	74	77	20	74	0	0	.
	Melons	0	0	.	40	3	92.5	40	3	92.5	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Organic			Non			Raw			Process		
		ND	%		Organic	ND	%	ND	%		ND	%	
	Onions	0	0	.	102	4	96.1	102	4	96.1	0	0	.
	Parsley	0	0	.	14	3	78.6	14	3	78.6	0	0	.
	Parsley root	0	0	.	2	0	100	2	0	100	0	0	.
	Parsnips	0	0	.	7	1	85.7	7	1	85.7	0	0	.
	Peas (with pods)	0	0	.	19	1	94.7	19	1	94.7	0	0	.
	Peas (without pods)	0	0	.	10	1	90	10	1	90	0	0	.
	Peppers	0	0	.	167	19	88.6	167	19	88.6	0	0	.
	Potatoes	0	0	.	167	19	88.6	167	19	88.6	0	0	.
	Pumpkins	0	0	.	1	0	100	1	0	100	0	0	.
	Radishes	0	0	.	50	5	90	50	5	90	0	0	.
	Spinach	0	0	.	60	14	76.7	59	14	76.3	1	0	100
	Spring onions	0	0	.	44	5	88.6	44	5	88.6	0	0	.
	Tomatoes	0	0	.	229	54	76.4	229	54	76.4	0	0	.
	Watermelons	0	0	.	56	2	96.4	56	2	96.4	0	0	.
Vegetables		0	0	.	1611	212	86.8	1609	212	86.8	2	0	100
		84	16	81	3687	940	74.5	3639	933	74.4	132	23	82.6

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Animal Feed	Nr Found	MRL Ex
1	Acephate	0	0	0
2	Acetamiprid	0	0	0
3	Acrinathrin	0	0	0
4	Aldicarb (sum)	0	0	0
5	Aldrin	0	0	0
6	Aldrin and Dieldrin	0	0	0
7	Atrazine	0	0	0
8	Azinphos-ethyl	0	0	0
9	Azinphos-methyl	0	0	0
10	Azoxystrobin	0	0	0
11	Benalaxyl	0	0	0
12	Benfuracarb	0	0	0
13	Bifenthrin	0	0	0
14	Binapacryl	0	0	0
15	Biphenyl	0	0	0
16	Bitertanol	0	0	0
17	Boscalid	0	0	0
18	Bromophos	0	0	0
19	Bromopropylate	0	0	0
20	Bupirimate	0	0	0
21	Buprofezin	0	0	0
22	Cadusafos	0	0	0
23	Captan	0	0	0
24	Carbaryl	0	0	0
25	Carbendazim	0	0	0
26	Carbendazim and benomyl	0	0	0
27	Carbofuran	0	0	0
28	Carbofuran (sum)	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Feed</i>	<i>Nr Found</i>	<i>MRL Ex</i>
29	Carbosulfan	0	0	0
30	Chinomethionat	0	0	0
31	Chlorbenside	0	0	0
32	Chlorbufam	0	0	0
33	Chlordane	0	0	0
34	Chlordane (sum animal products)	0	0	0
35	Chlordane (sum)	0	0	0
36	Chlorfenson	0	0	0
37	Chlorfenvinphos	0	0	0
38	Chlorobenzilate	0	0	0
39	Chlorothalonil	0	0	0
40	Chlorpropham	0	0	0
41	Chlorpyrifos	0	0	0
42	Chlorpyrifos-methyl	0	0	0
43	Chlozolate	0	0	0
44	Coumaphos	0	0	0
45	Cyfluthrin	0	0	0
46	Cyfluthrin (sum)	0	0	0
47	Cypermethrin (sum)	0	0	0
48	Cyproconazole	0	0	0
49	Cyprodinil	0	0	0
50	DDD, p,p-	0	0	0
51	DDE, p,p-	0	0	0
52	DDT (sum)	0	0	0
53	DDT, o,p-	0	0	0
54	DDT, p,p-	0	0	0
55	Deltamethrin	0	0	0
56	Diafenthuron	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Feed</i>	<i>Nr Found</i>	<i>MRL Ex</i>
57	Diazinon	0	0	0
58	Dichlofluanid	0	0	0
59	Dichlorvos	0	0	0
60	Dicloran	0	0	0
61	Dicofol (sum)	0	0	0
62	Dieldrin	0	0	0
63	Difenoconazole	0	0	0
64	Dimethoate	0	0	0
65	Dimethoate (sum)	0	0	0
66	Dimethomorph	0	0	0
67	Diphenylamine	0	0	0
68	Disulfoton	0	0	0
69	EPN	0	0	0
70	Endosulfan (sum)	0	0	0
71	Endosulfansulfate	0	0	0
72	Endrin	0	0	0
73	Epoxiconazole	0	0	0
74	Esfenvalerate	0	0	0
75	Ethion	0	0	0
76	Ethofumesate	0	0	0
77	Etofenprox	0	0	0
78	Fenamidone	0	0	0
79	Fenamiphos	0	0	0
80	Fenarimol	0	0	0
81	Fenchlorphos	0	0	0
82	Fenchlorphos (sum)	0	0	0
83	Fenhexamid	0	0	0
84	Fenitrothion	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Feed</i>	<i>Nr Found</i>	<i>MRL Ex</i>
85	Fenoxycarb	0	0	0
86	Fenpropathrin	0	0	0
87	Fensulfothion	0	0	0
88	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	0	0	0
89	Fenthion	0	0	0
90	Fenthion (sum)	0	0	0
91	Fenvalerate	0	0	0
92	Fenvalerate (sum of RR, SS, RS and SR isomers)	0	0	0
93	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0	0	0
94	Fenvalerate/Esfenvalerate (sum)	0	0	0
95	Flucythrinate	0	0	0
96	Flucythrinate (sum of isomers expressed as flucythrinate)	0	0	0
97	Fludioxonil	0	0	0
98	Fluquinconazole	0	0	0
99	Flusilazole	0	0	0
100	Flutriafol	0	0	0
101	Folpet	0	0	0
102	Fonofos	0	0	0
103	Formothion	0	0	0
104	Furathiocarb	0	0	0
105	Heptachlor	0	0	0
106	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0	0	0
107	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	0	0	0
108	Heptachlor endo-epoxide	0	0	0
109	Heptachlor epoxide	0	0	0
110	Heptachlor exo-epoxide	0	0	0
111	Heptachlorepoxyde, cis-	0	0	0
112	Heptachlorepoxyde, trans-	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Feed</i>	<i>Nr Found</i>	<i>MRL Ex</i>
113	Heptenophos	0	0	0
114	Hexachlorobenzene	0	0	0
115	Hexachlorocyclohexane (HCH), alpha-isomer	0	0	0
116	Hexachlorocyclohexane (HCH), beta-isomer	0	0	0
117	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	0	0	0
118	Hexaconazole	0	0	0
119	Hexaflumuron	0	0	0
120	Hexythiazox	0	0	0
121	Imazalil	0	0	0
122	Imidacloprid	0	0	0
123	Indoxacarb as sum of the isomers S and R	0	0	0
124	Iprodione	0	0	0
125	Iprovalicarb	0	0	0
126	Isofenphos	0	0	0
127	Isofenphos (sum)	0	0	0
128	Isoproturon	0	0	0
129	Kresoxim-methyl	0	0	0
130	Lambda-Cyhalothrin	0	0	0
131	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	0	0	0
132	Malathion	0	0	0
133	Malathion (sum of malathion and malaoxon expressed as malathion)	0	0	0
134	Mecarbam	0	0	0
135	Mepanipyrim	0	0	0
136	Metalaxyl	0	0	0
137	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0	0	0
138	Metconazole	0	0	0
139	Methacrifos	0	0	0
140	Methamidophos	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Feed</i>	<i>Nr Found</i>	<i>MRL Ex</i>
141	Methidathion	0	0	0
142	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0	0	0
143	Methiocarb-Sulfoxid	0	0	0
144	Methomyl	0	0	0
145	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0	0	0
146	Methoxychlor	0	0	0
147	Metribuzin	0	0	0
148	Mevinphos (sum of E- and Z-isomers)	0	0	0
149	Molinate	0	0	0
150	Monocrotophos	0	0	0
151	Myclobutanil	0	0	0
152	Naled	0	0	0
153	Nuarimol	0	0	0
154	Omethoate	0	0	0
155	Orthophenylphenol	0	0	0
156	Oxadixyl	0	0	0
157	Oxamyl	0	0	0
158	Oxychlordane	0	0	0
159	Oxydemeton-methyl	0	0	0
160	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0	0	0
161	Parathion	0	0	0
162	Parathion-methyl	0	0	0
163	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0	0	0
164	Penconazole	0	0	0
165	Pencycuron	0	0	0
166	Pendimethalin	0	0	0
167	Permethrin (sum of isomers)	0	0	0
168	Phenthoate	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Feed</i>	<i>Nr Found</i>	<i>MRL Ex</i>
169	Phorate	0	0	0
170	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	0	0	0
171	Phosalone	0	0	0
172	Phosmet	0	0	0
173	Phosmet (phosmet and phosmet oxon expressed as phosmet)	0	0	0
174	Phoxim	0	0	0
175	Pirimicarb	0	0	0
176	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0	0	0
177	Pirimiphos-methyl	0	0	0
178	Prochloraz	0	0	0
179	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0	0	0
180	Procymidone	0	0	0
181	Profenofos	0	0	0
182	Propamocarb	0	0	0
183	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0	0	0
184	Propargite	0	0	0
185	Propham	0	0	0
186	Propiconazole	0	0	0
187	Propoxur	0	0	0
188	Propyzamide	0	0	0
189	Prothiofos	0	0	0
190	Pyraclostrobin	0	0	0
191	Pyrazophos	0	0	0
192	Pyridaben	0	0	0
193	Pyridaphenthion	0	0	0
194	Pyrimethanil	0	0	0
195	Quinalphos	0	0	0
196	Quinoxyfen	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Feed</i>	<i>Nr Found</i>	<i>MRL Ex</i>
197	Quintozene	0	0	0
198	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0	0	0
199	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0	0	0
200	Simazine	0	0	0
201	Spiroxamine	0	0	0
202	Sulfotep	0	0	0
203	Tebuconazole	0	0	0
204	Tebufenozide	0	0	0
205	Tebufenpyrad	0	0	0
206	Tecnazene	0	0	0
207	Temephos	0	0	0
208	Terbufos	0	0	0
209	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	0	0	0
210	Terbumeton	0	0	0
211	Terbutryn	0	0	0
212	Tetrachlorvinphos	0	0	0
213	Tetradifon	0	0	0
214	Thiabendazole	0	0	0
215	Thiacloprid	0	0	0
216	Thiametoxam	0	0	0
217	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0	0	0
218	Thiodicarb	0	0	0
219	Thiometon	0	0	0
220	Thiophanate-methyl	0	0	0
221	Thiram (expressed as thiram)	0	0	0
222	Tolclofos-methyl	0	0	0
223	Tolyfluanid	0	0	0
224	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Feed</i>	<i>Nr Found</i>	<i>MRL Ex</i>
225	Triadimefon	0	0	0
226	Triadimefon (sum of Triadimefon and Triadimenol)	0	0	0
227	Triadimenol	0	0	0
228	Triazophos	0	0	0
229	Trifloxystrobin	0	0	0
230	Trifluralin	0	0	0
231	Triforine	0	0	0
232	Triticonazole	0	0	0
233	Vamidothion	0	0	0
234	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	0	0	0
235	Vinclozolin	0	0	0
236	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0	0	0
237	Zoxamide	0	0	0
238	alpha-Endosulfan	0	0	0
239	beta-Endosulfan	0	0	0
240	cis-Chlordane	0	0	0
241	tau-Fluvalinate	0	0	0
242	trans-Chlordane	0	0	0
		0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
1	Acephate	0	0	0
2	Acetamiprid	0	0	0
3	Acrinathrin	0	0	0
4	Aldicarb (sum)	0	0	0
5	Aldrin	282	0	0
6	Aldrin and Dieldrin	50	0	0
7	Atrazine	0	0	0
8	Azinphos-ethyl	193	0	0
9	Azinphos-methyl	0	0	0
10	Azoxystrobin	0	0	0
11	Benalaxyl	0	0	0
12	Benfuracarb	0	0	0
13	Bifenthrin	234	0	0
14	Binapacryl	0	0	0
15	Biphenyl	0	0	0
16	Bitertanol	0	0	0
17	Boscalid	0	0	0
18	Bromophos	0	0	0
19	Bromopropylate	0	0	0
20	Bupirimate	0	0	0
21	Buprofezin	0	0	0
22	Cadusafos	0	0	0
23	Captan	0	0	0
24	Carbaryl	0	0	0
25	Carbendazim	0	0	0
26	Carbendazim and benomyl	0	0	0
27	Carbofuran	0	0	0
28	Carbofuran (sum)	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
29	Carbosulfan	0	0	0
30	Chinomethionat	0	0	0
31	Chlorbenside	0	0	0
32	Chlorbufam	0	0	0
33	Chlordane	204	0	0
34	Chlordane (sum animal products)	82	3	0
35	Chlordane (sum)	0	0	0
36	Chlorfenson	0	0	0
37	Chlorfenvinphos	0	0	0
38	Chlorobenzilate	240	0	0
39	Chlorothalonil	0	0	0
40	Chlorpropham	0	0	0
41	Chlorpyrifos	261	0	0
42	Chlorpyrifos-methyl	235	0	0
43	Chlozolate	0	0	0
44	Coumaphos	223	0	0
45	Cyfluthrin	192	0	0
46	Cyfluthrin (sum)	42	0	0
47	Cypermethrin (sum)	234	0	0
48	Cyproconazole	0	0	0
49	Cyprodinil	0	0	0
50	DDD, p,p-	282	0	0
51	DDE, p,p-	282	12	0
52	DDT (sum)	50	10	0
53	DDT, o,p-	282	0	0
54	DDT, p,p-	282	0	0
55	Deltamethrin	234	0	0
56	Diafenthiuron	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
57	Diazinon	265	0	0
58	Dichlofluanid	0	0	0
59	Dichlorvos	0	0	0
60	Dicloran	0	0	0
61	Dicofol (sum)	0	0	0
62	Dieldrin	282	0	0
63	Difenoconazole	0	0	0
64	Dimethoate	0	0	0
65	Dimethoate (sum)	0	0	0
66	Dimethomorph	0	0	0
67	Diphenylamine	0	0	0
68	Disulfoton	0	0	0
69	EPN	0	0	0
70	Endosulfan (sum)	50	1	0
71	Endosulfansulfate	282	0	0
72	Endrin	332	0	0
73	Epoxiconazole	0	0	0
74	Esfenvalerate	192	0	0
75	Ethion	265	0	0
76	Ethofumesate	0	0	0
77	Etofenprox	0	0	0
78	Fenamidone	0	0	0
79	Fenamiphos	0	0	0
80	Fenarimol	0	0	0
81	Fenchlorphos	0	0	0
82	Fenchlorphos (sum)	0	0	0
83	Fenhexamid	0	0	0
84	Fenitrothion	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
85	Fenoxycarb	0	0	0
86	Fenpropathrin	0	0	0
87	Fensulfothion	0	0	0
88	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	0	0	0
89	Fenthion	219	0	0
90	Fenthion (sum)	0	0	0
91	Fenvalerate	192	0	0
92	Fenvalerate (sum of RR, SS, RS and SR isomers)	42	0	0
93	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0	0	0
94	Fenvalerate/Esfenvalerate (sum)	0	0	0
95	Flucythrinate	192	0	0
96	Flucythrinate (sum of isomers expressed as flucythrinate)	0	0	0
97	Fludioxonil	0	0	0
98	Fluquinconazole	0	0	0
99	Flusilazole	0	0	0
100	Flutriafol	0	0	0
101	Folpet	0	0	0
102	Fonofos	0	0	0
103	Formothion	0	0	0
104	Furathiocarb	0	0	0
105	Heptachlor	78	1	0
106	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	204	0	0
107	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	50	1	0
108	Heptachlor endo-epoxide	36	0	0
109	Heptachlor epoxide	0	0	0
110	Heptachlor exo-epoxide	36	0	0
111	Heptachlorepoxyde, cis-	246	0	0
112	Heptachlorepoxyde, trans-	42	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
113	Heptenophos	0	0	0
114	Hexachlorobenzene	332	6	0
115	Hexachlorocyclohexane (HCH), alpha-isomer	332	7	0
116	Hexachlorocyclohexane (HCH), beta-isomer	332	2	0
117	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	204	0	0
118	Hexaconazole	0	0	0
119	Hexaflumuron	0	0	0
120	Hexythiazox	0	0	0
121	Imazalil	0	0	0
122	Imidacloprid	0	0	0
123	Indoxacarb as sum of the isomers S and R	0	0	0
124	Iprodione	0	0	0
125	Iprovalicarb	0	0	0
126	Isofenphos	0	0	0
127	Isofenphos (sum)	0	0	0
128	Isoproturon	0	0	0
129	Kresoxim-methyl	0	0	0
130	Lambda-Cyhalothrin	192	0	0
131	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	128	3	0
132	Malathion	265	0	0
133	Malathion (sum of malathion and malaoxon expressed as malathion)	0	0	0
134	Mecarbam	0	0	0
135	Mepanipyrim	0	0	0
136	Metalaxyl	0	0	0
137	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0	0	0
138	Metconazole	0	0	0
139	Methacrifos	0	0	0
140	Methamidophos	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
141	Methidathion	261	0	0
142	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0	0	0
143	Methiocarb-Sulfoxid	0	0	0
144	Methomyl	0	0	0
145	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0	0	0
146	Methoxychlor	328	0	0
147	Metribuzin	0	0	0
148	Mevinphos (sum of E- and Z-isomers)	0	0	0
149	Molinate	0	0	0
150	Monocrotophos	0	0	0
151	Myclobutanil	0	0	0
152	Naled	0	0	0
153	Nuarimol	0	0	0
154	Omethoate	0	0	0
155	Orthophenylphenol	0	0	0
156	Oxadixyl	0	0	0
157	Oxamyl	0	0	0
158	Oxychlordane	42	0	0
159	Oxydemeton-methyl	0	0	0
160	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0	0	0
161	Parathion	265	0	0
162	Parathion-methyl	265	0	0
163	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0	0	0
164	Penconazole	0	0	0
165	Pencycuron	0	0	0
166	Pendimethalin	0	0	0
167	Permethrin (sum of isomers)	234	0	0
168	Phenthoate	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
169	Phorate	223	0	0
170	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	0	0	0
171	Phosalone	0	0	0
172	Phosmet	0	0	0
173	Phosmet (phosmet and phosmet oxon expressed as phosmet)	0	0	0
174	Phoxim	193	0	0
175	Pirimicarb	0	0	0
176	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0	0	0
177	Pirimiphos-methyl	261	0	0
178	Prochloraz	0	0	0
179	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0	0	0
180	Procymidone	0	0	0
181	Profenofos	219	0	0
182	Propamocarb	0	0	0
183	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0	0	0
184	Propargite	0	0	0
185	Propham	0	0	0
186	Propiconazole	0	0	0
187	Propoxur	0	0	0
188	Propyzamide	0	0	0
189	Prothiofos	0	0	0
190	Pyraclostrobin	0	0	0
191	Pyrazophos	261	0	0
192	Pyridaben	0	0	0
193	Pyridaphenthion	0	0	0
194	Pyrimethanil	0	0	0
195	Quinalphos	0	0	0
196	Quinoxyfen	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
197	Quintozene	204	0	0
198	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0	0	0
199	Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	42	0	0
200	Simazine	0	0	0
201	Spiroxamine	0	0	0
202	Sulfotep	0	0	0
203	Tebuconazole	0	0	0
204	Tebufenozide	0	0	0
205	Tebufenpyrad	0	0	0
206	Tecnazene	204	0	0
207	Temephos	0	0	0
208	Terbufos	0	0	0
209	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	0	0	0
210	Terbumeton	0	0	0
211	Terbutryn	0	0	0
212	Tetrachlorvinphos	0	0	0
213	Tetradifon	0	0	0
214	Thiabendazole	0	0	0
215	Thiaclopid	0	0	0
216	Thiametoxam	0	0	0
217	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0	0	0
218	Thiodicarb	0	0	0
219	Thiometon	0	0	0
220	Thiophanate-methyl	0	0	0
221	Thiram (expressed as thiram)	0	0	0
222	Tolclofos-methyl	0	0	0
223	Tolyfluanid	0	0	0
224	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
225	Triadimefon	0	0	0
226	Triadimefon (sum of Triadimefon and Triadimenol)	0	0	0
227	Triadimenol	0	0	0
228	Triazophos	219	0	0
229	Trifloxystrobin	0	0	0
230	Trifluralin	0	0	0
231	Triforine	0	0	0
232	Triticonazole	0	0	0
233	Vamidothion	0	0	0
234	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	0	0	0
235	Vinclozolin	0	0	0
236	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0	0	0
237	Zoxamide	0	0	0
238	alpha-Endosulfan	282	0	0
239	beta-Endosulfan	282	0	0
240	cis-Chlordane	246	0	0
241	tau-Fluvalinate	0	0	0
242	trans-Chlordane	246	0	0
		12951	46	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
1	Acephate	0	0	0
2	Acetamiprid	0	0	0
3	Acrinathrin	0	0	0
4	Aldicarb (sum)	0	0	0
5	Aldrin	84	0	0
6	Aldrin and Dieldrin	84	0	0
7	Atrazine	0	0	0
8	Azinphos-ethyl	0	0	0
9	Azinphos-methyl	0	0	0
10	Azoxystrobin	0	0	0
11	Benalaxyl	0	0	0
12	Benfuracarb	0	0	0
13	Bifenthrin	0	0	0
14	Binapacryl	0	0	0
15	Biphenyl	0	0	0
16	Bitertanol	0	0	0
17	Boscalid	0	0	0
18	Bromophos	0	0	0
19	Bromopropylate	0	0	0
20	Bupirimate	0	0	0
21	Buprofezin	0	0	0
22	Cadusafos	0	0	0
23	Captan	0	0	0
24	Carbaryl	0	0	0
25	Carbendazim	0	0	0
26	Carbendazim and benomyl	0	0	0
27	Carbofuran	0	0	0
28	Carbofuran (sum)	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
29	Carbosulfan	0	0	0
30	Chinomethionat	84	0	0
31	Chlorbenside	0	0	0
32	Chlorbufam	0	0	0
33	Chlordane	0	0	0
34	Chlordane (sum animal products)	0	0	0
35	Chlordane (sum)	0	0	0
36	Chlorfenson	0	0	0
37	Chlorfenvinphos	0	0	0
38	Chlorobenzilate	0	0	0
39	Chlorothalonil	0	0	0
40	Chlorpropham	0	0	0
41	Chlorpyrifos	0	0	0
42	Chlorpyrifos-methyl	0	0	0
43	Chlozolate	0	0	0
44	Coumaphos	0	0	0
45	Cyfluthrin	0	0	0
46	Cyfluthrin (sum)	0	0	0
47	Cypermethrin (sum)	0	0	0
48	Cyproconazole	0	0	0
49	Cyprodinil	0	0	0
50	DDD, p,p-	84	2	0
51	DDE, p,p-	84	7	0
52	DDT (sum)	84	0	0
53	DDT, o,p-	84	0	0
54	DDT, p,p-	84	1	0
55	Deltamethrin	0	0	0
56	Diafenthuron	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
57	Diazinon	0	0	0
58	Dichlofluanid	0	0	0
59	Dichlorvos	0	0	0
60	Dicloran	0	0	0
61	Dicofol (sum)	0	0	0
62	Dieldrin	84	0	0
63	Difenoconazole	0	0	0
64	Dimethoate	0	0	0
65	Dimethoate (sum)	84	0	0
66	Dimethomorph	0	0	0
67	Diphenylamine	0	0	0
68	Disulfoton	0	0	0
69	EPN	0	0	0
70	Endosulfan (sum)	84	0	0
71	Endosulfansulfate	0	0	0
72	Endrin	84	0	0
73	Epoxiconazole	0	0	0
74	Esfenvalerate	0	0	0
75	Ethion	0	0	0
76	Ethofumesate	0	0	0
77	Etofenprox	0	0	0
78	Fenamidone	0	0	0
79	Fenamiphos	0	0	0
80	Fenarimol	0	0	0
81	Fenchlorphos	0	0	0
82	Fenchlorphos (sum)	0	0	0
83	Fenhexamid	0	0	0
84	Fenitrothion	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
85	Fenoxycarb	0	0	0
86	Fenpropathrin	0	0	0
87	Fensulfothion	84	0	0
88	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	84	0	0
89	Fenthion	84	0	0
90	Fenthion (sum)	84	0	0
91	Fenvalerate	0	0	0
92	Fenvalerate (sum of RR, SS, RS and SR isomers)	0	0	0
93	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0	0	0
94	Fenvalerate/Esfenvalerate (sum)	0	0	0
95	Flucythrinate	0	0	0
96	Flucythrinate (sum of isomers expressed as flucythrinate)	0	0	0
97	Fludioxonil	0	0	0
98	Fluquinconazole	0	0	0
99	Flusilazole	0	0	0
100	Flutriafol	0	0	0
101	Folpet	0	0	0
102	Fonofos	84	1	0
103	Formothion	0	0	0
104	Furathiocarb	0	0	0
105	Heptachlor	84	1	0
106	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0	0	0
107	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	84	0	0
108	Heptachlor endo-epoxide	0	0	0
109	Heptachlor epoxide	84	0	0
110	Heptachlor exo-epoxide	0	0	0
111	Heptachlorepoide, cis-	0	0	0
112	Heptachlorepoide, trans-	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
113	Heptenophos	84	0	0
114	Hexachlorobenzene	84	0	0
115	Hexachlorocyclohexane (HCH), alpha-isomer	84	0	0
116	Hexachlorocyclohexane (HCH), beta-isomer	84	2	0
117	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	84	0	0
118	Hexaconazole	0	0	0
119	Hexaflumuron	0	0	0
120	Hexythiazox	0	0	0
121	Imazalil	0	0	0
122	Imidacloprid	0	0	0
123	Indoxacarb as sum of the isomers S and R	0	0	0
124	Iprodione	0	0	0
125	Iprovalicarb	0	0	0
126	Isofenphos	84	0	0
127	Isofenphos (sum)	84	0	0
128	Isoproturon	0	0	0
129	Kresoxim-methyl	0	0	0
130	Lambda-Cyhalothrin	0	0	0
131	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	84	0	0
132	Malathion	84	0	0
133	Malathion (sum of malathion and malaoxon expressed as malathion)	84	0	0
134	Mecarbam	84	0	0
135	Mepanipyrim	0	0	0
136	Metalaxyl	84	0	0
137	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	84	0	0
138	Metconazole	0	0	0
139	Methacrifos	0	0	0
140	Methamidophos	84	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
141	Methidathion	0	0	0
142	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0	0	0
143	Methiocarb-Sulfoxid	0	0	0
144	Methomyl	0	0	0
145	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0	0	0
146	Methoxychlor	84	2	0
147	Metribuzin	84	0	0
148	Mevinphos (sum of E- and Z-isomers)	84	0	0
149	Molinate	84	0	0
150	Monocrotophos	84	0	0
151	Myclobutanil	84	0	0
152	Naled	84	0	0
153	Nuarimol	0	0	0
154	Omethoate	84	0	0
155	Orthophenylphenol	0	0	0
156	Oxadixyl	0	0	0
157	Oxamyl	0	0	0
158	Oxychlorane	0	0	0
159	Oxydemeton-methyl	0	0	0
160	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0	0	0
161	Parathion	0	0	0
162	Parathion-methyl	84	0	0
163	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	84	0	0
164	Penconazole	0	0	0
165	Pencycuron	0	0	0
166	Pendimethalin	0	0	0
167	Permethrin (sum of isomers)	0	0	0
168	Phenthoate	84	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
169	Phorate	84	0	0
170	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	84	0	0
171	Phosalone	84	0	0
172	Phosmet	84	0	0
173	Phosmet (phosmet and phosmet oxon expressed as phosmet)	84	0	0
174	Phoxim	0	0	0
175	Pirimicarb	84	0	0
176	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	84	0	0
177	Pirimiphos-methyl	84	0	0
178	Prochloraz	0	0	0
179	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0	0	0
180	Procymidone	84	0	0
181	Profenofos	84	0	0
182	Propamocarb	0	0	0
183	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0	0	0
184	Propargite	0	0	0
185	Propham	0	0	0
186	Propiconazole	0	0	0
187	Propoxur	0	0	0
188	Propyzamide	0	0	0
189	Prothiofos	0	0	0
190	Pyraclostrobin	0	0	0
191	Pyrazophos	84	0	0
192	Pyridaben	0	0	0
193	Pyridaphenthion	84	0	0
194	Pyrimethanil	0	0	0
195	Quinalphos	84	0	0
196	Quinoxifen	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
197	Quintozene	84	3	0
198	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	84	0	0
199	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0	0	0
200	Simazine	84	0	0
201	Spiroxamine	0	0	0
202	Sulfotep	84	0	0
203	Tebuconazole	0	0	0
204	Tebufenozide	0	0	0
205	Tebufenpyrad	0	0	0
206	Tecnazene	0	0	0
207	Temephos	84	0	0
208	Terbufos	84	0	0
209	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	84	0	0
210	Terbumeton	84	0	0
211	Terbutryn	84	0	0
212	Tetrachlorvinphos	84	0	0
213	Tetradifon	0	0	0
214	Thiabendazole	0	0	0
215	Thiaclopid	0	0	0
216	Thiametoxam	0	0	0
217	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0	0	0
218	Thiodicarb	0	0	0
219	Thiometon	84	0	0
220	Thiophanate-methyl	0	0	0
221	Thiram (expressed as thiram)	84	0	0
222	Tolclofos-methyl	0	0	0
223	Tolyfluanid	0	0	0
224	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
225	Triadimefon	84	0	0
226	Triadimefon (sum of Triadimefon and Triadimenol)	84	0	0
227	Triadimenol	84	0	0
228	Triazophos	84	0	0
229	Trifloxystrobin	0	0	0
230	Trifluralin	0	0	0
231	Triforine	0	0	0
232	Triticonazole	0	0	0
233	Vamidothion	84	0	0
234	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	84	0	0
235	Vinclozolin	0	0	0
236	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0	0	0
237	Zoxamide	0	0	0
238	alpha-Endosulfan	84	3	0
239	beta-Endosulfan	84	4	0
240	cis-Chlordane	0	0	0
241	tau-Fluvalinate	0	0	0
242	trans-Chlordane	0	0	0
		6552	26	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
1	Acephate	215	0	0
2	Acetamiprid	215	0	0
3	Acrinathrin	34	0	0
4	Aldicarb (sum)	34	0	0
5	Aldrin	0	0	0
6	Aldrin and Dieldrin	44	0	0
7	Atrazine	225	0	0
8	Azinphos-ethyl	225	0	0
9	Azinphos-methyl	225	0	0
10	Azoxystrobin	225	0	0
11	Benalaxyl	181	0	0
12	Benfuracarb	181	0	0
13	Bifenthrin	225	0	0
14	Binapacryl	181	0	0
15	Biphenyl	181	0	0
16	Bitertanol	215	0	0
17	Boscalid	215	0	0
18	Bromophos	225	0	0
19	Bromopropylate	225	0	0
20	Bupirimate	215	0	0
21	Buprofezin	215	0	0
22	Cadusafos	181	0	0
23	Captan	225	0	0
24	Carbaryl	225	0	0
25	Carbendazim	34	0	0
26	Carbendazim and benomyl	34	0	0
27	Carbofuran	0	0	0
28	Carbofuran (sum)	225	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
29	Carbosulfan	225	0	0
30	Chinomethionat	0	0	0
31	Chlorbenside	181	0	0
32	Chlorbufam	181	0	0
33	Chlordane	0	0	0
34	Chlordane (sum animal products)	0	0	0
35	Chlordane (sum)	181	0	0
36	Chlorfenson	181	0	0
37	Chlorfenvinphos	215	0	0
38	Chlorobenzilate	181	0	0
39	Chlorothalonil	225	0	0
40	Chlorpropham	215	0	0
41	Chlorpyrifos	225	1	0
42	Chlorpyrifos-methyl	225	9	0
43	Chlozolate	181	0	0
44	Coumaphos	0	0	0
45	Cyfluthrin	0	0	0
46	Cyfluthrin (sum)	225	0	0
47	Cypermethrin (sum)	225	0	0
48	Cyproconazole	215	0	0
49	Cyprodinil	215	0	0
50	DDD, p,p-	0	0	0
51	DDE, p,p-	0	0	0
52	DDT (sum)	225	0	0
53	DDT, o,p-	0	0	0
54	DDT, p,p-	0	0	0
55	Deltamethrin	225	5	0
56	Diafenthuron	34	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
57	Diazinon	225	0	0
58	Dichlofluanid	215	0	0
59	Dichlorvos	225	0	0
60	Dicloran	215	0	0
61	Dicofol (sum)	225	0	0
62	Dieldrin	181	0	0
63	Difenoconazole	215	0	0
64	Dimethoate	44	0	0
65	Dimethoate (sum)	225	0	0
66	Dimethomorph	181	0	0
67	Diphenylamine	215	0	0
68	Disulfoton	225	0	0
69	EPN	34	0	0
70	Endosulfan (sum)	225	0	0
71	Endosulfansulfate	0	0	0
72	Endrin	44	0	0
73	Epoiconazole	215	0	0
74	Esfenvalerate	0	0	0
75	Ethion	225	0	0
76	Ethofumesate	181	0	0
77	Etofenprox	34	0	0
78	Fenamidone	34	0	0
79	Fenamiphos	181	0	0
80	Fenarimol	215	0	0
81	Fenchlorphos	225	0	0
82	Fenchlorphos (sum)	34	0	0
83	Fenhexamid	215	0	0
84	Fenitrothion	215	0	0

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
85	Fenoxycarb	215	0	0
86	Fenpropathrin	34	0	0
87	Fensulfothion	0	0	0
88	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	0	0	0
89	Fenthion	215	0	0
90	Fenthion (sum)	34	0	0
91	Fenvalerate	0	0	0
92	Fenvalerate (sum of RR, SS, RS and SR isomers)	0	0	0
93	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	181	0	0
94	Fenvalerate/Esfenvalerate (sum)	44	0	0
95	Flucythrinate	44	0	0
96	Flucythrinate (sum of isomers expressed as flucythrinate)	34	0	0
97	Fludioxonil	215	0	0
98	Fluquinconazole	181	0	0
99	Flusilazole	181	0	0
100	Flutriafol	181	0	0
101	Folpet	44	0	0
102	Fonofos	0	0	0
103	Formothion	181	0	0
104	Furathiocarb	181	0	0
105	Heptachlor	225	0	0
106	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	34	0	0
107	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	0	0	0
108	Heptachlor endo-epoxide	0	0	0
109	Heptachlor epoxide	0	0	0
110	Heptachlor exo-epoxide	0	0	0
111	Heptachlorepoxyde, cis-	0	0	0
112	Heptachlorepoxyde, trans-	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
113	Heptenophos	0	0	0
114	Hexachlorobenzene	34	0	0
115	Hexachlorocyclohexane (HCH), alpha-isomer	181	0	0
116	Hexachlorocyclohexane (HCH), beta-isomer	181	0	0
117	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	44	0	0
118	Hexaconazole	215	0	0
119	Hexaflumuron	34	0	0
120	Hexythiazox	181	0	0
121	Imazalil	215	0	0
122	Imidacloprid	215	0	0
123	Indoxacarb as sum of the isomers S and R	34	0	0
124	Iprodione	44	0	0
125	Iprovalicarb	215	0	0
126	Isofenphos	0	0	0
127	Isofenphos (sum)	0	0	0
128	Isoproturon	181	0	0
129	Kresoxim-methyl	225	0	0
130	Lambda-Cyhalothrin	225	0	0
131	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	225	0	0
132	Malathion	0	0	0
133	Malathion (sum of malathion and malaoxon expressed as malathion)	225	0	0
134	Mecarbam	0	0	0
135	Mepanipyrim	181	0	0
136	Metalaxyl	215	0	0
137	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	34	0	0
138	Metconazole	181	0	0
139	Methacrifos	181	0	0
140	Methamidophos	215	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
141	Methidathion	225	0	0
142	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	34	0	0
143	Methiocarb-Sulfoxid	181	0	0
144	Methomyl	34	0	0
145	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	215	0	0
146	Methoxychlor	181	0	0
147	Metribuzin	225	0	0
148	Mevinphos (sum of E- and Z-isomers)	44	0	0
149	Molinate	0	0	0
150	Monocrotophos	215	0	0
151	Myclobutanil	215	0	0
152	Naled	0	0	0
153	Nuarimol	181	0	0
154	Omethoate	44	0	0
155	Orthophenylphenol	181	0	0
156	Oxadixyl	215	0	0
157	Oxamyl	215	0	0
158	Oxychlorane	0	0	0
159	Oxydemeton-methyl	215	0	0
160	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	34	0	0
161	Parathion	225	0	0
162	Parathion-methyl	44	0	0
163	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	225	0	0
164	Penconazole	181	0	0
165	Pencycuron	181	0	0
166	Pendimethalin	181	0	0
167	Permethrin (sum of isomers)	225	0	0
168	Phenthoate	34	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
169	Phorate	225	0	0
170	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	44	0	0
171	Phosalone	225	0	0
172	Phosmet	215	0	0
173	Phosmet (phosmet and phosmet oxon expressed as phosmet)	34	0	0
174	Phoxim	0	0	0
175	Pirimicarb	215	0	0
176	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	34	0	0
177	Pirimiphos-methyl	225	6	0
178	Prochloraz	215	0	0
179	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	34	0	0
180	Procymidone	215	0	0
181	Profenofos	215	0	0
182	Propamocarb	34	0	0
183	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	34	0	0
184	Propargite	215	0	0
185	Propham	181	0	0
186	Propiconazole	215	0	0
187	Propoxur	181	0	0
188	Propyzamide	215	0	0
189	Prothiofos	34	0	0
190	Pyraclostrobin	34	0	0
191	Pyrazophos	181	0	0
192	Pyridaben	34	0	0
193	Pyridaphenthion	0	0	0
194	Pyrimethanil	215	0	0
195	Quinalphos	215	0	0
196	Quinoxyfen	181	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
197	Quintozene	181	0	0
198	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0	0	0
199	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	34	0	0
200	Simazine	0	0	0
201	Spiroxamine	34	0	0
202	Sulfotep	0	0	0
203	Tebuconazole	215	0	0
204	Tebufenozide	181	0	0
205	Tebufenpyrad	34	0	0
206	Tecnazene	181	0	0
207	Temephos	0	0	0
208	Terbufos	0	0	0
209	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	0	0	0
210	Terbumeton	0	0	0
211	Terbutryn	0	0	0
212	Tetrachlorvinphos	0	0	0
213	Tetradifon	34	0	0
214	Thiabendazole	215	0	0
215	Thiacloprid	34	0	0
216	Thiametoxam	181	0	0
217	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	34	0	0
218	Thiodicarb	34	0	0
219	Thiometon	0	0	0
220	Thiophanate-methyl	215	0	0
221	Thiram (expressed as thiram)	0	0	0
222	Tolclofos-methyl	215	0	0
223	Tolyfluanid	215	0	0
224	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	34	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
225	Triadimefon	10	0	0
226	Triadimefon (sum of Triadimefon and Triadimenol)	225	0	0
227	Triadimenol	0	0	0
228	Triazophos	215	0	0
229	Trifloxystrobin	215	0	0
230	Trifluralin	181	0	0
231	Triforine	34	0	0
232	Triticonazole	181	0	0
233	Vamidothion	0	0	0
234	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	0	0	0
235	Vinclozolin	225	0	0
236	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	44	0	0
237	Zoxamide	215	0	0
238	alpha-Endosulfan	0	0	0
239	beta-Endosulfan	0	0	0
240	cis-Chlordane	0	0	0
241	tau-Fluvalinate	34	0	0
242	trans-Chlordane	0	0	0
		30243	21	0

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
1	Acephate	1385	0	0
2	Acetamiprid	1385	6	3
3	Acrinathrin	401	0	0
4	Aldicarb (sum)	401	0	0
5	Aldrin	23	0	0
6	Aldrin and Dieldrin	428	0	0
7	Atrazine	1412	0	0
8	Azinphos-ethyl	1412	0	0
9	Azinphos-methyl	1435	0	0
10	Azoxystrobin	1412	7	0
11	Benalaxyl	984	0	0
12	Benfuracarb	984	0	0
13	Bifenthrin	1435	17	0
14	Binapacryl	984	0	0
15	Biphenyl	984	0	0
16	Bitertanol	1385	15	0
17	Boscalid	1385	46	0
18	Bromophos	1412	0	0
19	Bromopropylate	1412	0	0
20	Bupirimate	1385	0	0
21	Buprofezin	1385	1	0
22	Cadusafos	984	0	0
23	Captan	1435	17	3
24	Carbaryl	1435	0	0
25	Carbendazim	401	25	3
26	Carbendazim and benomyl	401	0	0
27	Carbofuran	23	0	0
28	Carbofuran (sum)	1412	3	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
29	Carbosulfan	1412	0	0
30	Chinomethionat	0	0	0
31	Chlorbenside	984	0	0
32	Chlorbufam	984	0	0
33	Chlordane	0	0	0
34	Chlordane (sum animal products)	0	0	0
35	Chlordane (sum)	984	0	0
36	Chlorfenson	984	0	0
37	Chlorfenvinphos	1385	0	0
38	Chlorobenzilate	984	1	0
39	Chlorothalonil	1435	16	0
40	Chlorpropham	1385	1	0
41	Chlorpyrifos	1435	210	0
42	Chlorpyrifos-methyl	1435	16	0
43	Chlozolate	984	0	0
44	Coumaphos	0	0	0
45	Cyfluthrin	0	0	0
46	Cyfluthrin (sum)	1435	0	0
47	Cypermethrin (sum)	1435	3	1
48	Cyproconazole	1385	0	0
49	Cyprodinil	1385	62	0
50	DDD, p,p-	0	0	0
51	DDE, p,p-	0	0	0
52	DDT (sum)	1435	0	0
53	DDT, o,p-	0	0	0
54	DDT, p,p-	0	0	0
55	Deltamethrin	1435	1	0
56	Diafenthiuron	401	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
57	Diazinon	1435	0	0
58	Dichlofluanid	1385	0	0
59	Dichlorvos	1435	0	0
60	Dicloran	1385	0	0
61	Dicofol (sum)	1412	4	0
62	Dieldrin	1007	0	0
63	Difenoconazole	1385	2	0
64	Dimethoate	451	2	2
65	Dimethoate (sum)	1412	0	0
66	Dimethomorph	984	6	0
67	Diphenylamine	1385	8	0
68	Disulfoton	1412	0	0
69	EPN	401	0	0
70	Endosulfan (sum)	1435	0	0
71	Endosulfansulfate	0	0	0
72	Endrin	451	0	0
73	Epoxiconazole	1385	0	0
74	Esfenvalerate	23	0	0
75	Ethion	1412	0	0
76	Ethofumesate	984	0	0
77	Etofenprox	401	5	0
78	Fenamidone	401	0	0
79	Fenamiphos	984	0	0
80	Fenarimol	1385	1	0
81	Fenchlorphos	1435	0	0
82	Fenchlorphos (sum)	401	0	0
83	Fenhexamid	1385	32	0
84	Fenitrothion	1385	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
85	Fenoxycarb	1385	4	0
86	Fenpropathrin	401	0	0
87	Fensulfothion	0	0	0
88	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	0	0	0
89	Fenthion	1385	0	0
90	Fenthion (sum)	401	0	0
91	Fenvalerate	23	0	0
92	Fenvalerate (sum of RR, SS, RS and SR isomers)	0	0	0
93	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	984	0	0
94	Fenvalerate/Esfenvalerate (sum)	428	1	0
95	Flucythrinate	428	0	0
96	Flucythrinate (sum of isomers expressed as flucythrinate)	401	0	0
97	Fludioxonil	1385	15	0
98	Fluquinconazole	984	0	0
99	Flusilazole	984	0	0
100	Flutriafol	984	1	0
101	Folpet	451	11	0
102	Fonofos	0	0	0
103	Formothion	984	0	0
104	Furathiocarb	984	0	0
105	Heptachlor	1435	0	0
106	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	401	0	0
107	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	0	0	0
108	Heptachlor endo-epoxide	0	0	0
109	Heptachlor epoxide	0	0	0
110	Heptachlor exo-epoxide	0	0	0
111	Heptachlorepoxyde, cis-	0	0	0
112	Heptachlorepoxyde, trans-	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
113	Heptenophos	0	0	0
114	Hexachlorobenzene	424	0	0
115	Hexachlorocyclohexane (HCH), alpha-isomer	1007	0	0
116	Hexachlorocyclohexane (HCH), beta-isomer	1007	0	0
117	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	428	0	0
118	Hexaconazole	1385	0	0
119	Hexaflumuron	401	0	0
120	Hexythiazox	984	0	0
121	Imazalil	1385	138	2
122	Imidacloprid	1385	4	0
123	Indoxacarb as sum of the isomers S and R	401	1	0
124	Iprodione	451	14	0
125	Iprovalicarb	1385	0	0
126	Isofenphos	0	0	0
127	Isofenphos (sum)	0	0	0
128	Isoproturon	984	0	0
129	Kresoxim-methyl	1412	1	0
130	Lambda-Cyhalothrin	1435	10	0
131	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	1435	0	0
132	Malathion	23	0	0
133	Malathion (sum of malathion and malaixon expressed as malathion)	1412	1	0
134	Mecarbam	0	0	0
135	Mepanipyrim	984	3	0
136	Metalaxyl	1385	24	0
137	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	401	0	0
138	Metconazole	984	0	0
139	Methacrifos	984	0	0
140	Methamidophos	1385	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
141	Methidathion	1435	8	3
142	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	401	0	0
143	Methiocarb-Sulfoxid	984	1	0
144	Methomyl	401	0	0
145	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	1385	0	0
146	Methoxychlor	984	0	0
147	Metribuzin	1412	0	0
148	Mevinphos (sum of E- and Z-isomers)	451	0	0
149	Molinate	0	0	0
150	Monocrotophos	1385	0	0
151	Myclobutanil	1385	11	0
152	Naled	0	0	0
153	Nuarimol	984	0	0
154	Omethoate	428	0	0
155	Orthophenylphenol	984	80	0
156	Oxadixyl	1385	0	0
157	Oxamyl	1385	0	0
158	Oxychlorane	0	0	0
159	Oxydemeton-methyl	1385	0	0
160	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	401	0	0
161	Parathion	1435	0	0
162	Parathion-methyl	451	0	0
163	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	1412	0	0
164	Penconazole	984	3	0
165	Pencycuron	984	0	0
166	Pendimethalin	984	0	0
167	Permethrin (sum of isomers)	1435	0	0
168	Phenthoate	401	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
169	Phorate	1435	0	0
170	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	428	0	0
171	Phosalone	1435	0	0
172	Phosmet	1385	2	0
173	Phosmet (phosmet and phosmet oxon expressed as phosmet)	401	0	0
174	Phoxim	0	0	0
175	Pirimicarb	1385	5	0
176	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	401	0	0
177	Pirimiphos-methyl	1435	0	0
178	Prochloraz	1385	38	0
179	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	401	0	0
180	Procymidone	1385	9	6
181	Profenofos	1385	0	0
182	Propamocarb	401	0	0
183	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	401	1	0
184	Propargite	1385	26	0
185	Propham	984	0	0
186	Propiconazole	1385	0	0
187	Propoxur	984	0	0
188	Propyzamide	1385	0	0
189	Prothiofos	401	0	0
190	Pyraclostrobin	401	8	0
191	Pyrazophos	984	0	0
192	Pyridaben	401	2	0
193	Pyridaphenthion	0	0	0
194	Pyrimethanil	1385	169	0
195	Quinalphos	1385	0	0
196	Quinoxifen	984	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
197	Quintozene	984	0	0
198	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0	0	0
199	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	401	0	0
200	Simazine	0	0	0
201	Spiroxamine	401	3	0
202	Sulfotep	0	0	0
203	Tebuconazole	1385	30	0
204	Tebufenozide	984	0	0
205	Tebufenpyrad	401	0	0
206	Tecnazene	984	0	0
207	Temephos	0	0	0
208	Terbufos	0	0	0
209	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	0	0	0
210	Terbumeton	0	0	0
211	Terbutryn	0	0	0
212	Tetrachlorvinphos	0	0	0
213	Tetradifon	401	0	0
214	Thiabendazole	1385	50	0
215	Thiacloprid	401	3	0
216	Thiametoxam	984	0	0
217	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	401	0	0
218	Thiodicarb	401	0	0
219	Thiometon	0	0	0
220	Thiophanate-methyl	1385	16	1
221	Thiram (expressed as thiram)	0	0	0
222	Tolclofos-methyl	1385	0	0
223	Tolyfluanid	1385	1	0
224	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	401	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
225	Triadimefon	27	0	0
226	Triadimefon (sum of Triadimefon and Triadimenol)	1412	6	0
227	Triadimenol	0	0	0
228	Triazophos	1385	0	0
229	Trifloxystrobin	1385	6	0
230	Trifluralin	984	0	0
231	Triforine	401	0	0
232	Triticonazole	984	0	0
233	Vamidothion	0	0	0
234	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	0	0	0
235	Vinclozolin	1412	1	0
236	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	428	0	0
237	Zoxamide	1385	0	0
238	alpha-Endosulfan	0	0	0
239	beta-Endosulfan	0	0	0
240	cis-Chlordane	0	0	0
241	tau-Fluvalinate	401	0	0
242	trans-Chlordane	0	0	0
		194934	1214	24

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
1	Acephate	0	0	0
2	Acetamiprid	0	0	0
3	Acrinathrin	0	0	0
4	Aldicarb (sum)	0	0	0
5	Aldrin	0	0	0
6	Aldrin and Dieldrin	0	0	0
7	Atrazine	0	0	0
8	Azinphos-ethyl	0	0	0
9	Azinphos-methyl	0	0	0
10	Azoxystrobin	0	0	0
11	Benalaxyl	0	0	0
12	Benfuracarb	0	0	0
13	Bifenthrin	0	0	0
14	Binapacryl	0	0	0
15	Biphenyl	0	0	0
16	Bitertanol	0	0	0
17	Boscalid	0	0	0
18	Bromophos	0	0	0
19	Bromopropylate	0	0	0
20	Bupirimate	0	0	0
21	Buprofezin	0	0	0
22	Cadusafos	0	0	0
23	Captan	0	0	0
24	Carbaryl	0	0	0
25	Carbendazim	0	0	0
26	Carbendazim and benomyl	0	0	0
27	Carbofuran	0	0	0
28	Carbofuran (sum)	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
29	Carbosulfan	0	0	0
30	Chinomethionat	0	0	0
31	Chlorbenside	0	0	0
32	Chlorbufam	0	0	0
33	Chlordane	0	0	0
34	Chlordane (sum animal products)	0	0	0
35	Chlordane (sum)	0	0	0
36	Chlorfenson	0	0	0
37	Chlorfenvinphos	0	0	0
38	Chlorobenzilate	0	0	0
39	Chlorothalonil	0	0	0
40	Chlorpropham	0	0	0
41	Chlorpyrifos	0	0	0
42	Chlorpyrifos-methyl	0	0	0
43	Chlozolate	0	0	0
44	Coumaphos	0	0	0
45	Cyfluthrin	0	0	0
46	Cyfluthrin (sum)	0	0	0
47	Cypermethrin (sum)	0	0	0
48	Cyproconazole	0	0	0
49	Cyprodinil	0	0	0
50	DDD, p,p-	0	0	0
51	DDE, p,p-	0	0	0
52	DDT (sum)	0	0	0
53	DDT, o,p-	0	0	0
54	DDT, p,p-	0	0	0
55	Deltamethrin	0	0	0
56	Diafenthiuron	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
57	Diazinon	0	0	0
58	Dichlofluanid	0	0	0
59	Dichlorvos	0	0	0
60	Dicloran	0	0	0
61	Dicofol (sum)	0	0	0
62	Dieldrin	0	0	0
63	Difenoconazole	0	0	0
64	Dimethoate	0	0	0
65	Dimethoate (sum)	0	0	0
66	Dimethomorph	0	0	0
67	Diphenylamine	0	0	0
68	Disulfoton	0	0	0
69	EPN	0	0	0
70	Endosulfan (sum)	0	0	0
71	Endosulfansulfate	0	0	0
72	Endrin	0	0	0
73	Epoxiconazole	0	0	0
74	Esfenvalerate	0	0	0
75	Ethion	0	0	0
76	Ethofumesate	0	0	0
77	Etofenprox	0	0	0
78	Fenamidone	0	0	0
79	Fenamiphos	0	0	0
80	Fenarimol	0	0	0
81	Fenchlorphos	0	0	0
82	Fenchlorphos (sum)	0	0	0
83	Fenhexamid	0	0	0
84	Fenitrothion	0	0	0

Row number	Compound	Infusions	Nr Found	MRL Ex
85	Fenoxycarb	0	0	0
86	Fenpropathrin	0	0	0
87	Fensulfothion	0	0	0
88	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	0	0	0
89	Fenthion	0	0	0
90	Fenthion (sum)	0	0	0
91	Fenvalerate	0	0	0
92	Fenvalerate (sum of RR, SS, RS and SR isomers)	0	0	0
93	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0	0	0
94	Fenvalerate/Esfenvalerate (sum)	0	0	0
95	Flucythrinate	0	0	0
96	Flucythrinate (sum of isomers expressed as flucythrinate)	0	0	0
97	Fludioxonil	0	0	0
98	Fluquinconazole	0	0	0
99	Flusilazole	0	0	0
100	Flutriafol	0	0	0
101	Folpet	0	0	0
102	Fonofos	0	0	0
103	Formothion	0	0	0
104	Furathiocarb	0	0	0
105	Heptachlor	0	0	0
106	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0	0	0
107	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	0	0	0
108	Heptachlor endo-epoxide	0	0	0
109	Heptachlor epoxide	0	0	0
110	Heptachlor exo-epoxide	0	0	0
111	Heptachlorepoxyde, cis-	0	0	0
112	Heptachlorepoxyde, trans-	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
113	Heptenophos	0	0	0
114	Hexachlorobenzene	0	0	0
115	Hexachlorocyclohexane (HCH), alpha-isomer	0	0	0
116	Hexachlorocyclohexane (HCH), beta-isomer	0	0	0
117	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	0	0	0
118	Hexaconazole	0	0	0
119	Hexaflumuron	0	0	0
120	Hexythiazox	0	0	0
121	Imazalil	0	0	0
122	Imidacloprid	0	0	0
123	Indoxacarb as sum of the isomers S and R	0	0	0
124	Iprodione	0	0	0
125	Iprovalicarb	0	0	0
126	Isofenphos	0	0	0
127	Isofenphos (sum)	0	0	0
128	Isoproturon	0	0	0
129	Kresoxim-methyl	0	0	0
130	Lambda-Cyhalothrin	0	0	0
131	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	0	0	0
132	Malathion	0	0	0
133	Malathion (sum of malathion and malaoxon expressed as malathion)	0	0	0
134	Mecarbam	0	0	0
135	Mepanipyrim	0	0	0
136	Metalaxyl	0	0	0
137	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0	0	0
138	Metconazole	0	0	0
139	Methacrifos	0	0	0
140	Methamidophos	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
141	Methidathion	0	0	0
142	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0	0	0
143	Methiocarb-Sulfoxid	0	0	0
144	Methomyl	0	0	0
145	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0	0	0
146	Methoxychlor	0	0	0
147	Metribuzin	0	0	0
148	Mevinphos (sum of E- and Z-isomers)	0	0	0
149	Molinate	0	0	0
150	Monocrotophos	0	0	0
151	Myclobutanil	0	0	0
152	Naled	0	0	0
153	Nuarimol	0	0	0
154	Omethoate	0	0	0
155	Orthophenylphenol	0	0	0
156	Oxadixyl	0	0	0
157	Oxamyl	0	0	0
158	Oxychlorane	0	0	0
159	Oxydemeton-methyl	0	0	0
160	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0	0	0
161	Parathion	0	0	0
162	Parathion-methyl	0	0	0
163	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0	0	0
164	Penconazole	0	0	0
165	Pencycuron	0	0	0
166	Pendimethalin	0	0	0
167	Permethrin (sum of isomers)	0	0	0
168	Phenthoate	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
169	Phorate	0	0	0
170	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	0	0	0
171	Phosalone	0	0	0
172	Phosmet	0	0	0
173	Phosmet (phosmet and phosmet oxon expressed as phosmet)	0	0	0
174	Phoxim	0	0	0
175	Pirimicarb	0	0	0
176	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0	0	0
177	Pirimiphos-methyl	0	0	0
178	Prochloraz	0	0	0
179	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0	0	0
180	Procymidone	0	0	0
181	Profenofos	0	0	0
182	Propamocarb	0	0	0
183	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0	0	0
184	Propargite	0	0	0
185	Propham	0	0	0
186	Propiconazole	0	0	0
187	Propoxur	0	0	0
188	Propyzamide	0	0	0
189	Prothiofos	0	0	0
190	Pyraclostrobin	0	0	0
191	Pyrazophos	0	0	0
192	Pyridaben	0	0	0
193	Pyridaphenthion	0	0	0
194	Pyrimethanil	0	0	0
195	Quinalphos	0	0	0
196	Quinoxifen	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
197	Quintozene	0	0	0
198	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0	0	0
199	Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	0	0	0
200	Simazine	0	0	0
201	Spiroxamine	0	0	0
202	Sulfotep	0	0	0
203	Tebuconazole	0	0	0
204	Tebufenozide	0	0	0
205	Tebufenpyrad	0	0	0
206	Tecnazene	0	0	0
207	Temephos	0	0	0
208	Terbufos	0	0	0
209	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	0	0	0
210	Terbumeton	0	0	0
211	Terbutryn	0	0	0
212	Tetrachlorvinphos	0	0	0
213	Tetradifon	0	0	0
214	Thiabendazole	0	0	0
215	Thiaclopid	0	0	0
216	Thiametoxam	0	0	0
217	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0	0	0
218	Thiodicarb	0	0	0
219	Thiometon	0	0	0
220	Thiophanate-methyl	0	0	0
221	Thiram (expressed as thiram)	0	0	0
222	Tolclofos-methyl	0	0	0
223	Tolyfluanid	0	0	0
224	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
225	Triadimefon	0	0	0
226	Triadimefon (sum of Triadimefon and Triadimenol)	0	0	0
227	Triadimenol	0	0	0
228	Triazophos	0	0	0
229	Trifloxystrobin	0	0	0
230	Trifluralin	0	0	0
231	Triforine	0	0	0
232	Triticonazole	0	0	0
233	Vamidothion	0	0	0
234	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	0	0	0
235	Vinclozolin	0	0	0
236	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0	0	0
237	Zoxamide	0	0	0
238	alpha-Endosulfan	0	0	0
239	beta-Endosulfan	0	0	0
240	cis-Chlordane	0	0	0
241	tau-Fluvalinate	0	0	0
242	trans-Chlordane	0	0	0
		0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
1	Acephate	0	0	0
2	Acetamiprid	0	0	0
3	Acrinathrin	0	0	0
4	Aldicarb (sum)	0	0	0
5	Aldrin	0	0	0
6	Aldrin and Dieldrin	0	0	0
7	Atrazine	0	0	0
8	Azinphos-ethyl	0	0	0
9	Azinphos-methyl	0	0	0
10	Azoxystrobin	0	0	0
11	Benalaxyl	0	0	0
12	Benfuracarb	0	0	0
13	Bifenthrin	0	0	0
14	Binapacryl	0	0	0
15	Biphenyl	0	0	0
16	Bitertanol	0	0	0
17	Boscalid	0	0	0
18	Bromophos	0	0	0
19	Bromopropylate	0	0	0
20	Bupirimate	0	0	0
21	Buprofezin	0	0	0
22	Cadusafos	0	0	0
23	Captan	0	0	0
24	Carbaryl	0	0	0
25	Carbendazim	0	0	0
26	Carbendazim and benomyl	0	0	0
27	Carbofuran	0	0	0
28	Carbofuran (sum)	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
29	Carbosulfan	0	0	0
30	Chinomethionat	0	0	0
31	Chlorbenside	0	0	0
32	Chlorbufam	0	0	0
33	Chlordane	0	0	0
34	Chlordane (sum animal products)	0	0	0
35	Chlordane (sum)	0	0	0
36	Chlorfenson	0	0	0
37	Chlorfenvinphos	0	0	0
38	Chlorobenzilate	0	0	0
39	Chlorothalonil	0	0	0
40	Chlorpropham	0	0	0
41	Chlorpyrifos	0	0	0
42	Chlorpyrifos-methyl	0	0	0
43	Chlozolate	0	0	0
44	Coumaphos	0	0	0
45	Cyfluthrin	0	0	0
46	Cyfluthrin (sum)	0	0	0
47	Cypermethrin (sum)	0	0	0
48	Cyproconazole	0	0	0
49	Cyprodinil	0	0	0
50	DDD, p,p-	0	0	0
51	DDE, p,p-	0	0	0
52	DDT (sum)	0	0	0
53	DDT, o,p-	0	0	0
54	DDT, p,p-	0	0	0
55	Deltamethrin	0	0	0
56	Diafenthuron	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
57	Diazinon	0	0	0
58	Dichlofluanid	0	0	0
59	Dichlorvos	0	0	0
60	Dicloran	0	0	0
61	Dicofol (sum)	0	0	0
62	Dieldrin	0	0	0
63	Difenoconazole	0	0	0
64	Dimethoate	0	0	0
65	Dimethoate (sum)	0	0	0
66	Dimethomorph	0	0	0
67	Diphenylamine	0	0	0
68	Disulfoton	0	0	0
69	EPN	0	0	0
70	Endosulfan (sum)	0	0	0
71	Endosulfansulfate	0	0	0
72	Endrin	0	0	0
73	Epoxiconazole	0	0	0
74	Esfenvalerate	0	0	0
75	Ethion	0	0	0
76	Ethofumesate	0	0	0
77	Etofenprox	0	0	0
78	Fenamidone	0	0	0
79	Fenamiphos	0	0	0
80	Fenarimol	0	0	0
81	Fenchlorphos	0	0	0
82	Fenchlorphos (sum)	0	0	0
83	Fenhexamid	0	0	0
84	Fenitrothion	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
85	Fenoxycarb	0	0	0
86	Fenpropathrin	0	0	0
87	Fensulfothion	0	0	0
88	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	0	0	0
89	Fenthion	0	0	0
90	Fenthion (sum)	0	0	0
91	Fenvalerate	0	0	0
92	Fenvalerate (sum of RR, SS, RS and SR isomers)	0	0	0
93	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0	0	0
94	Fenvalerate/Esfenvalerate (sum)	0	0	0
95	Flucythrinate	0	0	0
96	Flucythrinate (sum of isomers expressed as flucythrinate)	0	0	0
97	Fludioxonil	0	0	0
98	Fluquinconazole	0	0	0
99	Flusilazole	0	0	0
100	Flutriafol	0	0	0
101	Folpet	0	0	0
102	Fonofos	0	0	0
103	Formothion	0	0	0
104	Furathiocarb	0	0	0
105	Heptachlor	0	0	0
106	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0	0	0
107	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	0	0	0
108	Heptachlor endo-epoxide	0	0	0
109	Heptachlor epoxide	0	0	0
110	Heptachlor exo-epoxide	0	0	0
111	Heptachlorepoxyde, cis-	0	0	0
112	Heptachlorepoxyde, trans-	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
113	Heptenophos	0	0	0
114	Hexachlorobenzene	0	0	0
115	Hexachlorocyclohexane (HCH), alpha-isomer	0	0	0
116	Hexachlorocyclohexane (HCH), beta-isomer	0	0	0
117	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	0	0	0
118	Hexaconazole	0	0	0
119	Hexaflumuron	0	0	0
120	Hexythiazox	0	0	0
121	Imazalil	0	0	0
122	Imidacloprid	0	0	0
123	Indoxacarb as sum of the isomers S and R	0	0	0
124	Iprodione	0	0	0
125	Iprovalicarb	0	0	0
126	Isofenphos	0	0	0
127	Isofenphos (sum)	0	0	0
128	Isoproturon	0	0	0
129	Kresoxim-methyl	0	0	0
130	Lambda-Cyhalothrin	0	0	0
131	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	0	0	0
132	Malathion	0	0	0
133	Malathion (sum of malathion and malaoxon expressed as malathion)	0	0	0
134	Mecarbam	0	0	0
135	Mepanipyrim	0	0	0
136	Metalaxyl	0	0	0
137	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0	0	0
138	Metconazole	0	0	0
139	Methacrifos	0	0	0
140	Methamidophos	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
141	Methidathion	0	0	0
142	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0	0	0
143	Methiocarb-Sulfoxid	0	0	0
144	Methomyl	0	0	0
145	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0	0	0
146	Methoxychlor	0	0	0
147	Metribuzin	0	0	0
148	Mevinphos (sum of E- and Z-isomers)	0	0	0
149	Molinate	0	0	0
150	Monocrotophos	0	0	0
151	Myclobutanil	0	0	0
152	Naled	0	0	0
153	Nuarimol	0	0	0
154	Omethoate	0	0	0
155	Orthophenylphenol	0	0	0
156	Oxadixyl	0	0	0
157	Oxamyl	0	0	0
158	Oxychlorane	0	0	0
159	Oxydemeton-methyl	0	0	0
160	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0	0	0
161	Parathion	0	0	0
162	Parathion-methyl	0	0	0
163	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0	0	0
164	Penconazole	0	0	0
165	Pencycuron	0	0	0
166	Pendimethalin	0	0	0
167	Permethrin (sum of isomers)	0	0	0
168	Phenthoate	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
169	Phorate	0	0	0
170	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	0	0	0
171	Phosalone	0	0	0
172	Phosmet	0	0	0
173	Phosmet (phosmet and phosmet oxon expressed as phosmet)	0	0	0
174	Phoxim	0	0	0
175	Pirimicarb	0	0	0
176	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0	0	0
177	Pirimiphos-methyl	0	0	0
178	Prochloraz	0	0	0
179	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0	0	0
180	Procymidone	0	0	0
181	Profenofos	0	0	0
182	Propamocarb	0	0	0
183	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0	0	0
184	Propargite	0	0	0
185	Propham	0	0	0
186	Propiconazole	0	0	0
187	Propoxur	0	0	0
188	Propyzamide	0	0	0
189	Prothiofos	0	0	0
190	Pyraclostrobin	0	0	0
191	Pyrazophos	0	0	0
192	Pyridaben	0	0	0
193	Pyridaphenthion	0	0	0
194	Pyrimethanil	0	0	0
195	Quinalphos	0	0	0
196	Quinoxifen	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
197	Quintozene	0	0	0
198	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0	0	0
199	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0	0	0
200	Simazine	0	0	0
201	Spiroxamine	0	0	0
202	Sulfotep	0	0	0
203	Tebuconazole	0	0	0
204	Tebufenozide	0	0	0
205	Tebufenpyrad	0	0	0
206	Tecnazene	0	0	0
207	Temephos	0	0	0
208	Terbufos	0	0	0
209	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	0	0	0
210	Terbumeton	0	0	0
211	Terbutryn	0	0	0
212	Tetrachlorvinphos	0	0	0
213	Tetradifon	0	0	0
214	Thiabendazole	0	0	0
215	Thiaclopid	0	0	0
216	Thiametoxam	0	0	0
217	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0	0	0
218	Thiodicarb	0	0	0
219	Thiometon	0	0	0
220	Thiophanate-methyl	0	0	0
221	Thiram (expressed as thiram)	0	0	0
222	Tolclofos-methyl	0	0	0
223	Tolyfluanid	0	0	0
224	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
225	Triadimefon	0	0	0
226	Triadimefon (sum of Triadimefon and Triadimenol)	0	0	0
227	Triadimenol	0	0	0
228	Triazophos	0	0	0
229	Trifloxystrobin	0	0	0
230	Trifluralin	0	0	0
231	Triforine	0	0	0
232	Triticonazole	0	0	0
233	Vamidothion	0	0	0
234	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	0	0	0
235	Vinclozolin	0	0	0
236	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0	0	0
237	Zoxamide	0	0	0
238	alpha-Endosulfan	0	0	0
239	beta-Endosulfan	0	0	0
240	cis-Chlordane	0	0	0
241	tau-Fluvalinate	0	0	0
242	trans-Chlordane	0	0	0
		0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
1	Acephate	32	0	0
2	Acetamiprid	32	0	0
3	Acrinathrin	32	0	0
4	Aldicarb (sum)	32	0	0
5	Aldrin	0	0	0
6	Aldrin and Dieldrin	46	0	0
7	Atrazine	46	0	0
8	Azinphos-ethyl	46	0	0
9	Azinphos-methyl	46	0	0
10	Azoxystrobin	46	0	0
11	Benalaxyl	0	0	0
12	Benfuracarb	0	0	0
13	Bifenthrin	46	0	0
14	Binapacryl	0	0	0
15	Biphenyl	0	0	0
16	Bitertanol	32	0	0
17	Boscalid	32	0	0
18	Bromophos	46	0	0
19	Bromopropylate	46	0	0
20	Bupirimate	32	0	0
21	Buprofezin	32	0	0
22	Cadusafos	0	0	0
23	Captan	46	0	0
24	Carbaryl	46	0	0
25	Carbendazim	32	0	0
26	Carbendazim and benomyl	32	0	0
27	Carbofuran	0	0	0
28	Carbofuran (sum)	46	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
29	Carbosulfan	46	0	0
30	Chinomethionat	0	0	0
31	Chlorbenside	0	0	0
32	Chlorbufam	0	0	0
33	Chlordane	0	0	0
34	Chlordane (sum animal products)	0	0	0
35	Chlordane (sum)	0	0	0
36	Chlorfenson	0	0	0
37	Chlorfenvinphos	32	0	0
38	Chlorobenzilate	0	0	0
39	Chlorothalonil	46	0	0
40	Chlorpropham	32	0	0
41	Chlorpyrifos	46	0	0
42	Chlorpyrifos-methyl	46	0	0
43	Chlozolate	0	0	0
44	Coumaphos	0	0	0
45	Cyfluthrin	0	0	0
46	Cyfluthrin (sum)	46	0	0
47	Cypermethrin (sum)	46	0	0
48	Cyproconazole	32	0	0
49	Cyprodinil	32	0	0
50	DDD, p,p-	0	0	0
51	DDE, p,p-	0	0	0
52	DDT (sum)	46	0	0
53	DDT, o,p-	0	0	0
54	DDT, p,p-	0	0	0
55	Deltamethrin	46	0	0
56	Diafenthuron	32	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
57	Diazinon	46	0	0
58	Dichlofluanid	32	0	0
59	Dichlorvos	46	0	0
60	Dicloran	32	0	0
61	Dicofol (sum)	46	0	0
62	Dieldrin	0	0	0
63	Difenoconazole	32	0	0
64	Dimethoate	46	0	0
65	Dimethoate (sum)	46	0	0
66	Dimethomorph	0	0	0
67	Diphenylamine	32	0	0
68	Disulfoton	46	0	0
69	EPN	32	0	0
70	Endosulfan (sum)	46	0	0
71	Endosulfansulfate	0	0	0
72	Endrin	46	0	0
73	Epoxiconazole	32	0	0
74	Esfenvalerate	0	0	0
75	Ethion	46	0	0
76	Ethofumesate	0	0	0
77	Etofenprox	32	0	0
78	Fenamidone	32	0	0
79	Fenamiphos	0	0	0
80	Fenarimol	32	0	0
81	Fenchlorphos	46	0	0
82	Fenchlorphos (sum)	32	0	0
83	Fenhexamid	32	0	0
84	Fenitrothion	32	0	0

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
85	Fenoxycarb	32	0	0
86	Fenpropathrin	32	0	0
87	Fensulfothion	0	0	0
88	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	0	0	0
89	Fenthion	32	0	0
90	Fenthion (sum)	32	0	0
91	Fenvalerate	0	0	0
92	Fenvalerate (sum of RR, SS, RS and SR isomers)	0	0	0
93	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0	0	0
94	Fenvalerate/Esfenvalerate (sum)	46	0	0
95	Flucythrinate	46	0	0
96	Flucythrinate (sum of isomers expressed as flucythrinate)	32	0	0
97	Fludioxonil	32	0	0
98	Fluquinconazole	0	0	0
99	Flusilazole	0	0	0
100	Flutriafol	0	0	0
101	Folpet	46	0	0
102	Fonofos	0	0	0
103	Formothion	0	0	0
104	Furathiocarb	0	0	0
105	Heptachlor	46	0	0
106	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	32	0	0
107	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	0	0	0
108	Heptachlor endo-epoxide	0	0	0
109	Heptachlor epoxide	0	0	0
110	Heptachlor exo-epoxide	0	0	0
111	Heptachlorepoxyde, cis-	0	0	0
112	Heptachlorepoxyde, trans-	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
113	Heptenophos	0	0	0
114	Hexachlorobenzene	32	0	0
115	Hexachlorocyclohexane (HCH), alpha-isomer	0	0	0
116	Hexachlorocyclohexane (HCH), beta-isomer	0	0	0
117	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	46	0	0
118	Hexaconazole	32	0	0
119	Hexaflumuron	32	0	0
120	Hexythiazox	0	0	0
121	Imazalil	32	0	0
122	Imidacloprid	32	0	0
123	Indoxacarb as sum of the isomers S and R	32	0	0
124	Iprodione	46	0	0
125	Iprovalicarb	32	0	0
126	Isofenphos	0	0	0
127	Isofenphos (sum)	0	0	0
128	Isoproturon	0	0	0
129	Kresoxim-methyl	46	0	0
130	Lambda-Cyhalothrin	46	0	0
131	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	46	0	0
132	Malathion	0	0	0
133	Malathion (sum of malathion and malaoxon expressed as malathion)	46	0	0
134	Mecarbam	0	0	0
135	Mepanipyrim	0	0	0
136	Metalaxyl	32	0	0
137	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	32	0	0
138	Metconazole	0	0	0
139	Methacrifos	0	0	0
140	Methamidophos	32	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
141	Methidathion	46	0	0
142	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	32	0	0
143	Methiocarb-Sulfoxid	0	0	0
144	Methomyl	32	0	0
145	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	32	0	0
146	Methoxychlor	0	0	0
147	Metribuzin	46	0	0
148	Mevinphos (sum of E- and Z-isomers)	46	0	0
149	Molinate	0	0	0
150	Monocrotophos	32	0	0
151	Myclobutanil	32	0	0
152	Naled	0	0	0
153	Nuarimol	0	0	0
154	Omethoate	46	0	0
155	Orthophenylphenol	0	0	0
156	Oxadixyl	32	0	0
157	Oxamyl	32	0	0
158	Oxychlorane	0	0	0
159	Oxydemeton-methyl	32	0	0
160	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	32	0	0
161	Parathion	46	0	0
162	Parathion-methyl	46	0	0
163	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	46	0	0
164	Penconazole	0	0	0
165	Pencycuron	0	0	0
166	Pendimethalin	0	0	0
167	Permethrin (sum of isomers)	46	0	0
168	Phenthoate	32	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
169	Phorate	46	0	0
170	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	46	0	0
171	Phosalone	46	0	0
172	Phosmet	32	0	0
173	Phosmet (phosmet and phosmet oxon expressed as phosmet)	32	0	0
174	Phoxim	0	0	0
175	Pirimicarb	32	0	0
176	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	32	0	0
177	Pirimiphos-methyl	46	0	0
178	Prochloraz	32	0	0
179	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	32	0	0
180	Procymidone	32	0	0
181	Profenofos	32	0	0
182	Propamocarb	32	0	0
183	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	32	0	0
184	Propargite	32	0	0
185	Propham	0	0	0
186	Propiconazole	32	0	0
187	Propoxur	0	0	0
188	Propyzamide	32	0	0
189	Prothiofos	32	0	0
190	Pyraclostrobin	32	0	0
191	Pyrazophos	0	0	0
192	Pyridaben	32	0	0
193	Pyridaphenthion	0	0	0
194	Pyrimethanil	32	0	0
195	Quinalphos	32	0	0
196	Quinoxifen	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
197	Quintozene	0	0	0
198	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0	0	0
199	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	32	0	0
200	Simazine	0	0	0
201	Spiroxamine	32	0	0
202	Sulfotep	0	0	0
203	Tebuconazole	32	0	0
204	Tebufenozide	0	0	0
205	Tebufenpyrad	32	0	0
206	Tecnazene	0	0	0
207	Temephos	0	0	0
208	Terbufos	0	0	0
209	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	0	0	0
210	Terbumeton	0	0	0
211	Terbutryn	0	0	0
212	Tetrachlorvinphos	0	0	0
213	Tetradifon	32	0	0
214	Thiabendazole	32	0	0
215	Thiacloprid	32	0	0
216	Thiametoxam	0	0	0
217	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	32	0	0
218	Thiodicarb	32	0	0
219	Thiometon	0	0	0
220	Thiophanate-methyl	32	0	0
221	Thiram (expressed as thiram)	0	0	0
222	Tolclofos-methyl	32	0	0
223	Tolyfluanid	32	0	0
224	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	32	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
225	Triadimefon	14	0	0
226	Triadimefon (sum of Triadimefon and Triadimenol)	46	0	0
227	Triadimenol	0	0	0
228	Triazophos	32	0	0
229	Trifloxystrobin	32	0	0
230	Trifluralin	0	0	0
231	Triforine	32	0	0
232	Triticonazole	0	0	0
233	Vamidothion	0	0	0
234	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	0	0	0
235	Vinclozolin	46	0	0
236	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	46	0	0
237	Zoxamide	32	0	0
238	alpha-Endosulfan	0	0	0
239	beta-Endosulfan	0	0	0
240	cis-Chlordane	0	0	0
241	tau-Fluvalinate	32	0	0
242	trans-Chlordane	0	0	0
		5378	0	0

<i>Row number</i>	<i>Compound</i>	<i>Nr Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
1	Acephate	0	0	0
2	Acetamiprid	0	0	0
3	Acrinathrin	0	0	0
4	Aldicarb (sum)	0	0	0
5	Aldrin	0	0	0
6	Aldrin and Dieldrin	0	0	0
7	Atrazine	0	0	0
8	Azinphos-ethyl	0	0	0
9	Azinphos-methyl	0	0	0
10	Azoxystrobin	0	0	0
11	Benalaxyl	0	0	0
12	Benfuracarb	0	0	0
13	Bifenthrin	0	0	0
14	Binapacryl	0	0	0
15	Biphenyl	0	0	0
16	Bitertanol	0	0	0
17	Boscalid	0	0	0
18	Bromophos	0	0	0
19	Bromopropylate	0	0	0
20	Bupirimate	0	0	0
21	Buprofezin	0	0	0
22	Cadusafos	0	0	0
23	Captan	0	0	0
24	Carbaryl	0	0	0
25	Carbendazim	0	0	0
26	Carbendazim and benomyl	0	0	0
27	Carbofuran	0	0	0
28	Carbofuran (sum)	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
29	Carbosulfan	0	0	0
30	Chinomethionat	0	0	0
31	Chlorbenside	0	0	0
32	Chlorbufam	0	0	0
33	Chlordane	0	0	0
34	Chlordane (sum animal products)	0	0	0
35	Chlordane (sum)	0	0	0
36	Chlorfenson	0	0	0
37	Chlorfenvinphos	0	0	0
38	Chlorobenzilate	0	0	0
39	Chlorothalonil	0	0	0
40	Chlorpropham	0	0	0
41	Chlorpyrifos	0	0	0
42	Chlorpyrifos-methyl	0	0	0
43	Chlozolate	0	0	0
44	Coumaphos	0	0	0
45	Cyfluthrin	0	0	0
46	Cyfluthrin (sum)	0	0	0
47	Cypermethrin (sum)	0	0	0
48	Cyproconazole	0	0	0
49	Cyprodinil	0	0	0
50	DDD, p,p-	0	0	0
51	DDE, p,p-	0	0	0
52	DDT (sum)	0	0	0
53	DDT, o,p-	0	0	0
54	DDT, p,p-	0	0	0
55	Deltamethrin	0	0	0
56	Diafenthuron	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
57	Diazinon	0	0	0
58	Dichlofluanid	0	0	0
59	Dichlorvos	0	0	0
60	Dicloran	0	0	0
61	Dicofol (sum)	0	0	0
62	Dieldrin	0	0	0
63	Difenoconazole	0	0	0
64	Dimethoate	0	0	0
65	Dimethoate (sum)	0	0	0
66	Dimethomorph	0	0	0
67	Diphenylamine	0	0	0
68	Disulfoton	0	0	0
69	EPN	0	0	0
70	Endosulfan (sum)	0	0	0
71	Endosulfansulfate	0	0	0
72	Endrin	0	0	0
73	Epoxiconazole	0	0	0
74	Esfenvalerate	0	0	0
75	Ethion	0	0	0
76	Ethofumesate	0	0	0
77	Etofenprox	0	0	0
78	Fenamidone	0	0	0
79	Fenamiphos	0	0	0
80	Fenarimol	0	0	0
81	Fenchlorphos	0	0	0
82	Fenchlorphos (sum)	0	0	0
83	Fenhexamid	0	0	0
84	Fenitrothion	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
85	Fenoxycarb	0	0	0
86	Fenpropathrin	0	0	0
87	Fensulfothion	0	0	0
88	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	0	0	0
89	Fenthion	0	0	0
90	Fenthion (sum)	0	0	0
91	Fenvalerate	0	0	0
92	Fenvalerate (sum of RR, SS, RS and SR isomers)	0	0	0
93	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0	0	0
94	Fenvalerate/Esfenvalerate (sum)	0	0	0
95	Flucythrinate	0	0	0
96	Flucythrinate (sum of isomers expressed as flucythrinate)	0	0	0
97	Fludioxonil	0	0	0
98	Fluquinconazole	0	0	0
99	Flusilazole	0	0	0
100	Flutriafol	0	0	0
101	Folpet	0	0	0
102	Fonofos	0	0	0
103	Formothion	0	0	0
104	Furathiocarb	0	0	0
105	Heptachlor	0	0	0
106	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0	0	0
107	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	0	0	0
108	Heptachlor endo-epoxide	0	0	0
109	Heptachlor epoxide	0	0	0
110	Heptachlor exo-epoxide	0	0	0
111	Heptachlorepoxyde, cis-	0	0	0
112	Heptachlorepoxyde, trans-	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
113	Heptenophos	0	0	0
114	Hexachlorobenzene	0	0	0
115	Hexachlorocyclohexane (HCH), alpha-isomer	0	0	0
116	Hexachlorocyclohexane (HCH), beta-isomer	0	0	0
117	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	0	0	0
118	Hexaconazole	0	0	0
119	Hexaflumuron	0	0	0
120	Hexythiazox	0	0	0
121	Imazalil	0	0	0
122	Imidacloprid	0	0	0
123	Indoxacarb as sum of the isomers S and R	0	0	0
124	Iprodione	0	0	0
125	Iprovalicarb	0	0	0
126	Isofenphos	0	0	0
127	Isofenphos (sum)	0	0	0
128	Isoproturon	0	0	0
129	Kresoxim-methyl	0	0	0
130	Lambda-Cyhalothrin	0	0	0
131	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	0	0	0
132	Malathion	0	0	0
133	Malathion (sum of malathion and malaoxon expressed as malathion)	0	0	0
134	Mecarbam	0	0	0
135	Mepanipyrim	0	0	0
136	Metalaxyl	0	0	0
137	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0	0	0
138	Metconazole	0	0	0
139	Methacrifos	0	0	0
140	Methamidophos	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
141	Methidathion	0	0	0
142	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0	0	0
143	Methiocarb-Sulfoxid	0	0	0
144	Methomyl	0	0	0
145	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0	0	0
146	Methoxychlor	0	0	0
147	Metribuzin	0	0	0
148	Mevinphos (sum of E- and Z-isomers)	0	0	0
149	Molinate	0	0	0
150	Monocrotophos	0	0	0
151	Myclobutanil	0	0	0
152	Naled	0	0	0
153	Nuarimol	0	0	0
154	Omethoate	0	0	0
155	Orthophenylphenol	0	0	0
156	Oxadixyl	0	0	0
157	Oxamyl	0	0	0
158	Oxychlordane	0	0	0
159	Oxydemeton-methyl	0	0	0
160	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0	0	0
161	Parathion	0	0	0
162	Parathion-methyl	0	0	0
163	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0	0	0
164	Penconazole	0	0	0
165	Pencycuron	0	0	0
166	Pendimethalin	0	0	0
167	Permethrin (sum of isomers)	0	0	0
168	Phenthoate	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
169	Phorate	0	0	0
170	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	0	0	0
171	Phosalone	0	0	0
172	Phosmet	0	0	0
173	Phosmet (phosmet and phosmet oxon expressed as phosmet)	0	0	0
174	Phoxim	0	0	0
175	Pirimicarb	0	0	0
176	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0	0	0
177	Pirimiphos-methyl	0	0	0
178	Prochloraz	0	0	0
179	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0	0	0
180	Procymidone	0	0	0
181	Profenofos	0	0	0
182	Propamocarb	0	0	0
183	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0	0	0
184	Propargite	0	0	0
185	Propham	0	0	0
186	Propiconazole	0	0	0
187	Propoxur	0	0	0
188	Propyzamide	0	0	0
189	Prothiofos	0	0	0
190	Pyraclostrobin	0	0	0
191	Pyrazophos	0	0	0
192	Pyridaben	0	0	0
193	Pyridaphenthion	0	0	0
194	Pyrimethanil	0	0	0
195	Quinalphos	0	0	0
196	Quinoxifen	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
197	Quintozene	0	0	0
198	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0	0	0
199	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0	0	0
200	Simazine	0	0	0
201	Spiroxamine	0	0	0
202	Sulfotep	0	0	0
203	Tebuconazole	0	0	0
204	Tebufenozide	0	0	0
205	Tebufenpyrad	0	0	0
206	Tecnazene	0	0	0
207	Temephos	0	0	0
208	Terbufos	0	0	0
209	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	0	0	0
210	Terbumeton	0	0	0
211	Terbutryn	0	0	0
212	Tetrachlorvinphos	0	0	0
213	Tetradifon	0	0	0
214	Thiabendazole	0	0	0
215	Thiacloprid	0	0	0
216	Thiametoxam	0	0	0
217	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0	0	0
218	Thiodicarb	0	0	0
219	Thiometon	0	0	0
220	Thiophanate-methyl	0	0	0
221	Thiram (expressed as thiram)	0	0	0
222	Tolclofos-methyl	0	0	0
223	Tolyfluanid	0	0	0
224	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
225	Triadimefon	0	0	0
226	Triadimefon (sum of Triadimefon and Triadimenol)	0	0	0
227	Triadimenol	0	0	0
228	Triazophos	0	0	0
229	Trifloxystrobin	0	0	0
230	Trifluralin	0	0	0
231	Triforine	0	0	0
232	Triticonazole	0	0	0
233	Vamidothion	0	0	0
234	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	0	0	0
235	Vinclozolin	0	0	0
236	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0	0	0
237	Zoxamide	0	0	0
238	alpha-Endosulfan	0	0	0
239	beta-Endosulfan	0	0	0
240	cis-Chlordane	0	0	0
241	tau-Fluvalinate	0	0	0
242	trans-Chlordane	0	0	0
		0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
1	Acephate	5	0	0
2	Acetamiprid	5	0	0
3	Acrinathrin	0	0	0
4	Aldicarb (sum)	0	0	0
5	Aldrin	0	0	0
6	Aldrin and Dieldrin	0	0	0
7	Atrazine	5	0	0
8	Azinphos-ethyl	5	0	0
9	Azinphos-methyl	5	0	0
10	Azoxystrobin	5	0	0
11	Benalaxyl	5	0	0
12	Benfuracarb	5	0	0
13	Bifenthrin	5	0	0
14	Binapacryl	5	0	0
15	Biphenyl	5	0	0
16	Bitertanol	5	0	0
17	Boscalid	5	0	0
18	Bromophos	5	0	0
19	Bromopropylate	5	0	0
20	Bupirimate	5	0	0
21	Buprofezin	5	0	0
22	Cadusafos	5	0	0
23	Captan	5	0	0
24	Carbaryl	5	0	0
25	Carbendazim	0	0	0
26	Carbendazim and benomyl	0	0	0
27	Carbofuran	0	0	0
28	Carbofuran (sum)	5	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
29	Carbosulfan	5	0	0
30	Chinomethionat	0	0	0
31	Chlorbenside	5	0	0
32	Chlorbufam	5	0	0
33	Chlordane	0	0	0
34	Chlordane (sum animal products)	0	0	0
35	Chlordane (sum)	5	0	0
36	Chlorfenson	5	0	0
37	Chlorfenvinphos	5	0	0
38	Chlorobenzilate	5	0	0
39	Chlorothalonil	5	0	0
40	Chlorpropham	5	0	0
41	Chlorpyrifos	5	0	0
42	Chlorpyrifos-methyl	5	0	0
43	Chlozolate	5	0	0
44	Coumaphos	0	0	0
45	Cyfluthrin	0	0	0
46	Cyfluthrin (sum)	5	0	0
47	Cypermethrin (sum)	5	0	0
48	Cyproconazole	5	0	0
49	Cyprodinil	5	0	0
50	DDD, p,p-	0	0	0
51	DDE, p,p-	0	0	0
52	DDT (sum)	5	0	0
53	DDT, o,p-	0	0	0
54	DDT, p,p-	0	0	0
55	Deltamethrin	5	0	0
56	Diafenthuron	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
57	Diazinon	5	0	0
58	Dichlofluanid	5	0	0
59	Dichlorvos	5	0	0
60	Dicloran	5	0	0
61	Dicofol (sum)	5	0	0
62	Dieldrin	5	0	0
63	Difenoconazole	5	0	0
64	Dimethoate	0	0	0
65	Dimethoate (sum)	5	0	0
66	Dimethomorph	5	0	0
67	Diphenylamine	5	0	0
68	Disulfoton	5	0	0
69	EPN	0	0	0
70	Endosulfan (sum)	5	0	0
71	Endosulfansulfate	0	0	0
72	Endrin	0	0	0
73	Epoxiconazole	5	0	0
74	Esfenvalerate	0	0	0
75	Ethion	5	0	0
76	Ethofumesate	5	0	0
77	Etofenprox	0	0	0
78	Fenamidone	0	0	0
79	Fenamiphos	5	0	0
80	Fenarimol	5	0	0
81	Fenchlorphos	5	0	0
82	Fenchlorphos (sum)	0	0	0
83	Fenhexamid	5	0	0
84	Fenitrothion	5	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
85	Fenoxycarb	5	0	0
86	Fenpropathrin	0	0	0
87	Fensulfothion	0	0	0
88	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	0	0	0
89	Fenthion	5	0	0
90	Fenthion (sum)	0	0	0
91	Fenvalerate	0	0	0
92	Fenvalerate (sum of RR, SS, RS and SR isomers)	0	0	0
93	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	5	0	0
94	Fenvalerate/Esfenvalerate (sum)	0	0	0
95	Flucythrinate	0	0	0
96	Flucythrinate (sum of isomers expressed as flucythrinate)	0	0	0
97	Fludioxonil	5	0	0
98	Fluquinconazole	5	0	0
99	Flusilazole	5	0	0
100	Flutriafol	5	0	0
101	Folpet	0	0	0
102	Fonofos	0	0	0
103	Formothion	5	0	0
104	Furathiocarb	5	0	0
105	Heptachlor	5	0	0
106	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0	0	0
107	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	0	0	0
108	Heptachlor endo-epoxide	0	0	0
109	Heptachlor epoxide	0	0	0
110	Heptachlor exo-epoxide	0	0	0
111	Heptachlorepoxyde, cis-	0	0	0
112	Heptachlorepoxyde, trans-	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
113	Heptenophos	0	0	0
114	Hexachlorobenzene	0	0	0
115	Hexachlorocyclohexane (HCH), alpha-isomer	5	0	0
116	Hexachlorocyclohexane (HCH), beta-isomer	5	0	0
117	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	0	0	0
118	Hexaconazole	5	0	0
119	Hexaflumuron	0	0	0
120	Hexythiazox	5	0	0
121	Imazalil	5	0	0
122	Imidacloprid	5	0	0
123	Indoxacarb as sum of the isomers S and R	0	0	0
124	Iprodione	0	0	0
125	Iprovalicarb	5	0	0
126	Isofenphos	0	0	0
127	Isofenphos (sum)	0	0	0
128	Isoproturon	5	0	0
129	Kresoxim-methyl	5	0	0
130	Lambda-Cyhalothrin	5	0	0
131	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	5	0	0
132	Malathion	0	0	0
133	Malathion (sum of malathion and malaoxon expressed as malathion)	5	0	0
134	Mecarbam	0	0	0
135	Mepanipyrim	5	0	0
136	Metalaxyl	5	0	0
137	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0	0	0
138	Metconazole	5	0	0
139	Methacrifos	5	0	0
140	Methamidophos	5	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
141	Methidathion	5	0	0
142	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0	0	0
143	Methiocarb-Sulfoxid	5	0	0
144	Methomyl	0	0	0
145	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	5	0	0
146	Methoxychlor	5	0	0
147	Metribuzin	5	0	0
148	Mevinphos (sum of E- and Z-isomers)	0	0	0
149	Molinate	0	0	0
150	Monocrotophos	5	0	0
151	Myclobutanil	5	0	0
152	Naled	0	0	0
153	Nuarimol	5	0	0
154	Omethoate	0	0	0
155	Orthophenylphenol	5	0	0
156	Oxadixyl	5	0	0
157	Oxamyl	5	0	0
158	Oxychlorane	0	0	0
159	Oxydemeton-methyl	5	0	0
160	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0	0	0
161	Parathion	5	0	0
162	Parathion-methyl	0	0	0
163	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	5	0	0
164	Penconazole	5	0	0
165	Pencycuron	5	0	0
166	Pendimethalin	5	0	0
167	Permethrin (sum of isomers)	5	0	0
168	Phenthoate	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
169	Phorate	5	0	0
170	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	0	0	0
171	Phosalone	5	0	0
172	Phosmet	5	0	0
173	Phosmet (phosmet and phosmet oxon expressed as phosmet)	0	0	0
174	Phoxim	0	0	0
175	Pirimicarb	5	0	0
176	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0	0	0
177	Pirimiphos-methyl	5	0	0
178	Prochloraz	5	0	0
179	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0	0	0
180	Procymidone	5	0	0
181	Profenofos	5	0	0
182	Propamocarb	0	0	0
183	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0	0	0
184	Propargite	5	0	0
185	Propham	5	0	0
186	Propiconazole	5	0	0
187	Propoxur	5	0	0
188	Propyzamide	5	0	0
189	Prothiofos	0	0	0
190	Pyraclostrobin	0	0	0
191	Pyrazophos	5	0	0
192	Pyridaben	0	0	0
193	Pyridaphenthion	0	0	0
194	Pyrimethanil	5	0	0
195	Quinalphos	5	0	0
196	Quinoxifen	5	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
197	Quintozene	5	0	0
198	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0	0	0
199	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0	0	0
200	Simazine	0	0	0
201	Spiroxamine	0	0	0
202	Sulfotep	0	0	0
203	Tebuconazole	5	0	0
204	Tebufenozide	5	0	0
205	Tebufenpyrad	0	0	0
206	Tecnazene	5	0	0
207	Temephos	0	0	0
208	Terbufos	0	0	0
209	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	0	0	0
210	Terbumeton	0	0	0
211	Terbutryn	0	0	0
212	Tetrachlorvinphos	0	0	0
213	Tetradifon	0	0	0
214	Thiabendazole	5	0	0
215	Thiaclopid	0	0	0
216	Thiametoxam	5	0	0
217	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0	0	0
218	Thiodicarb	0	0	0
219	Thiometon	0	0	0
220	Thiophanate-methyl	5	0	0
221	Thiram (expressed as thiram)	0	0	0
222	Tolclofos-methyl	5	0	0
223	Tolyfluanid	5	0	0
224	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
225	Triadimefon	0	0	0
226	Triadimefon (sum of Triadimefon and Triadimenol)	5	0	0
227	Triadimenol	0	0	0
228	Triazophos	5	0	0
229	Trifloxystrobin	5	0	0
230	Trifluralin	5	0	0
231	Triforine	0	0	0
232	Triticonazole	5	0	0
233	Vamidothion	0	0	0
234	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	0	0	0
235	Vinclozolin	5	0	0
236	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0	0	0
237	Zoxamide	5	0	0
238	alpha-Endosulfan	0	0	0
239	beta-Endosulfan	0	0	0
240	cis-Chlordane	0	0	0
241	tau-Fluvalinate	0	0	0
242	trans-Chlordane	0	0	0
		685	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
1	Acephate	1560	0	0
2	Acetamiprid	1560	14	2
3	Acrinathrin	280	0	0
4	Aldicarb (sum)	280	0	0
5	Aldrin	12	0	0
6	Aldrin and Dieldrin	323	0	0
7	Atrazine	1603	0	0
8	Azinphos-ethyl	1603	0	0
9	Azinphos-methyl	1615	0	0
10	Azoxystrobin	1603	5	0
11	Benalaxyl	1280	1	0
12	Benfuracarb	1280	0	0
13	Bifenthrin	1615	13	1
14	Binapacryl	1280	0	0
15	Biphenyl	1280	0	0
16	Bitertanol	1560	1	0
17	Boscalid	1560	8	0
18	Bromophos	1603	0	0
19	Bromopropylate	1603	0	0
20	Bupirimate	1560	0	0
21	Buprofezin	1560	5	0
22	Cadusafos	1280	0	0
23	Captan	1615	2	0
24	Carbaryl	1615	0	0
25	Carbendazim	280	3	2
26	Carbendazim and benomyl	280	0	0
27	Carbofuran	12	0	0
28	Carbofuran (sum)	1603	0	0

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
29	Carbosulfan	1603	0	0
30	Chinomethionat	0	0	0
31	Chlorbenside	1280	0	0
32	Chlorbufam	1280	0	0
33	Chlordane	0	0	0
34	Chlordane (sum animal products)	0	0	0
35	Chlordane (sum)	1280	0	0
36	Chlorfenson	1280	0	0
37	Chlorfenvinphos	1560	0	0
38	Chlorobenzilate	1280	0	0
39	Chlorothalonil	1615	32	4
40	Chlorpropham	1560	14	1
41	Chlorpyrifos	1615	18	0
42	Chlorpyrifos-methyl	1615	1	0
43	Chlozolate	1280	0	0
44	Coumaphos	0	0	0
45	Cyfluthrin	0	0	0
46	Cyfluthrin (sum)	1615	0	0
47	Cypermethrin (sum)	1615	3	0
48	Cyproconazole	1560	0	0
49	Cyprodinil	1560	12	0
50	DDD, p,p-	0	0	0
51	DDE, p,p-	0	0	0
52	DDT (sum)	1615	3	0
53	DDT, o,p-	0	0	0
54	DDT, p,p-	0	0	0
55	Deltamethrin	1615	1	0
56	Diafenthuron	280	0	0

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
57	Diazinon	1615	0	0
58	Dichlofluanid	1560	0	0
59	Dichlorvos	1615	0	0
60	Dicloran	1560	0	0
61	Dicofol (sum)	1603	0	0
62	Dieldrin	1292	0	0
63	Difenoconazole	1560	4	0
64	Dimethoate	335	0	0
65	Dimethoate (sum)	1603	0	0
66	Dimethomorph	1280	2	0
67	Diphenylamine	1560	0	0
68	Disulfoton	1603	0	0
69	EPN	280	0	0
70	Endosulfan (sum)	1615	1	0
71	Endosulfansulfate	0	0	0
72	Endrin	335	0	0
73	Epoxiconazole	1560	4	0
74	Esfenvalerate	12	0	0
75	Ethion	1603	0	0
76	Ethofumesate	1280	0	0
77	Etofenprox	280	0	0
78	Fenamidone	280	1	0
79	Fenamiphos	1280	0	0
80	Fenarimol	1560	0	0
81	Fenchlorphos	1615	0	0
82	Fenchlorphos (sum)	280	0	0
83	Fenhexamid	1560	8	0
84	Fenitrothion	1560	0	0

Row number	Compound	Vegetables	Nr Found	MRL Ex
85	Fenoxycarb	1560	0	0
86	Fenpropathrin	280	0	0
87	Fensulfothion	0	0	0
88	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	0	0	0
89	Fenthion	1560	0	0
90	Fenthion (sum)	280	0	0
91	Fenvalerate	12	0	0
92	Fenvalerate (sum of RR, SS, RS and SR isomers)	0	0	0
93	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	1280	0	0
94	Fenvalerate/Esfenvalerate (sum)	323	0	0
95	Flucythrinate	323	0	0
96	Flucythrinate (sum of isomers expressed as flucythrinate)	280	0	0
97	Fludioxonil	1560	4	0
98	Fluquinconazole	1280	0	0
99	Flusilazole	1280	1	0
100	Flutriafol	1280	1	0
101	Folpet	335	2	1
102	Fonofos	0	0	0
103	Formothion	1280	0	0
104	Furathiocarb	1280	0	0
105	Heptachlor	1615	0	0
106	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	280	0	0
107	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	0	0	0
108	Heptachlor endo-epoxide	0	0	0
109	Heptachlor epoxide	0	0	0
110	Heptachlor exo-epoxide	0	0	0
111	Heptachlorepoxyde, cis-	0	0	0
112	Heptachlorepoxyde, trans-	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
113	Heptenophos	0	0	0
114	Hexachlorobenzene	292	0	0
115	Hexachlorocyclohexane (HCH), alpha-isomer	1292	0	0
116	Hexachlorocyclohexane (HCH), beta-isomer	1292	0	0
117	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	323	0	0
118	Hexaconazole	1560	0	0
119	Hexaflumuron	280	0	0
120	Hexythiazox	1280	1	0
121	Imazalil	1560	10	0
122	Imidacloprid	1560	9	0
123	Indoxacarb as sum of the isomers S and R	280	0	0
124	Iprodione	335	4	0
125	Iprovalicarb	1560	0	0
126	Isofenphos	0	0	0
127	Isofenphos (sum)	0	0	0
128	Isoproturon	1280	0	0
129	Kresoxim-methyl	1603	1	0
130	Lambda-Cyhalothrin	1615	4	0
131	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	1615	0	0
132	Malathion	12	0	0
133	Malathion (sum of malathion and malaoxon expressed as malathion)	1603	0	0
134	Mecarbam	0	0	0
135	Mepanipyrim	1280	0	0
136	Metalaxyl	1560	9	0
137	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	280	0	0
138	Metconazole	1280	0	0
139	Methacrifos	1280	0	0
140	Methamidophos	1560	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
141	Methidathion	1615	0	0
142	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	280	3	0
143	Methiocarb-Sulfoxid	1280	1	0
144	Methomyl	280	0	0
145	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	1560	0	0
146	Methoxychlor	1280	0	0
147	Metribuzin	1603	0	0
148	Mevinphos (sum of E- and Z-isomers)	335	0	0
149	Molinate	0	0	0
150	Monocrotophos	1560	1	0
151	Myclobutanil	1560	1	0
152	Naled	0	0	0
153	Nuarimol	1280	0	0
154	Omethoate	323	0	0
155	Orthophenylphenol	1280	1	0
156	Oxadixyl	1560	0	0
157	Oxamyl	1560	1	1
158	Oxychlorane	0	0	0
159	Oxydemeton-methyl	1560	0	0
160	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	280	0	0
161	Parathion	1615	0	0
162	Parathion-methyl	335	0	0
163	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	1603	0	0
164	Penconazole	1280	0	0
165	Pencycuron	1280	3	0
166	Pendimethalin	1280	2	0
167	Permethrin (sum of isomers)	1615	0	0
168	Phenthoate	280	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
169	Phorate	1615	0	0
170	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	323	0	0
171	Phosalone	1615	0	0
172	Phosmet	1560	1	0
173	Phosmet (phosmet and phosmet oxon expressed as phosmet)	280	0	0
174	Phoxim	0	0	0
175	Pirimicarb	1560	0	0
176	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	280	0	0
177	Pirimiphos-methyl	1615	4	0
178	Prochloraz	1560	3	0
179	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	280	0	0
180	Procymidone	1560	3	1
181	Profenofos	1560	0	0
182	Propamocarb	280	0	0
183	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	280	7	0
184	Propargite	1560	9	0
185	Propham	1280	0	0
186	Propiconazole	1560	2	0
187	Propoxur	1280	0	0
188	Propyzamide	1560	1	0
189	Prothiofos	280	0	0
190	Pyraclostrobin	280	0	0
191	Pyrazophos	1280	0	0
192	Pyridaben	280	4	0
193	Pyridaphenthion	0	0	0
194	Pyrimethanil	1560	18	0
195	Quinalphos	1560	0	0
196	Quinoxifen	1280	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
197	Quintozene	1280	0	0
198	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0	0	0
199	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	280	0	0
200	Simazine	0	0	0
201	Spiroxamine	280	1	0
202	Sulfotep	0	0	0
203	Tebuconazole	1560	4	0
204	Tebufenozide	1280	1	0
205	Tebufenpyrad	280	0	0
206	Tecnazene	1280	0	0
207	Temephos	0	0	0
208	Terbufos	0	0	0
209	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	0	0	0
210	Terbumeton	0	0	0
211	Terbutryn	0	0	0
212	Tetrachlorvinphos	0	0	0
213	Tetradifon	280	0	0
214	Thiabendazole	1560	2	0
215	Thiaclopid	280	2	1
216	Thiametoxam	1280	2	0
217	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	280	1	0
218	Thiodicarb	280	0	0
219	Thiometon	0	0	0
220	Thiophanate-methyl	1560	5	0
221	Thiram (expressed as thiram)	0	0	0
222	Tolclofos-methyl	1560	1	0
223	Tolyfluanid	1560	0	0
224	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	280	0	0

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
225	Triadimefon	43	0	0
226	Triadimefon (sum of Triadimefon and Triadimenol)	1603	1	0
227	Triadimenol	0	0	0
228	Triazophos	1560	0	0
229	Trifloxystrobin	1560	0	0
230	Trifluralin	1280	1	0
231	Triforine	280	0	0
232	Triticonazole	1280	0	0
233	Vamidothion	0	0	0
234	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	0	0	0
235	Vinclozolin	1603	0	0
236	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	323	0	0
237	Zoxamide	1560	0	0
238	alpha-Endosulfan	0	0	0
239	beta-Endosulfan	0	0	0
240	cis-Chlordane	0	0	0
241	tau-Fluvalinate	280	0	0
242	trans-Chlordane	0	0	0
		218513	288	14

Strategy=Enforcement Origin=Domestic Country=Romania

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Lettuce	Unprocessed	Non-organic production	3	3	0	0	0	0

Strategy=Enforcement Origin=TC Country=Turkey

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	1	0	0	0	0
<i>Strategy</i>				4	4	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=Domestic Country=Romania

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Animal products	Bovine Fat	Freezing	Non-organic production	3	0	0	0	0	0
Animal products	Bovine Fat	Unprocessed	Non-organic production	8	2	0	0	0	0
Animal products	Bovine Meat	Unprocessed	Non-organic production	6	0	0	0	0	0
Animal products	Eggs Chicken	Freezing	Non-organic production	1	0	0	0	0	0
Animal products	Eggs Chicken	Unprocessed	Non-organic production	48	7	0	0	0	0
Animal products	Eggs Quail	Unprocessed	Non-organic production	2	0	0	0	0	0
Animal products	Honey	Processed	Non-organic production	16	0	0	0	0	0
Animal products	Honey	Unprocessed	Non-organic production	28	0	0	0	0	0
Animal products	Horses, asses, mules or hinnies Meat	Unprocessed	Non-organic production	2	0	0	0	0	0
Animal products	Milk and milk products	Unprocessed	Non-organic production	19	8	0	0	0	0
Animal products	Other farm animals Fat	Unprocessed	Non-organic production	5	0	0	0	0	0
Animal products	Other farm animals Meat	Unprocessed	Non-organic production	2	0	0	0	0	0
Animal products	Poultry fat	Freezing	Non-organic production	6	2	0	0	0	0
Animal products	Poultry fat	Unprocessed	Non-organic production	23	2	0	0	0	0
Animal products	Poultry liver	Unprocessed	Non-organic production	1	0	0	1	0	0
Animal products	Poultry meat	Freezing	Non-organic production	5	0	0	5	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=Domestic Country=Romania

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Animal products	Poultry meat	Unprocessed	Non-organic production	55	0	0	55	0	0
Animal products	Sheep Fat	Freezing	Non-organic production	8	5	0	0	0	0
Animal products	Sheep Fat	Unprocessed	Non-organic production	14	0	0	0	0	0
Animal products	Swine Fat free of lean meat	Freezing	Non-organic production	30	2	0	0	0	0
Animal products	Swine Fat free of lean meat	Unprocessed	Non-organic production	56	1	0	0	0	0
Animal products	Swine Liver	Unprocessed	Non-organic production	4	0	0	4	0	0
Animal products	Swine Meat	Freezing	Non-organic production	4	0	0	0	0	0
Animal products	Swine Meat	Unprocessed	Non-organic production	16	0	0	0	0	0
Baby food	Processed cereal-based baby foods	Processed	Organic production	1	0	0	1	0	0
Cereals	Maize	Unprocessed	Non-organic production	46	0	0	0	0	0
Cereals	Rye	Unprocessed	Non-organic production	14	1	0	0	0	0
Cereals	Wheat	Milling	Non-organic production	2	0	0	2	0	0
Cereals	Wheat	Unprocessed	Non-organic production	93	10	0	0	0	0
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	209	76	1	0	0	0
Fruits and nuts	Apricots	Unprocessed	Non-organic production	21	4	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=Domestic Country=Romania

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Blueberries	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruits and nuts	Cherries	Unprocessed	Non-organic production	66	15	0	0	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	27	9	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	41	4	0	41	4	0
Fruits and nuts	Plums	Unprocessed	Non-organic production	55	9	0	0	0	0
Fruits and nuts	Strawberries	Unprocessed	Non-organic production	67	12	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	61	29	0	0	0	0
Fruits and nuts	Wine grapes	Unprocessed	Non-organic production	127	69	3	0	0	0
Fruits and nuts	Wine grapes	Wine production	Non-organic production	11	7	6	0	0	0
Other plant products	Sugar beet	Unprocessed	Non-organic production	5	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	22	0	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	35	2	0	35	2	0
Vegetables	Beans (without pods)	Unprocessed	Non-organic production	34	0	0	0	0	0
Vegetables	Beetroot	Unprocessed	Non-organic production	19	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=Domestic Country=Romania

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Broccoli	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	43	7	0	43	4	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	22	1	0	0	0	0
Vegetables	Celery	Unprocessed	Non-organic production	26	2	0	0	0	0
Vegetables	Courgettes	Unprocessed	Non-organic production	34	0	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	65	10	2	65	10	0
Vegetables	Cultivated fungi	Unprocessed	Non-organic production	29	2	0	0	0	0
Vegetables	Garlic	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	74	0	0	0	0	0
Vegetables	Kale	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Leek	Unprocessed	Non-organic production	14	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	56	13	4	0	0	0
Vegetables	Melons	Unprocessed	Non-organic production	29	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	54	3	0	0	0	0
Vegetables	Parsley	Unprocessed	Non-organic production	14	3	0	0	0	0
Vegetables	Parsley root	Unprocessed	Non-organic production	2	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=Domestic Country=Romania

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Parsnips	Unprocessed	Non-organic production	5	0	0	0	0	0
Vegetables	Peas (with pods)	Unprocessed	Non-organic production	19	1	0	0	0	0
Vegetables	Peas (without pods)	Freezing	Non-organic production	1	0	0	0	0	0
Vegetables	Peas (without pods)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	130	8	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	147	13	0	147	13	0
Vegetables	Pumpkins	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Radishes	Unprocessed	Non-organic production	50	5	0	0	0	0
Vegetables	Spinach	Canning	Non-organic production	1	0	0	0	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	54	11	1	54	11	1
Vegetables	Spring onions	Unprocessed	Non-organic production	37	5	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	160	28	0	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	33	0	0	0	0	0
<i>Origin</i>				2429	389	17	454	45	1
<i>Region</i>				2429	389	17	454	45	1

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Austria

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Baby food	Processed cereal-based baby foods	Processed	Organic production	1	0	0	1	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	10	8	0	0	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	2	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	9	0	0	0	0	0
Vegetables	Peas (without pods)	Freezing	Non-organic production	1	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	3	0	0	3	0	0
<i>Origin</i>				26	8	0	4	0	0

Strategy=Surveillance Origin=EEA Country=Belgium

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Beans (with pods)	Freezing	Non-organic production	1	1	0	1	1	0
Vegetables	Peas (without pods)	Freezing	Non-organic production	1	1	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	1	1	0	1	1	0
Vegetables	Spinach	Freezing	Non-organic production	2	1	0	2	1	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				6	4	0	4	3	0

Strategy=Surveillance Origin=EEA Country=Bulgaria

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Cereals	Rice	Unprocessed	Non-organic production	9	0	0	9	0	0
Cereals	Wheat	Milling	Non-organic production	1	0	0	1	0	0
<i>Origin</i>				10	0	0	10	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Cyprus

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	1	1	0

Strategy=Surveillance Origin=EEA Country=Czech Republic

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Unprocessed	Non-organic production	2	0	0	2	0	0

Strategy=Surveillance Origin=EEA Country=European Union

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Non-organic production	1	1	0	0	0	0
Other plant products	Beans (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				2	1	0	0	0	0

Strategy=Surveillance Origin=EEA Country=France

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Baby food	Follow-on formulae	Processed	Organic production	1	1	0	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruits and nuts	Bananas	Unprocessed	Non-organic production	2	1	0	0	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	3	1	0	3	1	0
<i>Origin</i>				8	4	0	4	2	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Germany

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Baby food	Follow-on formulae	Processed	Organic production	1	0	0	0	0	0
Baby food	Infant formulae	Processed	Organic production	2	2	0	0	0	0
Baby food	Processed cereal-based baby foods	Processed	Organic production	9	3	0	9	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	1	0	0	0	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	4	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	1	0	0	1	0	0
<i>Origin</i>				22	6	0	10	0	0

Strategy=Surveillance Origin=EEA Country=Greece

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Cereals	Rice	Unprocessed	Non-organic production	12	1	0	12	1	0
Fruits and nuts	Apricots	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruits and nuts	Cherries	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	3	3	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Non-organic production	21	3	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	16	12	0	14	8	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	61	38	0	61	25	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	19	10	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	2	0	0	2	0	0
Fruits and nuts	Plums	Unprocessed	Non-organic production	5	1	0	0	0	0
Fruits and nuts	Quinces	Unprocessed	Non-organic production	3	2	0	0	0	0
Fruits and nuts	Strawberries	Unprocessed	Non-organic production	8	3	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Greece

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	5	5	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	3	2	0	3	2	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	7	5	0	7	5	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	3	0	0	0	0	0
Vegetables	Melons	Unprocessed	Non-organic production	3	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	5	2	0	5	2	0
Vegetables	Spring onions	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	7	1	0	0	0	0
<i>Origin</i>				<i>189</i>	<i>88</i>	<i>0</i>	<i>104</i>	<i>43</i>	<i>0</i>

Strategy=Surveillance Origin=EEA Country=Hungary

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Cereals	Rice	Unprocessed	Non-organic production	2	0	0	2	0	0
Cereals	Wheat	Milling	Non-organic production	4	0	0	4	0	0
Cereals	Wheat	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	1	0	0	0	0	0
Vegetables	Beans (with pods)	Freezing	Non-organic production	1	0	0	1	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	1	1	1	1	1	1
Vegetables	Kale	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peas (without pods)	Freezing	Non-organic production	2	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	1	1	0	1	1	0
<i>Origin</i>				<i>16</i>	<i>2</i>	<i>1</i>	<i>9</i>	<i>2</i>	<i>1</i>

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Italy

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Unprocessed	Non-organic production	6	2	0	6	2	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	19	16	0	0	0	0
Fruits and nuts	Apricots	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Non-organic production	9	4	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	3	2	0	2	1	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	2	1	0	2	1	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	11	2	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	15	8	0	15	8	0
Fruits and nuts	Pineapples	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	21	14	0	0	0	0
Fruits and nuts	Wine grapes	Unprocessed	Non-organic production	3	1	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Kale	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	7	5	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	6	3	0	0	0	0
<i>Origin</i>				114	62	0	26	12	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Netherlands

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Pears	Unprocessed	Non-organic production	4	3	0	4	3	0
Fruits and nuts	Strawberries	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Celery	Unprocessed	Non-organic production	9	5	1	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Leek	Unprocessed	Non-organic production	5	2	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	7	2	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	12	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	8	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	2	0	0	2	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	13	3	0	0	0	0
<i>Origin</i>				<i>66</i>	<i>15</i>	<i>1</i>	<i>7</i>	<i>3</i>	<i>0</i>

Strategy=Surveillance Origin=EEA Country=Poland

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Baby food	Follow-on formulae	Processed	Organic production	2	0	0	0	0	0
Baby food	Infant formulae	Processed	Organic production	1	0	0	0	0	0
Baby food	Processed cereal-based baby foods	Processed	Organic production	25	1	0	25	0	0
Cereals	Rice	Unprocessed	Non-organic production	1	0	0	1	0	0
Cereals	Wheat	Milling	Non-organic production	1	0	0	1	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	9	3	0	0	0	0
Fruits and nuts	Bananas	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	1	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Poland

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Oranges	Unprocessed	Non-organic production	1	0	0	1	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	1	1	0	0	0	0
Other plant products	Beans (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	4	0	0	4	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Cultivated fungi	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Leek	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	6	0	0	0	0	0
Vegetables	Parsnips	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	2	1	0	2	1	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	4	1	0	0	0	0
<i>Origin</i>				65	8	0	35	2	0

Strategy=Surveillance Origin=EEA Country=Portugal

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Baby food	Processed cereal-based baby foods	Processed	Organic production	10	2	0	10	0	0

Strategy=Surveillance Origin=EEA Country=Slovakia

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Spinach	Unprocessed	Non-organic production	1	0	0	1	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Spain

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Baby food	Baby food for infants and young children	Processed	Organic production	3	0	0	0	0	0
Baby food	Processed cereal-based baby foods	Processed	Organic production	28	7	0	28	2	0
Cereals	Rice	Unprocessed	Non-organic production	3	0	0	3	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	3	1	0	0	0	0
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	2	2	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	2	1	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	14	10	0	11	6	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	8	6	0	8	4	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	2	1	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	1	1	0	1	1	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	4	1	0	0	0	0
Vegetables	Courgettes	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	4	2	0	4	2	0
Vegetables	Garlic	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	3	0	0	0	0	0
Vegetables	Melons	Unprocessed	Non-organic production	2	1	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	3	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	7	3	0	0	0	0
<i>Origin</i>				92	36	0	55	15	0
<i>Region</i>				630	237	2	282	83	1

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=Albania

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				2	1	0	0	0	0

Strategy=Surveillance Origin=TC Country=Argentina

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Apples	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	13	13	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	4	4	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	6	6	0	6	6	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	4	2	0	4	2	0
Other plant products	Beans (dry)	Unprocessed	Non-organic production	2	0	0	0	0	0
<i>Origin</i>				31	26	0	10	8	0

Strategy=Surveillance Origin=TC Country=Brazil

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Bananas	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Mangoes	Unprocessed	Non-organic production	2	2	0	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				4	2	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=Cambodia

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Unprocessed	Non-organic production	3	0	0	3	0	0

Strategy=Surveillance Origin=TC Country=Cameroon

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Non-organic production	4	2	0	0	0	0
Fruits and nuts	Pineapples	Unprocessed	Non-organic production	1	1	0	0	0	0
<i>Origin</i>				5	3	0	0	0	0

Strategy=Surveillance Origin=TC Country=Canada

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Peas (without pods)	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Origin=TC Country=Chile

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Kiwi	Unprocessed	Non-organic production	5	1	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	3	3	0	3	3	0
Fruits and nuts	Plums	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	1	1	0	0	0	0
<i>Origin</i>				10	5	0	3	3	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=China

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Cereals	Rice	Unprocessed	Non-organic production	1	0	0	1	0	0
Fruits and nuts	Apricots	Freezing	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	29	26	3	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	2	2	0	2	2	0
Other plant products	Beans (dry)	Unprocessed	Non-organic production	24	0	0	0	0	0
Vegetables	Garlic	Unprocessed	Non-organic production	23	1	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				84	29	3	3	2	0

Strategy=Surveillance Origin=TC Country=Colombia

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Bananas	Unprocessed	Non-organic production	3	2	0	0	0	0

Strategy=Surveillance Origin=TC Country=Costa Rica

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Bananas	Unprocessed	Non-organic production	3	2	0	0	0	0
Fruits and nuts	Pineapples	Unprocessed	Non-organic production	3	1	0	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	1	1	0	0	0	0
<i>Origin</i>				7	4	0	0	0	0

Strategy=Surveillance Origin=TC Country=Croatia

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Bananas	Unprocessed	Non-organic production	1	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=Dominican Republic

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Origin=TC Country=Ecuador

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Non-organic production	61	18	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	1	1	0
<i>Origin</i>				62	19	0	1	1	0

Strategy=Surveillance Origin=TC Country=Egypt

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Oranges	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruits and nuts	Pomegranate	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Strawberries	Unprocessed	Non-organic production	1	1	1	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	1	0	0	0	0	0
Other plant products	Beans (dry)	Unprocessed	Non-organic production	8	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	9	1	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	2	0	0	2	0	0
Vegetables	Spring onions	Unprocessed	Non-organic production	5	0	0	0	0	0
<i>Origin</i>				28	4	1	3	1	0

Strategy=Surveillance Origin=TC Country=Ethiopia

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Other plant products	Beans (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=Ghana

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Non-organic production	1	1	0	0	0	0

Strategy=Surveillance Origin=TC Country=Guadeloupe

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Non-organic production	2	0	0	0	0	0

Strategy=Surveillance Origin=TC Country=Guatemala

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Mangoes	Unprocessed	Non-organic production	1	1	1	0	0	0

Strategy=Surveillance Origin=TC Country=Honduras

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Watermelons	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Origin=TC Country=India

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Unprocessed	Non-organic production	2	0	0	2	0	0
Vegetables	Onions	Unprocessed	Non-organic production	1	0	0	0	0	0
Origin				3	0	0	2	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=Jordan

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	6	1	0	6	1	0
Vegetables	Peppers	Unprocessed	Non-organic production	9	4	2	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	7	2	1	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				27	7	3	6	1	0

Strategy=Surveillance Origin=TC Country=Kyrgyzstan

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Other plant products	Beans (dry)	Unprocessed	Non-organic production	2	0	0	0	0	0

Strategy=Surveillance Origin=TC Country=Macedonia, The Former Yugoslav Republic of

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Apples	Unprocessed	Non-organic production	2	2	0	0	0	0
Fruits and nuts	Pomegranate	Unprocessed	Non-organic production	1	1	1	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	8	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	2	1	0	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	2	0	0	0	0	0
<i>Origin</i>				17	4	1	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=Martinique

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Non-organic production	5	4	0	0	0	0

Strategy=Surveillance Origin=TC Country=Moldova

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Wheat	Milling	Non-organic production	3	0	0	3	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	2	0	0	2	0	0
Fruits and nuts	Table and Wine grapes	Unprocessed	Non-organic production	3	0	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	7	0	0	0	0	0
Other plant products	Beans (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				18	0	0	5	0	0

Strategy=Surveillance Origin=TC Country=Morocco

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Pomegranate	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Origin=TC Country=New Zealand

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Apples	Unprocessed	Non-organic production	1	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=Niger

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Pears	Unprocessed	Non-organic production	2	1	0	2	1	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Celery	Unprocessed	Non-organic production	4	1	0	0	0	0
Vegetables	Parsnips	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				9	3	0	2	1	0

Strategy=Surveillance Origin=TC Country=Pakistan

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Cereals	Rice	Unprocessed	Non-organic production	3	0	0	3	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				4	0	0	3	0	0

Strategy=Surveillance Origin=TC Country=Peru

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	2	1	0	0	0	0

Strategy=Surveillance Origin=TC Country=Pitcairn

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Pineapples	Unprocessed	Non-organic production	1	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=Serbia

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Wheat	Unprocessed	Non-organic production	7	2	0	0	0	0
Vegetables	Peas (without pods)	Freezing	Non-organic production	2	0	0	0	0	0
Vegetables	Peas (without pods)	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				10	2	0	0	0	0

Strategy=Surveillance Origin=TC Country=Sierra Leone

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Apples	Unprocessed	Non-organic production	1	1	0	0	0	0

Strategy=Surveillance Origin=TC Country=South Africa

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	8	8	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	2	2	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	5	4	0	5	4	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	1	0	0	1	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	2	1	0	0	0	0
<i>Origin</i>				18	15	0	6	4	0

Strategy=Surveillance Origin=TC Country=St. Pierre And Miquelon

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Head cabbage	Unprocessed	Non-organic production	1	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=Swaziland

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	1	1	0	0	0	0

Strategy=Surveillance Origin=TC Country=Switzerland

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Oranges	Unprocessed	Non-organic production	1	1	0	1	1	0

Strategy=Surveillance Origin=TC Country=Syria

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Other plant products	Beans (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	1	0	0	0	0
<i>Origin</i>				6	1	0	2	0	0

Strategy=Surveillance Origin=TC Country=Thailand

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Unprocessed	Non-organic production	2	0	0	2	0	0

Strategy=Surveillance Origin=TC Country=Turkey

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	61	52	1	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	67	48	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	33	20	0	10	4	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=Turkey

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Oranges	Unprocessed	Non-organic production	9	6	0	9	5	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	4	2	0	4	2	0
Fruits and nuts	Plums	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruits and nuts	Pomegranate	Unprocessed	Non-organic production	7	4	2	0	0	0
Fruits and nuts	Quinces	Unprocessed	Non-organic production	2	1	0	0	0	0
Fruits and nuts	Strawberries	Unprocessed	Non-organic production	14	4	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	9	7	1	0	0	0
Other plant products	Lentils (dry)	Unprocessed	Non-organic production	3	0	0	0	0	0
Other products (incl. not classified and animal feed)	NOT IN LIST	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Carrots	Canning	Non-organic production	1	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	13	3	0	13	3	0
Vegetables	Courgettes	Unprocessed	Non-organic production	7	3	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	9	6	1	8	5	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Leek	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Melons	Unprocessed	Non-organic production	6	2	1	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	4	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	10	6	0	0	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	2	2	0	2	2	0
Vegetables	Spring onions	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	27	12	0	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	8	0	0	0	0	0
Origin				305	179	6	46	21	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=Ukraine

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Other plant products	Beans (dry)	Unprocessed	Non-organic production	2	0	0	0	0	0

Strategy=Surveillance Origin=TC Country=Uruguay

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	1	0	0
<i>Region</i>				686	317	15	99	43	0

Strategy=Surveillance Origin=UNK Country=Unknown

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Unprocessed	Non-organic production	3	0	0	3	0	0
Cereals	Wheat	Milling	Non-organic production	1	0	0	1	0	0
Cereals	Wheat	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	6	6	2	0	0	0
Fruits and nuts	Bananas	Unprocessed	Non-organic production	4	1	0	0	0	0
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	3	3	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	1	0	0	1	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	2	1	0	2	1	0
Vegetables	Peppers	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				26	13	2	7	1	0
<i>Region</i>				26	13	2	7	1	0
<i>Strategy</i>				3771	956	36	842	172	2
				3775	960	36	842	172	2

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Animal products

Country	Total	Between LOQ			Non Compliant
		Below LOQ	and MRL	Exceeding MRL	
Romania	362	333	29	0	0

ProductType=Baby food

Country	Total	Between LOQ			Non Compliant
		Below LOQ	and MRL	Exceeding MRL	
Austria	1	1	0	0	0
France	1	0	1	0	0
Germany	12	7	5	0	0
Poland	28	27	1	0	0
Portugal	10	8	2	0	0
Romania	1	1	0	0	0
Spain	31	24	7	0	0
ProductType	84	68	16	0	0

ProductType=Cereals

Country	Total	Between LOQ			Non Compliant
		Below LOQ	and MRL	Exceeding MRL	
Bulgaria	10	10	0	0	0
Cambodia	3	3	0	0	0
China	1	1	0	0	0
Czech Republic	2	2	0	0	0
France	1	0	1	0	0
Greece	12	11	1	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Cereals

<i>Country</i>	<i>Total</i>	<i>Between LOQ</i>		<i>Exceeding MRL</i>	<i>Non Compliant</i>
		<i>Below LOQ</i>	<i>and MRL</i>		
Hungary	8	8	0	0	0
India	2	2	0	0	0
Italy	6	4	2	0	0
Moldova	3	3	0	0	0
Pakistan	3	3	0	0	0
Poland	2	2	0	0	0
Romania	155	144	11	0	0
Serbia	7	5	2	0	0
Spain	3	3	0	0	0
Thailand	2	2	0	0	0
Unknown	5	4	1	0	0
<i>ProductType</i>	225	207	18	0	0

ProductType=Fish products

<i>Country</i>	<i>Total</i>	<i>Between LOQ</i>		<i>Exceeding MRL</i>	<i>Non Compliant</i>
		<i>Below LOQ</i>	<i>and MRL</i>		
Romania	2	2	0	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Fruits and nuts

<i>Country</i>	<i>Total</i>	<i>Between LOQ and MRL</i>			<i>Non Compliant</i>
		<i>Below LOQ</i>	<i>Exceeding MRL</i>	<i>Exceeding MRL</i>	
Argentina	29	3	26	0	0
Austria	12	4	8	0	0
Brazil	3	1	2	0	0
Cameroon	5	2	3	0	0
Chile	10	5	5	0	0
China	33	5	25	3	0
Colombia	3	1	2	0	0
Costa Rica	6	3	3	0	0
Croatia	1	1	0	0	0
Cyprus	1	0	1	0	0
Dominican Republic	1	1	0	0	0
Ecuador	62	43	19	0	0
Egypt	4	1	2	1	1
European Union	1	0	1	0	0
France	2	1	1	0	0
Germany	1	1	0	0	0
Ghana	1	0	1	0	0
Greece	146	69	77	0	0
Guadeloupe	2	2	0	0	0
Guatemala	1	0	0	1	1
Hungary	2	2	0	0	0
Italy	86	36	50	0	0
Jordan	1	1	0	0	0
Macedonia, The Former Yugoslav Republic of	5	2	2	1	1
Martinique	5	1	4	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Fruits and nuts

<i>Country</i>	<i>Total</i>	<i>Between LOQ and MRL</i>			<i>Non Compliant</i>
		<i>Below LOQ</i>	<i>Exceeding MRL</i>	<i>Exceeding MRL</i>	
Moldova	14	14	0	0	0
Morocco	1	1	0	0	0
Netherlands	5	2	3	0	0
New Zealand	1	1	0	0	0
Niger	2	1	1	0	0
Pakistan	1	1	0	0	0
Peru	2	1	1	0	0
Pitcairn	1	1	0	0	0
Poland	14	9	5	0	0
Romania	689	454	225	10	7
Sierra Leone	1	0	1	0	0
South Africa	18	3	15	0	0
Spain	32	10	22	0	0
Swaziland	1	0	1	0	0
Switzerland	1	0	1	0	0
Turkey	210	65	141	4	2
Unknown	18	6	10	2	2
Uruguay	1	0	1	0	0
<i>ProductType</i>	1435	754	659	22	14

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Others

<i>Country</i>	<i>Total</i>	<i>Between LOQ</i>		<i>Exceeding MRL</i>	<i>Non Compliant</i>
		<i>Below LOQ</i>	<i>and MRL</i>		
Argentina	2	2	0	0	0
China	24	24	0	0	0
Egypt	8	8	0	0	0
Ethiopia	1	1	0	0	0
European Union	1	1	0	0	0
Kyrgyzstan	2	2	0	0	0
Moldova	1	1	0	0	0
Poland	1	1	0	0	0
Romania	5	5	0	0	0
Syria	1	1	0	0	0
Turkey	4	4	0	0	0
Ukraine	2	2	0	0	0
<i>ProductType</i>	52	52	0	0	0

ProductType=Vegetables

<i>Country</i>	<i>Total</i>	<i>Between LOQ</i>		<i>Exceeding MRL</i>	<i>Non Compliant</i>
		<i>Below LOQ</i>	<i>and MRL</i>		
Albania	2	1	1	0	0
Austria	13	13	0	0	0
Belgium	6	2	4	0	0
Brazil	1	1	0	0	0
Canada	1	1	0	0	0
China	26	25	1	0	0
Costa Rica	1	0	1	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Vegetables

<i>Country</i>	<i>Total</i>	<i>Between LOQ and MRL</i>			<i>Non Compliant</i>
		<i>Below LOQ</i>	<i>Exceeding MRL</i>	<i>Exceeding MRL</i>	
Egypt	16	15	1	0	0
France	4	3	1	0	0
Germany	9	8	1	0	0
Greece	31	21	10	0	0
Honduras	1	1	0	0	0
Hungary	6	4	1	1	0
India	1	1	0	0	0
Italy	22	12	10	0	0
Jordan	26	19	4	3	2
Macedonia, The Former Yugoslav Republic of	12	11	1	0	0
Netherlands	61	49	11	1	1
Niger	7	5	2	0	0
Poland	20	18	2	0	0
Romania	1218	1101	110	7	5
Serbia	3	3	0	0	0
Slovakia	1	1	0	0	0
Spain	26	19	7	0	0
St. Pierre And Miquelon	1	1	0	0	0
Syria	5	4	1	0	0
Turkey	92	57	33	2	2
Unknown	3	3	0	0	0
<i>ProductType</i>	1615	1399	202	14	10
	3775	2815	924	36	24

Figures in bold totals for all countries

Product=Beans (with pods) Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Acephate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Acrinathrin	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.3	0
Aldicarb (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Azinphos-methyl	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.05	0
Azoxystrobin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Bifenthrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.5	0
Bitertanol	0.050	0.050	2	2	0	0	0.025	0.025	0.025	0.05	0
Boscalid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	2	0
Bromopropylate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Bupirimate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.020	0.020	2	2	0	0	0.010	0.010	0.010	1	0
Carbaryl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Carbendazim	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Carbendazim and benomyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.2	0
Carbofuran (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	5	0
Chlorpyrifos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Cyfluthrin (sum)	0.020	0.020	2	2	0	0	0.010	0.010	0.010	.	0
Cypermethrin (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Cyproconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Beans (with pods) Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Cyprodinil	0.010	0.010	1	1	0	0	0.005	0.005	0.005	2	0
	0.010	0.010	1	0	1	0	0.026	0.026	0.026	0.2	0
Deltamethrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.2	0
Diazinon	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Dichlorvos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.020	0.020	2	2	0	0	0.010	0.010	0.010	2	0
Dicofol (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Difenoconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	1	0
Dimethoate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Dimethoate (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Diphenylamine	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.05	0
EPN	0.020	0.020	2	2	0	0	0.010	0.010	0.010	.	0
Endosulfan (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Epoxiconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Etofenprox	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.5	0
Fenarimol	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Fenhexamid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	2	0
Fenitrothion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenthion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Fenthion (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Beans (with pods) Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Fludioxonil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	1	0
Hexaconazole	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.02	0
Imazalil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Imidacloprid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	2	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Iprodione	0.010	0.010	2	2	0	0	0.005	0.005	0.005	5	0
Iprovalicarb	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Kresoxim-methyl	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.05	0
Lambda-Cyhalothrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.2	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Metalaxyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Methamidophos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Methidathion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.2	0
Methomyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Monocrotophos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0	0
Myclobutanil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.3	0
Omethoate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Oxadixyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Beans (with pods) Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Oxydemeton-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Parathion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl	0.020	0.020	2	2	0	0	0.010	0.010	0.010	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.02	0
Phenthoate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0	0
Phosalone	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Phosmet	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Pirimicarb	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	1	0
Pirimiphos-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Prochloraz	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Profenofos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0
Propargite	0.050	0.050	2	2	0	0	0.025	0.025	0.025	0.01	0
Propiconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Pyraclostrobin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Pyridaben	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Beans (with pods) Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Pyrimethanil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	2	0
Spiroxamine	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	2	0
Tebufenpyrad	0.010	0.010	2	2	0	0	0.005	0.005	0.005	1	0
Tetradifon	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Thiabendazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	1	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Thiodicarb	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Thiophanate-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0
Tolclofos-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0
Tolyfluanid	0.020	0.020	2	2	0	0	0.010	0.010	0.010	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.020	0.020	2	2	0	0	0.010	0.010	0.010	3	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.5	0
Vinclozolin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Zoxamide	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Acephate	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.02	0
Acetamiprid	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.01	0
Azinphos-methyl	0.050	0.050	35	35	0	0	0.025	0.025	0.025	0.05	0
Azoxystrobin	0.010	0.010	35	35	0	0	0.005	0.005	0.005	.	0
Benfuracarb	0.050	0.050	35	35	0	0	0.025	0.025	0.025	0.05	0
Bifenthrin	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.5	0
Bitertanol	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.05	0
Boscalid	0.020	0.020	35	35	0	0	0.010	0.010	0.010	2	0
Bromopropylate	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.01	0
Bupirimate	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.050	0.050	35	35	0	0	0.025	0.025	0.025	1	0
Carbaryl	0.050	0.050	35	35	0	0	0.025	0.025	0.025	0.05	0
Carbofuran (sum)	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.02	0
Carbosulfan	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.02	0
Chlorothalonil	0.010	0.010	35	35	0	0	0.005	0.005	0.005	5	0
Chlorpyrifos	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.05	0
Cyfluthrin (sum)	0.020	0.020	35	35	0	0	0.010	0.010	0.010	.	0
Cypermethrin (sum)	0.020	0.020	35	35	0	0	0.010	0.010	0.010	.	0
Cyproconazole	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	35	35	0	0	0.005	0.005	0.005	2	0
Deltamethrin	0.025	0.025	35	35	0	0	0.013	0.013	0.013	0.2	0
Diazinon	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.01	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Dichlofluanid	0.010	0.010	35	35	0	0	0.005	0.005	0.005	.	0
Dichlorvos	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	35	35	0	0	0.005	0.005	0.005	2	0
Dicofol (sum)	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.02	0
Difenoconazole	0.010	0.010	35	35	0	0	0.005	0.005	0.005	1	0
Dimethoate (sum)	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.05	0
Diphenylamine	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.05	0
Endosulfan (sum)	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.05	0
Epoxiconazole	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.01	0
Fenamiphos	0.010	0.010	35	35	0	0	0.005	0.005	0.005	.	0
Fenarimol	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.02	0
Fenhexamid	0.050	0.050	35	35	0	0	0.025	0.025	0.025	2	0
Fenitrothion	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.05	0
Fenthion	0.010	0.010	35	35	0	0	0.005	0.005	0.005	.	0
Fludioxonil	0.020	0.020	35	35	0	0	0.010	0.010	0.010	1	0
Fluquinconazole	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.05	0
Flusilazole	0.010	0.010	35	34	1	0	0.020	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.05	0
Hexaconazole	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.02	0
Hexythiazox	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.5	0
Imazalil	0.010	0.010	35	35	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Imidacloprid	0.020	0.020	35	35	0	0	0.010	0.010	0.010	2	0
Iprovalicarb	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.05	0
Kresoxim-methyl	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.05	0
Lambda-Cyhalothrin	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.2	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.02	0
Mepanipyrim	0.010	0.010	35	35	0	0	0.005	0.005	0.005	.	0
Metalaxyl	0.020	0.020	34	34	0	0	0.010	0.010	0.010	.	0
	0.020	0.020	1	0	1	0	0.050	0.050	0.050	0.05	0
Metconazole	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.010	35	35	0	0	0.005	0.005	0.005	.	0
Methidathion	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.02	0
Methiocarb-Sulfoxid	0.010	0.010	35	35	0	0	0.005	0.005	0.005	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	35	35	0	0	0.005	0.005	0.005	.	0
Monocrotophos	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0	0
Myclobutanil	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.3	0
Oxadixyl	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl	0.010	0.010	35	35	0	0	0.005	0.005	0.005	.	0
Parathion	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.05	0
Pendimethalin	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Phosalone	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.05	0
Phosmet	0.025	0.025	35	35	0	0	0.013	0.013	0.013	.	0
Pirimicarb	0.010	0.010	35	35	0	0	0.005	0.005	0.005	.	0
Pirimiphos-methyl	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.05	0
Prochloraz	0.010	0.010	35	35	0	0	0.005	0.005	0.005	.	0
Procymidone	0.020	0.020	35	35	0	0	0.010	0.010	0.010	.	0
Profenofos	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.05	0
Propargite	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.01	0
Propiconazole	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.02	0
Pyrimethanil	0.010	0.010	35	34	1	0	0.040	0.006	0.005	2	0
Quinoxifen	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.02	0
Tebuconazole	0.020	0.020	35	35	0	0	0.010	0.010	0.010	2	0
Tebufenozide	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.05	0
Thiabendazole	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.05	0
Thiametoxam	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.05	0
Thiophanate-methyl	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.1	0
Tolclofos-methyl	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.1	0
Tolyfluanid	0.020	0.020	35	35	0	0	0.010	0.010	0.010	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.050	0.050	35	35	0	0	0.025	0.025	0.025	0.1	0
Triazophos	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.5	0
Trifluralin	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.5	0
Triticonazole	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Vinclozolin	0.050	0.050	35	35	0	0	0.025	0.025	0.025	.	0
Zoxamide	0.020	0.020	35	35	0	0	0.010	0.010	0.010	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL			Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Above MRL						
Acephate	0.010	0.020	65	65	0	0	0.010	0.008	0.010	0.02	0
Acetamiprid	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0.01	0
Acrinathrin	0.020	0.020	23	23	0	0	0.010	0.010	0.010	0.05	0
Aldicarb (sum)	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.02	0
Azinphos-methyl	0.020	0.050	66	66	0	0	0.025	0.020	0.025	0.05	0
Azoxystrobin	0.010	0.010	65	65	0	0	0.005	0.005	0.005	.	0
Benfuracarb	0.050	0.050	42	42	0	0	0.025	0.025	0.025	0.05	0
Bifenthrin	0.010	0.050	66	65	0	1	0.099	0.007	0.005	0.05	0
Bitertanol	0.020	0.050	65	65	0	0	0.025	0.015	0.010	0.05	0
Boscalid	0.010	0.020	65	65	0	0	0.010	0.008	0.010	1	0
Bromopropylate	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.020	0.050	65	63	2	0	0.042	0.020	0.025	0.05	0
Captan	0.010	0.020	66	66	0	0	0.010	0.010	0.010	0.1	0
Carbaryl	0.010	0.050	66	66	0	0	0.025	0.018	0.025	0.05	0
Carbendazim	0.010	0.010	23	23	0	0	0.005	0.005	0.005	.	0
Carbendazim and benomyl	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.1	0
Carbofuran	0.020	0.020	1	1	0	0	0.010	0.010	0.010	.	0
Carbofuran (sum)	0.010	0.020	65	65	0	0	0.010	0.008	0.010	0.02	0
Carbosulfan	0.010	0.020	65	65	0	0	0.010	0.008	0.010	0.1	0
Chlorfenvinphos	0.010	0.020	65	65	0	0	0.010	0.008	0.010	0.5	0
Chlorothalonil	0.010	0.010	66	66	0	0	0.005	0.005	0.005	1	0
Chlorpyrifos	0.010	0.010	66	60	6	0	0.100	0.011	0.005	0.1	0
Chlorpyrifos-methyl	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.05	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Cyfluthrin (sum)	0.020	0.020	66	66	0	0	0.010	0.010	0.010	0.02	0
Cypermethrin (sum)	0.010	0.050	66	66	0	0	0.025	0.008	0.010	0.05	0
Cyproconazole	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	65	64	1	0	0.040	0.006	0.005	2	0
Deltamethrin	0.010	0.050	66	66	0	0	0.025	0.010	0.013	0.05	0
Diazinon	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	65	65	0	0	0.005	0.005	0.005	.	0
Dichlorvos	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.020	65	65	0	0	0.010	0.007	0.005	0.1	0
Dicofol (sum)	0.010	0.020	65	65	0	0	0.010	0.008	0.010	0.02	0
Difenoconazole	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0.3	0
Dimethoate	0.010	0.020	24	24	0	0	0.010	0.005	0.005	.	0
Dimethoate (sum)	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.020	0.020	42	42	0	0	0.010	0.010	0.010	0.05	0
Diphenylamine	0.010	0.020	65	65	0	0	0.010	0.007	0.005	0.05	0
EPN	0.020	0.020	23	23	0	0	0.010	0.010	0.010	.	0
Endosulfan (sum)	0.010	0.050	66	66	0	0	0.025	0.008	0.010	0.05	0
Epoxiconazole	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0.01	0
Etofenprox	0.020	0.020	23	23	0	0	0.010	0.010	0.010	0.01	0
Fenamiphos	0.010	0.010	42	42	0	0	0.005	0.005	0.005	.	0
Fenarimol	0.010	0.020	65	65	0	0	0.010	0.008	0.010	0.02	0
Fenhexamid	0.010	0.050	65	65	0	0	0.025	0.018	0.025	0.05	0
Fenitrothion	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Fenoxycarb	0.010	0.020	65	65	0	0	0.010	0.008	0.010	0.05	0
Fenpropathrin	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.01	0
Fenthion	0.010	0.010	65	65	0	0	0.005	0.005	0.005	.	0
Fenthion (sum)	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.01	0
Fludioxonil	0.010	0.020	65	65	0	0	0.010	0.008	0.010	1	0
Fluquinconazole	0.020	0.020	42	42	0	0	0.010	0.010	0.010	0.05	0
Flusilazole	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.2	0
Folpet	0.010	0.020	24	24	0	0	0.010	0.010	0.010	0.02	0
Hexaconazole	0.010	0.020	65	65	0	0	0.010	0.007	0.005	0.02	0
Hexythiazox	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.5	0
Imazalil	0.010	0.010	65	65	0	0	0.005	0.005	0.005	.	0
Imidacloprid	0.010	0.020	65	65	0	0	0.010	0.008	0.010	.	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.02	0
Iprodione	0.010	0.010	24	22	2	0	0.103	0.012	0.005	0.5	0
Iprovalicarb	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0.05	0
Kresoxim-methyl	0.020	0.020	65	65	0	0	0.010	0.010	0.010	0.05	0
Lambda-Cyhalothrin	0.010	0.020	66	66	0	0	0.010	0.008	0.010	0.02	0
Malathion	0.010	0.010	1	1	0	0	0.005	0.005	0.005	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.020	65	65	0	0	0.010	0.008	0.010	0.02	0
Mepanipyrim	0.010	0.010	42	42	0	0	0.005	0.005	0.005	.	0
Metalaxyl	0.010	0.020	65	65	0	0	0.010	0.008	0.010	.	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.1	0
Metconazole	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Methamidophos	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.010	0.020	66	66	0	0	0.010	0.008	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.1	0
Methiocarb-Sulfoxid	0.010	0.010	42	42	0	0	0.005	0.005	0.005	.	0
Methomyl	0.010	0.010	23	23	0	0	0.005	0.005	0.005	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	65	65	0	0	0.005	0.005	0.005	.	0
Monocrotophos	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0	0
Myclobutanil	0.010	0.020	65	65	0	0	0.010	0.008	0.010	0.2	0
Omethoate	0.010	0.010	23	23	0	0	0.005	0.005	0.005	.	0
Oxadixyl	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0.05	0
Oxamyl	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl	0.010	0.010	65	65	0	0	0.005	0.005	0.005	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	23	23	0	0	0.005	0.005	0.005	.	0
Parathion	0.010	0.020	66	66	0	0	0.010	0.008	0.010	0.05	0
Parathion-methyl	0.010	0.020	24	24	0	0	0.010	0.010	0.010	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	65	65	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.020	0.020	42	42	0	0	0.010	0.010	0.010	0.05	0
Pendimethalin	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.2	0
Phenthoate	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0	0
Phosalone	0.010	0.050	66	66	0	0	0.025	0.008	0.010	0.05	0
Phosmet	0.010	0.025	65	65	0	0	0.013	0.010	0.013	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.05	0
Pirimicarb	0.010	0.010	65	65	0	0	0.005	0.005	0.005	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.5	0
Pirimiphos-methyl	0.010	0.010	66	66	0	0	0.005	0.005	0.005	1	0
Prochloraz	0.010	0.010	65	65	0	0	0.005	0.005	0.005	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.020	65	65	0	0	0.010	0.008	0.010	0.02	0
Profenofos	0.010	0.020	65	65	0	0	0.010	0.008	0.010	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	23	23	0	0	0.005	0.005	0.005	10	0
Propargite	0.010	0.050	65	65	0	0	0.025	0.012	0.005	0.01	0
Propiconazole	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.020	65	65	0	0	0.010	0.008	0.010	0.02	0
Pyraclostrobin	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.1	0
Pyridaben	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	65	64	1	0	0.050	0.006	0.005	1	0
Quinoxifen	0.020	0.020	42	42	0	0	0.010	0.010	0.010	0.02	0
Spiroxamine	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.020	65	64	1	0	0.022	0.008	0.010	0.5	0
Tebufenozide	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.05	0
Tetradifon	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.02	0
Thiabendazole	0.010	0.020	65	65	0	0	0.010	0.008	0.010	0.05	0
Thiacloprid	0.010	0.010	23	23	0	0	0.005	0.005	0.005	.	0
Thiametoxam	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Above MRL						
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	23	23	0	0	0.005	0.005	0.005	.	0
Thiodicarb	0.010	0.010	23	23	0	0	0.005	0.005	0.005	.	0
Thiophanate-methyl	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0.1	0
Tolclofos-methyl	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0.5	0
Tolyfluanid	0.020	0.020	65	65	0	0	0.010	0.010	0.010	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.020	0.020	23	23	0	0	0.010	0.010	0.010	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	65	65	0	0	0.025	0.018	0.025	0.1	0
Triazophos	0.010	0.010	65	65	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.020	65	65	0	0	0.010	0.008	0.010	0.05	0
Trifluralin	0.010	0.010	42	41	1	0	0.100	0.007	0.005	1	0
Triticonazole	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin	0.010	0.050	65	65	0	0	0.025	0.018	0.025	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	23	23	0	0	0.005	0.005	0.005	.	0
Zoxamide	0.010	0.020	65	65	0	0	0.010	0.008	0.010	0.02	0
tau-Fluvalinate	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL			Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Above MRL						
Acephate	0.010	0.020	84	84	0	0	0.010	0.009	0.010	0.02	0
Acetamiprid	0.010	0.010	1	0	1	0	0.077	0.077	0.077	1	0
	0.010	0.010	83	81	2	0	0.057	0.006	0.005	0.3	0
Acrinathrin	0.020	0.020	21	21	0	0	0.010	0.010	0.010	0.1	0
Aldicarb (sum)	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.02	0
Azinphos-methyl	0.020	0.050	92	92	0	0	0.025	0.021	0.025	0.2	0
Azoxystrobin	0.010	0.010	90	90	0	0	0.005	0.005	0.005	1	0
Benfuracarb	0.050	0.050	63	63	0	0	0.025	0.025	0.025	0.05	0
Bifenthrin	0.010	0.050	92	91	1	0	0.040	0.006	0.005	0.1	0
Bitertanol	0.020	0.050	84	84	0	0	0.025	0.014	0.010	0.5	0
Boscalid	0.010	0.010	1	0	1	0	0.071	0.071	0.071	3	0
	0.010	0.020	83	82	1	0	0.120	0.010	0.010	0.2	0
Bromopropylate	0.010	0.010	90	90	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.010	84	84	0	0	0.005	0.005	0.005	1	0
Buprofezin	0.020	0.050	84	84	0	0	0.025	0.021	0.025	1	0
Captan	0.010	0.020	92	92	0	0	0.010	0.010	0.010	0.02	0
Carbaryl	0.010	0.050	92	92	0	0	0.025	0.019	0.025	0.05	0
Carbendazim	0.010	0.010	19	19	0	0	0.005	0.005	0.005	.	0
	0.010	0.010	1	0	0	1	0.163	0.163	0.163	0.1	0
	0.010	0.010	1	0	0	1	0.312	0.312	0.312	0.2	0
Carbendazim and benomyl	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.1	0
Carbofuran	0.020	0.020	2	2	0	0	0.010	0.010	0.010	.	0
Carbofuran (sum)	0.010	0.020	90	90	0	0	0.010	0.009	0.010	0.02	0
Carbosulfan	0.010	0.020	90	90	0	0	0.010	0.009	0.010	0.05	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Chlorfenvinphos	0.010	0.020	84	84	0	0	0.010	0.009	0.010	0.02	0
Chlorothalonil	0.010	0.010	92	84	8	0	0.253	0.012	0.005	1	0
Chlorpyrifos	0.010	0.010	92	92	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	92	91	1	0	0.030	0.005	0.005	0.05	0
Cyfluthrin (sum)	0.020	0.020	92	92	0	0	0.010	0.010	0.010	0.1	0
Cypermethrin (sum)	0.010	0.050	92	91	1	0	0.034	0.009	0.010	0.2	0
Cyproconazole	0.010	0.010	84	84	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	84	81	3	0	0.110	0.007	0.005	0.5	0
Deltamethrin	0.010	0.050	92	92	0	0	0.025	0.011	0.013	0.2	0
Diazinon	0.010	0.010	92	92	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	84	84	0	0	0.005	0.005	0.005	.	0
Dichlorvos	0.010	0.010	92	92	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.020	84	84	0	0	0.010	0.006	0.005	0.3	0
Dicofol (sum)	0.010	0.020	90	90	0	0	0.010	0.009	0.010	0.2	0
Difenoconazole	0.010	0.010	84	84	0	0	0.005	0.005	0.005	0.1	0
Dimethoate	0.010	0.020	29	29	0	0	0.010	0.005	0.005	.	0
Dimethoate (sum)	0.010	0.010	90	90	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.020	0.020	63	63	0	0	0.010	0.010	0.010	1	0
Diphenylamine	0.010	0.020	84	84	0	0	0.010	0.006	0.005	0.05	0
EPN	0.020	0.020	21	21	0	0	0.010	0.010	0.010	.	0
Endosulfan (sum)	0.010	0.050	92	92	0	0	0.025	0.009	0.010	0.05	0
Epoxiconazole	0.010	0.010	84	84	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.010	90	90	0	0	0.005	0.005	0.005	0.01	0
Etofenprox	0.020	0.020	21	21	0	0	0.010	0.010	0.010	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Fenamiphos	0.010	0.010	63	63	0	0	0.005	0.005	0.005	.	0
Fenarimol	0.010	0.020	84	84	0	0	0.010	0.009	0.010	0.2	0
Fenhexamid	0.010	0.050	84	84	0	0	0.025	0.020	0.025	1	0
Fenitrothion	0.010	0.010	84	84	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.020	84	84	0	0	0.010	0.009	0.010	0.05	0
Fenpropathrin	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Fenthion	0.010	0.010	84	84	0	0	0.005	0.005	0.005	.	0
Fenthion (sum)	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Fludioxonil	0.010	0.020	84	83	1	0	0.060	0.009	0.010	1	0
Fluquinconazole	0.020	0.020	63	63	0	0	0.010	0.010	0.010	0.05	0
Flusilazole	0.010	0.010	63	63	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	63	63	0	0	0.005	0.005	0.005	0.05	0
Folpet	0.010	0.020	29	29	0	0	0.010	0.010	0.010	0.02	0
Hexaconazole	0.010	0.020	84	84	0	0	0.010	0.006	0.005	0.02	0
Hexythiazox	0.010	0.010	63	63	0	0	0.005	0.005	0.005	0.5	0
Imazalil	0.010	0.010	84	83	1	0	0.030	0.005	0.005	0.2	0
Imidacloprid	0.010	0.020	84	84	0	0	0.010	0.009	0.010	1	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.2	0
Iprodione	0.010	0.010	29	29	0	0	0.005	0.005	0.005	2	0
Iprovalicarb	0.010	0.010	84	84	0	0	0.005	0.005	0.005	0.1	0
Kresoxim-methyl	0.020	0.020	90	90	0	0	0.010	0.010	0.010	0.05	0
Lambda-Cyhalothrin	0.010	0.020	92	92	0	0	0.010	0.009	0.010	0.1	0
Malathion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.020	90	90	0	0	0.010	0.009	0.010	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Above MRL						
Mepanipyrim	0.010	0.010	63	63	0	0	0.005	0.005	0.005	.	0
Metalaxyl	0.010	0.020	82	82	0	0	0.010	0.009	0.010	.	0
	0.010	0.020	2	0	2	0	0.090	0.062	0.062	0.5	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.5	0
Metconazole	0.010	0.010	63	63	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.010	84	84	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.010	0.020	92	92	0	0	0.010	0.009	0.010	0.05	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.2	0
Methiocarb-Sulfoxid	0.010	0.010	63	63	0	0	0.005	0.005	0.005	.	0
Methomyl	0.010	0.010	21	21	0	0	0.005	0.005	0.005	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	84	84	0	0	0.005	0.005	0.005	.	0
Monocrotophos	0.010	0.010	84	84	0	0	0.005	0.005	0.005	0	0
Myclobutanil	0.010	0.020	84	84	0	0	0.010	0.009	0.010	0.1	0
Omethoate	0.010	0.010	27	27	0	0	0.005	0.005	0.005	.	0
Oxadixyl	0.010	0.010	84	84	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	84	84	0	0	0.005	0.005	0.005	0.02	0
Oxydemeton-methyl	0.010	0.010	84	84	0	0	0.005	0.005	0.005	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	21	21	0	0	0.005	0.005	0.005	.	0
Parathion	0.010	0.020	92	92	0	0	0.010	0.008	0.010	0.05	0
Parathion-methyl	0.010	0.020	29	29	0	0	0.010	0.009	0.010	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.010	0.020	90	90	0	0	0.010	0.010	0.010	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Penconazole	0.010	0.010	63	63	0	0	0.005	0.005	0.005	0.1	0
Pencycuron	0.020	0.020	63	63	0	0	0.010	0.010	0.010	0.05	0
Pendimethalin	0.010	0.010	63	63	0	0	0.005	0.005	0.005	0.05	0
Phenthoate	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0	0
Phosalone	0.010	0.050	92	92	0	0	0.025	0.009	0.010	0.05	0
Phosmet	0.010	0.025	84	84	0	0	0.013	0.011	0.013	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.05	0
Pirimicarb	0.010	0.010	84	84	0	0	0.005	0.005	0.005	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	21	21	0	0	0.005	0.005	0.005	1	0
Pirimiphos-methyl	0.010	0.010	92	92	0	0	0.005	0.005	0.005	0.1	0
Prochloraz	0.010	0.010	84	84	0	0	0.005	0.005	0.005	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.020	84	84	0	0	0.010	0.009	0.010	.	0
Profenofos	0.010	0.020	84	84	0	0	0.010	0.009	0.010	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	21	14	7	0	0.401	0.056	0.005	10	0
Propargite	0.010	0.050	84	84	0	0	0.025	0.010	0.005	0.01	0
Propiconazole	0.010	0.010	84	84	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.020	84	84	0	0	0.010	0.009	0.010	0.02	0
Pyraclostrobin	0.010	0.010	21	21	0	0	0.005	0.005	0.005	.	0
Pyridaben	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.1	0
Pyrimethanil	0.010	0.010	84	82	2	0	0.090	0.007	0.005	1	0
Quinoxifen	0.020	0.020	63	63	0	0	0.010	0.010	0.010	0.02	0
Spiroxamine	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.020	84	84	0	0	0.010	0.009	0.010	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Tebufenozide	0.010	0.010	63	63	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.1	0
Tetradifon	0.010	0.010	21	21	0	0	0.005	0.005	0.005	2	0
Thiabendazole	0.010	0.020	84	84	0	0	0.010	0.009	0.010	0.05	0
Thiacloprid	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.3	0
Thiametoxam	0.010	0.010	63	63	0	0	0.005	0.005	0.005	0.3	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	.	0
	0.010	0.010	1	0	1	0	0.188	0.188	0.188	0.3	0
Thiodicarb	0.010	0.010	21	21	0	0	0.005	0.005	0.005	.	0
Thiophanate-methyl	0.010	0.010	84	82	2	0	0.059	0.006	0.005	0.1	0
Tolclofos-methyl	0.010	0.010	84	84	0	0	0.005	0.005	0.005	0.05	0
Tolyfluanid	0.020	0.020	84	84	0	0	0.010	0.010	0.010	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.020	0.020	21	21	0	0	0.010	0.010	0.010	2	0
Triadimefon	0.010	0.010	6	6	0	0	0.005	0.005	0.005	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	90	90	0	0	0.025	0.019	0.025	.	0
Triazophos	0.010	0.010	84	84	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.020	84	84	0	0	0.010	0.009	0.010	0.2	0
Trifluralin	0.010	0.010	63	63	0	0	0.005	0.005	0.005	0.5	0
Triticonazole	0.010	0.010	63	63	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin	0.010	0.050	90	90	0	0	0.025	0.019	0.025	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	27	27	0	0	0.005	0.005	0.005	1	0
Zoxamide	0.010	0.020	84	84	0	0	0.010	0.009	0.010	0.02	0
tau-Fluvalinate	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL			Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Above MRL						
Acephate	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.02	0
Acetamiprid	0.010	0.010	40	40	0	0	0.005	0.005	0.005	1	0
Azinphos-methyl	0.050	0.050	41	41	0	0	0.025	0.025	0.025	0.05	0
Azoxystrobin	0.010	0.010	40	40	0	0	0.005	0.005	0.005	.	0
Benfuracarb	0.050	0.050	40	40	0	0	0.025	0.025	0.025	0.05	0
Bifenthrin	0.010	0.050	41	41	0	0	0.025	0.005	0.005	0.1	0
Bitertanol	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.05	0
Boscalid	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.05	0
Bromopropylate	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.01	0
Bupirimate	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.050	0.050	40	40	0	0	0.025	0.025	0.025	1	0
Captan	0.010	0.020	41	41	0	0	0.010	0.010	0.010	0.02	0
Carbaryl	0.050	0.050	41	41	0	0	0.025	0.025	0.025	0.05	0
Carbofuran	0.020	0.020	1	1	0	0	0.010	0.010	0.010	.	0
Carbofuran (sum)	0.020	0.020	40	37	3	0	0.160	0.017	0.010	0.3	0
Carbosulfan	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.02	0
Chlorothalonil	0.010	0.010	41	41	0	0	0.005	0.005	0.005	0.01	0
Chlorpyrifos	0.010	0.010	41	27	14	0	0.500	0.054	0.005	2	0
Chlorpyrifos-methyl	0.010	0.010	41	40	1	0	0.050	0.006	0.005	1	0
Cyfluthrin (sum)	0.020	0.020	41	41	0	0	0.010	0.010	0.010	0.02	0
Cypermethrin (sum)	0.020	0.050	41	41	0	0	0.025	0.010	0.010	2	0
Cyproconazole	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	40	39	1	0	0.020	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Above MRL						
Deltamethrin	0.025	0.050	41	41	0	0	0.025	0.013	0.013	0.05	0
Diazinon	0.010	0.010	41	41	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	40	40	0	0	0.005	0.005	0.005	.	0
Dichlorvos	0.010	0.010	41	41	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.1	0
Dicofol (sum)	0.020	0.020	40	40	0	0	0.010	0.010	0.010	2	0
Difenoconazole	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.1	0
Dimethoate	0.020	0.020	1	1	0	0	0.010	0.010	0.010	.	0
Dimethoate (sum)	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.05	0
Diphenylamine	0.010	0.010	40	39	1	0	0.030	0.006	0.005	0.05	0
Endosulfan (sum)	0.020	0.050	41	41	0	0	0.025	0.010	0.010	0.05	0
Epoxiconazole	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.01	0
Fenamiphos	0.010	0.010	40	40	0	0	0.005	0.005	0.005	.	0
Fenarimol	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.02	0
Fenhexamid	0.050	0.050	40	40	0	0	0.025	0.025	0.025	0.05	0
Fenitrothion	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.020	0.020	40	39	1	0	0.020	0.010	0.010	2	0
Fenthion	0.010	0.010	40	40	0	0	0.005	0.005	0.005	.	0
Fludioxonil	0.020	0.020	40	40	0	0	0.010	0.010	0.010	7	0
Fluquinconazole	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.05	0
Flusilazole	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.1	0
Flutriafol	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Folpet	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Hexaconazole	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.02	0
Hexythiazox	0.010	0.010	40	40	0	0	0.005	0.005	0.005	1	0
Imazalil	0.010	0.010	40	37	3	0	1.430	0.068	0.005	5	0
Imidacloprid	0.020	0.020	40	40	0	0	0.010	0.010	0.010	1	0
Iprodione	0.010	0.010	1	1	0	0	0.005	0.005	0.005	1	0
Iprovalicarb	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.05	0
Kresoxim-methyl	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.05	0
Lambda-Cyhalothrin	0.020	0.020	41	41	0	0	0.010	0.010	0.010	0.2	0
Malathion	0.010	0.010	1	1	0	0	0.005	0.005	0.005	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.02	0
Mepanipyrim	0.010	0.010	40	40	0	0	0.005	0.005	0.005	.	0
Metalaxyl	0.020	0.020	40	40	0	0	0.010	0.010	0.010	.	0
Metconazole	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.020	0.020	41	41	0	0	0.010	0.010	0.010	5	0
Methiocarb-Sulfoxid	0.010	0.010	40	40	0	0	0.005	0.005	0.005	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	40	40	0	0	0.005	0.005	0.005	.	0
Monocrotophos	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0	0
Myclobutanil	0.020	0.020	40	40	0	0	0.010	0.010	0.010	3	0
Oxadixyl	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.02	0
Oxydemeton-methyl	0.010	0.010	40	40	0	0	0.005	0.005	0.005	.	0
Parathion	0.010	0.020	41	41	0	0	0.010	0.010	0.010	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Parathion-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.05	0
Pendimethalin	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.05	0
Phosalone	0.020	0.050	41	41	0	0	0.025	0.010	0.010	0.05	0
Phosmet	0.025	0.025	40	40	0	0	0.013	0.013	0.013	.	0
Pirimicarb	0.010	0.010	40	40	0	0	0.005	0.005	0.005	.	0
Pirimiphos-methyl	0.010	0.010	41	41	0	0	0.005	0.005	0.005	2	0
Prochloraz	0.010	0.010	40	40	0	0	0.005	0.005	0.005	.	0
Procymidone	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.02	0
Profenofos	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.05	0
Propargite	0.010	0.010	40	40	0	0	0.005	0.005	0.005	3	0
Propiconazole	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.02	0
Pyrimethanil	0.010	0.010	40	36	4	0	0.040	0.007	0.005	10	0
Quinoxifen	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.02	0
Tebuconazole	0.020	0.020	40	40	0	0	0.010	0.010	0.010	.	0
Tebufenozide	0.010	0.010	40	40	0	0	0.005	0.005	0.005	2	0
Thiabendazole	0.020	0.020	40	37	3	0	2.080	0.082	0.010	5	0
Thiametoxam	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.2	0
Thiophanate-methyl	0.010	0.010	40	40	0	0	0.005	0.005	0.005	.	0
Tolclofos-methyl	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.05	0
Tolyfluanid	0.020	0.020	40	40	0	0	0.010	0.010	0.010	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Triadimefon (sum of Triadimefon and Triadimenol)	0.050	0.050	40	40	0	0	0.025	0.025	0.025	0.1	0
Triazophos	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.3	0
Trifluralin	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.1	0
Triticonazole	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin	0.050	0.050	40	40	0	0	0.025	0.025	0.025	.	0
Zoxamide	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL			Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Above MRL						
Acephate	0.010	0.020	93	93	0	0	0.010	0.008	0.010	0.02	0
Acetamiprid	0.010	0.010	93	93	0	0	0.005	0.005	0.005	1	0
Acrinathrin	0.020	0.020	33	33	0	0	0.010	0.010	0.010	0.2	0
Aldicarb (sum)	0.010	0.010	33	33	0	0	0.005	0.005	0.005	0.02	0
Azinphos-methyl	0.020	0.050	99	99	0	0	0.025	0.020	0.025	0.05	0
Azoxystrobin	0.010	0.010	93	93	0	0	0.005	0.005	0.005	.	0
	0.010	0.010	3	0	3	0	0.127	0.077	0.079	15	0
Benfuracarb	0.050	0.050	60	60	0	0	0.025	0.025	0.025	0.05	0
Bifenthrin	0.010	0.050	99	99	0	0	0.025	0.006	0.005	0.1	0
Bitertanol	0.020	0.050	93	93	0	0	0.025	0.015	0.010	0.05	0
Boscalid	0.010	0.020	93	93	0	0	0.010	0.008	0.010	0.05	0
Bromopropylate	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.01	0
Bupirimate	0.010	0.010	93	93	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.020	0.050	93	93	0	0	0.025	0.020	0.025	1	0
Captan	0.010	0.020	99	99	0	0	0.010	0.010	0.010	0.02	0
Carbaryl	0.010	0.050	99	99	0	0	0.025	0.018	0.025	0.05	0
Carbendazim	0.010	0.010	31	31	0	0	0.005	0.005	0.005	.	0
	0.010	0.010	2	0	2	0	0.050	0.038	0.038	0.5	0
Carbendazim and benomyl	0.010	0.010	33	33	0	0	0.005	0.005	0.005	0.5	0
Carbofuran	0.020	0.020	3	3	0	0	0.010	0.010	0.010	.	0
Carbofuran (sum)	0.010	0.020	96	96	0	0	0.010	0.008	0.010	0.3	0
Carbosulfan	0.010	0.020	96	96	0	0	0.010	0.008	0.010	0.05	0
Chlorfenvinphos	0.010	0.020	93	93	0	0	0.010	0.008	0.010	0.02	0
Chlorothalonil	0.010	0.010	99	99	0	0	0.005	0.005	0.005	0.01	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Chlorpyrifos	0.010	0.010	1	0	1	0	0.020	0.020	0.020	0.2	0
	0.010	0.010	98	73	25	0	0.270	0.020	0.005	0.3	0
Chlorpyrifos-methyl	0.010	0.010	99	99	0	0	0.005	0.005	0.005	0.5	0
Cyfluthrin (sum)	0.020	0.020	99	99	0	0	0.010	0.010	0.010	0.02	0
Cypermethrin (sum)	0.010	0.050	99	99	0	0	0.025	0.009	0.010	2	0
Cyproconazole	0.010	0.010	93	93	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	93	93	0	0	0.005	0.005	0.005	0.05	0
Deltamethrin	0.010	0.050	99	99	0	0	0.025	0.010	0.013	0.05	0
Diazinon	0.010	0.010	99	99	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	93	93	0	0	0.005	0.005	0.005	.	0
Dichlorvos	0.010	0.010	99	99	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.020	93	93	0	0	0.010	0.007	0.005	0.1	0
Dicofol (sum)	0.010	0.020	96	95	1	0	0.070	0.009	0.010	2	0
Difenoconazole	0.010	0.010	93	93	0	0	0.005	0.005	0.005	0.1	0
Dimethoate	0.010	0.020	39	39	0	0	0.010	0.005	0.005	.	0
Dimethoate (sum)	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.020	0.020	60	60	0	0	0.010	0.010	0.010	0.05	0
Diphenylamine	0.010	0.020	93	93	0	0	0.010	0.007	0.005	0.05	0
EPN	0.020	0.020	33	33	0	0	0.010	0.010	0.010	.	0
Endosulfan (sum)	0.010	0.050	99	99	0	0	0.025	0.009	0.010	0.05	0
Epoxiconazole	0.010	0.010	93	93	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.01	0
Etofenprox	0.020	0.020	33	33	0	0	0.010	0.010	0.010	1	0
Fenamiphos	0.010	0.010	60	60	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Fenarimol	0.010	0.020	93	93	0	0	0.010	0.008	0.010	0.02	0
Fenhexamid	0.010	0.050	93	93	0	0	0.025	0.018	0.025	0.05	0
Fenitrothion	0.010	0.010	93	93	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.020	93	93	0	0	0.010	0.008	0.010	2	0
Fenpropathrin	0.010	0.010	33	33	0	0	0.005	0.005	0.005	2	0
Fenthion	0.010	0.010	93	93	0	0	0.005	0.005	0.005	.	0
Fenthion (sum)	0.010	0.010	33	33	0	0	0.005	0.005	0.005	3	0
Fludioxonil	0.010	0.020	93	93	0	0	0.010	0.008	0.010	7	0
Fluquinconazole	0.020	0.020	60	60	0	0	0.010	0.010	0.010	0.05	0
Flusilazole	0.010	0.010	60	60	0	0	0.005	0.005	0.005	0.1	0
Flutriafol	0.010	0.010	60	60	0	0	0.005	0.005	0.005	0.2	0
Folpet	0.010	0.020	39	39	0	0	0.010	0.010	0.010	0.02	0
Hexaconazole	0.010	0.020	93	93	0	0	0.010	0.007	0.005	0.02	0
Hexythiazox	0.010	0.010	60	60	0	0	0.005	0.005	0.005	1	0
Imazalil	0.010	0.010	92	67	25	0	1.669	0.127	0.005	5	0
	0.010	0.010	1	0	1	0	0.300	0.300	0.300	0.5	0
Imidacloprid	0.010	0.020	93	93	0	0	0.010	0.008	0.010	1	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	33	33	0	0	0.005	0.005	0.005	0.02	0
Iprodione	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.02	0
Iprovalicarb	0.010	0.010	93	93	0	0	0.005	0.005	0.005	0.05	0
Kresoxim-methyl	0.020	0.020	96	96	0	0	0.010	0.010	0.010	0.05	0
Lambda-Cyhalothrin	0.010	0.020	99	99	0	0	0.010	0.008	0.010	.	0
Malathion	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.020	96	96	0	0	0.010	0.008	0.010	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Mepanipyrim	0.010	0.010	60	60	0	0	0.005	0.005	0.005	.	0
Metalaxyl	0.010	0.020	93	93	0	0	0.010	0.008	0.010	.	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	33	33	0	0	0.005	0.005	0.005	0.5	0
Metconazole	0.010	0.010	60	60	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.010	93	93	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.010	0.020	99	99	0	0	0.010	0.008	0.010	5	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	33	33	0	0	0.005	0.005	0.005	0.1	0
Methiocarb-Sulfoxid	0.010	0.010	60	60	0	0	0.005	0.005	0.005	.	0
Methomyl	0.010	0.010	33	33	0	0	0.005	0.005	0.005	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	93	93	0	0	0.005	0.005	0.005	.	0
Monocrotophos	0.010	0.010	93	93	0	0	0.005	0.005	0.005	0	0
Myclobutanil	0.010	0.020	93	93	0	0	0.010	0.008	0.010	3	0
Omethoate	0.010	0.010	36	36	0	0	0.005	0.005	0.005	.	0
Oxadixyl	0.010	0.010	93	93	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	93	93	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl	0.010	0.010	93	93	0	0	0.005	0.005	0.005	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	33	33	0	0	0.005	0.005	0.005	.	0
Parathion	0.010	0.020	99	99	0	0	0.010	0.008	0.010	0.05	0
Parathion-methyl	0.010	0.020	39	39	0	0	0.010	0.009	0.010	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.010	0.020	96	96	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	60	60	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Pencycuron	0.020	0.020	60	60	0	0	0.010	0.010	0.010	0.05	0
Pendimethalin	0.010	0.010	60	60	0	0	0.005	0.005	0.005	0.05	0
Phenthoate	0.010	0.010	33	33	0	0	0.005	0.005	0.005	0	0
Phosalone	0.010	0.050	99	99	0	0	0.025	0.009	0.010	0.05	0
Phosmet	0.010	0.025	93	93	0	0	0.013	0.010	0.013	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	33	33	0	0	0.005	0.005	0.005	0.2	0
Pirimicarb	0.010	0.010	93	93	0	0	0.005	0.005	0.005	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	33	33	0	0	0.005	0.005	0.005	3	0
Pirimiphos-methyl	0.010	0.010	99	99	0	0	0.005	0.005	0.005	1	0
Prochloraz	0.010	0.010	88	88	0	0	0.005	0.005	0.005	.	0
	0.010	0.010	5	0	5	0	2.105	1.051	1.084	10	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	33	33	0	0	0.005	0.005	0.005	10	0
Procymidone	0.010	0.020	93	93	0	0	0.010	0.008	0.010	0.02	0
Profenofos	0.010	0.020	93	93	0	0	0.010	0.008	0.010	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	33	33	0	0	0.005	0.005	0.005	0.1	0
Propargite	0.010	0.050	93	93	0	0	0.025	0.012	0.005	3	0
Propiconazole	0.010	0.010	93	93	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.020	93	93	0	0	0.010	0.008	0.010	0.02	0
Pyraclostrobin	0.010	0.010	33	31	2	0	0.064	0.007	0.005	1	0
Pyridaben	0.010	0.010	33	33	0	0	0.005	0.005	0.005	0.5	0
Pyrimethanil	0.010	0.010	93	85	8	0	0.921	0.026	0.005	10	0
Quinoxifen	0.020	0.020	60	60	0	0	0.010	0.010	0.010	0.02	0
Spiroxamine	0.010	0.010	33	33	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.020	93	93	0	0	0.010	0.008	0.010	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Tebufenozide	0.010	0.010	60	60	0	0	0.005	0.005	0.005	2	0
Tebufenpyrad	0.010	0.010	33	33	0	0	0.005	0.005	0.005	0.5	0
Tetradifon	0.010	0.010	33	33	0	0	0.005	0.005	0.005	2	0
Thiabendazole	0.010	0.020	93	85	8	0	0.823	0.038	0.010	5	0
Thiacloprid	0.010	0.010	33	33	0	0	0.005	0.005	0.005	0.02	0
Thiametoxam	0.010	0.010	60	60	0	0	0.005	0.005	0.005	0.2	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	33	33	0	0	0.005	0.005	0.005	.	0
Thiodicarb	0.010	0.010	33	33	0	0	0.005	0.005	0.005	.	0
Thiophanate-methyl	0.010	0.010	92	92	0	0	0.005	0.005	0.005	.	0
	0.010	0.010	1	0	1	0	0.104	0.104	0.104	6	0
Tolclofos-methyl	0.010	0.010	93	93	0	0	0.005	0.005	0.005	0.05	0
Tolyfluanid	0.020	0.020	93	93	0	0	0.010	0.010	0.010	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.020	0.020	33	33	0	0	0.010	0.010	0.010	0.05	0
Triadimefon	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	96	96	0	0	0.025	0.017	0.025	0.1	0
Triazophos	0.010	0.010	93	93	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.020	93	93	0	0	0.010	0.008	0.010	0.3	0
Trifluralin	0.010	0.010	60	60	0	0	0.005	0.005	0.005	0.1	0
Triticonazole	0.010	0.010	60	60	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin	0.010	0.050	95	95	0	0	0.025	0.018	0.025	.	0
	0.010	0.010	1	0	1	0	0.024	0.024	0.024	0.05	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	36	36	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Zoxamide	0.010	0.020	93	93	0	0	0.010	0.008	0.010	0.02	0
tau-Fluvalinate	0.010	0.010	33	33	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL			Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Above MRL						
Acephate	0.010	0.020	79	79	0	0	0.010	0.009	0.010	0.02	0
Acetamiprid	0.010	0.010	79	78	1	0	0.010	0.005	0.005	0.1	0
Acrinathrin	0.020	0.020	18	18	0	0	0.010	0.010	0.010	0.1	0
Aldicarb (sum)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Azinphos-methyl	0.020	0.050	80	80	0	0	0.025	0.022	0.025	0.05	0
Azoxystrobin	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0.05	0
Benfuracarb	0.050	0.050	61	61	0	0	0.025	0.025	0.025	0.05	0
Bifenthrin	0.010	0.050	80	80	0	0	0.025	0.005	0.005	0.3	0
Bitertanol	0.020	0.050	79	79	0	0	0.025	0.013	0.010	2	0
Boscalid	0.010	0.020	79	73	6	0	0.680	0.028	0.010	2	0
Bromopropylate	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0.01	0
Bupirimate	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0.2	0
Buprofezin	0.020	0.050	79	79	0	0	0.025	0.022	0.025	0.5	0
Carbaryl	0.010	0.050	80	80	0	0	0.025	0.020	0.025	0.05	0
Carbendazim	0.010	0.010	18	18	0	0	0.005	0.005	0.005	.	0
Carbendazim and benomyl	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.2	0
Carbofuran	0.020	0.020	1	1	0	0	0.010	0.010	0.010	.	0
Carbofuran (sum)	0.010	0.020	79	79	0	0	0.010	0.009	0.010	0.02	0
Carbosulfan	0.010	0.020	79	79	0	0	0.010	0.009	0.010	0.05	0
Chlorfenvinphos	0.010	0.020	79	79	0	0	0.010	0.009	0.010	0.02	0
Chlorothalonil	0.010	0.010	80	79	1	0	0.050	0.006	0.005	1	0
Chlorpyrifos	0.010	0.010	80	67	13	0	0.106	0.012	0.005	0.5	0
Chlorpyrifos-methyl	0.010	0.010	80	80	0	0	0.005	0.005	0.005	0.5	0
Cyfluthrin (sum)	0.020	0.020	80	80	0	0	0.010	0.010	0.010	0.2	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Cypermethrin (sum)	0.010	0.050	80	80	0	0	0.025	0.009	0.010	1	0
Cyproconazole	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0.1	0
Cyprodinil	0.010	0.010	79	75	4	0	0.120	0.008	0.005	1	0
Deltamethrin	0.010	0.050	80	80	0	0	0.025	0.011	0.013	0.1	0
Diazinon	0.010	0.010	80	80	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	79	79	0	0	0.005	0.005	0.005	.	0
Dichlorvos	0.010	0.010	80	80	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.020	79	79	0	0	0.010	0.006	0.005	0.1	0
Dicofol (sum)	0.010	0.020	79	79	0	0	0.010	0.009	0.010	0.02	0
Difenoconazole	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0.5	0
Dimethoate	0.010	0.020	19	19	0	0	0.010	0.005	0.005	.	0
Dimethoate (sum)	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.020	0.020	61	61	0	0	0.010	0.010	0.010	0.05	0
Diphenylamine	0.010	0.020	79	77	2	0	0.780	0.016	0.005	10	0
EPN	0.020	0.020	18	18	0	0	0.010	0.010	0.010	.	0
Endosulfan (sum)	0.010	0.050	80	80	0	0	0.025	0.009	0.010	0.3	0
Epoxiconazole	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0.01	0
Etofenprox	0.020	0.020	18	18	0	0	0.010	0.010	0.010	1	0
Fenamiphos	0.010	0.010	61	61	0	0	0.005	0.005	0.005	.	0
Fenarimol	0.010	0.020	79	79	0	0	0.010	0.009	0.010	0.3	0
Fenhexamid	0.010	0.050	79	79	0	0	0.025	0.020	0.025	0.05	0
Fenitrothion	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.020	79	78	1	0	0.060	0.009	0.010	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Fenpropathrin	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Fenthion	0.010	0.010	79	79	0	0	0.005	0.005	0.005	.	0
Fenthion (sum)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Fludioxonil	0.010	0.020	79	77	2	0	0.100	0.011	0.010	5	0
Fluquinconazole	0.020	0.020	61	61	0	0	0.010	0.010	0.010	0.2	0
Flusilazole	0.010	0.010	61	61	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	61	61	0	0	0.005	0.005	0.005	0.05	0
Hexaconazole	0.010	0.020	79	79	0	0	0.010	0.006	0.005	0.1	0
Hexythiazox	0.010	0.010	61	61	0	0	0.005	0.005	0.005	1	0
Imazalil	0.010	0.010	79	79	0	0	0.005	0.005	0.005	2	0
Imidacloprid	0.010	0.020	79	77	2	0	0.178	0.011	0.010	0.5	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.3	0
Iprodione	0.010	0.010	19	19	0	0	0.005	0.005	0.005	5	0
Iprovalicarb	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0.05	0
Kresoxim-methyl	0.020	0.020	79	79	0	0	0.010	0.010	0.010	0.2	0
Lambda-Cyhalothrin	0.010	0.020	80	80	0	0	0.010	0.009	0.010	0.1	0
Malathion	0.010	0.010	1	1	0	0	0.005	0.005	0.005	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.020	79	79	0	0	0.010	0.009	0.010	0.02	0
Mepanipyrim	0.010	0.010	61	61	0	0	0.005	0.005	0.005	.	0
Metalaxyl	0.010	0.020	79	79	0	0	0.010	0.009	0.010	.	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	18	18	0	0	0.005	0.005	0.005	1	0
Metconazole	0.010	0.010	61	61	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.010	0.020	80	80	0	0	0.010	0.009	0.010	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.1	0
Methiocarb-Sulfoxid	0.010	0.010	61	61	0	0	0.005	0.005	0.005	.	0
Methomyl	0.010	0.010	18	18	0	0	0.005	0.005	0.005	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	79	79	0	0	0.005	0.005	0.005	.	0
Monocrotophos	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0	0
Myclobutanil	0.010	0.020	79	79	0	0	0.010	0.009	0.010	0.5	0
Omethoate	0.010	0.010	18	18	0	0	0.005	0.005	0.005	.	0
Oxadixyl	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl	0.010	0.010	79	79	0	0	0.005	0.005	0.005	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	.	0
Parathion	0.010	0.020	80	80	0	0	0.010	0.009	0.010	0.05	0
Parathion-methyl	0.010	0.020	19	19	0	0	0.010	0.010	0.010	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	79	79	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	61	61	0	0	0.005	0.005	0.005	0.2	0
Pencycuron	0.020	0.020	61	61	0	0	0.010	0.010	0.010	0.05	0
Pendimethalin	0.010	0.010	61	61	0	0	0.005	0.005	0.005	0.05	0
Phenthoate	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0	0
Phosalone	0.010	0.050	80	80	0	0	0.025	0.009	0.010	0.05	0
Phosmet	0.010	0.025	79	79	0	0	0.013	0.011	0.013	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.2	0
Pirimicarb	0.010	0.010	79	79	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Above MRL						
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	2	0
Pirimiphos-methyl	0.010	0.010	80	80	0	0	0.005	0.005	0.005	0.05	0
Prochloraz	0.010	0.010	78	78	0	0	0.005	0.005	0.005	.	0
	0.010	0.010	1	0	1	0	0.020	0.020	0.020	0.05	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.020	79	79	0	0	0.010	0.009	0.010	.	0
Profenofos	0.010	0.020	79	79	0	0	0.010	0.009	0.010	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	10	0
Propargite	0.010	0.050	79	79	0	0	0.025	0.010	0.005	3	0
Propiconazole	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.020	79	79	0	0	0.010	0.009	0.010	0.02	0
Pyraclostrobin	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.3	0
Pyridaben	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.5	0
Pyrimethanil	0.010	0.010	79	76	3	0	0.430	0.011	0.005	5	0
Quinoxifen	0.020	0.020	61	61	0	0	0.010	0.010	0.010	0.02	0
Spiroxamine	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.020	79	77	2	0	0.034	0.009	0.010	1	0
Tebufenozide	0.010	0.010	61	61	0	0	0.005	0.005	0.005	1	0
Tebufenpyrad	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.2	0
Tetradifon	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Thiabendazole	0.010	0.020	79	78	1	0	0.230	0.012	0.010	5	0
Thiacloprid	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.3	0
Thiametoxam	0.010	0.010	61	61	0	0	0.005	0.005	0.005	0.2	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Thiodicarb	0.010	0.010	18	18	0	0	0.005	0.005	0.005	.	0
Thiophanate-methyl	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0.5	0
Tolclofos-methyl	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0.05	0
Tolyfluanid	0.020	0.020	79	79	0	0	0.010	0.010	0.010	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.020	0.020	18	18	0	0	0.010	0.010	0.010	3	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	79	79	0	0	0.025	0.020	0.025	0.1	0
Triazophos	0.010	0.010	79	79	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.020	79	79	0	0	0.010	0.009	0.010	0.5	0
Trifluralin	0.010	0.010	61	61	0	0	0.005	0.005	0.005	0.1	0
Triticonazole	0.010	0.010	61	61	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin	0.010	0.050	79	79	0	0	0.025	0.020	0.025	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	.	0
Zoxamide	0.010	0.020	79	79	0	0	0.010	0.009	0.010	0.02	0
tau-Fluvalinate	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Acephate	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.02	0
Acetamiprid	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.01	0
Acrinathrin	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.05	0
Aldicarb (sum)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Azinphos-methyl	0.020	0.050	167	167	0	0	0.025	0.023	0.025	0.05	0
Azoxystrobin	0.010	0.010	167	167	0	0	0.005	0.005	0.005	.	0
Benfuracarb	0.050	0.050	148	148	0	0	0.025	0.025	0.025	0.05	0
Bifenthrin	0.010	0.010	1	0	1	0	0.020	0.020	0.020	0.3	0
	0.010	0.010	166	166	0	0	0.005	0.005	0.005	0.05	0
Bitertanol	0.020	0.050	167	167	0	0	0.025	0.012	0.010	0.05	0
Boscalid	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.5	0
Bromopropylate	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.020	0.050	167	167	0	0	0.025	0.023	0.025	0.05	0
Captan	0.020	0.020	167	167	0	0	0.010	0.010	0.010	0.05	0
Carbaryl	0.010	0.050	167	167	0	0	0.025	0.023	0.025	0.05	0
Carbendazim	0.010	0.010	19	19	0	0	0.005	0.005	0.005	.	0
Carbendazim and benomyl	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.1	0
Carbofuran (sum)	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.02	0
Carbosulfan	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.05	0
Chlorfenvinphos	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.02	0
Chlorothalonil	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.01	0
Chlorpropham	0.010	0.020	156	156	0	0	0.010	0.009	0.010	.	0
	0.010	0.020	11	0	11	0	2.068	0.715	0.582	10	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Chlorpyrifos	0.010	0.010	167	165	2	0	0.012	0.005	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.05	0
Cyfluthrin (sum)	0.020	0.020	167	167	0	0	0.010	0.010	0.010	.	0
Cypermethrin (sum)	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.05	0
Cyproconazole	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.05	0
Deltamethrin	0.010	0.025	167	167	0	0	0.013	0.012	0.013	0.05	0
Diazinon	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	167	167	0	0	0.005	0.005	0.005	.	0
Dichlorvos	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.020	167	167	0	0	0.010	0.006	0.005	0.1	0
Dicofol (sum)	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.02	0
Difenoconazole	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.1	0
Dimethoate	0.010	0.010	19	19	0	0	0.005	0.005	0.005	.	0
Dimethoate (sum)	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.020	0.020	148	148	0	0	0.010	0.010	0.010	0.5	0
Diphenylamine	0.010	0.020	167	167	0	0	0.010	0.006	0.005	0.05	0
EPN	0.020	0.020	19	19	0	0	0.010	0.010	0.010	.	0
Endosulfan (sum)	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.05	0
Epoxiconazole	0.010	0.010	167	166	1	0	0.010	0.005	0.005	0.05	0
Ethion	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.01	0
Etofenprox	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.5	0
Fenamiphos	0.010	0.010	148	148	0	0	0.005	0.005	0.005	.	0
Fenarimol	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Fenhexamid	0.010	0.050	167	167	0	0	0.025	0.023	0.025	0.05	0
Fenitrothion	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.05	0
Fenpropathrin	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0
Fenthion	0.010	0.010	167	167	0	0	0.005	0.005	0.005	.	0
Fenthion (sum)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0
Fludioxonil	0.010	0.020	167	167	0	0	0.010	0.009	0.010	1	0
Fluquinconazole	0.020	0.020	148	148	0	0	0.010	0.010	0.010	0.05	0
Flusilazole	0.010	0.010	148	148	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	148	148	0	0	0.005	0.005	0.005	0.2	0
Folpet	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.1	0
Hexaconazole	0.010	0.020	167	167	0	0	0.010	0.006	0.005	0.02	0
Hexythiazox	0.010	0.010	148	148	0	0	0.005	0.005	0.005	0.05	0
Imazalil	0.010	0.010	167	166	1	0	0.212	0.006	0.005	3	0
Imidacloprid	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.5	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Iprodione	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Iprovalicarb	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.05	0
Kresoxim-methyl	0.020	0.020	167	167	0	0	0.010	0.010	0.010	0.05	0
Lambda-Cyhalothrin	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.02	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.02	0
Mepanipyrim	0.010	0.010	148	148	0	0	0.005	0.005	0.005	.	0
Metalaxyl	0.010	0.020	167	167	0	0	0.010	0.009	0.010	.	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Metconazole	0.010	0.010	148	148	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.1	0
Methiocarb-Sulfoxid	0.010	0.010	148	148	0	0	0.005	0.005	0.005	.	0
Methomyl	0.010	0.010	19	19	0	0	0.005	0.005	0.005	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	167	167	0	0	0.005	0.005	0.005	.	0
Monocrotophos	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0	0
Myclobutanil	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.02	0
Omethoate	0.010	0.010	19	19	0	0	0.005	0.005	0.005	.	0
Oxadixyl	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.05	0
Oxamyl	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl	0.010	0.010	167	167	0	0	0.005	0.005	0.005	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	.	0
Parathion	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.05	0
Parathion-methyl	0.020	0.020	19	19	0	0	0.010	0.010	0.010	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	167	167	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	148	148	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.020	0.020	148	148	0	0	0.010	0.010	0.010	0.1	0
Pendimethalin	0.010	0.010	148	148	0	0	0.005	0.005	0.005	0.05	0
Phenthoate	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0	0
Phosalone	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Phosmet	0.010	0.025	167	167	0	0	0.013	0.012	0.013	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Pirimicarb	0.010	0.010	167	167	0	0	0.005	0.005	0.005	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.2	0
Pirimiphos-methyl	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.05	0
Prochloraz	0.010	0.010	167	167	0	0	0.005	0.005	0.005	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.02	0
Profenofos	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.5	0
Propargite	0.010	0.050	167	167	0	0	0.025	0.007	0.005	0.01	0
Propiconazole	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.02	0
Pyraclostrobin	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Pyridaben	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	167	165	2	0	0.030	0.005	0.005	0.05	0
Quinoxifen	0.020	0.020	148	148	0	0	0.010	0.010	0.010	0.02	0
Spiroxamine	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.2	0
Tebufenozide	0.010	0.010	148	148	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Tetradifon	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Thiabendazole	0.010	0.020	167	167	0	0	0.010	0.009	0.010	15	0
Thiacloprid	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Thiametoxam	0.010	0.010	148	148	0	0	0.005	0.005	0.005	0.1	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	.	0
Thiodicarb	0.010	0.010	19	19	0	0	0.005	0.005	0.005	.	0
Thiophanate-methyl	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.1	0
Tolclofos-methyl	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.2	0
Tolyfluanid	0.020	0.020	167	167	0	0	0.010	0.010	0.010	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	167	166	1	0	0.060	0.023	0.025	0.1	0
Triazophos	0.010	0.010	167	167	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.02	0
Trifluralin	0.010	0.010	148	148	0	0	0.005	0.005	0.005	0.1	0
Triticonazole	0.010	0.010	148	148	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin	0.010	0.050	167	167	0	0	0.025	0.023	0.025	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Zoxamide	0.010	0.020	167	167	0	0	0.010	0.009	0.010	0.02	0
tau-Fluvalinate	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Poultry liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Aldrin	0.005	0.005	1	1	0	0	0.003	0.003	0.003	.	0
Azinphos-ethyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Bifenthrin	0.004	0.004	1	1	0	0	0.002	0.002	0.002	0.05	0
Chlorobenzilate	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Chlorpyrifos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Cypermethrin (sum)	0.006	0.006	1	1	0	0	0.003	0.003	0.003	0.05	0
DDD, p,p-	0.010	0.010	1	1	0	0	0.005	0.005	0.005	.	0
DDE, p,p-	0.010	0.010	1	1	0	0	0.005	0.005	0.005	.	0
DDT, o,p-	0.010	0.010	1	1	0	0	0.005	0.005	0.005	.	0
DDT, p,p-	0.010	0.010	1	1	0	0	0.005	0.005	0.005	.	0
Deltamethrin	0.008	0.008	1	1	0	0	0.004	0.004	0.004	0.1	0
Diazinon	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Dieldrin	0.005	0.005	1	1	0	0	0.003	0.003	0.003	.	0
Endosulfansulfate	0.005	0.005	1	1	0	0	0.003	0.003	0.003	.	0
Endrin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Fenthion	0.020	0.020	1	1	0	0	0.010	0.010	0.010	.	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.005	0.005	1	1	0	0	0.003	0.003	0.003	0.2	0
Hexachlorobenzene	0.005	0.005	1	1	0	0	0.003	0.003	0.003	0.2	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	1	1	0	0	0.003	0.003	0.003	0.2	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	1	1	0	0	0.003	0.003	0.003	0.1	0
Methidathion	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.02	0
Methoxychlor	0.008	0.008	1	1	0	0	0.004	0.004	0.004	0.01	0
Parathion	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Poultry liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Parathion-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	.	0
Permethrin (sum of isomers)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Pirimiphos-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Profenofos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Pyrazophos	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.02	0
Quintozene	0.020	0.020	1	1	0	0	0.010	0.010	0.010	.	0
Tecnazene	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.05	0
Triazophos	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.01	0
alpha-Endosulfan	0.005	0.005	1	1	0	0	0.003	0.003	0.003	.	0
beta-Endosulfan	0.005	0.005	1	1	0	0	0.003	0.003	0.003	.	0
cis-Chlordane	0.005	0.005	1	1	0	0	0.003	0.003	0.003	.	0
trans-Chlordane	0.005	0.005	1	1	0	0	0.003	0.003	0.003	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Poultry meat Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Aldrin	0.005	0.005	5	5	0	0	0.003	0.003	0.003	.	0
Bifenthrin	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.05	0
Chlorpyrifos	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.05	0
Chlorpyrifos-methyl	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.05	0
Cyfluthrin (sum)	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.05	0
Cypermethrin (sum)	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.05	0
DDD, p,p-	0.005	0.005	5	5	0	0	0.003	0.003	0.003	.	0
DDE, p,p-	0.005	0.005	5	5	0	0	0.003	0.003	0.003	.	0
DDT, o,p-	0.005	0.005	5	5	0	0	0.003	0.003	0.003	.	0
DDT, p,p-	0.005	0.005	5	5	0	0	0.003	0.003	0.003	.	0
Deltamethrin	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.1	0
Diazinon	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.05	0
Dieldrin	0.005	0.005	5	5	0	0	0.003	0.003	0.003	.	0
Endosulfansulfate	0.005	0.005	5	5	0	0	0.003	0.003	0.003	.	0
Endrin	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.05	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.005	0.005	5	5	0	0	0.003	0.003	0.003	.	0
Heptachlor	0.005	0.005	5	5	0	0	0.003	0.003	0.003	.	0
Hexachlorobenzene	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.2	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.2	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.1	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.02	0
Methidathion	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.02	0
Methoxychlor	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.01	0
Oxychlorane	0.005	0.005	5	5	0	0	0.003	0.003	0.003	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Poultry meat Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Parathion	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.05	0
Parathion-methyl	0.005	0.005	5	5	0	0	0.003	0.003	0.003	.	0
Permethrin (sum of isomers)	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.05	0
Pirimiphos-methyl	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.05	0
Pyrazophos	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.02	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.1	0
alpha-Endosulfan	0.005	0.005	5	5	0	0	0.003	0.003	0.003	.	0
beta-Endosulfan	0.005	0.005	5	5	0	0	0.003	0.003	0.003	.	0
cis-Chlordane	0.005	0.005	5	5	0	0	0.003	0.003	0.003	.	0
trans-Chlordane	0.005	0.005	5	5	0	0	0.003	0.003	0.003	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Poultry meat Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Aldrin	0.001	0.005	55	55	0	0	0.003	0.002	0.003	.	0
Azinphos-ethyl	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.01	0
Bifenthrin	0.004	0.004	54	54	0	0	0.002	0.002	0.002	0.05	0
Chlorobenzilate	0.004	0.010	55	55	0	0	0.005	0.005	0.005	0.1	0
Chlorpyrifos	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.05	0
Cypermethrin (sum)	0.006	0.006	54	54	0	0	0.003	0.003	0.003	0.05	0
DDD, p,p-	0.002	0.010	55	55	0	0	0.005	0.005	0.005	.	0
DDE, p,p-	0.002	0.010	55	55	0	0	0.005	0.005	0.005	.	0
DDT, o,p-	0.002	0.010	55	55	0	0	0.005	0.005	0.005	.	0
DDT, p,p-	0.002	0.010	55	55	0	0	0.005	0.005	0.005	.	0
Deltamethrin	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.1	0
Diazinon	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.05	0
Dieldrin	0.001	0.005	55	55	0	0	0.003	0.002	0.003	.	0
Endosulfansulfate	0.001	0.005	55	55	0	0	0.003	0.002	0.003	.	0
Endrin	0.002	0.010	55	55	0	0	0.005	0.005	0.005	0.05	0
Fenthion	0.020	0.020	54	54	0	0	0.010	0.010	0.010	.	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.001	0.005	55	55	0	0	0.003	0.002	0.003	0.2	0
Hexachlorobenzene	0.001	0.005	55	55	0	0	0.003	0.002	0.003	0.2	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.001	0.005	55	55	0	0	0.003	0.002	0.003	0.2	0
Hexachlorocyclohexane (HCH), beta-isomer	0.001	0.005	55	55	0	0	0.003	0.002	0.003	0.1	0
Methidathion	0.020	0.020	54	54	0	0	0.010	0.010	0.010	0.02	0
Methoxychlor	0.002	0.008	55	55	0	0	0.004	0.004	0.004	0.01	0
Parathion	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Poultry meat Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Parathion-methyl	0.010	0.010	54	54	0	0	0.005	0.005	0.005	.	0
Permethrin (sum of isomers)	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.05	0
Pirimiphos-methyl	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.05	0
Profenofos	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.05	0
Pyrazophos	0.020	0.020	54	54	0	0	0.010	0.010	0.010	0.02	0
Quintozene	0.006	0.020	55	55	0	0	0.010	0.010	0.010	.	0
Tecnazene	0.006	0.020	55	55	0	0	0.010	0.010	0.010	0.05	0
Triazophos	0.020	0.020	54	54	0	0	0.010	0.010	0.010	0.01	0
alpha-Endosulfan	0.001	0.005	55	55	0	0	0.003	0.002	0.003	.	0
beta-Endosulfan	0.001	0.005	55	55	0	0	0.003	0.002	0.003	.	0
cis-Chlordane	0.001	0.005	55	55	0	0	0.003	0.002	0.003	.	0
trans-Chlordane	0.001	0.005	55	55	0	0	0.003	0.002	0.003	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Processed cereal-based baby foods Treatment=Processed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Aldrin	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Aldrin and Dieldrin	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
DDD, p,p-	0.002	0.002	72	72	0	0	0.001	0.001	0.001	.	0
	0.002	0.002	2	0	2	0	0.007	0.007	0.007	0.01	0
DDE, p,p-	0.002	0.002	69	69	0	0	0.001	0.001	0.001	.	0
	0.002	0.002	5	0	5	0	0.009	0.006	0.005	0.01	0
DDT (sum)	0.002	0.002	74	74	0	0	0.001	0.001	0.001	.	0
DDT, o,p-	0.002	0.002	74	74	0	0	0.001	0.001	0.001	.	0
DDT, p,p-	0.002	0.002	73	73	0	0	0.001	0.001	0.001	.	0
	0.002	0.002	1	0	1	0	0.006	0.006	0.006	0.01	0
Dieldrin	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Dimethoate (sum)	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Endosulfan (sum)	0.001	0.001	74	74	0	0	0.001	0.001	0.001	.	0
Endrin	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Fenthion	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Fenthion (sum)	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Heptachlor	0.000	0.000	73	73	0	0	0.000	0.000	0.000	.	0
	0.000	0.000	1	0	1	0	0.005	0.005	0.005	0.01	0
Heptachlor epoxide	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Hexachlorobenzene	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.001	0.001	74	74	0	0	0.001	0.001	0.001	.	0
Hexachlorocyclohexane (HCH), beta-isomer	0.001	0.001	72	72	0	0	0.001	0.001	0.001	.	0
	0.001	0.001	2	0	2	0	0.009	0.006	0.006	0.01	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Processed cereal-based baby foods Treatment=Processed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Malathion	0.001	0.001	74	74	0	0	0.001	0.001	0.001	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Metalaxyl	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Methamidophos	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Methoxychlor	0.002	0.002	72	72	0	0	0.001	0.001	0.001	.	0
	0.002	0.002	2	0	2	0	0.006	0.005	0.005	0.01	0
Monocrotophos	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Myclobutanil	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Omethoate	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Parathion-methyl	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Phenthoate	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Phosalone	0.001	0.001	74	74	0	0	0.001	0.001	0.001	.	0
Phosmet	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Pirimicarb	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Pirimiphos-methyl	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Procymidone	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Profenofos	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Pyrazophos	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Quintozene	0.002	0.002	72	72	0	0	0.001	0.001	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Processed cereal-based baby foods Treatment=Processed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
	0.002	0.002	2	0	2	0	0.004	0.004	0.004	0.01	0
Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0.002	0.002	74	74	0	0	0.001	0.001	0.001	.	0
Thiram (expressed as thiram)	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Triadimefon	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Triadimenol	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
Triazophos	0.000	0.000	74	74	0	0	0.000	0.000	0.000	.	0
alpha-Endosulfan	0.001	0.001	71	71	0	0	0.001	0.001	0.001	.	0
	0.001	0.001	3	0	3	0	0.007	0.005	0.004	0.01	0
beta-Endosulfan	0.001	0.001	73	73	0	0	0.001	0.001	0.001	.	0
	0.001	0.001	1	0	1	0	0.003	0.003	0.003	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Acephate	0.010	0.020	49	49	0	0	0.010	0.008	0.010	0.02	0
Acetamiprid	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Acrinathrin	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.05	0
Aldicarb (sum)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Azinphos-methyl	0.020	0.050	50	50	0	0	0.025	0.019	0.025	0.05	0
Azoxystrobin	0.010	0.010	50	50	0	0	0.005	0.005	0.005	5	0
Benfuracarb	0.050	0.050	30	30	0	0	0.025	0.025	0.025	0.05	0
Bifenthrin	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.05	0
Bitertanol	0.020	0.050	49	49	0	0	0.025	0.016	0.010	0.05	0
Boscalid	0.010	0.020	49	49	0	0	0.010	0.008	0.010	0.5	0
Bromopropylate	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.020	0.050	49	49	0	0	0.025	0.019	0.025	0.5	0
Captan	0.020	0.020	50	50	0	0	0.010	0.010	0.010	0.02	0
Carbaryl	0.010	0.050	50	50	0	0	0.025	0.017	0.025	1	0
Carbendazim	0.010	0.010	19	19	0	0	0.005	0.005	0.005	.	0
Carbendazim and benomyl	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0
Carbofuran (sum)	0.010	0.020	50	50	0	0	0.010	0.008	0.010	0.02	0
Carbosulfan	0.010	0.020	50	50	0	0	0.010	0.008	0.010	0.05	0
Chlorfenvinphos	0.010	0.020	49	49	0	0	0.010	0.008	0.010	0.02	0
Chlorothalonil	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Chlorpyrifos	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	50	50	0	0	0.005	0.005	0.005	3	0
Cyfluthrin (sum)	0.020	0.020	50	50	0	0	0.010	0.010	0.010	0.02	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Cypermethrin (sum)	0.010	0.020	50	50	0	0	0.010	0.008	0.010	.	0
Cyproconazole	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.1	0
Cyprodinil	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Deltamethrin	0.010	0.025	50	47	3	0	0.240	0.019	0.013	2	0
Diazinon	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.02	0
Dichlofluanid	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
Dichlorvos	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.020	49	49	0	0	0.010	0.007	0.005	0.01	0
Dicofol (sum)	0.010	0.020	50	50	0	0	0.010	0.008	0.010	0.02	0
Difenoconazole	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Dimethoate	0.010	0.010	20	20	0	0	0.005	0.005	0.005	.	0
Dimethoate (sum)	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.020	0.020	30	30	0	0	0.010	0.010	0.010	0.05	0
Diphenylamine	0.010	0.020	49	49	0	0	0.010	0.007	0.005	0.05	0
EPN	0.020	0.020	19	19	0	0	0.010	0.010	0.010	.	0
Endosulfan (sum)	0.010	0.020	50	50	0	0	0.010	0.008	0.010	0.05	0
Epoxiconazole	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.1	0
Ethion	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Etofenprox	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.5	0
Fenamiphos	0.010	0.010	30	30	0	0	0.005	0.005	0.005	.	0
Fenarimol	0.010	0.020	49	49	0	0	0.010	0.008	0.010	0.02	0
Fenhexamid	0.010	0.050	49	49	0	0	0.025	0.017	0.025	0.05	0
Fenitrothion	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
Fenoxycarb	0.010	0.020	49	49	0	0	0.010	0.008	0.010	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Fenpropathrin	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0
Fenthion	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
Fenthion (sum)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0
Fludioxonil	0.010	0.020	49	49	0	0	0.010	0.008	0.010	0.05	0
Fluquinconazole	0.020	0.020	30	30	0	0	0.010	0.010	0.010	0.05	0
Flusilazole	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.5	0
Folpet	0.020	0.020	20	20	0	0	0.010	0.010	0.010	0.02	0
Hexaconazole	0.010	0.020	49	49	0	0	0.010	0.007	0.005	0.02	0
Hexythiazox	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.5	0
Imazalil	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
Imidacloprid	0.010	0.020	49	49	0	0	0.010	0.008	0.010	.	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Iprodione	0.010	0.010	20	20	0	0	0.005	0.005	0.005	3	0
Iprovalicarb	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Kresoxim-methyl	0.020	0.020	50	50	0	0	0.010	0.010	0.010	0.05	0
Lambda-Cyhalothrin	0.010	0.020	50	50	0	0	0.010	0.008	0.010	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.020	50	50	0	0	0.010	0.008	0.010	8	0
Mepanipyrim	0.010	0.010	30	30	0	0	0.005	0.005	0.005	.	0
Metalaxyl	0.010	0.020	49	49	0	0	0.010	0.008	0.010	.	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Metconazole	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.1	0
Methamidophos	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.010	0.020	50	50	0	0	0.010	0.008	0.010	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.1	0
Methiocarb-Sulfoxid	0.010	0.010	30	30	0	0	0.005	0.005	0.005	.	0
Methomyl	0.010	0.010	19	19	0	0	0.005	0.005	0.005	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
Monocrotophos	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0	0
Myclobutanil	0.010	0.020	49	49	0	0	0.010	0.008	0.010	0.02	0
Omethoate	0.010	0.010	20	20	0	0	0.005	0.005	0.005	.	0
Oxadixyl	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.020	50	50	0	0	0.010	0.008	0.010	0.05	0
Parathion-methyl	0.010	0.020	20	20	0	0	0.010	0.010	0.010	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.010	0.020	50	50	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.020	0.020	30	30	0	0	0.010	0.010	0.010	0.05	0
Pendimethalin	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.05	0
Phenthoate	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0	0
Phosalone	0.010	0.020	50	50	0	0	0.010	0.008	0.010	0.05	0
Phosmet	0.010	0.025	49	49	0	0	0.013	0.010	0.013	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Pirimicarb	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.2	0
Pirimiphos-methyl	0.010	0.010	50	49	1	0	0.018	0.005	0.005	5	0
Prochloraz	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	1	0
Procymidone	0.010	0.020	49	49	0	0	0.010	0.008	0.010	0.02	0
Profenofos	0.010	0.020	49	49	0	0	0.010	0.008	0.010	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.1	0
Propargite	0.010	0.050	49	49	0	0	0.025	0.013	0.005	0.01	0
Propiconazole	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.020	49	49	0	0	0.010	0.008	0.010	0.02	0
Pyraclostrobin	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Pyridaben	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Quinoxifen	0.020	0.020	30	30	0	0	0.010	0.010	0.010	0.02	0
Spiroxamine	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.020	49	49	0	0	0.010	0.008	0.010	2	0
Tebufenozide	0.010	0.010	30	30	0	0	0.005	0.005	0.005	.	0
Tebufenpyrad	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Tetradifon	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Thiabendazole	0.010	0.020	49	49	0	0	0.010	0.008	0.010	0.05	0
Thiacloprid	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Thiametoxam	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.05	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	.	0
Thiodicarb	0.010	0.010	19	19	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Thiophanate-methyl	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Tolclofos-methyl	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Tolyfluanid	0.020	0.020	49	49	0	0	0.010	0.010	0.010	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.05	0
Triadimefon	0.010	0.010	1	1	0	0	0.005	0.005	0.005	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	50	50	0	0	0.025	0.017	0.025	0.1	0
Triazophos	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.02	0
Trifloxystrobin	0.010	0.020	49	49	0	0	0.010	0.008	0.010	0.02	0
Trifluralin	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.1	0
Triticonazole	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin	0.010	0.050	50	50	0	0	0.025	0.017	0.025	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Zoxamide	0.010	0.020	49	49	0	0	0.010	0.008	0.010	0.02	0
tau-Fluvalinate	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Spinach Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Acephate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	3	0
Acrinathrin	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.05	0
Aldicarb (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Azinphos-methyl	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.05	0
Azoxystrobin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Bitertanol	0.050	0.050	2	2	0	0	0.025	0.025	0.025	0.05	0
Boscalid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	10	0
Bromopropylate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.05	0
Captan	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.1	0
Carbaryl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Carbendazim	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Carbendazim and benomyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0
Carbofuran (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0
Chlorothalonil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Chlorpyrifos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Cyfluthrin (sum)	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.02	0
Cypermethrin (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Spinach Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Cyproconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	8	0
Deltamethrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.5	0
Diazinon	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Dichlorvos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.1	0
Dicofol (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Difenoconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	2	0
Dimethoate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Dimethoate (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Diphenylamine	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.05	0
EPN	0.020	0.020	2	2	0	0	0.010	0.010	0.010	.	0
Endosulfan (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Epoxiconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Etofenprox	0.020	0.020	2	2	0	0	0.010	0.010	0.010	3	0
Fenarimol	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Fenhexamid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenthion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Fenthion (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Spinach Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Fludioxonil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	7	0
Folpet	0.020	0.020	2	2	0	0	0.010	0.010	0.010	10	0
Hexaconazole	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.02	0
Imazalil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Imidacloprid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	2	2	0	0	0.005	0.005	0.005	2	0
Iprodione	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Iprovalicarb	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Kresoxim-methyl	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.05	0
Lambda-Cyhalothrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.5	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Metalaxyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Methamidophos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0
Methomyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Monocrotophos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0	0
Myclobutanil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Omethoate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Oxadixyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Spinach Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Oxamyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Parathion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl	0.020	0.020	2	2	0	0	0.010	0.010	0.010	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.02	0
Phenthoate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0	0
Phosalone	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Phosmet	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Pirimicarb	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	2	0
Pirimiphos-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Prochloraz	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Profenofos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	30	0
Propargite	0.050	0.050	2	2	0	0	0.025	0.025	0.025	0.01	0
Propiconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Pyraclostrobin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Spinach Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Pyridaben	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Spiroxamine	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	2	1	1	0	0.021	0.013	0.013	0.05	0
Tebufenpyrad	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Tetradifon	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Thiabendazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Thiodicarb	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Thiophanate-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0
Tolclofos-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Tolyfluanid	0.020	0.020	2	2	0	0	0.010	0.010	0.010	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Vinclozolin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Zoxamide	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL			Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Above MRL						
Acephate	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.02	0
Acetamiprid	0.010	0.010	57	56	1	0	0.650	0.016	0.005	3	0
Acrinathrin	0.020	0.020	4	4	0	0	0.010	0.010	0.010	0.05	0
Aldicarb (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
Azinphos-methyl	0.020	0.050	57	57	0	0	0.025	0.024	0.025	0.05	0
Azoxystrobin	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.05	0
Benfuracarb	0.050	0.050	53	53	0	0	0.025	0.025	0.025	0.05	0
Bifenthrin	0.010	0.010	57	53	4	0	0.050	0.007	0.005	0.05	0
Bitertanol	0.020	0.050	57	57	0	0	0.025	0.011	0.010	0.05	0
Boscalid	0.010	0.020	57	57	0	0	0.010	0.010	0.010	10	0
Bromopropylate	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.020	0.050	57	57	0	0	0.025	0.024	0.025	0.05	0
Captan	0.020	0.020	57	57	0	0	0.010	0.010	0.010	0.1	0
Carbaryl	0.010	0.050	57	57	0	0	0.025	0.024	0.025	0.05	0
Carbendazim	0.010	0.010	4	4	0	0	0.005	0.005	0.005	.	0
Carbendazim and benomyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.1	0
Carbofuran (sum)	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.02	0
Carbosulfan	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.1	0
Chlorothalonil	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.01	0
Chlorpyrifos	0.010	0.010	57	55	2	0	0.030	0.006	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.05	0
Cyfluthrin (sum)	0.020	0.020	57	57	0	0	0.010	0.010	0.010	0.02	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Cypermethrin (sum)	0.010	0.020	57	57	0	0	0.010	0.010	0.010	.	0
Cyproconazole	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	57	57	0	0	0.005	0.005	0.005	8	0
Deltamethrin	0.010	0.025	57	57	0	0	0.013	0.012	0.013	0.5	0
Diazinon	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	57	57	0	0	0.005	0.005	0.005	.	0
Dichlorvos	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.020	57	57	0	0	0.010	0.005	0.005	0.1	0
Dicofol (sum)	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.02	0
Difenoconazole	0.010	0.010	57	57	0	0	0.005	0.005	0.005	2	0
Dimethoate	0.010	0.010	4	4	0	0	0.005	0.005	0.005	.	0
Dimethoate (sum)	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.020	0.020	53	53	0	0	0.010	0.010	0.010	0.1	0
Diphenylamine	0.010	0.020	57	57	0	0	0.010	0.005	0.005	0.05	0
EPN	0.020	0.020	4	4	0	0	0.010	0.010	0.010	.	0
Endosulfan (sum)	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.05	0
Epoxiconazole	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.01	0
Etofenprox	0.020	0.020	4	4	0	0	0.010	0.010	0.010	3	0
Fenamiphos	0.010	0.010	53	53	0	0	0.005	0.005	0.005	.	0
Fenarimol	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.02	0
Fenhexamid	0.010	0.050	57	57	0	0	0.025	0.024	0.025	0.05	0
Fenitrothion	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Fenpropathrin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Fenthion	0.010	0.010	57	57	0	0	0.005	0.005	0.005	.	0
Fenthion (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Fludioxonil	0.010	0.020	57	57	0	0	0.010	0.010	0.010	7	0
Fluquinconazole	0.020	0.020	53	53	0	0	0.010	0.010	0.010	0.05	0
Flusilazole	0.010	0.010	53	53	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	53	53	0	0	0.005	0.005	0.005	0.05	0
Folpet	0.020	0.020	4	4	0	0	0.010	0.010	0.010	10	0
Hexaconazole	0.010	0.020	57	57	0	0	0.010	0.005	0.005	0.02	0
Hexythiazox	0.010	0.010	53	53	0	0	0.005	0.005	0.005	0.5	0
Imazalil	0.010	0.010	56	56	0	0	0.005	0.005	0.005	.	0
	0.010	0.010	1	0	1	0	0.010	0.010	0.010	0.05	0
Imidacloprid	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.05	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	4	4	0	0	0.005	0.005	0.005	2	0
Iprodione	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
Iprovalicarb	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.05	0
Kresoxim-methyl	0.020	0.020	57	57	0	0	0.010	0.010	0.010	0.05	0
Lambda-Cyhalothrin	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.5	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.02	0
Mepanipyrim	0.010	0.010	53	53	0	0	0.005	0.005	0.005	.	0
Metalaxyl	0.010	0.020	57	57	0	0	0.010	0.010	0.010	.	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Metconazole	0.010	0.010	53	53	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Above MRL						
Methidathion	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	2	0	2	0	0.099	0.076	0.076	1	0
	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0
Methiocarb-Sulfoxid	0.010	0.010	53	53	0	0	0.005	0.005	0.005	.	0
Methomyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	57	57	0	0	0.005	0.005	0.005	.	0
Monocrotophos	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0	0
Myclobutanil	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.02	0
Omethoate	0.010	0.010	4	4	0	0	0.005	0.005	0.005	.	0
Oxadixyl	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl	0.010	0.010	57	57	0	0	0.005	0.005	0.005	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	.	0
Parathion	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.05	0
Parathion-methyl	0.020	0.020	4	4	0	0	0.010	0.010	0.010	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	57	57	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	53	53	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.020	0.020	53	52	1	0	0.030	0.010	0.010	0.05	0
Pendimethalin	0.010	0.010	53	53	0	0	0.005	0.005	0.005	0.05	0
Phenthoate	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0	0
Phosalone	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.05	0
Phosmet	0.010	0.025	57	57	0	0	0.013	0.012	0.013	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Pirimicarb	0.010	0.010	57	57	0	0	0.005	0.005	0.005	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	2	0
Pirimiphos-methyl	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.05	0
Prochloraz	0.010	0.010	57	57	0	0	0.005	0.005	0.005	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.02	0
Profenofos	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	30	0
Propargite	0.010	0.050	57	57	0	0	0.025	0.006	0.005	0.01	0
Propiconazole	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.02	0
Pyraclostrobin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.5	0
Pyridaben	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	57	55	2	0	0.020	0.006	0.005	0.05	0
Quinoxifen	0.020	0.020	53	53	0	0	0.010	0.010	0.010	0.02	0
Spiroxamine	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.05	0
Tebufenozide	0.010	0.010	53	52	1	0	0.040	0.006	0.005	10	0
Tebufenpyrad	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Tetradifon	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
Thiabendazole	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.05	0
Thiacloprid	0.010	0.010	4	3	0	1	0.146	0.040	0.005	0.02	1
Thiametoxam	0.010	0.010	53	53	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	.	0
Thiodicarb	0.010	0.010	4	4	0	0	0.005	0.005	0.005	.	0
Thiophanate-methyl	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.1	0
Tolclofos-methyl	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.05	0
Tolyfluanid	0.020	0.020	57	57	0	0	0.010	0.010	0.010	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.020	0.020	4	4	0	0	0.010	0.010	0.010	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	57	57	0	0	0.025	0.024	0.025	0.1	0
Triazophos	0.010	0.010	57	57	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.02	0
Trifluralin	0.010	0.010	53	53	0	0	0.005	0.005	0.005	0.5	0
Triticonazole	0.010	0.010	53	53	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin	0.010	0.050	57	57	0	0	0.025	0.024	0.025	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Zoxamide	0.010	0.020	57	57	0	0	0.010	0.010	0.010	0.02	0
tau-Fluvalinate	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Swine Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Aldrin	0.005	0.005	4	4	0	0	0.003	0.003	0.003	.	0
Azinphos-ethyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Bifenthrin	0.004	0.004	4	4	0	0	0.002	0.002	0.002	0.05	0
Chlorobenzilate	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.1	0
Chlorpyrifos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0	0
Chlorpyrifos-methyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Cypermethrin (sum)	0.006	0.006	4	4	0	0	0.003	0.003	0.003	0.2	0
DDD, p,p-	0.010	0.010	4	4	0	0	0.005	0.005	0.005	.	0
DDE, p,p-	0.010	0.010	4	4	0	0	0.005	0.005	0.005	.	0
DDT, o,p-	0.010	0.010	4	4	0	0	0.005	0.005	0.005	.	0
DDT, p,p-	0.010	0.010	4	4	0	0	0.005	0.005	0.005	.	0
Deltamethrin	0.008	0.008	4	4	0	0	0.004	0.004	0.004	0.03	0
Diazinon	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Dieldrin	0.005	0.005	4	4	0	0	0.003	0.003	0.003	.	0
Endosulfansulfate	0.005	0.005	4	4	0	0	0.003	0.003	0.003	.	0
Endrin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Fenthion	0.020	0.020	4	4	0	0	0.010	0.010	0.010	.	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.005	0.005	4	4	0	0	0.003	0.003	0.003	0.2	0
Hexachlorobenzene	0.005	0.005	4	4	0	0	0.003	0.003	0.003	0.2	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	4	4	0	0	0.003	0.003	0.003	0.2	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	4	4	0	0	0.003	0.003	0.003	0.1	0
Methidathion	0.020	0.020	4	4	0	0	0.010	0.010	0.010	0.02	0
Methoxychlor	0.008	0.008	4	4	0	0	0.004	0.004	0.004	0.01	0
Parathion	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Swine Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Parathion-methyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	.	0
Permethrin (sum of isomers)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Pirimiphos-methyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Profenofos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Pyrazophos	0.020	0.020	4	4	0	0	0.010	0.010	0.010	0.02	0
Quintozene	0.020	0.020	4	4	0	0	0.010	0.010	0.010	.	0
Tecnazene	0.020	0.020	4	4	0	0	0.010	0.010	0.010	0.05	0
Triazophos	0.020	0.020	4	4	0	0	0.010	0.010	0.010	0.01	0
alpha-Endosulfan	0.005	0.005	4	4	0	0	0.003	0.003	0.003	.	0
beta-Endosulfan	0.005	0.005	4	4	0	0	0.003	0.003	0.003	.	0
cis-Chlordane	0.005	0.005	4	4	0	0	0.003	0.003	0.003	.	0
trans-Chlordane	0.005	0.005	4	4	0	0	0.003	0.003	0.003	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Wheat Treatment=Milling

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Acephate	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Acrinathrin	0.020	0.020	10	10	0	0	0.010	0.010	0.010	0.05	0
Aldicarb (sum)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Azinphos-methyl	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.05	0
Azoxystrobin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.3	0
Bifenthrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Bitertanol	0.050	0.050	10	10	0	0	0.025	0.025	0.025	0.05	0
Boscalid	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.5	0
Bromopropylate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.020	0.020	10	10	0	0	0.010	0.010	0.010	0.05	0
Captan	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.02	0
Carbaryl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Carbendazim	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Carbendazim and benomyl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.1	0
Carbofuran (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Chlorpyrifos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	3	0
Cyfluthrin (sum)	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.02	0
Cypermethrin (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	2	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Wheat Treatment=Milling

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Cyproconazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.1	0
Cyprodinil	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.5	0
Deltamethrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	2	0
Diazinon	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Dichlofluanid	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Dichlorvos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.020	0.020	10	10	0	0	0.010	0.010	0.010	0.01	0
Dicofol (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Difenoconazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.1	0
Dimethoate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	.	0
Dimethoate (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	.	0
Diphenylamine	0.020	0.020	10	10	0	0	0.010	0.010	0.010	0.05	0
EPN	0.020	0.020	10	10	0	0	0.010	0.010	0.010	.	0
Endosulfan (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Epoxiconazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.2	0
Ethion	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Etofenprox	0.020	0.020	10	10	0	0	0.010	0.010	0.010	0.5	0
Fenarimol	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0
Fenhexamid	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Fenoxycarb	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Fenthion	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Fenthion (sum)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Wheat Treatment=Milling

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Fludioxonil	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.2	0
Folpet	0.020	0.020	12	12	0	0	0.010	0.010	0.010	2	0
Hexaconazole	0.020	0.020	10	10	0	0	0.010	0.010	0.010	0.1	0
Imazalil	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Imidacloprid	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.1	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0
Iprodione	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Iprovalicarb	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Kresoxim-methyl	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.05	0
Lambda-Cyhalothrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	8	0
Metalaxyl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Methamidophos	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.1	0
Methomyl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Monocrotophos	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0	0
Myclobutanil	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0
Omethoate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	.	0
Oxadixyl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Wheat Treatment=Milling

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Oxamyl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl	0.010	0.020	12	12	0	0	0.010	0.009	0.010	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.010	0.020	12	12	0	0	0.010	0.009	0.010	0.02	0
Phenthoate	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0	0
Phosalone	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Phosmet	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Pirimicarb	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.5	0
Pirimiphos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	5	0
Prochloraz	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.5	0
Procymidone	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0
Profenofos	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.1	0
Propargite	0.050	0.050	10	10	0	0	0.025	0.025	0.025	0.01	0
Propiconazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0
Pyraclostrobin	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Wheat Treatment=Milling

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Pyridaben	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Spiroxamine	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.2	0
Tebufenpyrad	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Tetradifon	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0
Thiabendazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.1	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Thiodicarb	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Thiophanate-methyl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Tolclofos-methyl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Tolyfluanid	0.020	0.020	10	10	0	0	0.010	0.010	0.010	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.020	0.020	10	10	0	0	0.010	0.010	0.010	0.05	0
Triadimefon	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0
Triazophos	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0
Trifloxystrobin	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Vinclozolin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Zoxamide	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Animal products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL			Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	Above MRL	Between LOQ and MRL					
Bovine products	Bovine Fat	DDE, p,p-	0.010	0.010	8	6	2	0	0.042	0.011	0.005	.	0
Eggs	Eggs Chicken	DDE, p,p-	0.001	0.005	25	23	2	0	0.003	0.001	0.001	.	0
		DDT (sum)	0.002	0.002	24	21	3	0	0.022	0.003	0.001	0.05	0
		Hexachlorocyclohexane (HCH), alpha-isomer	0.001	0.005	49	47	2	0	0.006	0.001	0.001	0.02	0
		Hexachlorocyclohexane (HCH), beta-isomer	0.001	0.005	49	48	1	0	0.005	0.001	0.001	0.01	0
		Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.001	0.005	41	40	1	0	0.006	0.002	0.003	0.01	0
Milk and milk products	Milk and milk products	Chlordane (sum animal products)	0.000	0.000	10	9	1	0	0.002	0.000	0.000	.	0
		DDE, p,p-	0.000	0.010	11	4	7	0	0.005	0.002	0.001	.	0
		DDT (sum)	0.000	0.000	2	1	1	0	0.001	0.001	0.001	0.04	0
		Heptachlor	0.000	0.000	8	7	1	0	0.002	0.000	0.000	.	0
		Hexachlorobenzene	0.000	0.005	13	12	1	0	0.003	0.001	0.000	0.01	0
		Hexachlorocyclohexane (HCH), alpha-isomer	0.000	0.005	13	11	2	0	0.003	0.001	0.000	0.004	0
		Hexachlorocyclohexane (HCH), beta-isomer	0.000	0.005	13	12	1	0	0.003	0.001	0.000	0.003	0
Poultry products	Poultry fat	Chlordane (sum animal products)	0.009	0.010	8	6	2	0	0.037	0.011	0.005	.	0
		DDT (sum)	0.010	0.010	3	2	1	0	0.036	0.015	0.005	1	0
		Endosulfan (sum)	0.010	0.010	3	2	1	0	0.020	0.010	0.005	0.05	0
		Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	0.008	0.008	3	2	1	0	0.010	0.006	0.004	.	0
Sheep products	Sheep Fat	DDT (sum)	0.010	0.010	5	1	4	0	0.045	0.027	0.033	1	0
		Hexachlorobenzene	0.005	0.009	19	14	5	0	0.020	0.006	0.003	0.2	0
		Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.010	19	17	2	0	0.028	0.005	0.003	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Animal products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL			Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	Above MRL						
		Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.005	0.005	5	3	2	0	0.009	0.004	0.003	0.02	0
Swine products	Swine Fat free of lean meat	DDE, p,p-	0.005	0.010	60	59	1	0	0.017	0.005	0.005	.	0
		DDT (sum)	0.010	0.010	11	10	1	0	0.014	0.006	0.005	1	0
		Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.010	71	70	1	0	0.010	0.003	0.003	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Cereals

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL			Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	Above MRL						
Cereals	Rice	Deltamethrin	0.010	0.025	50	47	3	0	0.240	0.019	0.013	2	0
		Pirimiphos-methyl	0.010	0.010	50	49	1	0	0.018	0.005	0.005	5	0
	Rye	Chlorpyrifos-methyl	0.010	0.010	14	13	1	0	0.060	0.009	0.005	3	0
	Wheat	Chlorpyrifos	0.010	0.010	103	102	1	0	0.050	0.005	0.005	0.05	0
		Chlorpyrifos-methyl	0.010	0.010	103	95	8	0	1.310	0.023	0.005	3	0
		Deltamethrin	0.010	0.025	103	101	2	0	0.223	0.014	0.013	2	0
		Pirimiphos-methyl	0.010	0.010	103	98	5	0	0.590	0.018	0.005	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
Brassica vegetables	Cauliflower	Chlorpyrifos	0.010	0.010	29	28	1	0	0.040	0.006	0.005	0.05	0
	Head cabbage	Thiacloprid	0.010	0.010	9	8	1	0	0.040	0.009	0.005	0.2	0
	Kale	Chlorpyrifos	0.010	0.010	4	3	1	0	0.040	0.014	0.005	0.05	0
		Metalaxyl	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Bulb vegetables	Garlic	Spiroxamine	0.010	0.010	23	22	1	0	0.038	0.006	0.005	0.05	0
		Onions	Bifenthrin	0.010	0.050	102	101	1	0	0.040	0.006	0.005	0.05
	Spring onions	Propiconazole	0.010	0.010	97	95	2	0	0.010	0.005	0.005	0.05	0
		Pyrimethanil	0.010	0.010	97	96	1	0	0.022	0.005	0.005	0.1	0
		Bifenthrin	0.010	0.010	44	43	1	0	0.020	0.005	0.005	0.05	0
		Bitertanol	0.020	0.050	40	39	1	0	0.040	0.012	0.010	0.05	0
		Chlorothalonil	0.010	0.010	44	43	1	0	0.040	0.006	0.005	10	0
		Cyprodinil	0.010	0.010	40	39	1	0	0.040	0.006	0.005	1	0
		Pyrimethanil	0.010	0.010	40	39	1	0	0.020	0.005	0.005	0.05	0
		Thiabendazole	0.010	0.020	40	39	1	0	0.020	0.010	0.010	0.05	0
Citrus fruit	Grapefruit	Acetamiprid	0.010	0.010	96	95	1	0	0.277	0.008	0.005	1	0
		Azoxystrobin	0.010	0.010	104	104	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.016	0.016	0.016	15	0
		Buprofezin	0.020	0.050	96	95	1	0	0.070	0.017	0.010	1	0
		Carbendazim	0.010	0.010	54	54	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.170	0.170	0.170	0.5	0
		Chlorpyrifos	0.010	0.010	1	0	1	0	0.038	0.038	0.038	0.2	0
		0.010	0.010	105	53	52	0	0.300	0.051	0.005	0.3	0	

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
		Fenhexamid	0.010	0.050	96	95	1	0	0.031	0.014	0.005	0.05	0
		Fenvalerate/Esfenvalerate (sum)	0.010	0.010	63	63	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.015	0.015	0.015	0.02	0
		Imazalil	0.010	0.010	96	54	41	1	5.551	0.847	0.005	5	0
		Imidacloprid	0.010	0.020	96	95	1	0	0.037	0.007	0.005	1	0
		Lambda-Cyhalothrin	0.010	0.020	105	105	0	0	0.010	0.007	0.005	.	0
			0.010	0.010	1	0	1	0	0.025	0.025	0.025	0.2	0
		Metalaxyl	0.010	0.020	95	95	0	0	0.010	0.007	0.005	.	0
			0.020	0.020	1	0	1	0	0.070	0.070	0.070	0.5	0
		Methidathion	0.010	0.020	101	101	0	0	0.010	0.007	0.005	5	0
			0.010	0.010	5	0	2	3	0.027	0.022	0.024	0.02	0
		Orthophenylphenol	0.020	0.020	13	13	0	0	0.010	0.010	0.010	.	0
			0.020	0.020	28	0	28	0	2.540	0.790	0.630	5	0
		Prochloraz	0.010	0.010	84	84	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	12	0	12	0	0.556	0.121	0.043	10	0
		Pyraclostrobin	0.010	0.010	55	53	2	0	0.027	0.006	0.005	1	0
		Pyridaben	0.010	0.010	55	53	2	0	0.078	0.008	0.005	0.5	0
		Pyrimethanil	0.010	0.010	96	66	30	0	1.760	0.095	0.005	10	0
		Tebuconazole	0.010	0.010	1	0	1	0	0.059	0.059	0.059	0.9	0
			0.010	0.020	95	95	0	0	0.010	0.007	0.005	0.05	0
		Thiabendazole	0.010	0.020	96	89	7	0	0.990	0.033	0.005	5	0
		Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	105	103	2	0	0.073	0.014	0.005	0.1	0
Lemons		Carbendazim	0.010	0.010	46	46	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	4	0	4	0	0.296	0.146	0.134	0.7	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
		Chlorobenzilate	0.020	0.020	30	29	1	0	0.020	0.010	0.010	0.02	0
		Chlorpyrifos	0.010	0.010	87	61	26	0	0.090	0.016	0.005	0.2	0
			0.010	0.010	1	0	1	0	0.018	0.018	0.018	0.5	0
		Dicofol (sum)	0.010	0.020	85	82	3	0	0.810	0.018	0.005	2	0
		Imazalil	0.010	0.010	80	51	29	0	1.640	0.233	0.005	5	0
		Methidathion	0.010	0.020	88	86	2	0	0.180	0.010	0.005	5	0
		Orthophenylphenol	0.020	0.020	8	8	0	0	0.010	0.010	0.010	.	0
			0.020	0.020	22	0	22	0	1.640	0.701	0.650	5	0
		Pirimicarb	0.010	0.010	79	79	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.040	0.040	0.040	3	0
		Prochloraz	0.010	0.010	71	71	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	9	0	9	0	2.635	0.868	0.477	10	0
		Pyrimethanil	0.010	0.010	80	39	41	0	2.410	0.255	0.015	10	0
		Thiabendazole	0.010	0.020	80	66	14	0	0.257	0.027	0.010	5	0
		Trifloxystrobin	0.010	0.020	80	79	1	0	0.015	0.007	0.005	0.3	0
Mandarins		Carbofuran (sum)	0.010	0.020	75	72	3	0	0.160	0.011	0.010	0.3	0
		Chlorpyrifos	0.010	0.010	76	55	21	0	0.500	0.033	0.005	2	0
		Chlorpyrifos-methyl	0.010	0.010	76	75	1	0	0.050	0.006	0.005	1	0
		Cyprodinil	0.010	0.010	72	71	1	0	0.020	0.005	0.005	0.05	0
		Diphenylamine	0.010	0.020	72	71	1	0	0.030	0.008	0.005	0.05	0
		Fenoxycarb	0.010	0.020	72	71	1	0	0.020	0.008	0.010	2	0
		Imazalil	0.010	0.010	72	52	20	0	1.457	0.177	0.005	5	0
		Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.020	75	74	1	0	0.020	0.008	0.010	0.02	0
		Orthophenylphenol	0.020	0.020	30	30	0	0	0.010	0.010	0.010	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
			0.020	0.020	10	0	10	0	2.930	1.018	0.365	5	0
		Prochloraz	0.010	0.010	64	64	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	8	0	8	0	1.323	0.503	0.502	10	0
		Pyrimethanil	0.010	0.010	72	62	10	0	0.641	0.031	0.005	10	0
		Thiabendazole	0.010	0.020	72	62	10	0	2.080	0.066	0.010	5	0
	Oranges	Azoxystrobin	0.010	0.010	93	93	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	3	0	3	0	0.127	0.077	0.079	15	0
		Carbendazim	0.010	0.010	31	31	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.050	0.038	0.038	0.5	0
		Chlorpropham	0.010	0.020	92	92	0	0	0.010	0.008	0.010	.	0
			0.010	0.010	1	0	1	0	0.015	0.015	0.015	0.05	0
		Chlorpyrifos	0.010	0.010	1	0	1	0	0.020	0.020	0.020	0.2	0
			0.010	0.010	98	73	25	0	0.270	0.020	0.005	0.3	0
		Dicofol (sum)	0.010	0.020	96	95	1	0	0.070	0.009	0.010	2	0
		Imazalil	0.010	0.010	92	67	25	0	1.669	0.127	0.005	5	0
			0.010	0.010	1	0	1	0	0.300	0.300	0.300	0.5	0
		Orthophenylphenol	0.020	0.020	40	40	0	0	0.010	0.010	0.010	.	0
			0.020	0.020	20	0	20	0	2.030	0.469	0.315	5	0
		Prochloraz	0.010	0.010	88	88	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	5	0	5	0	2.105	1.051	1.084	10	0
		Pyraclostrobin	0.010	0.010	33	31	2	0	0.064	0.007	0.005	1	0
		Pyrimethanil	0.010	0.010	93	85	8	0	0.921	0.026	0.005	10	0
		Thiabendazole	0.010	0.020	93	85	8	0	0.823	0.038	0.010	5	0
		Thiophanate-methyl	0.010	0.010	92	92	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
			0.010	0.010	1	0	1	0	0.104	0.104	0.104	6	0
		Vinclozolin	0.010	0.050	95	95	0	0	0.025	0.018	0.025	.	0
			0.010	0.010	1	0	1	0	0.024	0.024	0.024	0.05	0
Cucurbits	Courgettes	Acetamiprid	0.010	0.010	41	39	2	0	0.089	0.008	0.005	0.3	0
		Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	7	6	1	0	0.054	0.012	0.005	0.5	0
	Cucumbers	Acetamiprid	0.010	0.010	1	0	1	0	0.077	0.077	0.077	1	0
			0.010	0.010	84	82	2	0	0.057	0.006	0.005	0.3	0
		Bifenthrin	0.010	0.050	93	92	1	0	0.040	0.006	0.005	0.1	0
		Boscalid	0.010	0.010	1	0	1	0	0.071	0.071	0.071	3	0
			0.010	0.020	84	83	1	0	0.120	0.010	0.010	0.2	0
		Carbendazim	0.010	0.010	20	20	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	0	1	0.163	0.163	0.163	0.1	0
			0.010	0.010	1	0	0	1	0.312	0.312	0.312	0.2	0
		Chlorothalonil	0.010	0.010	93	85	8	0	0.253	0.012	0.005	1	0
		Chlorpyrifos-methyl	0.010	0.010	93	92	1	0	0.030	0.005	0.005	0.05	0
		Cypermethrin (sum)	0.010	0.050	93	92	1	0	0.034	0.009	0.010	0.2	0
		Cyprodinil	0.010	0.010	85	82	3	0	0.110	0.007	0.005	0.5	0
		Fludioxonil	0.010	0.020	85	84	1	0	0.060	0.009	0.010	1	0
		Imazalil	0.010	0.010	85	84	1	0	0.030	0.005	0.005	0.2	0
		Metalaxyl	0.010	0.020	83	83	0	0	0.010	0.009	0.010	.	0
			0.010	0.020	2	0	2	0	0.090	0.062	0.062	0.5	0
		Oxamyl	0.010	0.010	85	84	0	1	0.153	0.007	0.005	0.02	1

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	22	15	7	0	0.401	0.054	0.005	10	0
		Pyrimethanil	0.010	0.010	85	83	2	0	0.090	0.007	0.005	1	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	21	21	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.188	0.188	0.188	0.3	0
		Thiophanate-methyl	0.010	0.010	85	83	2	0	0.059	0.006	0.005	0.1	0
	Melons	Acetamiprid	0.010	0.010	40	39	0	1	0.091	0.007	0.005	0.01	1
		Boscalid	0.020	0.020	1	0	1	0	0.160	0.160	0.160	3	0
			0.010	0.020	39	39	0	0	0.010	0.009	0.010	0.5	0
		Imazalil	0.010	0.010	40	39	1	0	0.214	0.010	0.005	2	0
		Imidacloprid	0.010	0.020	40	39	1	0	0.025	0.010	0.010	0.5	0
	Watermelons	Imazalil	0.010	0.010	53	53	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.010	0.010	0.010	0.05	0
Fungi	Cultivated fungi	Prochloraz	0.010	0.010	28	28	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.054	0.032	0.032	2	0
Leafy vegetables & fresh herbs	Lettuce	Bifenthrin	0.010	0.010	77	76	1	0	0.860	0.016	0.005	2	0
		Boscalid	0.010	0.020	77	75	2	0	9.620	0.135	0.010	10	0
		Chlorothalonil	0.010	0.010	77	72	1	4	9.820	0.294	0.005	0.01	4
		Cyprodinil	0.010	0.010	77	75	2	0	0.230	0.008	0.005	10	0
		Dimethomorph	0.020	0.020	73	71	2	0	0.130	0.012	0.010	10	0
		Fenamidone	0.010	0.010	3	3	0	0	0.005	0.005	0.005	2	0
			0.010	0.010	1	0	1	0	0.041	0.041	0.041	3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	Between LOQ and MRL						
		Fenhexamid	0.010	0.050	72	72	0	0	0.025	0.024	0.025	.	0
			0.050	0.050	5	0	5	0	9.420	3.676	3.800	40	0
		Fludioxonil	0.010	0.020	77	75	2	0	0.250	0.013	0.010	10	0
		Imazalil	0.010	0.010	76	76	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.020	0.020	0.020	0.05	0
		Imidacloprid	0.010	0.020	77	74	3	0	0.533	0.017	0.010	2	0
		Iprodione	0.010	0.010	4	2	2	0	2.183	0.805	0.516	10	0
		Orthophenylphenol	0.020	0.020	72	72	0	0	0.010	0.010	0.010	.	0
			0.020	0.020	1	0	1	0	0.020	0.020	0.020	0.05	0
		Pencycuron	0.020	0.020	73	72	1	0	0.060	0.011	0.010	2	0
		Propyzamide	0.010	0.020	77	76	1	0	0.140	0.011	0.010	1	0
		Pyrimethanil	0.010	0.010	77	75	2	0	0.100	0.006	0.005	10	0
		Thiabendazole	0.010	0.020	77	76	1	0	0.040	0.010	0.010	0.05	0
		Thiametoxam	0.010	0.010	73	71	2	0	0.040	0.006	0.005	5	0
		Thiophanate-methyl	0.010	0.010	77	76	1	0	0.070	0.006	0.005	0.1	0
		Tolclofos-methyl	0.010	0.010	77	76	1	0	0.030	0.005	0.005	2	0
	Parsley	Epoxiconazole	0.010	0.010	14	12	2	0	0.030	0.009	0.005	0.05	0
		Pendimethalin	0.010	0.010	14	13	1	0	0.030	0.007	0.005	0.05	0
	Spinach	Acetamiprid	0.010	0.010	59	58	1	0	0.650	0.016	0.005	3	0
		Bifenthrin	0.010	0.010	59	55	4	0	0.050	0.007	0.005	0.05	0
		Chlorpyrifos	0.010	0.010	59	57	2	0	0.030	0.006	0.005	0.05	0
		Imazalil	0.010	0.010	58	58	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.010	0.010	0.010	0.05	0
		Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	2	0	2	0	0.099	0.076	0.076	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
			0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.1	0
		Pencycuron	0.020	0.020	53	52	1	0	0.030	0.010	0.010	0.05	0
		Pyrimethanil	0.010	0.010	59	57	2	0	0.020	0.006	0.005	0.05	0
		Tebuconazole	0.010	0.020	59	58	1	0	0.021	0.010	0.010	0.05	0
		Tebufenozide	0.010	0.010	53	52	1	0	0.040	0.006	0.005	10	0
		Thiacloprid	0.010	0.010	6	5	0	1	0.146	0.029	0.005	0.02	1
Legume vegetables (fresh)	Beans (with pods)	Cyprodinil	0.010	0.010	36	36	0	0	0.005	0.005	0.005	2	0
			0.010	0.010	1	0	1	0	0.026	0.026	0.026	0.2	0
		Flusilazole	0.010	0.010	35	34	1	0	0.020	0.005	0.005	0.02	0
		Metalaxyl	0.010	0.020	36	36	0	0	0.010	0.010	0.010	.	0
			0.020	0.020	1	0	1	0	0.050	0.050	0.050	0.05	0
		Pyrimethanil	0.010	0.010	37	36	1	0	0.040	0.006	0.005	2	0
	Peas (with pods)	Prochloraz	0.010	0.010	18	18	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.030	0.030	0.030	0.05	0
	Peas (without pods)	Pyrimethanil	0.010	0.010	9	8	1	0	0.022	0.007	0.005	0.2	0
Pome fruit	Apples	Azoxystrobin	0.010	0.010	260	259	1	0	0.020	0.005	0.005	0.05	0
		Bifenthrin	0.010	0.050	264	259	5	0	0.080	0.006	0.005	0.3	0
		Boscalid	0.010	0.020	257	247	10	0	0.166	0.013	0.010	2	0
		Captan	0.010	0.020	262	250	12	0	1.124	0.022	0.010	3	0
			0.020	0.020	2	0	2	0	0.076	0.067	0.067	0.3	0
		Carbendazim	0.010	0.010	36	36	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.073	0.073	0.073	2	0
			0.010	0.010	13	0	11	2	0.267	0.129	0.117	0.2	0
		Chlorothalonil	0.010	0.010	263	255	8	0	0.180	0.007	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	Above MRL						
			0.010	0.010	1	0	1	0	0.040	0.040	0.040	2	0
		Chlorpyrifos	0.010	0.010	264	227	37	0	0.480	0.015	0.005	0.5	0
		Chlorpyrifos-methyl	0.010	0.010	264	253	11	0	0.105	0.006	0.005	0.5	0
		Cyprodinil	0.010	0.010	257	247	10	0	0.080	0.006	0.005	1	0
		Dimethoate	0.010	0.020	55	55	0	0	0.010	0.005	0.005	.	0
			0.010	0.010	2	0	0	2	0.115	0.079	0.079	0.02	2
		Diphenylamine	0.010	0.020	257	252	5	0	0.690	0.009	0.005	5	0
		Etofenprox	0.020	0.020	50	49	1	0	0.115	0.012	0.010	1	0
		Fenoxycarb	0.010	0.020	257	255	2	0	0.088	0.010	0.010	1	0
		Fludioxonil	0.010	0.020	257	256	1	0	0.060	0.009	0.010	5	0
		Folpet	0.010	0.020	57	51	6	0	0.336	0.024	0.010	3	0
		Imidacloprid	0.010	0.020	257	256	1	0	0.027	0.009	0.010	0.5	0
		Iprodione	0.010	0.010	57	53	4	0	0.370	0.016	0.005	5	0
		Myclobutanil	0.010	0.020	257	251	6	0	0.100	0.010	0.010	0.5	0
		Phosmet	0.010	0.025	256	256	0	0	0.013	0.011	0.013	.	0
			0.010	0.010	1	0	1	0	0.075	0.075	0.075	0.2	0
		Pirimicarb	0.010	0.010	254	254	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	3	0	3	0	0.110	0.077	0.060	2	0
		Propargite	0.010	0.050	257	241	16	0	0.430	0.020	0.005	3	0
		Pyraclostrobin	0.010	0.010	50	46	4	0	0.073	0.008	0.005	0.3	0
		Pyrimethanil	0.010	0.010	257	241	16	0	0.700	0.009	0.005	5	0
		Tebuconazole	0.010	0.020	257	249	8	0	0.180	0.011	0.010	1	0
		Thiacloprid	0.010	0.010	50	48	2	0	0.020	0.005	0.005	0.3	0
		Thiophanate-methyl	0.010	0.010	257	250	7	0	0.150	0.007	0.005	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ								
Pears		Acetamiprid	0.010	0.010	79	78	1	0	0.010	0.005	0.005	0.1	0	
		Boscalid	0.010	0.020	79	73	6	0	0.680	0.028	0.010	2	0	
		Chlorothalonil	0.010	0.010	80	79	1	0	0.050	0.006	0.005	1	0	
		Chlorpyrifos	0.010	0.010	80	67	13	0	0.106	0.012	0.005	0.5	0	
		Cyprodinil	0.010	0.010	79	75	4	0	0.120	0.008	0.005	1	0	
		Diphenylamine	0.010	0.020	79	77	2	0	0.780	0.016	0.005	10	0	
		Fenoxycarb	0.010	0.020	79	78	1	0	0.060	0.009	0.010	1	0	
		Fludioxonil	0.010	0.020	79	77	2	0	0.100	0.011	0.010	5	0	
		Imidacloprid	0.010	0.020	79	77	2	0	0.178	0.011	0.010	0.5	0	
		Prochloraz	0.010	0.010	78	78	0	0	0.005	0.005	0.005	.	0	
			0.010	0.010	1	0	1	0	0.020	0.020	0.020	0.05	0	
			Pyrimethanil	0.010	0.010	79	76	3	0	0.430	0.011	0.005	5	0
			Tebuconazole	0.010	0.020	79	77	2	0	0.034	0.009	0.010	1	0
			Thiabendazole	0.010	0.020	79	78	1	0	0.230	0.012	0.010	5	0
		Quinces		Chlorpyrifos	0.010	0.010	5	3	2	0	0.284	0.070	0.005	0.5
Phosmet	0.010			0.010	4	4	0	0	0.005	0.005	0.005	.	0	
	0.010			0.010	1	0	1	0	0.024	0.024	0.024	0.2	0	
Propargite	0.050			0.050	5	4	1	0	0.076	0.035	0.025	3	0	
Tebuconazole	0.010			0.010	5	4	1	0	0.046	0.013	0.005	0.5	0	
Potatoes	Potatoes	Thiacloprid	0.010	0.010	5	4	1	0	0.017	0.007	0.005	0.3	0	
		Bifenthrin	0.010	0.010	1	0	1	0	0.020	0.020	0.020	0.3	0	
			0.010	0.010	166	166	0	0	0.005	0.005	0.005	0.05	0	
		Chlorpropham	0.010	0.020	156	156	0	0	0.010	0.009	0.010	.	0	
			0.010	0.020	11	0	11	0	2.068	0.715	0.582	10	0	

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
		Chlorpyrifos	0.010	0.010	167	165	2	0	0.012	0.005	0.005	0.05	0
		Epoxiconazole	0.010	0.010	167	166	1	0	0.010	0.005	0.005	0.05	0
		Imazalil	0.010	0.010	167	166	1	0	0.212	0.006	0.005	3	0
		Pyrimethanil	0.010	0.010	167	165	2	0	0.030	0.005	0.005	0.05	0
		Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	167	166	1	0	0.060	0.023	0.025	0.1	0
Root and tuber vegetables (except tropical)	Carrots	Bifenthrin	0.010	0.050	66	65	0	1	0.099	0.007	0.005	0.05	0
		Buprofezin	0.020	0.050	65	63	2	0	0.042	0.020	0.025	0.05	0
		Chlorpyrifos	0.010	0.010	66	60	6	0	0.100	0.011	0.005	0.1	0
		Cyprodinil	0.010	0.010	65	64	1	0	0.040	0.006	0.005	2	0
		DDT (sum)	0.010	0.040	66	63	3	0	0.050	0.007	0.005	0.05	0
		Iprodione	0.010	0.010	24	22	2	0	0.103	0.012	0.005	0.5	0
		Pyrimethanil	0.010	0.010	65	64	1	0	0.050	0.006	0.005	1	0
		Tebuconazole	0.010	0.020	65	64	1	0	0.022	0.008	0.010	0.5	0
		Trifluralin	0.010	0.010	42	41	1	0	0.100	0.007	0.005	1	0
	Parsnips	Fludioxonil	0.010	0.020	7	6	1	0	0.237	0.040	0.010	1	0
	Radishes	Azoxystrobin	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.010	0.010	0.010	1	0
		Cyprodinil	0.010	0.010	50	49	1	0	0.010	0.005	0.005	0.05	0
		Flutriafol	0.010	0.010	50	49	1	0	0.020	0.005	0.005	0.05	0
		Imazalil	0.010	0.010	48	48	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.020	0.015	0.015	0.05	0
		Methiocarb-Sulfoxid	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.010	0.010	0.010	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL							
Solanacea (e.g. tomatoes, peppers)		Monocrotophos	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0	0	
			0.010	0.010	1	0	1	0	0.010	0.010	0.010	0.01	0	
	Aubergines (egg plants)	Pencycuron	0.020	0.020	50	49	1	0	0.030	0.010	0.010	0.05	0	
		Procymidone	0.020	0.020	50	49	1	0	0.020	0.010	0.010	0.02	0	
	Peppers	Chlorpyrifos	0.010	0.010	31	30	1	0	0.039	0.006	0.005	0.5	0	
		Tebuconazole	0.010	0.020	29	28	1	0	0.021	0.009	0.010	0.5	0	
		Acetamiprid	0.010	0.010	157	155	1	1	1.106	0.012	0.005	0.3	1	
		Azoxystrobin		0.010	0.010	164	164	0	0	0.005	0.005	0.005	.	0
				0.010	0.010	1	0	1	0	0.066	0.066	0.066	3	0
		Boscalid		0.010	0.020	156	156	0	0	0.010	0.009	0.010	2	0
				0.010	0.010	1	0	1	0	0.070	0.070	0.070	3	0
		Captan	0.010	0.020	167	165	2	0	0.068	0.010	0.010	0.1	0	
		Carbendazim		0.010	0.010	24	24	0	0	0.005	0.005	0.005	.	0
				0.010	0.010	1	0	1	0	0.018	0.018	0.018	0.1	0
		Chlorothalonil	0.010	0.010	167	166	1	0	0.170	0.006	0.005	2	0	
		Deltamethrin	0.010	0.050	167	166	1	0	0.025	0.011	0.013	0.2	0	
		Difenoconazole		0.010	0.010	1	0	1	0	0.066	0.066	0.066	0.5	0
				0.010	0.010	156	156	0	0	0.005	0.005	0.005	0.05	0
		Folpet	0.010	0.020	35	34	0	1	0.040	0.011	0.010	0.02	0	
		Imidacloprid	0.010	0.020	157	156	1	0	0.071	0.010	0.010	1	0	
Lambda-Cyhalothrin		0.010	0.020	167	166	1	0	0.075	0.009	0.010	0.1	0		
Metalaxyl			0.010	0.020	155	155	0	0	0.010	0.009	0.010	.	0	
		0.010	0.020	2	0	2	0	0.030	0.022	0.022	0.5	0		
Myclobutanil	0.010	0.020	157	156	1	0	0.021	0.009	0.010	0.5	0			

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL			Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	Above MRL						
		Phosmet	0.010	0.025	156	156	0	0	0.013	0.011	0.013	.	0
			0.010	0.010	1	0	1	0	0.034	0.034	0.034	0.05	0
		Pirimiphos-methyl	0.010	0.010	167	164	3	0	0.470	0.009	0.005	1	0
		Procymidone	0.010	0.020	156	156	0	0	0.010	0.009	0.010	.	0
			0.020	0.020	1	0	1	0	0.020	0.020	0.020	0.02	0
		Propargite	0.010	0.050	157	155	2	0	0.120	0.009	0.005	2	0
		Pyridaben	0.010	0.010	25	23	2	0	0.461	0.029	0.005	0.5	0
		Pyrimethanil	0.010	0.010	157	156	1	0	0.020	0.005	0.005	2	0
		Thiophanate-methyl	0.010	0.010	157	155	2	0	0.096	0.006	0.005	0.1	0
	Tomatoes	Acetamiprid	0.010	0.010	213	209	4	0	0.090	0.006	0.005	0.1	0
		Azoxystrobin	0.010	0.010	225	225	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.133	0.110	0.110	3	0
		Benalaxyl	0.050	0.050	184	184	0	0	0.025	0.025	0.025	.	0
			0.050	0.050	1	0	1	0	0.050	0.050	0.050	0.5	0
		Bifenthrin	0.010	0.010	1	0	1	0	0.030	0.030	0.030	3	0
			0.010	0.050	228	228	0	0	0.025	0.005	0.005	0.2	0
		Boscalid	0.010	0.020	211	211	0	0	0.010	0.009	0.010	1	0
			0.020	0.020	2	0	2	0	0.190	0.135	0.135	3	0
		Buprofezin	0.020	0.050	213	210	3	0	0.210	0.025	0.025	1	0
		Chlorothalonil	0.010	0.010	229	212	17	0	0.290	0.013	0.005	2	0
		Chlorpyrifos	0.010	0.010	229	225	4	0	0.430	0.007	0.005	0.5	0
		Cypermethrin (sum)	0.010	0.050	229	228	1	0	0.400	0.011	0.010	0.5	0
		Cyprodinil	0.010	0.010	213	210	3	0	0.170	0.006	0.005	1	0
		Epoxiconazole	0.010	0.010	213	212	1	0	0.010	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	and MRL						
		Fenhexamid	0.010	0.050	213	212	1	0	0.230	0.023	0.025	1	0
		Folpet	0.010	0.020	44	43	1	0	0.060	0.011	0.010	2	0
		Hexythiazox	0.010	0.010	185	184	1	0	0.010	0.005	0.005	0.5	0
		Imazalil	0.010	0.010	213	212	1	0	0.020	0.005	0.005	0.5	0
		Imidacloprid	0.010	0.020	213	209	4	0	0.110	0.010	0.010	0.5	0
		Kresoxim-methyl	0.020	0.020	227	226	1	0	0.021	0.010	0.010	0.5	0
		Lambda-Cyhalothrin	0.010	0.020	229	226	3	0	0.040	0.009	0.010	0.1	0
		Metalaxyl	0.010	0.020	212	212	0	0	0.010	0.009	0.010	.	0
			0.020	0.020	1	0	1	0	0.120	0.120	0.120	0.2	0
		Pirimiphos-methyl	0.010	0.010	229	228	1	0	0.230	0.006	0.005	1	0
		Procymidone	0.010	0.020	212	212	0	0	0.010	0.009	0.010	.	0
			0.010	0.010	1	0	0	1	0.058	0.058	0.058	0.02	1
		Propargite	0.010	0.050	213	206	7	0	0.670	0.015	0.005	2	0
		Pyridaben	0.010	0.010	28	26	2	0	0.037	0.007	0.005	0.3	0
		Pyrimethanil	0.010	0.010	213	210	3	0	0.890	0.009	0.005	1	0
Stem vegetables	Celery	Azoxystrobin	0.010	0.010	1	0	1	0	0.010	0.010	0.010	1	0
			0.010	0.010	38	38	0	0	0.005	0.005	0.005	5	0
		Chlorpropham	0.010	0.020	36	36	0	0	0.010	0.009	0.010	.	0
			0.010	0.010	3	0	2	1	0.234	0.096	0.028	0.05	1
		Chlorpyrifos	0.010	0.010	39	38	1	0	0.016	0.005	0.005	0.05	0
		Difenoconazole	0.010	0.010	39	36	3	0	0.111	0.010	0.005	5	0
		Endosulfan (sum)	0.010	0.020	39	38	1	0	0.040	0.009	0.010	0.05	0
		Tebuconazole	0.010	0.020	38	38	0	0	0.010	0.008	0.010	0.3	0
			0.010	0.010	1	0	1	0	0.026	0.026	0.026	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
Stone fruit	Leek	Cypermethrin (sum)	0.010	0.020	21	20	1	0	0.019	0.009	0.010	0.5	0
		Pyrimethanil	0.010	0.010	21	20	1	0	0.014	0.005	0.005	1	0
	Apricots	Bitertanol	0.020	0.050	24	23	1	0	0.270	0.023	0.010	1	0
		Boscalid	0.010	0.020	24	21	3	0	0.290	0.029	0.010	3	0
		Chlorothalonil	0.010	0.010	25	24	1	0	0.030	0.006	0.005	1	0
		Chlorpyrifos	0.010	0.010	25	24	1	0	0.040	0.006	0.005	0.05	0
		Cyprodinil	0.010	0.010	24	23	1	0	0.050	0.007	0.005	2	0
		Propargite	0.010	0.050	24	23	1	0	0.220	0.016	0.005	4	0
	Cherries	Acetamiprid	0.010	0.010	66	66	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.030	0.030	0.030	0.5	0
		Bifenthrin	0.010	0.010	67	66	1	0	0.020	0.005	0.005	0.2	0
		Bitertanol	0.020	0.050	66	66	0	0	0.025	0.010	0.010	1	0
			0.020	0.020	1	0	1	0	0.120	0.120	0.120	2	0
		Boscalid	0.010	0.020	64	64	0	0	0.010	0.010	0.010	3	0
			0.010	0.020	3	0	3	0	0.100	0.071	0.080	4	0
		Cyprodinil	0.010	0.010	67	65	2	0	0.080	0.006	0.005	1	0
		Difenoconazole	0.010	0.010	67	65	2	0	0.020	0.005	0.005	0.3	0
		Fenhexamid	0.010	0.050	67	66	1	0	0.280	0.028	0.025	5	0
		Lambda-Cyhalothrin	0.010	0.020	65	65	0	0	0.010	0.010	0.010	.	0
			0.020	0.020	2	0	2	0	0.080	0.050	0.050	0.3	0
	Pirimicarb	0.010	0.010	66	66	0	0	0.005	0.005	0.005	.	0	
		0.010	0.010	1	0	1	0	0.060	0.060	0.060	5	0	
	Procymidone	0.010	0.020	67	66	1	0	0.020	0.010	0.010	0.02	0	
	Pyrimethanil	0.010	0.010	67	66	1	0	0.020	0.005	0.005	0.05	0	

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
	Peaches	Tebuconazole	0.010	0.020	67	65	2	0	0.270	0.014	0.010	5	0
		Bifenthrin	0.010	0.010	60	57	3	0	0.070	0.007	0.005	0.2	0
		Bitertanol	0.020	0.050	60	59	1	0	0.040	0.015	0.010	1	0
		Carbendazim	0.010	0.010	16	16	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.110	0.110	0.110	0.2	0
		Chlorpyrifos	0.010	0.010	60	52	8	0	0.180	0.013	0.005	0.2	0
		Cypermethrin (sum)	0.010	0.020	60	59	1	0	0.069	0.010	0.010	2	0
		Cyprodinil	0.010	0.010	60	57	3	0	0.050	0.006	0.005	2	0
		Deltamethrin	0.010	0.025	60	59	1	0	0.070	0.011	0.013	0.1	0
		Etofenprox	0.020	0.020	17	14	3	0	0.169	0.022	0.010	0.5	0
		Fenarimol	0.010	0.020	60	59	1	0	0.040	0.009	0.010	0.5	0
		Fenhexamid	0.010	0.050	60	58	2	0	0.130	0.022	0.025	5	0
		Iprodione	0.010	0.010	17	16	1	0	0.045	0.007	0.005	3	0
		Lambda-Cyhalothrin	0.010	0.020	60	57	3	0	0.020	0.009	0.010	0.2	0
		Pyrimethanil	0.010	0.010	60	58	2	0	0.423	0.013	0.005	10	0
		Tebuconazole	0.010	0.020	60	55	5	0	0.171	0.015	0.010	1	0
		Thiophanate-methyl	0.010	0.010	60	59	1	0	0.076	0.006	0.005	2	0
	Plums	Bifenthrin	0.010	0.010	63	62	1	0	0.020	0.005	0.005	0.2	0
		Chlorpyrifos	0.010	0.010	63	61	2	0	0.040	0.006	0.005	0.2	0
		Etofenprox	0.020	0.020	10	9	1	0	0.074	0.016	0.010	1	0
		Iprodione	0.010	0.010	10	8	2	0	0.073	0.016	0.005	3	0
		Pyrimethanil	0.010	0.010	63	58	5	0	0.070	0.008	0.005	3	0
		Tebuconazole	0.010	0.020	63	62	1	0	0.110	0.011	0.010	0.5	0
Strawberries	Strawberries	Azoxystrobin	0.010	0.010	90	90	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
			0.010	0.010	1	0	1	0	0.010	0.010	0.010	10	0
		Boscalid	0.010	0.020	91	88	3	0	0.940	0.036	0.010	10	0
		Carbendazim	0.010	0.010	7	7	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	0	1	0.139	0.139	0.139	0.1	0
		Chlorothalonil	0.010	0.010	91	88	3	0	0.430	0.010	0.005	3	0
		Chlorpyrifos	0.010	0.010	91	90	1	0	0.024	0.005	0.005	0.2	0
		Chlorpyrifos-methyl	0.010	0.010	91	90	1	0	0.030	0.005	0.005	0.5	0
		Cyprodinil	0.010	0.010	91	85	6	0	0.080	0.007	0.005	5	0
		Fenhexamid	0.010	0.050	91	86	5	0	0.860	0.044	0.025	5	0
		Fludioxonil	0.010	0.020	91	89	2	0	0.030	0.010	0.010	3	0
		Imazalil	0.010	0.010	90	90	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.010	0.010	0.010	0.05	0
		Kresoxim-methyl	0.020	0.020	91	90	1	0	0.020	0.010	0.010	1	0
		Lambda-Cyhalothrin	0.010	0.020	91	90	1	0	0.018	0.010	0.010	0.5	0
		Mepanipyrim	0.010	0.010	81	81	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.400	0.255	0.255	2	0
		Methidathion	0.010	0.020	91	90	1	0	0.020	0.010	0.010	0.02	0
		Penconazole	0.010	0.010	83	82	1	0	0.040	0.005	0.005	0.5	0
		Pyrimethanil	0.010	0.010	91	89	2	0	0.140	0.007	0.005	5	0
		Thiophanate-methyl	0.010	0.010	91	89	1	1	0.527	0.011	0.005	0.1	1
Table and wine grapes	Table grapes	Bifenthrin	0.010	0.010	1	0	1	0	0.060	0.060	0.060	5	0
			0.010	0.050	111	109	2	0	0.041	0.007	0.005	0.2	0
		Boscalid	0.010	0.020	105	93	12	0	1.610	0.040	0.010	5	0
		Carbendazim	0.010	0.010	26	26	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
			0.010	0.010	1	0	1	0	0.014	0.014	0.014	0.3	0
		Chlorothalonil	0.010	0.010	112	111	1	0	0.020	0.005	0.005	1	0
		Chlorpyrifos	0.010	0.010	112	98	14	0	0.500	0.016	0.005	0.5	0
		Chlorpyrifos-methyl	0.010	0.010	112	111	1	0	0.030	0.005	0.005	0.2	0
		Cypermethrin (sum)	0.010	0.050	112	111	0	1	0.596	0.015	0.010	0.5	0
		Cyprodinil	0.010	0.010	105	92	13	0	1.211	0.043	0.005	5	0
		Dimethomorph	0.020	0.020	78	75	3	0	0.110	0.013	0.010	3	0
		Fenhexamid	0.010	0.050	105	101	4	0	0.500	0.032	0.025	5	0
		Fludioxonil	0.010	0.020	104	103	1	0	0.050	0.009	0.010	2	0
			0.020	0.020	1	0	1	0	0.190	0.190	0.190	5	0
		Flutriafol	0.010	0.010	78	77	1	0	0.020	0.005	0.005	0.05	0
		Imazalil	0.010	0.010	103	103	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.019	0.016	0.016	0.05	0
		Indoxacarb as sum of the isomers S and R	0.010	0.010	27	26	1	0	0.068	0.007	0.005	2	0
		Iprodione	0.010	0.010	1	0	1	0	0.032	0.032	0.032	5	0
			0.010	0.010	33	32	1	0	0.217	0.011	0.005	10	0
		Lambda-Cyhalothrin	0.010	0.020	112	110	2	0	0.060	0.010	0.010	0.2	0
		Mepanipyrim	0.010	0.010	77	77	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.160	0.160	0.160	3	0
		Metalaxyl	0.010	0.020	92	92	0	0	0.010	0.009	0.010	.	0
			0.010	0.010	1	0	1	0	0.141	0.141	0.141	1	0
			0.010	0.020	12	0	12	0	0.190	0.064	0.055	2	0
		Myclobutanil	0.010	0.020	105	101	4	0	0.060	0.010	0.010	1	0
		Penconazole	0.010	0.010	78	76	2	0	0.070	0.006	0.005	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
		Procymidone	0.010	0.020	104	104	0	0	0.010	0.009	0.010	.	0
			0.020	0.020	1	0	1	0	0.020	0.020	0.020	0.02	0
		Propargite	0.010	0.050	105	104	1	0	0.070	0.011	0.005	7	0
		Pyrimethanil	0.010	0.010	105	90	15	0	3.239	0.070	0.005	5	0
		Spiroxamine	0.010	0.010	27	24	3	0	0.144	0.011	0.005	1	0
		Tebuconazole	0.010	0.020	105	102	3	0	0.080	0.010	0.010	2	0
		Thiophanate-methyl	0.010	0.010	105	103	2	0	0.020	0.005	0.005	0.1	0
		Trifloxystrobin	0.010	0.020	105	102	3	0	0.422	0.013	0.010	5	0
	Wine grapes	Bifenthrin	0.010	0.010	130	127	3	0	0.016	0.005	0.005	0.2	0
		Boscalid	0.020	0.020	1	0	1	0	0.160	0.160	0.160	2	0
			0.010	0.020	129	121	8	0	0.620	0.022	0.010	5	0
		Captan	0.020	0.020	130	127	0	3	0.154	0.013	0.010	0.02	3
		Chlorothalonil	0.010	0.010	130	129	1	0	0.110	0.006	0.005	3	0
		Chlorpyrifos	0.010	0.010	130	129	1	0	0.082	0.006	0.005	0.5	0
		Chlorpyrifos-methyl	0.010	0.010	129	129	0	0	0.005	0.005	0.005	0.2	0
			0.010	0.010	1	0	1	0	0.090	0.090	0.090	0.5	0
		Cypermethrin (sum)	0.010	0.020	130	129	1	0	0.016	0.010	0.010	0.5	0
		Cyprodinil	0.010	0.010	130	108	22	0	0.280	0.023	0.005	5	0
		Dimethomorph	0.020	0.020	116	113	3	0	0.020	0.010	0.010	3	0
		Fenhexamid	0.010	0.050	130	118	12	0	1.450	0.093	0.025	5	0
		Fludioxonil	0.010	0.020	122	122	0	0	0.010	0.009	0.010	2	0
			0.020	0.020	8	0	8	0	0.530	0.154	0.105	4	0
		Folpet	0.020	0.020	14	9	5	0	1.504	0.230	0.010	5	0
		Iprodione	0.010	0.010	14	9	5	0	1.694	0.136	0.005	10	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
Tropical and subtropical fruit	Bananas	Metalaxyl	0.010	0.020	122	122	0	0	0.010	0.009	0.010	.	0
			0.020	0.020	8	0	8	0	0.090	0.058	0.060	1	0
		Methiocarb-Sulfoxid	0.010	0.010	115	115	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.020	0.020	0.020	0.3	0
		Propargite	0.010	0.050	130	123	7	0	1.200	0.037	0.005	7	0
		Pyrimethanil	0.010	0.010	130	96	34	0	1.059	0.088	0.005	5	0
		Tebuconazole	0.010	0.020	130	124	6	0	0.150	0.013	0.010	2	0
		Thiophanate-methyl	0.010	0.010	130	127	3	0	0.020	0.005	0.005	3	0
		Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	130	128	2	0	0.060	0.023	0.025	2	0
		Trifloxystrobin	0.010	0.020	130	128	2	0	0.117	0.011	0.010	5	0
		Azoxystrobin	0.010	0.010	90	89	1	0	0.037	0.005	0.005	2	0
		Bifenthrin	0.010	0.010	90	89	1	0	0.020	0.005	0.005	0.1	0
		Bitertanol	0.020	0.050	87	75	12	0	1.197	0.069	0.010	3	0
		Chlorpyrifos	0.010	0.010	90	89	1	0	0.012	0.005	0.005	3	0
		Fenhexamid	0.010	0.050	87	86	1	0	0.032	0.019	0.025	0.05	0
		Imazalil	0.010	0.010	87	71	16	0	0.669	0.026	0.005	2	0
		Myclobutanil	0.010	0.020	87	86	1	0	0.088	0.009	0.010	2	0
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	27	26	1	0	0.077	0.008	0.005	0.1	0
Pyrimethanil	0.010	0.010	87	86	1	0	0.043	0.005	0.005	0.1	0		
Thiabendazole	0.010	0.020	87	79	8	0	0.182	0.014	0.010	5	0		
Tolyfluanid	0.020	0.020	86	86	0	0	0.010	0.010	0.010	.	0		
		0.020	0.020	1	0	1	0	0.030	0.030	0.030	0.05	0	

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
Kiwi	Chlorpyrifos		0.010	0.010	37	36	1	0	0.029	0.006	0.005	2	0
	Chlorpyrifos-methyl		0.010	0.010	37	36	1	0	0.050	0.006	0.005	0.05	0
	Fenhexamid		0.010	0.050	37	31	6	0	5.270	0.497	0.025	10	0
	Imazalil		0.010	0.010	36	36	0	0	0.005	0.005	0.005	.	0
Mangoes			0.010	0.010	1	0	1	0	0.029	0.029	0.029	0.05	0
	Imazalil		0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	0	1	2.613	2.613	2.613	0.05	1
	Prochloraz		0.010	0.010	1	1	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	4.323	2.319	2.319	5	0
Pineapples	Thiabendazole		0.010	0.010	3	1	2	0	2.982	1.270	0.823	5	0
	Prochloraz		0.010	0.010	5	5	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.015	0.015	0.015	5	0
Pomegranate	Triadimefon (sum of Triadimefon and Triadimenol)		0.010	0.010	6	4	2	0	0.258	0.082	0.005	3	0
	Acetamiprid		0.010	0.010	10	7	0	3	0.065	0.018	0.005	0.01	3
	Carbendazim		0.010	0.010	9	9	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.018	0.018	0.018	0.1	0
	Chlorpyrifos		0.010	0.010	10	8	2	0	0.037	0.009	0.005	0.05	0
	Lambda-Cyhalothrin		0.010	0.010	10	9	1	0	0.017	0.006	0.005	0.02	0
	Tebuconazole		0.010	0.010	10	9	1	0	0.045	0.009	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

ProductClass=Baby food

Prod. Group	Product	Treatment	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
								LOQ and MRL							
Foodgroup not relevant	Follow-on formulae	Processed	Quintozene	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0	
			beta-Endosulfan	0.002	0.002	1	0	1	0	0.002	0.002	0.002	0.01	0	
Processed cereal-based baby foods	Infant formulae	Processed	DDE, p,p-	0.001	0.001	3	3	0	0	0.001	0.001	0.001	.	0	
			DDE, p,p-	0.001	0.001	1	0	1	0	0.003	0.003	0.003	0.01	0	
			beta-Endosulfan	0.002	0.002	1	1	0	0	0.001	0.001	0.001	.	0	
			beta-Endosulfan	0.002	0.002	2	0	2	0	0.008	0.005	0.005	0.01	0	
	Processed cereal-based baby foods	Processed	DDD, p,p-	DDD, p,p-	0.001	0.001	1	1	0	0	0.001	0.001	0.001	.	0
				DDD, p,p-	0.001	0.001	2	0	2	0	0.002	0.002	0.002	0.01	0
				DDD, p,p-	0.002	0.002	72	72	0	0	0.001	0.001	0.001	.	0
				DDD, p,p-	0.002	0.002	2	0	2	0	0.007	0.007	0.007	0.01	0
				DDD, p,p-	0.002	0.002	69	69	0	0	0.001	0.001	0.001	.	0
				DDD, p,p-	0.002	0.002	5	0	5	0	0.009	0.006	0.005	0.01	0
Processed cereal-based baby foods	Processed	DDD, p,p-	DDD, p,p-	0.002	0.002	73	73	0	0	0.001	0.001	0.001	.	0	
			DDD, p,p-	0.002	0.002	1	0	1	0	0.006	0.006	0.006	0.01	0	
			Fonofos	0.000	0.000	73	73	0	0	0.000	0.000	0.000	.	0	
			Fonofos	0.000	0.000	1	0	1	0	0.000	0.000	0.000	0.01	0	
Processed cereal-based baby foods	Processed	Heptachlor	Heptachlor	0.000	0.000	73	73	0	0	0.000	0.000	0.000	.	0	
			Heptachlor	0.000	0.000	1	0	1	0	0.005	0.005	0.005	0.01	0	
Processed cereal-based baby foods	Processed	Hexachlorocyclohexane (HCH), beta-isomer	Hexachlorocyclohexane (HCH), beta-isomer	0.001	0.001	72	72	0	0	0.001	0.001	0.001	.	0	
			Hexachlorocyclohexane (HCH), beta-isomer	0.001	0.001	2	0	2	0	0.009	0.006	0.006	0.01	0	
Processed cereal-based baby foods	Processed	Methoxychlor	Methoxychlor	0.002	0.002	72	72	0	0	0.001	0.001	0.001	.	0	
			Methoxychlor	0.002	0.002	2	0	2	0	0.006	0.005	0.005	0.01	0	

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

ProductClass=Baby food

Prod. Group	Product	Treatment	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
							Below LOQ							
			Quintozene	0.002	0.002	72	72	0	0	0.001	0.001	0.001	.	0
				0.002	0.002	2	0	2	0	0.004	0.004	0.004	0.01	0
			alpha-Endosulfan	0.001	0.001	71	71	0	0	0.001	0.001	0.001	.	0
				0.001	0.001	3	0	3	0	0.007	0.005	0.004	0.01	0
			beta-Endosulfan	0.001	0.001	73	73	0	0	0.001	0.001	0.001	.	0
				0.001	0.001	1	0	1	0	0.003	0.003	0.003	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table C3: Results of national programme processed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

<i>Prod. Group</i>	<i>Product</i>	<i>Treatment</i>	<i>Compound</i>	<i>Min LOQ</i>	<i>Max LOQ</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Max Residue Level</i>	<i>Mean Residue Level</i>	<i>Median Residue Level</i>	<i>Non Compliant</i>
Table and wine grapes	Wine grapes	Wine production	Metalaxyl	0.010	0.010	11	9	2	0	0.019	0.007	0.005	0
			Procymidone	0.010	0.010	11	4	1	6	0.126	0.038	0.025	4
			Pyrimethanil	0.010	0.010	11	10	1	0	0.044	0.009	0.005	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Strategy=Surveillance

<i>Lab Sample Code</i>	<i>Orig Country</i>	<i>Product</i>	<i>Sampling Point</i>	<i>Treatment</i>	<i>Organic Residue</i>	<i>LOQ</i>	<i>Level</i>	<i>Unit</i>	<i>MRL</i>	<i>Result Evaluation</i>
RO321-ANSVSA-31359-1	XX	Apples	Wholesale	Unprocessed	Carbendazim	0.010	0.267	mg/kg	0.20	Numerical exceedence
RO321-ANSVSA-31359-1	XX	Apples	Wholesale	Unprocessed	Dimethoate	0.010	0.042	mg/kg	0.02	Non compliant
RO321-ANSVSA-31541-1	RO	Apples	Wholesale	Unprocessed	Carbendazim	0.010	0.257	mg/kg	0.20	Numerical exceedence
RO321-ANSVSA-31952-1	XX	Apples	Wholesale	Unprocessed	Dimethoate	0.010	0.115	mg/kg	0.02	Non compliant
RO321-ANSVSA-31944	HU	Carrots	Wholesale	Unprocessed	Bifenthrin	0.010	0.099	mg/kg	0.05	Numerical exceedence
RO321-ANSVSA-30602	NL	Celery	Wholesale	Unprocessed	Chlorpropham	0.010	0.234	mg/kg	0.05	Non compliant
RO321-ANSVSA-30120	RO	Cucumbers	Wholesale	Unprocessed	Carbendazim	0.010	0.163	mg/kg	0.10	Numerical exceedence
RO321-ANSVSA-30980	RO	Cucumbers	Wholesale	Unprocessed	Carbendazim	0.010	0.312	mg/kg	0.20	Numerical exceedence
RO321-ANSVSA-31911	TR	Cucumbers	Wholesale	Unprocessed	Oxamyl	0.010	0.153	mg/kg	0.02	Non compliant
RO321-ANSVSA-31657	CN	Grapefruit	Wholesale	Unprocessed	Methidathion	0.010	0.026	mg/kg	0.02	Numerical exceedence
RO321-ANSVSA-31781	CN	Grapefruit	Wholesale	Unprocessed	Methidathion	0.010	0.027	mg/kg	0.02	Numerical exceedence
RO321-ANSVSA-31910	CN	Grapefruit	Wholesale	Unprocessed	Methidathion	0.010	0.024	mg/kg	0.02	Numerical exceedence
RO321-ANSVSA-32025	TR	Grapefruit	Wholesale	Unprocessed	Imazalil	0.010	5.551	mg/kg	5.00	Numerical exceedence
LCCRPP_11-0502	RO	Lettuce	Distribution: wholesale and retail sale	Unprocessed	Chlorothalonil	0.010	0.500	mg/kg	0.01	Non compliant
LCCRPP_11-0505	RO	Lettuce	Distribution: wholesale and retail sale	Unprocessed	Chlorothalonil	0.010	6.580	mg/kg	0.01	Non compliant
LCCRPP_11-0562	RO	Lettuce	Distribution: wholesale and retail sale	Unprocessed	Chlorothalonil	0.010	5.330	mg/kg	0.01	Non compliant
LCCRPP_11-0784	RO	Lettuce	Distribution: wholesale and retail sale	Unprocessed	Chlorothalonil	0.010	9.820	mg/kg	0.01	Non compliant

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Strategy=Surveillance

Lab Sample Code	Orig Country	Product	Sampling Point	Treatment	Organic Residue	LOQ	Level	Unit	MRL	Result Evaluation
RO321-ANSVSA-30282	GT	Mangoes	Wholesale	Unprocessed	Imazalil	0.010	2.613	mg/kg	0.05	Non compliant
RO321-ANSVSA-31230	TR	Melons	Wholesale	Unprocessed	Acetamiprid	0.010	0.091	mg/kg	0.01	Non compliant
RO321-ANSVSA-30385	JO	Peppers	Wholesale	Unprocessed	Folpet	0.020	0.040	mg/kg	0.02	Numerical exceedence
RO321-ANSVSA-32003-3	JO	Peppers	Wholesale	Unprocessed	Acetamiprid	0.010	1.106	mg/kg	0.30	Non compliant
RO321-ANSVSA-31308	MK	Pomegranate	Wholesale	Unprocessed	Acetamiprid	0.010	0.065	mg/kg	0.01	Non compliant
RO321-ANSVSA-31526	TR	Pomegranate	Wholesale	Unprocessed	Acetamiprid	0.010	0.034	mg/kg	0.01	Non compliant
RO321-ANSVSA-31635	TR	Pomegranate	Wholesale	Unprocessed	Acetamiprid	0.010	0.041	mg/kg	0.01	Non compliant
RO321-ANSVSA-30174	RO	Spinach	Wholesale	Unprocessed	Thiacloprid	0.010	0.146	mg/kg	0.02	Non compliant
RO321-ANSVSA-31948	EG	Strawberries	Wholesale	Unprocessed	Carbendazim	0.010	0.139	mg/kg	0.10	Numerical exceedence
RO321-ANSVSA-31948	EG	Strawberries	Wholesale	Unprocessed	Thiophanate-methyl	0.010	0.527	mg/kg	0.10	Non compliant
RO321-ANSVSA-31996-1	TR	Table grapes	Wholesale	Unprocessed	Cypermethrin (sum)	0.010	0.596	mg/kg	0.50	Numerical exceedence
RO321-ANSVSA-183	JO	Tomatoes	Wholesale	Unprocessed	Procymidone	0.010	0.058	mg/kg	0.02	Non compliant
RO321-ANSVSA-118	RO	Wine grapes	Wholesale	Wine production	Procymidone	0.010	0.117	mg/kg	0.02	Non compliant
RO321-ANSVSA-119	RO	Wine grapes	Wholesale	Wine production	Procymidone	0.010	0.033	mg/kg	0.02	Non compliant
RO321-ANSVSA-120	RO	Wine grapes	Wholesale	Wine production	Procymidone	0.010	0.126	mg/kg	0.02	Non compliant
RO321-ANSVSA-121	RO	Wine grapes	Wholesale	Wine production	Procymidone	0.010	0.052	mg/kg	0.02	Non compliant
RO321-ANSVSA-30536	RO	Wine grapes	Wholesale	Wine production	Procymidone	0.010	0.025	mg/kg	0.02	Numerical exceedence
RO321-ANSVSA-30537	RO	Wine grapes	Wholesale	Wine production	Procymidone	0.010	0.027	mg/kg	0.02	Numerical exceedence
RO321-ANSVSA-31433-2	RO	Wine grapes	Wholesale	Unprocessed	Captan	0.020	0.106	mg/kg	0.02	Non compliant

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Strategy=Surveillance

Lab Sample Code	Orig Country	Product	Sampling Point	Treatment	Organic Residue	LOQ	Level	Unit	MRL	Result Evaluation
RO321-ANSVSA-31433-3	RO	Wine grapes	Wholesale	Unprocessed	Captan	0.020	0.154	mg/kg	0.02	Non compliant
RO321-ANSVSA-31433-4	RO	Wine grapes	Wholesale	Unprocessed	Captan	0.020	0.126	mg/kg	0.02	Non compliant

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

<i>Product Class</i>	<i>Product</i>	<i>Processed</i>	<i>n0</i>	<i>n1</i>	<i>n2</i>	<i>n3</i>	<i>n4</i>	<i>n5</i>	<i>n6</i>	<i>n7</i>
Animal products	Bovine Fat		9	2
Animal products	Bovine Meat		6
Animal products	Eggs Chicken		42	5	2
Animal products	Eggs Quail		2
Animal products	Honey		28
Animal products	Honey	Y	16
Animal products	Horses, asses, mules or hinnies Meat		2
Animal products	Milk and milk products		11	6	1	.	.	.	1	.
Animal products	Other farm animals Fat		5
Animal products	Other farm animals Meat		2
Animal products	Poultry fat		25	3	1
Animal products	Poultry liver		1
Animal products	Poultry meat		60
Animal products	Sheep Fat		17	.	3	1	1	.	.	.
Animal products	Swine Fat free of lean meat		83	3
Animal products	Swine Liver		4
Animal products	Swine Meat		20
Baby food	Baby food for infants and young children	Y	3
Baby food	Follow-on formulae	Y	4
Baby food	Infant formulae	Y	3
Baby food	Processed cereal-based baby foods	Y	71	3
Cereals	Maize		46
Cereals	Rice		46	4
Cereals	Rye		13	1
Cereals	Wheat		90	11	1	1
Cereals	Wheat	Y	12
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products		2

Column nX indicates number of residues detected in product.
To avoid duplicates residues marked as part of sum are excluded

<i>Product Class</i>	<i>Product</i>	<i>Processed</i>	<i>n0</i>	<i>n1</i>	<i>n2</i>	<i>n3</i>	<i>n4</i>	<i>n5</i>	<i>n6</i>	<i>n7</i>
Fruits and nuts	Apples		152	70	25	11	4	2	.	.
Fruits and nuts	Apricots		21	1	2	1
Fruits and nuts	Bananas		58	21	10	1
Fruits and nuts	Blueberries		2
Fruits and nuts	Cherries		52	12	3
Fruits and nuts	Grapefruit		12	37	31	23	2	1	.	.
Fruits and nuts	Kiwi		29	7	1
Fruits and nuts	Lemons		20	17	34	12	5	.	.	.
Fruits and nuts	Mandarins		27	28	14	5	2	.	.	.
Fruits and nuts	Mangoes		1	1	1
Fruits and nuts	Oranges		35	41	15	7	1	.	.	.
Fruits and nuts	Oranges	Y	7
Fruits and nuts	Peaches		37	12	10	1
Fruits and nuts	Pears		53	17	8	2
Fruits and nuts	Pineapples		4	2
Fruits and nuts	Plums		53	8	2
Fruits and nuts	Pomegranate		4	5	1
Fruits and nuts	Quinces		2	1	2
Fruits and nuts	Strawberries		71	11	5	4
Fruits and nuts	Table and Wine grapes		3
Fruits and nuts	Table grapes		53	30	17	7	3	2	.	.
Fruits and nuts	Wine grapes		60	37	16	10	2	2	1	2
Fruits and nuts	Wine grapes	Y	4	6	1
Other plant products	Beans (dry)		43
Other plant products	Lentils (dry)		3
Other plant products	Sugar beet		5
Other products (incl. not classified and animal feed)	NOT IN LIST		1

**Column nX indicates number of residues detected in product.
 To avoid duplicates residues marked as part of sum are excluded**

<i>Product Class</i>	<i>Product</i>	<i>Processed</i>	<i>n0</i>	<i>n1</i>	<i>n2</i>	<i>n3</i>	<i>n4</i>	<i>n5</i>	<i>n6</i>	<i>n7</i>
Vegetables	Aubergines (egg plants)		29	2
Vegetables	Beans (with pods)		34	2	1
Vegetables	Beans (without pods)		34
Vegetables	Beetroot		19
Vegetables	Broccoli		3
Vegetables	Carrots		53	9	3	1
Vegetables	Carrots	Y	1
Vegetables	Cauliflower		28	1
Vegetables	Celery		31	6	2
Vegetables	Courgettes		39	3
Vegetables	Cucumbers		69	17	4	2	1	.	.	.
Vegetables	Cultivated fungi		29	1
Vegetables	Garlic		25	1
Vegetables	Head cabbage		90	1
Vegetables	Kale		3	1
Vegetables	Leek		19	2
Vegetables	Lettuce		57	12	4	5	2	.	.	.
Vegetables	Melons		37	2	1
Vegetables	Onions		98	4
Vegetables	Parsley		11	3
Vegetables	Parsley root		2
Vegetables	Parsnips		6	1
Vegetables	Peas (with pods)		18	1
Vegetables	Peas (without pods)		9	1
Vegetables	Peppers		148	16	1	1	1	.	.	.
Vegetables	Potatoes		148	19
Vegetables	Pumpkins		1

**Column nX indicates number of residues detected in product.
 To avoid duplicates residues marked as part of sum are excluded**

<i>Product Class</i>	<i>Product</i>	<i>Processed</i>	<i>n0</i>	<i>n1</i>	<i>n2</i>	<i>n3</i>	<i>n4</i>	<i>n5</i>	<i>n6</i>	<i>n7</i>
Vegetables	Radishes		45	3	1	.	1	.	.	.
Vegetables	Spinach		45	12	2
Vegetables	Spinach	Y	1
Vegetables	Spring onions		39	4	1
Vegetables	Tomatoes		175	46	6	3
Vegetables	Watermelons		54	2
			2835	574	232	98	25	7	2	2

Column nX indicates number of residues detected in product.
To avoid duplicates residues marked as part of sum are excluded

Product=Apples

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
LCCRPP_11-0108	AT	4	Pirimicarb(0.11)	Cyprodinil(0.02)	Boscalid(0.12)
LCCRPP_11-0127	RO	2	Chlorothalonil(0.06)	Bifenthrin(0.08)	
LCCRPP_11-0142	RO	4	Propargite(0.08)	Chlorpyrifos(0.04)	Chlorothalonil(0.02)
LCCRPP_11-0185	RO	4	Propargite(0.22)	Chlorpyrifos(0.05)	Chlorothalonil(0.03)
LCCRPP_11-0250	RO	2	Myclobutanil(0.1)	Cyprodinil(0.07)	
LCCRPP_11-0262	IT	2	Diphenylamine(0.69)	Chlorpyrifos(0.03)	
LCCRPP_11-0294	RO	2	Chlorpyrifos(0.03)	Tebuconazole(0.05)	
LCCRPP_11-0300	RO	2	Diphenylamine(0.03)	Boscalid(0.11)	
LCCRPP_11-0443	RO	2	Chlorpyrifos(0.26)	Boscalid(0.05)	
LCCRPP_11-0553	RO	3	Cyprodinil(0.04)	Chlorpyrifos-methyl(0.04)	Pyrimethanil(0.02)
LCCRPP_11-0554	RO	2	Cyprodinil(0.05)	Chlorpyrifos(0.09)	

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-0108	Chlorpyrifos(0.06)			
LCCRPP_11-0127				
LCCRPP_11-0142	Chlorpyrifos-methyl(0.02)			
LCCRPP_11-0185	Chlorpyrifos-methyl(0.04)			
LCCRPP_11-0250				
LCCRPP_11-0262				
LCCRPP_11-0294				
LCCRPP_11-0300				
LCCRPP_11-0443				
LCCRPP_11-0553				
LCCRPP_11-0554				

To avoid duplicates residues marked as part of sum are excluded

Product=Apples

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
LCCRPP_11-1702	RO	2	Thiophanate-methyl(0.12)	Azoxystrobin(0.02)	
LCCRPP_11-1707	RO	2	Chlorpyrifos(0.04)	Bifenthrin(0.03)	
LCCRPP_11-1710	RO	2	Pyrimethanil(0.03)	Chlorothalonil(0.04)	
LCCRPP_11-2148	RO	3	Pyrimethanil(0.02)	Chlorothalonil(0.02)	Chlorpyrifos-methyl(0.06)
LCCRPP_11-2312	RO	2	Chlorpyrifos(0.1)	Diphenylamine(0.02)	
LCCRPP_11-2339	RO	2	Pyrimethanil(0.01)	Propargite(0.24)	
LCCRPP_11-2359	RO	3	Fludioxonil(0.06)	Propargite(0.12)	Cyprodinil(0.08)
LCCRPP_11-2425	RO	3	Chlorpyrifos(0.04)	Myclobutanil(0.03)	Pyrimethanil(0.07)
LCCRPP_11-2426	RO	3	Myclobutanil(0.02)	Pyrimethanil(0.03)	Chlorpyrifos(0.02)
LCCRPP_11-2428	SL	2	Boscalid(0.12)	Chlorpyrifos(0.1)	
LCCRPP_11-2449	RO	2	Pirimicarb(0.06)	Cyprodinil(0.01)	

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-1702				
LCCRPP_11-1707				
LCCRPP_11-1710				
LCCRPP_11-2148				
LCCRPP_11-2312				
LCCRPP_11-2339				
LCCRPP_11-2359				
LCCRPP_11-2425				
LCCRPP_11-2426				
LCCRPP_11-2428				
LCCRPP_11-2449				

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apples

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
RO321-ANSVSA-30465	IT	2	Boscalid(0.157)	Pyraclostrobin(0.012)	
RO321-ANSVSA-30659	IT	2	Boscalid(0.161)	Pyraclostrobin(0.049)	
RO321-ANSVSA-30780	IT	2	Pyrimethanil(0.023)	Pyraclostrobin(0.073)	
RO321-ANSVSA-31041	IT	2	Pyraclostrobin(0.038)	Iprodione(0.37)	
RO321-ANSVSA-31097-1	AT	2	Iprodione(0.056)	Captan(0.041)	
RO321-ANSVSA-31205	IT	2	Chlorpyrifos(0.112)	Captan(0.111)	
RO321-ANSVSA-31257	RO	3	Captan(0.864)	Pyrimethanil(0.082)	Folpet(0.11)
RO321-ANSVSA-31258	RO	5	Folpet(0.336)	Chlorpyrifos-methyl(0.105)	Captan(1.124)
RO321-ANSVSA-31288	IT	3	Chlorpyrifos(0.021)	Etofenprox(0.115)	Captan(0.029)
RO321-ANSVSA-31323-5	RO	2	Thiacloprid(0.014)	Captan(0.314)	
RO321-ANSVSA-31359-1	XX	3	Folpet(0.081)	Myclobutanil(0.027)	Captan(0.058)

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
RO321-ANSVSA-30465				
RO321-ANSVSA-30659				
RO321-ANSVSA-30780				
RO321-ANSVSA-31041				
RO321-ANSVSA-31097-1				
RO321-ANSVSA-31205				
RO321-ANSVSA-31257				
RO321-ANSVSA-31258	Propargite(0.312)	Thiophanate-methyl(0.023)		
RO321-ANSVSA-31288				
RO321-ANSVSA-31323-5				
RO321-ANSVSA-31359-1				

To avoid duplicates residues marked as part of sum are excluded

Product=Apples

Code	Country	No Residues	Compound1	Compound2	Compound3
RO321-ANSVSA-31359-3	XX	2	Captan(0.076)	Myclobutanil(0.017)	
RO321-ANSVSA-31541-1	RO	5	Chlorpyrifos-methyl(0.023)	Folpet(0.06)	Thiophanate-methyl(0.147)
RO321-ANSVSA-31541-2	RO	3	Thiophanate-methyl(0.037)	Captan(0.116)	Chlorpyrifos-methyl(0.02)
RO321-ANSVSA-31622	IT	2	Imidacloprid(0.027)	Pyrimethanil(0.048)	
RO321-ANSVSA-31624	IT	2	Boscalid(0.166)	Chlorpyrifos(0.137)	
RO321-ANSVSA-31651-5	ES	3	Chlorpyrifos(0.022)	Propargite(0.128)	Tebuconazole(0.042)
RO321-ANSVSA-31952-1	XX	4	Chlorpyrifos(0.082)	Thiophanate-methyl(0.098)	Folpet(0.11)
RO321-ANSVSA-31952-2	XX	2	Fenoxycarb(0.067)	Tebuconazole(0.049)	
RO321-ANSVSA-31952-3	XX	3	Fenoxycarb(0.088)	Tebuconazole(0.076)	Chlorpyrifos(0.014)

Code	Compound4	Compound5	Compound6	Compound7
RO321-ANSVSA-31359-3				
RO321-ANSVSA-31541-1	Captan(0.24)	Myclobutanil(0.019)		
RO321-ANSVSA-31541-2				
RO321-ANSVSA-31622				
RO321-ANSVSA-31624				
RO321-ANSVSA-31651-5				
RO321-ANSVSA-31952-1	Captan(0.306)			
RO321-ANSVSA-31952-2				
RO321-ANSVSA-31952-3				

Product=Apricots

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
LCCRPP_11-1207	RO	3	Boscalid(0.11)	Chlorothalonil(0.03)	Propargite(0.22)				
LCCRPP_11-1244	RO	2	Boscalid(0.29)	Bitertanol(0.27)					
LCCRPP_11-1532	RO	2	Chlorpyrifos(0.04)	Cyprodinil(0.05)					

To avoid duplicates residues marked as part of sum are excluded

Product=Bananas

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
RO321-ANSVSA-30614	EC	2	Imazalil(0.025)	Chlorpyrifos(0.012)					
RO321-ANSVSA-30808	EU	2	Imazalil(0.669)	Bitertanol(1.197)					
RO321-ANSVSA-30830	EC	2	Thiabendazole(0.054)	Imazalil(0.031)					
RO321-ANSVSA-30867	EC	2	Fenhexamid(0.032)	Imazalil(0.025)					
RO321-ANSVSA-31090	CO	3	Imazalil(0.034)	Pyrimethanil(0.043)	Thiabendazole(0.061)				
RO321-ANSVSA-31091	EC	2	Thiabendazole(0.024)	Imazalil(0.22)					
RO321-ANSVSA-31130	EC	2	Thiabendazole(0.182)	Imazalil(0.026)					
RO321-ANSVSA-31853	EC	2	Imazalil(0.037)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.077)					
RO321-ANSVSA-31945	CR	2	Myclobutanil(0.088)	Azoxystrobin(0.037)					
RO321-ANSVSA-31997	EC	2	Thiabendazole(0.098)	Imazalil(0.073)					
RO321-ANSVSA-32029	EC	2	Thiabendazole(0.048)	Imazalil(0.067)					

Product=Beans (with pods)

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
LCCRPP_11-1172	RO	2	Metalaxyl(0.05)	Flusilazole(0.02)					

Product=Carrots

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
LCCRPP_11-0071	RO	2	Cyprodinil(0.04)	Pyrimethanil(0.05)					
RO321-ANSVSA-31387	TR	3	Tebuconazole(0.022)	Chlorpyrifos(0.073)	Iprodione(0.064)				
RO321-ANSVSA-31934	TR	2	Buprofezin(0.042)	Chlorpyrifos(0.045)					
RO321-ANSVSA-31944	HU	2	Bifenthrin(0.099)	Buprofezin(0.027)					

To avoid duplicates residues marked as part of sum are excluded

Product=Celery

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
RO321-ANSVSA-30383	NL	2	Chlorpropham(0.028)	Difenoconazole(0.111)					
RO321-ANSVSA-30602	NL	2	Chlorpropham(0.234)	Difenoconazole(0.067)					

Product=Cherries

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-1185	RO	2	Procymidone(0.02)	Pyrimethanil(0.02)					
LCCRPP_11-1237	RO	2	Boscalid(0.1)	Difenoconazole(0.02)					
RO321-ANSVSA-30625	RO	2	Cyprodinil(0.016)	Boscalid(0.034)					

Product=Cucumbers

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
LCCRPP_11-0083	GR	4	Pyrimethanil(0.09)	Cyprodinil(0.06)	Boscalid(0.12)	Fludioxonil(0.06)	
LCCRPP_11-0825	RO	3	Thiophanate-methyl(0.01)	Imazalil(0.03)	Cyprodinil(0.11)		
LCCRPP_11-0851	JO	2	Pyrimethanil(0.09)	Chlorothalonil(0.03)			
RO321-ANSVSA-30120	RO	2	Boscalid(0.071)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.188)			
RO321-ANSVSA-31943	ES	2	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.023)	Chlorothalonil(0.013)			
RO321-ANSVSA-31958	TR	2	Chlorothalonil(0.253)	Acetamiprid(0.057)			
RO321-ANSVSA-32002-1	TR	3	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.217)	Chlorothalonil(0.021)	Acetamiprid(0.051)		

Code	Compound6	Compound7
LCCRPP_11-0083		
LCCRPP_11-0825		
LCCRPP_11-0851		
RO321-ANSVSA-30120		
RO321-ANSVSA-31943		
RO321-ANSVSA-31958		
RO321-ANSVSA-32002-1		

Product=Eggs Chicken

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
RO223-ANSVSA-20894-1	RO	2	Hexachlorocyclohexane (HCH), beta-isomer(0.005)	DDT (sum)(0.02)					
RO223-ANSVSA-22083-1	RO	2	DDT (sum)(0.022)	Hexachlorocyclohexane (HCH), alpha-isomer(0.006)					

Product=Grapefruit

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
<i>LCCRPP_11-0031</i>	TR	2	Chlorpyrifos(0.04)	Orthophenylphenol(1.24)	
<i>LCCRPP_11-0044</i>	TR	2	Chlorpyrifos(0.11)	Pyrimethanil(0.17)	
<i>LCCRPP_11-0048</i>	TR	2	Chlorpyrifos(0.06)	Pyrimethanil(0.05)	
<i>LCCRPP_11-0061</i>	TR	3	Chlorpyrifos(0.29)	Metalaxyl(0.07)	Orthophenylphenol(2.54)
<i>LCCRPP_11-0097</i>	TR	2	Chlorpyrifos(0.08)	Pyrimethanil(0.07)	
<i>LCCRPP_11-0100</i>	TR	3	Pyrimethanil(0.66)	Orthophenylphenol(1.74)	Chlorpyrifos(0.13)
<i>LCCRPP_11-0130</i>	TR	3	Orthophenylphenol(0.85)	Pyrimethanil(0.02)	Chlorpyrifos(0.02)
<i>LCCRPP_11-0151</i>	TR	3	Chlorpyrifos(0.06)	Pyrimethanil(1.76)	Orthophenylphenol(0.68)
<i>LCCRPP_11-0157</i>	GR	2	Chlorpyrifos(0.3)	Orthophenylphenol(0.45)	
<i>LCCRPP_11-0177</i>	TR	2	Orthophenylphenol(0.44)	Chlorpyrifos(0.08)	
<i>LCCRPP_11-0199</i>	TR	2	Chlorpyrifos(0.13)	Orthophenylphenol(1.05)	

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
<i>LCCRPP_11-0031</i>				
<i>LCCRPP_11-0044</i>				
<i>LCCRPP_11-0048</i>				
<i>LCCRPP_11-0061</i>				
<i>LCCRPP_11-0097</i>				
<i>LCCRPP_11-0100</i>				
<i>LCCRPP_11-0130</i>				
<i>LCCRPP_11-0151</i>				
<i>LCCRPP_11-0157</i>				
<i>LCCRPP_11-0177</i>				
<i>LCCRPP_11-0199</i>				

To avoid duplicates residues marked as part of sum are excluded

Product=Grapefruit

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
LCCRPP_11-0200	TR	2	Orthophenylphenol(0.61)	Pyrimethanil(0.89)	
LCCRPP_11-0242	TR	3	Pyrimethanil(0.03)	Orthophenylphenol(0.3)	Chlorpyrifos(0.03)
LCCRPP_11-0257	TR	3	Chlorpyrifos(0.26)	Pyrimethanil(0.03)	Buprofezin(0.07)
LCCRPP_11-0258	TR	2	Pyrimethanil(0.09)	Chlorpyrifos(0.03)	
LCCRPP_11-0282	TR	3	Orthophenylphenol(1.32)	Chlorpyrifos(0.03)	Pyrimethanil(0.72)
LCCRPP_11-0340	TR	2	Chlorpyrifos(0.17)	Orthophenylphenol(0.89)	
LCCRPP_11-0401	TR	2	Orthophenylphenol(0.52)	Chlorpyrifos(0.08)	
LCCRPP_11-0409	TR	2	Orthophenylphenol(0.52)	Chlorpyrifos(0.17)	
LCCRPP_11-0449	TR	3	Pyrimethanil(0.86)	Orthophenylphenol(0.35)	Chlorpyrifos(0.26)
LCCRPP_11-0454	TR	3	Pyrimethanil(0.37)	Orthophenylphenol(1.05)	Chlorpyrifos(0.21)
LCCRPP_11-0487	TR	3	Pyrimethanil(0.05)	Chlorpyrifos(0.05)	Orthophenylphenol(2.18)

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-0200				
LCCRPP_11-0242				
LCCRPP_11-0257				
LCCRPP_11-0258				
LCCRPP_11-0282				
LCCRPP_11-0340				
LCCRPP_11-0401				
LCCRPP_11-0409				
LCCRPP_11-0449				
LCCRPP_11-0454				
LCCRPP_11-0487				

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Grapefruit

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
LCCRPP_11-0513	TR	3	Chlorpyrifos(0.15)	Orthophenylphenol(0.7)	Pyrimethanil(0.23)
LCCRPP_11-0516	TR	3	Pyrimethanil(0.27)	Orthophenylphenol(0.51)	Chlorpyrifos(0.15)
LCCRPP_11-0521	TR	3	Pyrimethanil(0.06)	Orthophenylphenol(0.56)	Chlorpyrifos(0.12)
LCCRPP_11-0530	TR	2	Chlorpyrifos(0.04)	Pyrimethanil(0.76)	
LCCRPP_11-0549	XX	3	Pyrimethanil(0.76)	Orthophenylphenol(0.8)	Chlorpyrifos(0.04)
LCCRPP_11-0583	TR	4	Imazalil(0.05)	Prochloraz(0.34)	Pyrimethanil(0.03)
LCCRPP_11-0673	ES	2	Orthophenylphenol(0.72)	Pyrimethanil(0.02)	
LCCRPP_11-0701	TR	2	Orthophenylphenol(0.33)	Chlorpyrifos(0.12)	
LCCRPP_11-0705	TR	3	Pyrimethanil(0.18)	Orthophenylphenol(0.43)	Chlorpyrifos(0.02)
LCCRPP_11-0724	TR	3	Pyrimethanil(0.1)	Orthophenylphenol(0.1)	Chlorpyrifos(0.13)
LCCRPP_11-0766	TR	2	Orthophenylphenol(0.14)	Chlorpyrifos(0.18)	

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-0513				
LCCRPP_11-0516				
LCCRPP_11-0521				
LCCRPP_11-0530				
LCCRPP_11-0549				
LCCRPP_11-0583	Thiabendazole(0.08)			
LCCRPP_11-0673				
LCCRPP_11-0701				
LCCRPP_11-0705				
LCCRPP_11-0724				
LCCRPP_11-0766				

To avoid duplicates residues marked as part of sum are excluded

Product=Grapefruit

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
LCCRPP_11-0779	TR	2	Pyrimethanil(0.04)	Chlorpyrifos(0.06)	
RO321-ANSVSA-30626	SZ	2	Imazalil(0.187)	Chlorpyrifos(0.011)	
RO321-ANSVSA-30724	GR	3	Thiabendazole(0.025)	Pyraclostrobin(0.018)	Imazalil(0.703)
RO321-ANSVSA-30890	ZA	2	Imazalil(0.741)	Azoxystrobin(0.016)	
RO321-ANSVSA-31126	ZA	2	Pyraclostrobin(0.027)	Imazalil(1.352)	
RO321-ANSVSA-31350	CN	3	Tebuconazole(0.059)	Imazalil(0.174)	Chlorpyrifos(0.016)
RO321-ANSVSA-31365	TR	2	Fenhexamid(0.031)	Chlorpyrifos(0.026)	
RO321-ANSVSA-31525	TR	3	Thiabendazole(0.297)	Imazalil(0.198)	Chlorpyrifos(0.038)
RO321-ANSVSA-31657	CN	3	Pyrimethanil(0.068)	Methidathion(0.026)	Imazalil(0.26)
RO321-ANSVSA-31692	TR	2	Imazalil(4.42)	Pyrimethanil(0.063)	
RO321-ANSVSA-31849	TR	5	Pyridaben(0.07)	Imazalil(4.124)	Chlorpyrifos(0.063)

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-0779				
RO321-ANSVSA-30626				
RO321-ANSVSA-30724				
RO321-ANSVSA-30890				
RO321-ANSVSA-31126				
RO321-ANSVSA-31350				
RO321-ANSVSA-31365				
RO321-ANSVSA-31525				
RO321-ANSVSA-31657				
RO321-ANSVSA-31692				
RO321-ANSVSA-31849	Thiabendazole(0.99)	Triadimefon (sum of Triadimefon and Triadimenol)(0.038)		

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Grapefruit

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
RO321-ANSVSA-31883	CN	2	Imazalil(1.275)	Methidathion(0.017)	
RO321-ANSVSA-31903	TR	3	Pyrimethanil(0.042)	Chlorpyrifos(0.023)	Imazalil(2.83)
RO321-ANSVSA-31916	CN	2	Imazalil(0.075)	Chlorpyrifos(0.014)	
RO321-ANSVSA-31950	CN	2	Imazalil(1.493)	Chlorpyrifos(0.028)	
RO321-ANSVSA-31963	CN	2	Imazalil(2.358)	Chlorpyrifos(0.046)	
RO321-ANSVSA-31973	TR	2	Imazalil(4.374)	Chlorpyrifos(0.084)	
RO321-ANSVSA-31984	GR	3	Chlorpyrifos(0.02)	Pyrimethanil(0.138)	Imazalil(4.862)
RO321-ANSVSA-31992	CN	2	Imazalil(2.126)	Chlorpyrifos(0.043)	
RO321-ANSVSA-31993	CN	2	Imazalil(2.242)	Imidacloprid(0.037)	
RO321-ANSVSA-32009	TR	3	Pyridaben(0.078)	Imazalil(4.566)	Acetamiprid(0.277)
RO321-ANSVSA-32012	TR	4	Thiabendazole(0.222)	Pyrimethanil(0.066)	Imazalil(2.908)

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
RO321-ANSVSA-31883				
RO321-ANSVSA-31903				
RO321-ANSVSA-31916				
RO321-ANSVSA-31950				
RO321-ANSVSA-31963				
RO321-ANSVSA-31973				
RO321-ANSVSA-31984				
RO321-ANSVSA-31992				
RO321-ANSVSA-31993				
RO321-ANSVSA-32009				
RO321-ANSVSA-32012	Chlorpyrifos(0.287)			

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Grapefruit

Code	Country	No Residues	Compound1	Compound2	Compound3
RO321-ANSVSA-32017	CN	2	Imazalil(1.285)	Fenvalerate/Esfenvalerate (sum)(0.015)	
RO321-ANSVSA-32025	TR	2	Pyrimethanil(0.188)	Imazalil(5.551)	

Code	Compound4	Compound5	Compound6	Compound7
RO321-ANSVSA-32017				
RO321-ANSVSA-32025				

Product=Kiwi

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
LCCRPP_11-0704	GR	2	Fenhexamid(0.27)	Chlorpyrifos-methyl(0.05)					

To avoid duplicates residues marked as part of sum are excluded

Product=Lemons

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
LCCRPP_11-0035	AR	2	Pyrimethanil(0.88)	Chlorpyrifos(0.04)	
LCCRPP_11-0243	TR	2	Pyrimethanil(0.68)	Orthophenylphenol(1.12)	
LCCRPP_11-0256	TR	4	Pyrimethanil(0.52)	Orthophenylphenol(1.22)	Methidathion(0.18)
LCCRPP_11-0355	TR	2	Pyrimethanil(0.75)	Orthophenylphenol(0.16)	
LCCRPP_11-0381	TR	2	Pyrimethanil(1.06)	Orthophenylphenol(1.04)	
LCCRPP_11-0403	TR	2	Orthophenylphenol(0.23)	Pyrimethanil(0.02)	
LCCRPP_11-0415	TR	2	Pyrimethanil(0.56)	Orthophenylphenol(0.38)	
LCCRPP_11-0447	TR	3	Pyrimethanil(0.03)	Orthophenylphenol(0.43)	Chlorpyrifos(0.09)
LCCRPP_11-0460	TR	2	Pyrimethanil(2.41)	Orthophenylphenol(1.18)	
LCCRPP_11-0517	TR	4	Pyrimethanil(1.47)	Orthophenylphenol(1.64)	Methidathion(0.08)
LCCRPP_11-0523	TR	2	Pyrimethanil(1.38)	Orthophenylphenol(0.95)	

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-0035				
LCCRPP_11-0243				
LCCRPP_11-0256	Dicofol (sum)(0.05)			
LCCRPP_11-0355				
LCCRPP_11-0381				
LCCRPP_11-0403				
LCCRPP_11-0415				
LCCRPP_11-0447				
LCCRPP_11-0460				
LCCRPP_11-0517	Chlorpyrifos(0.04)			
LCCRPP_11-0523				

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lemons

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
LCCRPP_11-0527	TR	2	Pirimicarb(0.04)	Pyrimethanil(0.03)	
LCCRPP_11-0540	XX	3	Pyrimethanil(0.54)	Orthophenylphenol(0.17)	Chlorpyrifos(0.05)
LCCRPP_11-0542	XX	2	Pyrimethanil(0.91)	Chlorpyrifos(0.04)	
LCCRPP_11-0548	XX	2	Pyrimethanil(0.59)	Orthophenylphenol(1.33)	
LCCRPP_11-0569	TR	3	Pyrimethanil(0.51)	Orthophenylphenol(0.59)	Chlorpyrifos(0.08)
LCCRPP_11-0585	TR	3	Pyrimethanil(0.12)	Imazalil(0.15)	Chlorpyrifos(0.02)
LCCRPP_11-0617	TR	3	Pyrimethanil(0.85)	Orthophenylphenol(1.13)	Dicofol (sum)(0.09)
LCCRPP_11-0618	TR	2	Pyrimethanil(0.17)	Orthophenylphenol(0.06)	
LCCRPP_11-0696	TR	2	Orthophenylphenol(0.18)	Pyrimethanil(0.41)	
LCCRPP_11-0706	TR	3	Pyrimethanil(0.43)	Orthophenylphenol(1.17)	Chlorpyrifos(0.06)
LCCRPP_11-0778	TR	2	Pyrimethanil(0.47)	Orthophenylphenol(0.71)	

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-0527				
LCCRPP_11-0540				
LCCRPP_11-0542				
LCCRPP_11-0548				
LCCRPP_11-0569				
LCCRPP_11-0585				
LCCRPP_11-0617				
LCCRPP_11-0618				
LCCRPP_11-0696				
LCCRPP_11-0706				
LCCRPP_11-0778				

To avoid duplicates residues marked as part of sum are excluded

Product=Lemons

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
LCCRPP_11-0780	TR	2	Pyrimethanil(0.67)	Orthophenylphenol(1.29)	
LCCRPP_11-0887	TR	4	Pyrimethanil(0.02)	Dicofol (sum)(0.81)	Chlorobenzilate(0.02)
LCCRPP_11-2109	TR	2	Chlorpyrifos(0.03)	Orthophenylphenol(0.24)	
RO321-ANSVSA-30471	TR	2	Imazalil(0.066)	Chlorpyrifos(0.041)	
RO321-ANSVSA-30518-3	TR	2	Pyrimethanil(0.686)	Thiabendazole(0.127)	
RO321-ANSVSA-30610	ES	2	Imazalil(0.507)	Chlorpyrifos(0.025)	
RO321-ANSVSA-30687	AR	2	Thiabendazole(0.257)	Imazalil(0.786)	
RO321-ANSVSA-30735	AR	4	Trifloxystrobin(0.015)	Thiabendazole(0.092)	Pyrimethanil(0.838)
RO321-ANSVSA-30889	AR	2	Imazalil(0.846)	Pyrimethanil(0.019)	
RO321-ANSVSA-31025	AR	2	Pyrimethanil(0.203)	Imazalil(0.083)	
RO321-ANSVSA-31083-3	AR	2	Pyrimethanil(0.086)	Imazalil(0.691)	

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-0780				
LCCRPP_11-0887	Orthophenylphenol(0.03)			
LCCRPP_11-2109				
RO321-ANSVSA-30471				
RO321-ANSVSA-30518-3				
RO321-ANSVSA-30610				
RO321-ANSVSA-30687				
RO321-ANSVSA-30735	Imazalil(1.64)			
RO321-ANSVSA-30889				
RO321-ANSVSA-31025				
RO321-ANSVSA-31083-3				

To avoid duplicates residues marked as part of sum are excluded

Product=Lemons

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
RO321-ANSVSA-31084	AR	3	Pyrimethanil(0.386)	Imazalil(1.45)	Thiabendazole(0.198)
RO321-ANSVSA-31085	AR	3	Pyrimethanil(0.384)	Thiabendazole(0.185)	Imazalil(1.142)
RO321-ANSVSA-31086	AR	2	Thiabendazole(0.08)	Imazalil(1.461)	
RO321-ANSVSA-31113	AR	3	Thiabendazole(0.08)	Pyrimethanil(0.45)	Imazalil(0.847)
RO321-ANSVSA-31124	AR	3	Thiabendazole(0.13)	Pyrimethanil(0.24)	Imazalil(1.138)
RO321-ANSVSA-31184-2	AR	2	Thiabendazole(0.048)	Imazalil(0.607)	
RO321-ANSVSA-31324-5	ZA	3	Imazalil(0.558)	Chlorpyrifos(0.018)	Thiabendazole(0.17)
RO321-ANSVSA-31353-2	AR	2	Pyrimethanil(0.092)	Imazalil(0.234)	
RO321-ANSVSA-31462-3	TR	2	Imazalil(0.392)	Pyrimethanil(0.161)	
RO321-ANSVSA-31523	TR	4	Thiabendazole(0.178)	Imazalil(0.8)	Chlorpyrifos(0.09)
RO321-ANSVSA-31524	TR	2	Imazalil(0.825)	Thiabendazole(0.011)	

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
RO321-ANSVSA-31084				
RO321-ANSVSA-31085				
RO321-ANSVSA-31086				
RO321-ANSVSA-31113				
RO321-ANSVSA-31124				
RO321-ANSVSA-31184-2				
RO321-ANSVSA-31324-5				
RO321-ANSVSA-31353-2				
RO321-ANSVSA-31462-3				
RO321-ANSVSA-31523	Pyrimethanil(0.022)			
RO321-ANSVSA-31524				

To avoid duplicates residues marked as part of sum are excluded

Product=Lemons

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
RO321-ANSVSA-31638	TR	2	Thiabendazole(0.042)	Chlorpyrifos(0.029)	
RO321-ANSVSA-31642-1	TR	2	Imazalil(0.26)	Pyrimethanil(0.068)	
RO321-ANSVSA-31685	IT	3	Thiabendazole(0.098)	Imazalil(1.19)	Pyrimethanil(0.13)
RO321-ANSVSA-31750	TR	2	Chlorpyrifos(0.047)	Imazalil(0.018)	
RO321-ANSVSA-31902	TR	2	Pyrimethanil(0.05)	Imazalil(0.567)	
RO321-ANSVSA-31980	TR	2	Imazalil(0.302)	Chlorpyrifos(0.011)	
RO321-ANSVSA-31981	TR	2	Pyrimethanil(0.925)	Imazalil(0.502)	

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
RO321-ANSVSA-31638				
RO321-ANSVSA-31642-1				
RO321-ANSVSA-31685				
RO321-ANSVSA-31750				
RO321-ANSVSA-31902				
RO321-ANSVSA-31980				
RO321-ANSVSA-31981				

Product=Lettuce

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
LCCRPP_11-0034	IT	3	Fludioxonil(0.02)	Cyprodinil(0.02)	Boscalid(0.07)
LCCRPP_11-0423	IT	2	Cyprodinil(0.23)	Fludioxonil(0.25)	
LCCRPP_11-0502	RO	2	Chlorothalonil(0.5)	Fenhexamid(0.75)	
LCCRPP_11-0562	RO	2	Fenhexamid(3.8)	Chlorothalonil(5.33)	
LCCRPP_11-0597	RO	4	Thiabendazole(0.04)	Orthophenylphenol(0.02)	Imazalil(0.02)
LCCRPP_11-0599	RO	2	Thiametoxam(0.02)	Dimethomorph(0.13)	
LCCRPP_11-0749	RO	3	Metalaxyl(0.09)	Fenhexamid(0.31)	Bifenthrin(1.66)
LCCRPP_11-0751	RO	3	Metalaxyl(0.07)	Fenhexamid(0.37)	Bifenthrin(1.92)
LCCRPP_11-0784	RO	4	Thiophanate-methyl(0.07)	Pyrimethanil(0.1)	Chlorothalonil(9.82)
LCCRPP_11-0805	IT	3	Imidacloprid(0.04)	Boscalid(9.62)	Dimethomorph(0.06)
RO321-ANSVSA-31942	IT	3	Iprodione(2.183)	Imidacloprid(0.533)	Fenamidone(0.041)

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-0034				
LCCRPP_11-0423				
LCCRPP_11-0502				
LCCRPP_11-0562				
LCCRPP_11-0597	Chlorothalonil(0.01)			
LCCRPP_11-0599				
LCCRPP_11-0749				
LCCRPP_11-0751				
LCCRPP_11-0784	Fenhexamid(9.42)			
LCCRPP_11-0805				
RO321-ANSVSA-31942				

To avoid duplicates residues marked as part of sum are excluded

Product=Mandarins

Code	Country	No Residues	Compound1	Compound2	Compound3
LCCRPP_11-0101	TR	2	Orthophenylphenol(1.16)	Chlorpyrifos(0.17)	
LCCRPP_11-0315	GR	3	Pyrimethanil(0.02)	Fenoxycarb(0.02)	Cyprodinil(0.02)
LCCRPP_11-0359	GR	2	Diphenylamine(0.03)	Chlorpyrifos(0.03)	
LCCRPP_11-0426	GR	2	Pyrimethanil(0.04)	Orthophenylphenol(0.1)	
LCCRPP_11-0519	ES	3	Pyrimethanil(0.03)	Orthophenylphenol(2.93)	Carbofuran (sum)(0.05)
LCCRPP_11-0570	GR	2	Pyrimethanil(0.02)	Chlorpyrifos(0.17)	
LCCRPP_11-0672	EC	2	Orthophenylphenol(2.31)	Carbofuran (sum)(0.09)	
LCCRPP_11-0793	CY	4	Orthophenylphenol(2.59)	Imazalil(0.27)	Carbofuran (sum)(0.16)
LCCRPP_11-0794	ES	4	Orthophenylphenol(0.43)	Imazalil(1.43)	Chlorpyrifos(0.03)
LCCRPP_11-0839	ES	2	Thiabendazole(0.1)	Imazalil(0.82)	
RO321-ANSVSA-30395	TR	2	Chlorpyrifos(0.035)	Imazalil(0.336)	

Code	Compound4	Compound5	Compound6	Compound7
LCCRPP_11-0101				
LCCRPP_11-0315				
LCCRPP_11-0359				
LCCRPP_11-0426				
LCCRPP_11-0519				
LCCRPP_11-0570				
LCCRPP_11-0672				
LCCRPP_11-0793	Thiabendazole(0.74)			
LCCRPP_11-0794	Thiabendazole(2.08)			
LCCRPP_11-0839				
RO321-ANSVSA-30395				

To avoid duplicates residues marked as part of sum are excluded

Product=Mandarins

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
RO321-ANSVSA-30517-1	AR	2	Pyrimethanil(0.641)	Imazalil(0.866)	
RO321-ANSVSA-30732	AR	3	Thiabendazole(0.411)	Pyrimethanil(0.407)	Imazalil(1.02)
RO321-ANSVSA-31034-3	ES	2	Thiabendazole(0.38)	Imazalil(0.775)	
RO321-ANSVSA-31445	TR	2	Malathion (sum of malathion and malaoxon expressed as malathion)(0.02)	Imazalil(0.078)	
RO321-ANSVSA-31559	TR	2	Pyrimethanil(0.085)	Chlorpyrifos(0.018)	
RO321-ANSVSA-31668	TR	2	Thiabendazole(0.082)	Imazalil(0.388)	
RO321-ANSVSA-31924	TR	2	Imazalil(0.032)	Chlorpyrifos(0.014)	
RO321-ANSVSA-31977	TR	2	Imazalil(0.811)	Chlorpyrifos(0.028)	
RO321-ANSVSA-31996-3	TR	3	Thiabendazole(0.082)	Pyrimethanil(0.349)	Imazalil(0.698)
RO321-ANSVSA-32010	TR	3	Thiabendazole(0.15)	Pyrimethanil(0.146)	Imazalil(0.215)

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
RO321-ANSVSA-30517-1				
RO321-ANSVSA-30732				
RO321-ANSVSA-31034-3				
RO321-ANSVSA-31445				
RO321-ANSVSA-31559				
RO321-ANSVSA-31668				
RO321-ANSVSA-31924				
RO321-ANSVSA-31977				
RO321-ANSVSA-31996-3				
RO321-ANSVSA-32010				

To avoid duplicates residues marked as part of sum are excluded

Product=Mangoes

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
RO321-ANSVSA-30282	GT	2	Thiabendazole(0.823)	Imazalil(2.613)					

Product=Melons

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
RO321-ANSVSA-31674	ES	2	Imidacloprid(0.025)	Imazalil(0.214)					

Product=Milk and milk products

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
RO215-ANSVSA-30067-1	RO	6	Hexachlorocyclohexane (HCH), beta-isomer(0.001)	Hexachlorocyclohexane (HCH), alpha-isomer(0.001)	Hexachlorobenzene(0.001)
RO223-ANSVSA-22712-1	RO	2	Hexachlorocyclohexane (HCH), alpha-isomer(0.001)	DDT (sum)(0.001)	

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
RO215-ANSVSA-30067-1	Heptachlor(0.002)	DDE, p,p-(0.002)	Chlordane (sum animal products)(0.002)	
RO223-ANSVSA-22712-1				

Product=Oranges

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
LCCRPP_11-0115	TR	2	Orthophenylphenol(0.1)	Chlorpyrifos(0.11)	
LCCRPP_11-0280	GR	2	Orthophenylphenol(2.03)	Chlorpyrifos(0.08)	
LCCRPP_11-0522	GR	2	Orthophenylphenol(0.02)	Chlorpyrifos(0.27)	
LCCRPP_11-0526	GR	2	Pyrimethanil(0.26)	Chlorpyrifos(0.06)	
LCCRPP_11-0531	GR	2	Pyrimethanil(0.02)	Chlorpyrifos(0.07)	
LCCRPP_11-0579	GR	2	Imazalil(0.3)	Chlorpyrifos(0.05)	
LCCRPP_11-0694	TR	2	Orthophenylphenol(0.31)	Chlorpyrifos(0.03)	
LCCRPP_11-0781	GR	3	Pyrimethanil(0.08)	Orthophenylphenol(0.13)	Imazalil(0.72)
LCCRPP_11-0845	GR	2	Dicofol (sum)(0.07)	Chlorpyrifos(0.03)	
RO321-ANSVSA-30601	EG	2	Imazalil(0.268)	Chlorpropham(0.015)	
RO321-ANSVSA-30688	AR	3	Thiabendazole(0.823)	Imazalil(0.67)	Chlorpyrifos(0.02)

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-0115				
LCCRPP_11-0280				
LCCRPP_11-0522				
LCCRPP_11-0526				
LCCRPP_11-0531				
LCCRPP_11-0579				
LCCRPP_11-0694				
LCCRPP_11-0781				
LCCRPP_11-0845				
RO321-ANSVSA-30601				
RO321-ANSVSA-30688				

To avoid duplicates residues marked as part of sum are excluded

Product=Oranges

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
RO321-ANSVSA-30734	AR	2	Pyrimethanil(0.562)	Imazalil(1.118)	
RO321-ANSVSA-30829	ZA	4	Thiabendazole(0.069)	Pyraclostrobin(0.064)	Imazalil(0.048)
RO321-ANSVSA-31087	AR	3	Thiophanate-methyl(0.104)	Imazalil(0.486)	Chlorpyrifos(0.265)
RO321-ANSVSA-31104	AR	2	Thiabendazole(0.161)	Imazalil(0.298)	
RO321-ANSVSA-31127	ZA	2	Imazalil(0.378)	Thiabendazole(0.242)	
RO321-ANSVSA-31203	AR	2	Pyrimethanil(0.921)	Imazalil(1.669)	
RO321-ANSVSA-31324-3	ZA	2	Azoxystrobin(0.079)	Imazalil(0.803)	
RO321-ANSVSA-31353-1	GR	3	Imazalil(0.66)	Chlorpyrifos(0.015)	Azoxystrobin(0.026)
RO321-ANSVSA-31463	ZA	3	Thiabendazole(0.512)	Pyraclostrobin(0.01)	Imazalil(0.979)
RO321-ANSVSA-31650-5	TR	3	Thiabendazole(0.225)	Imazalil(0.108)	Chlorpyrifos(0.017)

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
RO321-ANSVSA-30734				
RO321-ANSVSA-30829	Azoxystrobin(0.127)			
RO321-ANSVSA-31087				
RO321-ANSVSA-31104				
RO321-ANSVSA-31127				
RO321-ANSVSA-31203				
RO321-ANSVSA-31324-3				
RO321-ANSVSA-31353-1				
RO321-ANSVSA-31463				
RO321-ANSVSA-31650-5				

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Oranges

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
RO321-ANSVSA-31675	GR	3	Imazalil(0.337)	Chlorpyrifos(0.033)	Pyrimethanil(0.088)
RO321-ANSVSA-31784	TR	2	Thiabendazole(0.623)	Chlorpyrifos(0.033)	

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
RO321-ANSVSA-31675				
RO321-ANSVSA-31784				

To avoid duplicates residues marked as part of sum are excluded

Product=Peaches

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
LCCRPP_11-1203	GR	2	Bitertanol(0.04)	Bifenthrin(0.04)		
LCCRPP_11-1336	RO	2	Fenarimol(0.04)	Deltamethrin(0.07)		
LCCRPP_11-1337	RO	2	Cyprodinil(0.03)	Bifenthrin(0.07)		
LCCRPP_11-1359	RO	2	Cyprodinil(0.05)	Chlorpyrifos(0.18)		
LCCRPP_11-1449	RO	2	Pyrimethanil(0.04)	Chlorpyrifos(0.03)		
RO321-ANSVSA-30776	GR	3	Tebuconazole(0.086)	Etofenprox(0.04)	Bifenthrin(0.023)	
RO321-ANSVSA-30868	IT	2	Tebuconazole(0.025)	Chlorpyrifos(0.051)		
RO321-ANSVSA-31015-5	GR	2	Tebuconazole(0.076)	Iprodione(0.045)		
RO321-ANSVSA-31097-3	GR	2	Lambda-Cyhalothrin(0.017)	Cypermethrin (sum)(0.069)		
RO321-ANSVSA-31268	TR	2	Thiophanate-methyl(0.076)	Pyrimethanil(0.423)		
RO321-ANSVSA-31313	ES	2	Tebuconazole(0.171)	Lambda-Cyhalothrin(0.02)		

<i>Code</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-1203			
LCCRPP_11-1336			
LCCRPP_11-1337			
LCCRPP_11-1359			
LCCRPP_11-1449			
RO321-ANSVSA-30776			
RO321-ANSVSA-30868			
RO321-ANSVSA-31015-5			
RO321-ANSVSA-31097-3			
RO321-ANSVSA-31268			
RO321-ANSVSA-31313			

To avoid duplicates residues marked as part of sum are excluded

Product=Pears

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-0687	NL	3	Pyrimethanil(0.43)	Fludioxonil(0.1)	Cyprodinil(0.12)				
LCCRPP_11-0807	AR	2	Thiabendazole(0.23)	Acetamiprid(0.01)					
LCCRPP_11-1050	CL	2	Pyrimethanil(0.07)	Diphenylamine(0.04)					
LCCRPP_11-1170	CL	2	Fludioxonil(0.06)	Cyprodinil(0.07)					
LCCRPP_11-1704	RO	2	Fenoxycarb(0.06)	Chlorpyrifos(0.03)					
LCCRPP_11-2300	IT	2	Chlorpyrifos(0.04)	Boscalid(0.68)					
LCCRPP_11-2430	IT	2	Chlorpyrifos(0.07)	Boscalid(0.17)					
RO321-ANSVSA-31317	TR	2	Imidacloprid(0.026)	Chlorpyrifos(0.012)					
RO321-ANSVSA-31552	IT	3	Tebuconazole(0.034)	Chlorpyrifos(0.037)	Boscalid(0.195)				
RO321-ANSVSA-31831	IT	2	Chlorpyrifos(0.106)	Boscalid(0.283)					

Product=Peppers

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
RO321-ANSVSA-30385	JO	3	Pyridaben(0.148)	Folpet(0.04)	Captan(0.026)				
RO321-ANSVSA-32003-3	JO	4	Myclobutanil(0.021)	Difenoconazole(0.066)	Azoxystrobin(0.066)	Acetamiprid(1.106)			
RO321-ANSVSA-32003-5	JO	2	Pyridaben(0.461)	Captan(0.068)					

Product=Plums

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-1950	RO	2	Pyrimethanil(0.07)	Bifenthrin(0.02)					
RO321-ANSVSA-31098-2	RO	2	Pyrimethanil(0.031)	Iprodione(0.048)					

To avoid duplicates residues marked as part of sum are excluded

Product=Pomegranate

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
RO321-ANSVSA-31526	TR	2	Chlorpyrifos(0.037)	Acetamiprid(0.034)					

Product=Poultry fat

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
RO223-ANSVSA-20854-1	RO	2	Endosulfan (sum)(0.02)	DDT (sum)(0.036)					

Product=Quinces

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
RO321-ANSVSA-31637	GR	2	Propargite(0.076)	Chlorpyrifos(0.284)					
RO321-ANSVSA-31966	TR	2	Thiacloprid(0.017)	Tebuconazole(0.046)					

Product=Radishes

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
LCCRPP_11-0590	RO	4	Monocrotophos(0.01)	Methiocarb-Sulfoxid(0.01)	Flutriafol(0.02)	Azoxystrobin(0.01)			
LCCRPP_11-0692	RO	2	Pencycuron(0.03)	Cyprodinil(0.01)					

To avoid duplicates residues marked as part of sum are excluded

Product=Sheep Fat

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
RO223-ANSVSA-22813-1	RO	4	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))(0.009)	Hexachlorocyclohexane (HCH), alpha-isomer(0.021)	Hexachlorobenzene(0.015)
RO223-ANSVSA-22814-1	RO	2	Hexachlorocyclohexane (HCH), alpha-isomer(0.028)	Hexachlorobenzene(0.018)	
RO223-ANSVSA-22815-1	RO	3	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))(0.005)	Hexachlorobenzene(0.017)	DDT (sum)(0.045)
RO223-ANSVSA-22816-1	RO	2	Hexachlorobenzene(0.017)	DDT (sum)(0.033)	
RO223-ANSVSA-22817-1	RO	2	Hexachlorobenzene(0.02)	DDT (sum)(0.034)	

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
RO223-ANSVSA-22813-1	DDT (sum)(0.019)			
RO223-ANSVSA-22814-1				
RO223-ANSVSA-22815-1				
RO223-ANSVSA-22816-1				
RO223-ANSVSA-22817-1				

Product=Spinach

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-0565	RO	2	Pyrimethanil(0.02)	Bifenthrin(0.03)					
RO321-ANSVSA-31967	TR	2	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)(0.099)	Acetamiprid(0.65)					

Product=Spring onions

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-0800	RO	2	Thiabendazole(0.02)	Bifenthrin(0.02)					

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Strawberries

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
LCCRPP_11-0826	GR	2	Imazalil(0.01)	Azoxystrobin(0.01)		
LCCRPP_11-0841	TR	3	Fludioxonil(0.03)	Cyprodinil(0.02)	Boscalid(0.94)	
LCCRPP_11-0873	GR	2	Methidathion(0.02)	Fenhexamid(0.7)		
LCCRPP_11-0876	RO	2	Fenhexamid(0.11)	Chlorothalonil(0.04)		
LCCRPP_11-0952	TR	2	Cyprodinil(0.08)	Chlorothalonil(0.04)		
LCCRPP_11-0961	RO	3	Fludioxonil(0.03)	Fenhexamid(0.12)	Cyprodinil(0.03)	
LCCRPP_11-1037	RO	2	Pyrimethanil(0.14)	Cyprodinil(0.02)		
LCCRPP_11-1043	RO	3	Mepanipyrim(0.11)	Boscalid(0.94)	Penconazole(0.04)	
RO321-ANSVSA-31948	EG	3	Thiophanate-methyl(0.527)	Lambda-Cyhalothrin(0.018)	Chlorpyrifos(0.024)	

<i>Code</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-0826			
LCCRPP_11-0841			
LCCRPP_11-0873			
LCCRPP_11-0876			
LCCRPP_11-0952			
LCCRPP_11-0961			
LCCRPP_11-1037			
LCCRPP_11-1043			
RO321-ANSVSA-31948			

To avoid duplicates residues marked as part of sum are excluded

Product=Table grapes

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
LCCRPP_11-0393	PE	2	Tebuconazole(0.08)	Myclobutanil(0.05)	
LCCRPP_11-0394	ZA	2	Fludioxonil(0.05)	Cyprodinil(0.22)	
LCCRPP_11-1300	TR	3	Penconazole(0.03)	Chlorpyrifos(0.1)	Boscalid(0.11)
LCCRPP_11-1362	TR	4	Pyrimethanil(0.83)	Metalaxyl(0.19)	Lambda-Cyhalothrin(0.05)
LCCRPP_11-1613	RO	2	Metalaxyl(0.05)	Chlorpyrifos(0.03)	
LCCRPP_11-1618	RO	2	Fludioxonil(0.19)	Cyprodinil(0.26)	
LCCRPP_11-1628	RO	2	Cyprodinil(0.06)	Bifenthrin(0.06)	
LCCRPP_11-1665	RO	3	Pyrimethanil(0.09)	Procymidone(0.02)	Bifenthrin(0.02)
LCCRPP_11-1686	RO	3	Thiophanate-methyl(0.02)	Pyrimethanil(0.04)	Metalaxyl(0.09)
LCCRPP_11-1721	RO	3	Metalaxyl(0.03)	Cyprodinil(0.03)	Boscalid(0.07)
LCCRPP_11-1722	IT	2	Chlorpyrifos(0.1)	Boscalid(0.04)	

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-0393				
LCCRPP_11-0394				
LCCRPP_11-1300				
LCCRPP_11-1362	Chlorpyrifos(0.5)			
LCCRPP_11-1613				
LCCRPP_11-1618				
LCCRPP_11-1628				
LCCRPP_11-1665				
LCCRPP_11-1686				
LCCRPP_11-1721				
LCCRPP_11-1722				

To avoid duplicates residues marked as part of sum are excluded

Product=Table grapes

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
LCCRPP_11-1727	IT	4	Penconazole(0.07)	Myclobutanil(0.06)	Flutriafol(0.02)
LCCRPP_11-1812	RO	2	Dimethomorph(0.1)	Chlorpyrifos(0.05)	
LCCRPP_11-1854	RO	2	Fenhexamid(0.35)	Cyprodinil(0.05)	
LCCRPP_11-1889	RO	2	Cyprodinil(0.36)	Chlorpyrifos-methyl(0.03)	
LCCRPP_11-1891	RO	2	Pyrimethanil(0.04)	Metalaxyl(0.06)	
LCCRPP_11-1898	RO	3	Metalaxyl(0.05)	Cyprodinil(0.07)	Boscalid(0.19)
LCCRPP_11-1955	RO	2	Boscalid(1.61)	Myclobutanil(0.05)	
LCCRPP_11-2030	IT	3	Pyrimethanil(0.03)	Cyprodinil(0.08)	Chlorpyrifos(0.1)
LCCRPP_11-2087	IT	2	Pyrimethanil(0.29)	Mepanipyrim(0.16)	
RO321-ANSVSA-30711	IT	3	Spiroxamine(0.144)	Chlorpyrifos(0.027)	Tebuconazole(0.016)
RO321-ANSVSA-30838	TR	2	Pyrimethanil(0.453)	Imazalil(0.019)	

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-1727	Dimethomorph(0.11)			
LCCRPP_11-1812				
LCCRPP_11-1854				
LCCRPP_11-1889				
LCCRPP_11-1891				
LCCRPP_11-1898				
LCCRPP_11-1955				
LCCRPP_11-2030				
LCCRPP_11-2087				
RO321-ANSVSA-30711				
RO321-ANSVSA-30838				

To avoid duplicates residues marked as part of sum are excluded

Product=Table grapes

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
RO321-ANSVSA-30893	IT	2	Myclobutanil(0.05)	Chlorpyrifos(0.017)	
RO321-ANSVSA-31144	RO	2	Iprodione(0.032)	Chlorpyrifos(0.017)	
RO321-ANSVSA-31202	IT	4	Thiophanate-methyl(0.012)	Tebuconazole(0.031)	Pyrimethanil(0.184)
RO321-ANSVSA-31616-3	IT	2	Boscalid(0.064)	Trifloxystrobin(0.422)	
RO321-ANSVSA-31655-3	GR	5	Trifloxystrobin(0.084)	Cyprodinil(0.767)	Boscalid(0.193)
RO321-ANSVSA-31996-1	TR	5	Trifloxystrobin(0.011)	Pyrimethanil(3.239)	Cyprodinil(1.211)
RO321-ANSVSA-32011	TR	2	Chlorpyrifos(0.02)	Pyrimethanil(0.698)	

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
RO321-ANSVSA-30893				
RO321-ANSVSA-31144				
RO321-ANSVSA-31202	Iprodione(0.217)			
RO321-ANSVSA-31616-3				
RO321-ANSVSA-31655-3	Bifenthrin(0.041)	Imazalil(0.012)		
RO321-ANSVSA-31996-1	Cypermethrin (sum)(0.596)	Chlorpyrifos(0.134)		
RO321-ANSVSA-32011				

Product=Tomatoes

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-0814	ES	2	Pyrimethanil(0.04)	Epoxiconazole(0.01)					
LCCRPP_11-1289	RO	3	Pirimiphos-methyl(0.23)	Lambda-Cyhalothrin(0.02)	Fenhexamid(0.23)				
LCCRPP_11-1394	RO	2	Chlorothalonil(0.27)	Buprofezin(0.21)					
LCCRPP_11-1482	RO	3	Metaxyl(0.12)	Chlorothalonil(0.29)	Buprofezin(0.16)				
LCCRPP_11-1653	RO	2	Propargite(0.21)	Cyprodinil(0.06)					
RO321-ANSVSA-183	JO	3	Pyridaben(0.03)	Procymidone(0.058)	Acetamiprid(0.014)				
RO321-ANSVSA-30475	PL	2	Chlorothalonil(0.05)	Azoxystrobin(0.133)					

To avoid duplicates residues marked as part of sum are excluded

Product=Tomatoes

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
RO321-ANSVSA-31621	TR	2	Imidacloprid(0.031)	Folpet(0.06)					
RO321-ANSVSA-93	JO	2	Chlorothalonil(0.027)	Azoxystrobin(0.087)					

Product=Wheat

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-0212	RO	3	Pirimiphos-methyl(0.12)	Chlorpyrifos-methyl(0.05)	Chlorpyrifos(0.05)				
LCCRPP_11-0790	RO	2	Pirimiphos-methyl(0.49)	Chlorpyrifos-methyl(0.04)					

Product=Wine grapes

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
LCCRPP_11-1684	RO	2	Pyrimethanil(0.58)	Dimethomorph(0.02)		
LCCRPP_11-1685	RO	4	Pyrimethanil(0.29)	Fludioxonil(0.05)	Cyprodinil(0.06)	Boscalid(0.07)
LCCRPP_11-1687	RO	4	Pyrimethanil(0.08)	Fludioxonil(0.09)	Cyprodinil(0.1)	Boscalid(0.26)
LCCRPP_11-1730	RO	2	Dimethomorph(0.02)	Chlorothalonil(0.11)		
LCCRPP_11-1731	RO	2	Thiophanate-methyl(0.02)	Metalaxyl(0.06)		
LCCRPP_11-1732	RO	2	Thiophanate-methyl(0.02)	Methiocarb-Sulfoxid(0.02)		
LCCRPP_11-1742	RO	2	Pyrimethanil(0.03)	Chlorpyrifos-methyl(0.09)		
LCCRPP_11-1746	RO	2	Pyrimethanil(0.48)	Fenhexamid(0.35)		
LCCRPP_11-1749	RO	2	Pyrimethanil(0.02)	Cyprodinil(0.09)		
LCCRPP_11-1822	RO	2	Fludioxonil(0.53)	Cyprodinil(0.21)		
LCCRPP_11-1827	RO	2	Thiophanate-methyl(0.02)	Propargite(0.43)		

<i>Code</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-1684			
LCCRPP_11-1685			
LCCRPP_11-1687			
LCCRPP_11-1730			
LCCRPP_11-1731			
LCCRPP_11-1732			
LCCRPP_11-1742			
LCCRPP_11-1746			
LCCRPP_11-1749			
LCCRPP_11-1822			
LCCRPP_11-1827			

To avoid duplicates residues marked as part of sum are excluded

Product=Wine grapes

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
LCCRPP_11-1852	RO	2	Fludioxonil(0.15)	Cyprodinil(0.28)		
LCCRPP_11-1853	RO	2	Fenhexamid(0.95)	Cyprodinil(0.08)		
LCCRPP_11-1883	RO	2	Pyrimethanil(0.37)	Propargite(0.11)		
LCCRPP_11-1901	RO	2	Tebuconazole(0.09)	Fenhexamid(0.9)		
LCCRPP_11-1902	RO	3	Pyrimethanil(0.02)	Metalaxyl(0.04)	Fenhexamid(0.16)	
LCCRPP_11-1918	RO	2	Pyrimethanil(0.21)	Fenhexamid(0.34)		
LCCRPP_11-1921	RO	2	Tebuconazole(0.03)	Pyrimethanil(0.2)		
LCCRPP_11-2044	RO	2	Pyrimethanil(0.15)	Metalaxyl(0.06)		
LCCRPP_11-2053	RO	3	Pyrimethanil(0.19)	Cyprodinil(0.04)	Boscalid(0.14)	
LCCRPP_11-2054	RO	3	Pyrimethanil(0.22)	Cyprodinil(0.04)	Boscalid(0.34)	
LCCRPP_11-2055	RO	5	Fludioxonil(0.04)	Fenhexamid(1.38)	Cyprodinil(0.09)	Boscalid(0.62)

Code	Compound5	Compound6	Compound7
LCCRPP_11-1852			
LCCRPP_11-1853			
LCCRPP_11-1883			
LCCRPP_11-1901			
LCCRPP_11-1902			
LCCRPP_11-1918			
LCCRPP_11-1921			
LCCRPP_11-2044			
LCCRPP_11-2053			
LCCRPP_11-2054			
LCCRPP_11-2055	Pyrimethanil(0.08)		

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Wine grapes

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
LCCRPP_11-2058	RO	6	Tebuconazole(0.15)	Pyrimethanil(0.65)	Fludioxonil(0.16)	Fenhexamid(1.45)
LCCRPP_11-2059	RO	7	Tebuconazole(0.1)	Pyrimethanil(0.65)	Propargite(0.36)	Fludioxonil(0.1)
LCCRPP_11-2060	RO	7	Pyrimethanil(0.47)	Propargite(0.38)	Fludioxonil(0.11)	Cyprodinil(0.14)
LCCRPP_11-2199	RO	3	Pyrimethanil(0.02)	Cyprodinil(0.09)	Bifenthrin(0.01)	
LCCRPP_11-2200	RO	3	Pyrimethanil(0.02)	Cyprodinil(0.09)	Bifenthrin(0.01)	
RO321-ANSVSA-30536	RO	2	Pyrimethanil(0.044)	Procymidone(0.025)		
RO321-ANSVSA-31115	RO	3	Trifloxystrobin(0.117)	Pyrimethanil(1.059)	Iprodione(0.116)	
RO321-ANSVSA-31116	RO	5	Pyrimethanil(0.581)	Iprodione(1.694)	Folpet(1.504)	Cypermethrin (sum)(0.016)
RO321-ANSVSA-31433-1	RO	3	Folpet(0.771)	Chlorpyrifos(0.082)	Bifenthrin(0.016)	
RO321-ANSVSA-31433-2	RO	3	Iprodione(0.015)	Cyprodinil(0.042)	Captan(0.106)	

<i>Code</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
LCCRPP_11-2058	Cyprodinil(0.2)	Propargite(0.69)	
LCCRPP_11-2059	Fenhexamid(1.12)	Boscalid(0.03)	Cyprodinil(0.16)
LCCRPP_11-2060	Boscalid(0.16)	Fenhexamid(0.81)	Tebuconazole(0.1)
LCCRPP_11-2199			
LCCRPP_11-2200			
RO321-ANSVSA-30536			
RO321-ANSVSA-31115			
RO321-ANSVSA-31116	Trifloxystrobin(0.069)		
RO321-ANSVSA-31433-1			
RO321-ANSVSA-31433-2			

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2011 Romania on November 05, 2012 at 10:42:28 AM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Wine grapes

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
RO321-ANSVSA-31433-3	RO	3	Iprodione(0.024)	Cyprodinil(0.115)	Captan(0.154)	
RO321-ANSVSA-31433-4	RO	3	Cyprodinil(0.053)	Captan(0.126)	Iprodione(0.013)	

<i>Code</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
RO321-ANSVSA-31433-3			
RO321-ANSVSA-31433-4			

To avoid duplicates residues marked as part of sum are excluded

<i>Reporting Country</i>	<i>Laboratory</i>	<i>Transmission</i>	<i>File</i>	<i>Laboratory Accreditation</i>	<i>Method Status</i>	<i>Determinations</i>	<i>Received</i>
RO	MS-RO321-MS	12422	Pest MS 22.08.xml	Accredited		6552	22AUG12:13:55:15
RO	R0213-ANSVSA	11471	AnalyticalMeasureIASI 11.07.2012.xml	Accredited		39	16JUL12:14:14:47
RO	R0223-ANSVSA	12017	Pest CT 13.08..xml	Accredited		934	13AUG12:12:37:51
RO	RO213-ANSVSA	11471	AnalyticalMeasureIASI 11.07.2012.xml	Accredited		1326	16JUL12:14:14:47
RO	RO215-ANSVSA	12052	Pest SV 14.08..xml	Accredited		760	14AUG12:10:22:10
RO	RO312-ANSVSA	11715	pest CL var 2.xml	Accredited		9701	01AUG12:13:46:00
RO	RO321-ANSVSA	12426	Pest BUC 22.08.xml	Accredited		5170	22AUG12:14:15:28
RO	RO321-ANSVSA	12426	Pest BUC 22.08.xml	Accredited	ISO/IEC17025	107712	22AUG12:14:15:28
RO	RO321-IISPV	12204	Pest IISPV 16.08.xml	Accredited		1596	16AUG12:14:12:21
RO	RO_321_LCCRPPV	11665	AnalyticalMeasure1.xml	Accredited	Internally validated	83300	30JUL12:15:05:06
RO	RO_321_LCCRPPV	11665	AnalyticalMeasure1.xml	Accredited	ISO/IEC17025	252350	30JUL12:15:05:06