Pesticide monitoring 2014 Romania on January 26, 2016 at 04:35:16 PM
Business Rule Check
Note: sample code and result code can be supplied on request

ErrorType	*ErrorCode*	*ErrorDescription*	*Variable*	*VariableValue*	*NumberRecordFailing*
E	ER30A	Result Evaluation is incorrect Result value exceeds Result Legal Limit	resEvaluation$resVal$EU MRL	J002A$0.023$0.01	1
W	WR15C	If the result type is a VAL the reported LOQ can not be greater than the reported VAL	resVAL$resLOQ	0.019$0.02	1
W	WR15C	If the result type is a VAL the reported LOQ can not be greater than the reported VAL	resVAL$resLOQ	0.087$0.1	1
W	WR30A	Please check result evaluation, the MRL changed in 2014	resEvaluation$resVal$EU MRL	J031A$0.015$0.05	1

Table A0: Summary of samples taken in 2014 by product class

Samples	*Total*	*Without Residues*	*%*	*With residues below MRL*	*%*	*Exceeding MRL*	*%*	*Non Compliant*	*%*
Animal products	628	498	79%	130	21%	0	0.0%	0	0.0%
Baby food	40	40	100%	0	0.0%	0	0.0%	0	0.0%
Cereals	270	248	92%	21	7.8%	1	0.4%	1	0.4%
Fish products	1	0	0.0%	1	100%	0	0.0%	0	0.0%
Processed products	193	162	84%	31	16%	0	0.0%	0	0.0%
Sum of fruits and nuts, vegetables, other plant products	3023	1800	60%	1187	39%	36	1.2%	10	0.3%
	4155	***2748***	***66%***	***1370***	***33%***	***37***	***0.9%***	***11***	***0.3%***

Totals for Cereals, Sum (fruit, vegetables, other plant origin) and Animal products are for unprocessed commodities

Table A0: Summary of samples taken in 2014 by region of origin

Strategy=Enforcement

Origin	*Samples*	*Samples %*	*Exceeding MRL*	*Exceeding MRL %*	*Non Compliant*	*Non Compliant %*
TC	48	1.2%	0	.00%	0	.00%

Strategy=Surveillance

Origin	*Samples*	*Samples %*	*Exceeding MRL*	*Exceeding MRL %*	*Non Compliant*	*Non Compliant %*
Domestic	2590	62%	31	1.2%	5	.19%
EEA	425	10%	1	.24%	1	.24%
TC	1084	26%	5	.46%	5	.46%
UNK	8	.19%	0	.00%	0	.00%

Table A1-a: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL
Part (a) - Variables related to the origin of samples

Strategy=Enforcement

Product Class	*Product*	*Total*	*Ex*	*%*	*Domestic*	*Ex*	*%*	*EEA*	*Ex*	*%*	*Third Country*	*Ex*	*%*
Cereals	Rice	1	0	100	0	0	.	0	0	.	1	0	100
Cereals		***1***	***0***	***100***	***0***	***0***	***.***	***0***	***0***	***.***	***1***	***0***	***100***
Fruits and nuts	Apples	1	0	100	0	0	.	0	0	.	1	0	100
	Grapefruit	3	0	100	0	0	.	0	0	.	3	0	100
	Lemons	8	0	100	0	0	.	0	0	.	8	0	100
	Mandarins	1	0	100	0	0	.	0	0	.	1	0	100
	Oranges	31	0	100	0	0	.	0	0	.	31	0	100
Fruits and nuts		***44***	***0***	***100***	***0***	***0***	***.***	***0***	***0***	***.***	***44***	***0***	***100***
Other plant products	Beans (dry)	2	0	100	0	0	.	0	0	.	2	0	100
	Tea	1	0	100	0	0	.	0	0	.	1	0	100
Other plant products		***3***	***0***	***100***	***0***	***0***	***.***	***0***	***0***	***.***	***3***	***0***	***100***
		48	***0***	***100***	***0***	***0***	***.***	***0***	***0***	***.***	***48***	***0***	***100***

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1-a: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL
Part (a) - Variables related to the origin of samples

Strategy=Surveillance

Product Class	*Product*	*Total*	*Ex*	*%*	*Domestic*	*Ex*	*%*	*EEA*	*Ex*	*%*	*Third Country*	*Ex*	*%*
Animal products	Bovine Fat	11	0	100	11	0	100	0	0	.	0	0	.
	Bovine Muscle	12	0	100	12	0	100	0	0	.	0	0	.
	Eggs Chicken	37	0	100	37	0	100	0	0	.	0	0	.
	Eggs Quail	4	0	100	4	0	100	0	0	.	0	0	.
	Equine Fat	9	0	100	9	0	100	0	0	.	0	0	.
	Equine Muscle	7	0	100	7	0	100	0	0	.	0	0	.
	Goat Muscle	1	0	100	1	0	100	0	0	.	0	0	.
	Honey	63	0	100	63	0	100	0	0	.	0	0	.
	Horses, asses, mules or hinnies (equine) Tissues	1	0	100	1	0	100	0	0	.	0	0	.
	Milk Cattle	14	0	100	14	0	100	0	0	.	0	0	.
	Milk Sheep	1	0	100	1	0	100	0	0	.	0	0	.
	Other farm animals Muscle	3	0	100	3	0	100	0	0	.	0	0	.
	Other terrestrial animal products	7	0	100	7	0	100	0	0	.	0	0	.
	Poultry Fat	90	0	100	90	0	100	0	0	.	0	0	.
	Poultry Liver	3	0	100	3	0	100	0	0	.	0	0	.
	Poultry Muscle	127	0	100	127	0	100	0	0	.	0	0	.
	Poultry — chicken, geese, duck, turkey and Guinea fowl — ostrich, pigeon Tissues	48	0	100	48	0	100	0	0	.	0	0	.
	Sheep Fat	7	0	100	7	0	100	0	0	.	0	0	.
	Sheep Muscle	3	0	100	3	0	100	0	0	.	0	0	.
	Swine Fat	77	0	100	77	0	100	0	0	.	0	0	.
	Swine Muscle	113	0	100	113	0	100	0	0	.	0	0	.
	Swine Others	7	0	100	7	0	100	0	0	.	0	0	.
Animal products		***645***	***0***	***100***	***645***	***0***	***100***	***0***	***0***	***.***	***0***	***0***	***.***
Baby food	Baby food for infants and young childern	3	0	100	0	0	.	3	0	100	0	0	.
	Processed cereal-based baby foods (e.g. cereal and pastas to be reconstituted with milk or other liq	37	0	100	0	0	.	36	0	100	1	0	100
Baby food		***40***	***0***	***100***	***0***	***0***	***.***	***39***	***0***	***100***	***1***	***0***	***100***

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1-a: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL
Part (a) - Variables related to the origin of samples

Strategy=Surveillance

Product Class	*Product*	*Total*	*Ex*	*%*	*Domestic*	*Ex*	*%*	*EEA*	*Ex*	*%*	*Third Country*	*Ex*	*%*
Cereals	Barley	5	0	100	5	0	100	0	0	.	0	0	.
	Maize	106	0	100	98	0	100	0	0	.	8	0	100
	Rice	36	1	97.2	7	0	100	10	1	90	19	0	100
	Rye	16	0	100	16	0	100	0	0	.	0	0	.
	Wheat	159	0	100	140	0	100	8	0	100	10	0	100
Cereals		***322***	***1***	***99.7***	***266***	***0***	***100***	***18***	***1***	***94.4***	***37***	***0***	***100***
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	1	0	100	1	0	100	0	0	.	0	0	.
Fish products		***1***	***0***	***100***	***1***	***0***	***100***	***0***	***0***	***.***	***0***	***0***	***.***
Fruits and nuts	Apples	193	0	100	139	0	100	42	0	100	12	0	100
	Apricots	53	2	96.2	40	2	95	5	0	100	7	0	100
	Avocados	3	0	100	0	0	.	0	0	.	3	0	100
	Bananas	39	0	100	0	0	.	2	0	100	36	0	100
	Blueberries	13	2	84.6	13	2	84.6	0	0	.	0	0	.
	Cherries	61	3	95.1	61	3	95.1	0	0	.	0	0	.
	Chestnuts	1	0	100	0	0	.	0	0	.	1	0	100
	Figs	2	0	100	0	0	.	0	0	.	2	0	100
	Grapefruit	158	0	100	0	0	.	1	0	100	157	0	100
	Kiwi	16	0	100	0	0	.	11	0	100	5	0	100
	Lemons	148	0	100	0	0	.	15	0	100	133	0	100
	Limes	1	0	100	0	0	.	0	0	.	1	0	100
	Mandarins	73	0	100	0	0	.	4	0	100	69	0	100
	Mangoes	2	0	100	0	0	.	0	0	.	2	0	100
	Oranges	94	0	100	1	0	100	31	0	100	62	0	100
	Peaches	66	1	98.5	25	1	96	24	0	100	17	0	100
	Pears	55	0	100	32	0	100	14	0	100	9	0	100
	Pineapples	14	0	100	0	0	.	2	0	100	12	0	100
	Plums	105	0	100	90	0	100	2	0	100	13	0	100

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1-a: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL
Part (a) - Variables related to the origin of samples

Strategy=Surveillance

Product Class	*Product*	*Total*	*Ex*	*%*	*Domestic*	*Ex*	*%*	*EEA*	*Ex*	*%*	*Third Country*	*Ex*	*%*
	Pomegranate	30	0	100	0	0	.	0	0	.	30	0	100
	Quinces	8	0	100	0	0	.	3	0	100	5	0	100
	Strawberries	41	1	97.6	25	1	96	1	0	100	15	0	100
	Table grapes	102	1	99	41	0	100	15	0	100	46	1	97.8
	Wine grapes	198	0	100	170	0	100	14	0	100	14	0	100
Fruits and nuts		***1476***	***10***	***99.3***	***637***	***9***	***98.6***	***186***	***0***	***100***	***651***	***1***	***99.8***
Other plant products	Beans (dry)	88	2	97.7	18	0	100	4	0	100	65	2	96.9
	Carob (St Johns bread)	1	0	100	0	0	.	0	0	.	1	0	100
	Lentils (dry)	5	0	100	0	0	.	0	0	.	5	0	100
	Olives for oil production	12	0	100	0	0	.	12	0	100	0	0	.
	Soya bean	1	0	100	0	0	.	0	0	.	1	0	100
	Sugar beet (root)	2	0	100	2	0	100	0	0	.	0	0	.
	Tea	3	0	100	0	0	.	0	0	.	3	0	100
Other plant products		***112***	***2***	***98.2***	***20***	***0***	***100***	***16***	***0***	***100***	***75***	***2***	***97.3***
Vegetables	Aubergines (egg plants)	50	0	100	42	0	100	5	0	100	3	0	100
	Beans (with pods)	43	0	100	42	0	100	0	0	.	1	0	100
	Beetroot	5	1	80	5	1	80	0	0	.	0	0	.
	Broccoli	9	0	100	0	0	.	9	0	100	0	0	.
	Carrots	66	3	95.5	39	3	92.3	17	0	100	10	0	100
	Cauliflower	33	0	100	25	0	100	5	0	100	2	0	100
	Celeriac	18	0	100	18	0	100	0	0	.	0	0	.
	Celery	11	0	100	0	0	.	11	0	100	0	0	.
	Chinese cabbage	1	0	100	0	0	.	1	0	100	0	0	.
	Courgettes	62	1	98.4	32	1	96.9	2	0	100	28	0	100
	Cucumbers	106	3	97.2	72	3	95.8	11	0	100	23	0	100
	Cultivated fungi	30	0	100	28	0	100	1	0	100	0	0	.
	Garlic	40	1	97.5	19	1	94.7	5	0	100	16	0	100

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1-a: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL
Part (a) - Variables related to the origin of samples

Strategy=Surveillance

Product Class	*Product*	*Total*	*Ex*	*%*	*Domestic*	*Ex*	*%*	*EEA*	*Ex*	*%*	*Third Country*	*Ex*	*%*
	Gherkins	11	3	72.7	11	3	72.7	0	0	.	0	0	.
	Head cabbage	67	0	100	49	0	100	3	0	100	15	0	100
	Kohlrabi	3	0	100	0	0	.	3	0	100	0	0	.
	Leek	22	0	100	14	0	100	2	0	100	6	0	100
	Lettuce	59	1	98.3	53	1	98.1	5	0	100	1	0	100
	Melons	25	0	100	16	0	100	3	0	100	6	0	100
	Onions	89	0	100	44	0	100	17	0	100	28	0	100
	Other spinach and similar (leaves)	1	0	100	1	0	100	0	0	.	0	0	.
	Parsley	29	2	93.1	29	2	93.1	0	0	.	0	0	.
	Parsley root	2	0	100	0	0	.	2	0	100	0	0	.
	Parsnips	15	0	100	13	0	100	2	0	100	0	0	.
	Peas (without pods)	31	1	96.8	27	0	100	0	0	.	3	1	66.7
	Peppers	142	0	100	63	0	100	15	0	100	64	0	100
	Potatoes	126	2	98.4	106	2	98.1	15	0	100	5	0	100
	Radishes	29	1	96.6	24	1	95.8	2	0	100	3	0	100
	Spinach	23	0	100	21	0	100	1	0	100	1	0	100
	Spring onions	47	1	97.9	47	1	97.9	0	0	.	0	0	.
	Sweet potatoes	1	0	100	0	0	.	0	0	.	1	0	100
	Tomatoes	259	4	98.5	151	3	98	27	0	100	80	1	98.8
	Watermelons	56	0	100	30	0	100	2	0	100	24	0	100
Vegetables		***1511***	***24***	***98.4***	***1021***	***22***	***97.8***	***166***	***0***	***100***	***320***	***2***	***99.4***
		4107	***37***	***99.1***	***2590***	***31***	***98.8***	***425***	***1***	***99.8***	***1084***	***5***	***99.5***

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1-b: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL part (b) - Variables related to the type of production and the samples processing

Strategy=Enforcement

Product Class	*Product*	*Organic*	*Ex*	*%*	*Non Organic*	*Ex*	*%*	*Raw*	*Ex*	*%*	*Process*	*Ex*	*%*
Cereals	Rice	0	0	.	1	0	100	1	0	100	0	0	.
Cereals		***0***	***0***	***.***	***1***	***0***	***100***	***1***	***0***	***100***	***0***	***0***	***.***
Fruits and nuts	Apples	0	0	.	1	0	100	1	0	100	0	0	.
	Grapefruit	0	0	.	3	0	100	3	0	100	0	0	.
	Lemons	0	0	.	8	0	100	8	0	100	0	0	.
	Mandarins	0	0	.	1	0	100	1	0	100	0	0	.
	Oranges	0	0	.	31	0	100	31	0	100	0	0	.
Fruits and nuts		***0***	***0***	***.***	***44***	***0***	***100***	***44***	***0***	***100***	***0***	***0***	***.***
Other plant products	Beans (dry)	0	0	.	2	0	100	2	0	100	0	0	.
	Tea	0	0	.	1	0	100	1	0	100	0	0	.
Other plant products		***0***	***0***	***.***	***3***	***0***	***100***	***3***	***0***	***100***	***0***	***0***	***.***
		0	***0***	***.***	***48***	***0***	***100***	***48***	***0***	***100***	***0***	***0***	***.***

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1-b: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL part (b) - Variables related to the type of production and the samples processing

Strategy=Surveillance

Product Class	*Product*	*Organic*	*Ex*	*%*	*Non Organic*	*Ex*	*%*	*Raw*	*Ex*	*%*	*Process*	*Ex*	*%*
Animal products	Bovine Fat	0	0	.	11	0	100	11	0	100	0	0	.
	Bovine Muscle	0	0	.	12	0	100	12	0	100	0	0	.
	Eggs Chicken	0	0	.	37	0	100	37	0	100	0	0	.
	Eggs Quail	0	0	.	4	0	100	4	0	100	0	0	.
	Equine Fat	0	0	.	9	0	100	9	0	100	0	0	.
	Equine Muscle	0	0	.	7	0	100	7	0	100	0	0	.
	Goat Muscle	0	0	.	1	0	100	1	0	100	0	0	.
	Honey	0	0	.	63	0	100	46	0	100	17	0	100
	Horses, asses, mules or hinnies (equine) Tissues	0	0	.	1	0	100	1	0	100	0	0	.
	Milk Cattle	0	0	.	14	0	100	14	0	100	0	0	.
	Milk Sheep	0	0	.	1	0	100	1	0	100	0	0	.
	Other farm animals Muscle	0	0	.	3	0	100	3	0	100	0	0	.
	Other terrestrial animal products	0	0	.	7	0	100	7	0	100	0	0	.
	Poultry Fat	0	0	.	90	0	100	90	0	100	0	0	.
	Poultry Liver	0	0	.	3	0	100	3	0	100	0	0	.
	Poultry Muscle	0	0	.	127	0	100	127	0	100	0	0	.
	Poultry — chicken, geese, duck, turkey and Guinea fowl — ostrich, pigeon Tissues	0	0	.	48	0	100	48	0	100	0	0	.
	Sheep Fat	0	0	.	7	0	100	7	0	100	0	0	.
	Sheep Muscle	0	0	.	3	0	100	3	0	100	0	0	.
	Swine Fat	0	0	.	77	0	100	77	0	100	0	0	.
	Swine Muscle	0	0	.	113	0	100	113	0	100	0	0	.
	Swine Others	0	0	.	7	0	100	7	0	100	0	0	.
Animal products		***0***	***0***	***.***	***645***	***0***	***100***	***628***	***0***	***100***	***17***	***0***	***100***
Baby food	Baby food for infants and young childern	3	0	100	0	0	.	0	0	.	3	0	100
	Processed cereal-based baby foods (e.g. cereal and pastas to be reconstituted with milk or other liq	37	0	100	0	0	.	0	0	.	37	0	100
Baby food		***40***	***0***	***100***	***0***	***0***	***.***	***0***	***0***	***.***	***40***	***0***	***100***

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1-b: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL part (b) - Variables related to the type of production and the samples processing

Strategy=Surveillance

Product Class	*Product*	*Organic*	*Ex*	*%*	*Non Organic*	*Ex*	*%*	*Raw*	*Ex*	*%*	*Process*	*Ex*	*%*
Cereals	Barley	0	0	.	5	0	100	5	0	100	0	0	.
	Maize	0	0	.	106	0	100	106	0	100	0	0	.
	Rice	2	0	100	34	1	97.1	33	1	97	3	0	100
	Rye	0	0	.	16	0	100	16	0	100	0	0	.
	Wheat	1	0	100	158	0	100	109	0	100	50	0	100
Cereals		***3***	***0***	***100***	***319***	***1***	***99.7***	***269***	***1***	***99.6***	***53***	***0***	***100***
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	0	0	.	1	0	100	1	0	100	0	0	.
Fish products		***0***	***0***	***.***	***1***	***0***	***100***	***1***	***0***	***100***	***0***	***0***	***.***
Fruits and nuts	Apples	0	0	.	193	0	100	193	0	100	0	0	.
	Apricots	1	0	100	52	2	96.2	53	2	96.2	0	0	.
	Avocados	0	0	.	3	0	100	3	0	100	0	0	.
	Bananas	0	0	.	39	0	100	39	0	100	0	0	.
	Blueberries	0	0	.	13	2	84.6	13	2	84.6	0	0	.
	Cherries	1	0	100	60	3	95	61	3	95.1	0	0	.
	Chestnuts	0	0	.	1	0	100	1	0	100	0	0	.
	Figs	0	0	.	2	0	100	2	0	100	0	0	.
	Grapefruit	0	0	.	158	0	100	158	0	100	0	0	.
	Kiwi	0	0	.	16	0	100	16	0	100	0	0	.
	Lemons	0	0	.	148	0	100	148	0	100	0	0	.
	Limes	0	0	.	1	0	100	1	0	100	0	0	.
	Mandarins	0	0	.	73	0	100	73	0	100	0	0	.
	Mangoes	0	0	.	2	0	100	2	0	100	0	0	.
	Oranges	0	0	.	94	0	100	88	0	100	6	0	100
	Peaches	0	0	.	66	1	98.5	66	1	98.5	0	0	.
	Pears	3	0	100	52	0	100	55	0	100	0	0	.
	Pineapples	0	0	.	14	0	100	14	0	100	0	0	.
	Plums	0	0	.	105	0	100	105	0	100	0	0	.

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1-b: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL part (b) - Variables related to the type of production and the samples processing

Strategy=Surveillance

Product Class	*Product*	*Organic*	*Ex*	*%*	*Non Organic*	*Ex*	*%*	*Raw*	*Ex*	*%*	*Process*	*Ex*	*%*
	Pomegranate	0	0	.	30	0	100	30	0	100	0	0	.
	Quinces	0	0	.	8	0	100	8	0	100	0	0	.
	Strawberries	0	0	.	41	1	97.6	41	1	97.6	0	0	.
	Table grapes	0	0	.	102	1	99	102	1	99	0	0	.
	Wine grapes	0	0	.	198	0	100	83	0	100	115	0	100
Fruits and nuts		***5***	***0***	***100***	***1471***	***10***	***99.3***	***1355***	***10***	***99.3***	***121***	***0***	***100***
Other plant products	Beans (dry)	0	0	.	88	2	97.7	88	2	97.7	0	0	.
	Carob (St Johns bread)	0	0	.	1	0	100	1	0	100	0	0	.
	Lentils (dry)	0	0	.	5	0	100	5	0	100	0	0	.
	Olives for oil production	0	0	.	12	0	100	10	0	100	2	0	100
	Soya bean	0	0	.	1	0	100	1	0	100	0	0	.
	Sugar beet (root)	0	0	.	2	0	100	2	0	100	0	0	.
	Tea	0	0	.	3	0	100	3	0	100	0	0	.
Other plant products		***0***	***0***	***.***	***112***	***2***	***98.2***	***110***	***2***	***98.2***	***2***	***0***	***100***
Vegetables	Aubergines (egg plants)	1	0	100	49	0	100	50	0	100	0	0	.
	Beans (with pods)	4	0	100	39	0	100	43	0	100	0	0	.
	Beetroot	0	0	.	5	1	80	5	1	80	0	0	.
	Broccoli	0	0	.	9	0	100	9	0	100	0	0	.
	Carrots	2	0	100	64	3	95.3	66	3	95.5	0	0	.
	Cauliflower	0	0	.	33	0	100	33	0	100	0	0	.
	Celeriac	0	0	.	18	0	100	18	0	100	0	0	.
	Celery	0	0	.	11	0	100	11	0	100	0	0	.
	Chinese cabbage	0	0	.	1	0	100	1	0	100	0	0	.
	Courgettes	0	0	.	62	1	98.4	62	1	98.4	0	0	.
	Cucumbers	1	0	100	105	3	97.1	106	3	97.2	0	0	.
	Cultivated fungi	0	0	.	30	0	100	30	0	100	0	0	.
	Garlic	0	0	.	40	1	97.5	40	1	97.5	0	0	.

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1-b: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL part (b) - Variables related to the type of production and the samples processing

Strategy=Surveillance

Product Class	*Product*	*Organic*	*Ex*	*%*	*Non Organic*	*Ex*	*%*	*Raw*	*Ex*	*%*	*Process*	*Ex*	*%*
	Gherkins	0	0	.	11	3	72.7	11	3	72.7	0	0	.
	Head cabbage	0	0	.	67	0	100	67	0	100	0	0	.
	Kohlrabi	0	0	.	3	0	100	3	0	100	0	0	.
	Leek	0	0	.	22	0	100	22	0	100	0	0	.
	Lettuce	1	0	100	58	1	98.3	59	1	98.3	0	0	.
	Melons	0	0	.	25	0	100	25	0	100	0	0	.
	Onions	0	0	.	89	0	100	89	0	100	0	0	.
	Other spinach and similar (leaves)	0	0	.	1	0	100	1	0	100	0	0	.
	Parsley	0	0	.	29	2	93.1	29	2	93.1	0	0	.
	Parsley root	0	0	.	2	0	100	2	0	100	0	0	.
	Parsnips	0	0	.	15	0	100	15	0	100	0	0	.
	Peas (without pods)	0	0	.	31	1	96.8	31	1	96.8	0	0	.
	Peppers	1	0	100	141	0	100	142	0	100	0	0	.
	Potatoes	4	1	75	122	1	99.2	126	2	98.4	0	0	.
	Radishes	0	0	.	29	1	96.6	29	1	96.6	0	0	.
	Spinach	2	0	100	21	0	100	23	0	100	0	0	.
	Spring onions	1	0	100	46	1	97.8	47	1	97.9	0	0	.
	Sweet potatoes	0	0	.	1	0	100	1	0	100	0	0	.
	Tomatoes	0	0	.	259	4	98.5	259	4	98.5	0	0	.
	Watermelons	0	0	.	56	0	100	56	0	100	0	0	.
Vegetables		***17***	***1***	***94.1***	***1494***	***23***	***98.5***	***1511***	***24***	***98.4***	***0***	***0***	***.***
		65	***1***	***98.5***	***4042***	***36***	***99.1***	***3874***	***37***	***99***	***233***	***0***	***100***

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A2-a: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (a) - Variables related to the origin of samples

Strategy=Enforcement

Product Class	*Product*	*Total*	*ND*	*%*	*Domestic*	*ND*	*%*	*EEA*	*ND*	*%*	*Third Country*	*ND*	*%*
Cereals	Rice	1	0	100	0	0	.	0	0	.	1	0	100
Cereals		***1***	***0***	***100***	***0***	***0***	***.***	***0***	***0***	***.***	***1***	***0***	***100***
Fruits and nuts	Apples	1	0	100	0	0	.	0	0	.	1	0	100
	Grapefruit	3	3	0	0	0	.	0	0	.	3	3	0
	Lemons	8	8	0	0	0	.	0	0	.	8	8	0
	Mandarins	1	1	0	0	0	.	0	0	.	1	1	0
	Oranges	31	28	9.7	0	0	.	0	0	.	31	28	9.7
Fruits and nuts		***44***	***40***	***9.1***	***0***	***0***	***.***	***0***	***0***	***.***	***44***	***40***	***9.1***
Other plant products	Beans (dry)	2	0	100	0	0	.	0	0	.	2	0	100
	Tea	1	0	100	0	0	.	0	0	.	1	0	100
Other plant products		***3***	***0***	***100***	***0***	***0***	***.***	***0***	***0***	***.***	***3***	***0***	***100***
		48	***40***	***16.7***	***0***	***0***	***.***	***0***	***0***	***.***	***48***	***40***	***16.7***

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2-a: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (a) - Variables related to the origin of samples

Strategy=Surveillance

Product Class	*Product*	*Total*	*ND*	*%*	*Domestic*	*ND*	*%*	*EEA*	*ND*	*%*	*Third Country*	*ND*	*%*
Animal products	Bovine Fat	11	5	54.5	11	5	54.5	0	0	.	0	0	.
	Bovine Muscle	12	1	91.7	12	1	91.7	0	0	.	0	0	.
	Eggs Chicken	37	8	78.4	37	8	78.4	0	0	.	0	0	.
	Eggs Quail	4	0	100	4	0	100	0	0	.	0	0	.
	Equine Fat	9	3	66.7	9	3	66.7	0	0	.	0	0	.
	Equine Muscle	7	0	100	7	0	100	0	0	.	0	0	.
	Goat Muscle	1	0	100	1	0	100	0	0	.	0	0	.
	Honey	63	3	95.2	63	3	95.2	0	0	.	0	0	.
	Horses, asses, mules or hinnies (equine) Tissues	1	1	0	1	1	0	0	0	.	0	0	.
	Milk Cattle	14	4	71.4	14	4	71.4	0	0	.	0	0	.
	Milk Sheep	1	0	100	1	0	100	0	0	.	0	0	.
	Other farm animals Muscle	3	3	0	3	3	0	0	0	.	0	0	.
	Other terrestrial animal products	7	5	28.6	7	5	28.6	0	0	.	0	0	.
	Poultry Fat	90	7	92.2	90	7	92.2	0	0	.	0	0	.
	Poultry Liver	3	0	100	3	0	100	0	0	.	0	0	.
	Poultry Muscle	127	31	75.6	127	31	75.6	0	0	.	0	0	.
	Poultry — chicken, geese, duck, turkey and Guinea fowl — ostrich, pigeon Tissues	48	14	70.8	48	14	70.8	0	0	.	0	0	.
	Sheep Fat	7	2	71.4	7	2	71.4	0	0	.	0	0	.
	Sheep Muscle	3	0	100	3	0	100	0	0	.	0	0	.
	Swine Fat	77	8	89.6	77	8	89.6	0	0	.	0	0	.
	Swine Muscle	113	28	75.2	113	28	75.2	0	0	.	0	0	.
	Swine Others	7	7	0	7	7	0	0	0	.	0	0	.
Animal products		***645***	***130***	***79.8***	***645***	***130***	***79.8***	***0***	***0***	***.***	***0***	***0***	***.***
Baby food	Baby food for infants and young childern	3	0	100	0	0	.	3	0	100	0	0	.
	Processed cereal-based baby foods (e.g. cereal and pastas to be reconstituted with milk or other liq	37	0	100	0	0	.	36	0	100	1	0	100
Baby food		***40***	***0***	***100***	***0***	***0***	***.***	***39***	***0***	***100***	***1***	***0***	***100***

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2-a: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (a) - Variables related to the origin of samples

Strategy=Surveillance

Product Class	*Product*	*Total*	*ND*	*%*	*Domestic*	*ND*	*%*	*EEA*	*ND*	*%*	*Third Country*	*ND*	*%*
Cereals	Barley	5	0	100	5	0	100	0	0	.	0	0	.
	Maize	106	1	99.1	98	1	99	0	0	.	8	0	100
	Rice	36	3	91.7	7	1	85.7	10	2	80	19	0	100
	Rye	16	3	81.3	16	3	81.3	0	0	.	0	0	.
	Wheat	159	21	86.8	140	19	86.4	8	1	87.5	10	1	90
Cereals		***322***	***28***	***91.3***	***266***	***24***	***91***	***18***	***3***	***83.3***	***37***	***1***	***97.3***
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	1	1	0	1	1	0	0	0	.	0	0	.
Fish products		***1***	***1***	***0***	***1***	***1***	***0***	***0***	***0***	***.***	***0***	***0***	***.***
Fruits and nuts	Apples	193	94	51.3	139	73	47.5	42	13	69	12	8	33.3
	Apricots	53	28	47.2	40	22	45	5	1	80	7	5	28.6
	Avocados	3	1	66.7	0	0	.	0	0	.	3	1	66.7
	Bananas	39	23	41	0	0	.	2	0	100	36	23	36.1
	Blueberries	13	6	53.8	13	6	53.8	0	0	.	0	0	.
	Cherries	61	33	45.9	61	33	45.9	0	0	.	0	0	.
	Chestnuts	1	0	100	0	0	.	0	0	.	1	0	100
	Figs	2	0	100	0	0	.	0	0	.	2	0	100
	Grapefruit	158	146	7.6	0	0	.	1	1	0	157	145	7.6
	Kiwi	16	2	87.5	0	0	.	11	2	81.8	5	0	100
	Lemons	148	111	25	0	0	.	15	12	20	133	99	25.6
	Limes	1	0	100	0	0	.	0	0	.	1	0	100
	Mandarins	73	58	20.5	0	0	.	4	2	50	69	56	18.8
	Mangoes	2	0	100	0	0	.	0	0	.	2	0	100
	Oranges	94	64	31.9	1	1	0	31	16	48.4	62	47	24.2
	Peaches	66	32	51.5	25	13	48	24	13	45.8	17	6	64.7
	Pears	55	23	58.2	32	10	68.8	14	7	50	9	6	33.3
	Pineapples	14	7	50	0	0	.	2	1	50	12	6	50
	Plums	105	22	79	90	17	81.1	2	2	0	13	3	76.9

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2-a: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (a) - Variables related to the origin of samples

Strategy=Surveillance

Product Class	*Product*	*Total*	*ND*	*%*	*Domestic*	*ND*	*%*	*EEA*	*ND*	*%*	*Third Country*	*ND*	*%*
	Pomegranate	30	11	63.3	0	0	.	0	0	.	30	11	63.3
	Quinces	8	2	75	0	0	.	3	1	66.7	5	1	80
	Strawberries	41	19	53.7	25	12	52	1	0	100	15	7	53.3
	Table grapes	102	71	30.4	41	25	39	15	12	20	46	34	26.1
	Wine grapes	198	66	66.7	170	64	62.4	14	1	92.9	14	1	92.9
Fruits and nuts		***1476***	***819***	***44.5***	***637***	***276***	***56.7***	***186***	***84***	***54.8***	***651***	***459***	***29.5***
Other plant products	Beans (dry)	88	7	92	18	1	94.4	4	0	100	65	6	90.8
	Carob (St Johns bread)	1	0	100	0	0	.	0	0	.	1	0	100
	Lentils (dry)	5	0	100	0	0	.	0	0	.	5	0	100
	Olives for oil production	12	0	100	0	0	.	12	0	100	0	0	.
	Soya bean	1	0	100	0	0	.	0	0	.	1	0	100
	Sugar beet (root)	2	0	100	2	0	100	0	0	.	0	0	.
	Tea	3	3	0	0	0	.	0	0	.	3	3	0
Other plant products		***112***	***10***	***91.1***	***20***	***1***	***95***	***16***	***0***	***100***	***75***	***9***	***88***
Vegetables	Aubergines (egg plants)	50	3	94	42	2	95.2	5	0	100	3	1	66.7
	Beans (with pods)	43	12	72.1	42	12	71.4	0	0	.	1	0	100
	Beetroot	5	1	80	5	1	80	0	0	.	0	0	.
	Broccoli	9	0	100	0	0	.	9	0	100	0	0	.
	Carrots	66	13	80.3	39	10	74.4	17	3	82.4	10	0	100
	Cauliflower	33	5	84.8	25	5	80	5	0	100	2	0	100
	Celeriac	18	2	88.9	18	2	88.9	0	0	.	0	0	.
	Celery	11	0	100	0	0	.	11	0	100	0	0	.
	Chinese cabbage	1	0	100	0	0	.	1	0	100	0	0	.
	Courgettes	62	15	75.8	32	6	81.3	2	1	50	28	8	71.4
	Cucumbers	106	42	60.4	72	21	70.8	11	8	27.3	23	13	43.5
	Cultivated fungi	30	7	76.7	28	7	75	1	0	100	0	0	.
	Garlic	40	2	95	19	2	89.5	5	0	100	16	0	100

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2-a: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (a) - Variables related to the origin of samples

Strategy=Surveillance

Product Class	*Product*	*Total*	*ND*	*%*	*Domestic*	*ND*	*%*	*EEA*	*ND*	*%*	*Third Country*	*ND*	*%*
	Gherkins	11	6	45.5	11	6	45.5	0	0	.	0	0	.
	Head cabbage	67	4	94	49	4	91.8	3	0	100	15	0	100
	Kohlrabi	3	0	100	0	0	.	3	0	100	0	0	.
	Leek	22	3	86.4	14	3	78.6	2	0	100	6	0	100
	Lettuce	59	40	32.2	53	35	34	5	5	0	1	0	100
	Melons	25	6	76	16	2	87.5	3	0	100	6	4	33.3
	Onions	89	3	96.6	44	3	93.2	17	0	100	28	0	100
	Other spinach and similar (leaves)	1	0	100	1	0	100	0	0	.	0	0	.
	Parsley	29	20	31	29	20	31	0	0	.	0	0	.
	Parsley root	2	0	100	0	0	.	2	0	100	0	0	.
	Parsnips	15	4	73.3	13	4	69.2	2	0	100	0	0	.
	Peas (without pods)	31	3	90.3	27	2	92.6	0	0	.	3	1	66.7
	Peppers	142	48	66.2	63	19	69.8	15	4	73.3	64	25	60.9
	Potatoes	126	21	83.3	106	15	85.8	15	6	60	5	0	100
	Radishes	29	5	82.8	24	4	83.3	2	1	50	3	0	100
	Spinach	23	6	73.9	21	6	71.4	1	0	100	1	0	100
	Spring onions	47	8	83	47	8	83	0	0	.	0	0	.
	Sweet potatoes	1	0	100	0	0	.	0	0	.	1	0	100
	Tomatoes	259	95	63.3	151	48	68.2	27	6	77.8	80	41	48.8
	Watermelons	56	5	91.1	30	1	96.7	2	1	50	24	3	87.5
Vegetables		***1511***	***379***	***74.9***	***1021***	***248***	***75.7***	***166***	***35***	***78.9***	***320***	***96***	***70***
		4107	***1367***	***66.7***	***2590***	***680***	***73.7***	***425***	***122***	***71.3***	***1084***	***565***	***47.9***

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2-b: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (b) - Variables related to the type of production and the samples processing

Strategy=Enforcement

Product Class	*Product*	*Organic*	*ND*	*%*	*Non Organic*	*ND*	*%*	*Raw*	*ND*	*%*	*Process*	*ND*	*%*
Cereals	Rice	0	0	.	1	0	100	1	0	100	0	0	.
Cereals		***0***	***0***	***.***	***1***	***0***	***100***	***1***	***0***	***100***	***0***	***0***	***.***
Fruits and nuts	Apples	0	0	.	1	0	100	1	0	100	0	0	.
	Grapefruit	0	0	.	3	3	0	3	3	0	0	0	.
	Lemons	0	0	.	8	8	0	8	8	0	0	0	.
	Mandarins	0	0	.	1	1	0	1	1	0	0	0	.
	Oranges	0	0	.	31	28	9.7	31	28	9.7	0	0	.
Fruits and nuts		***0***	***0***	***.***	***44***	***40***	***9.1***	***44***	***40***	***9.1***	***0***	***0***	***.***
Other plant products	Beans (dry)	0	0	.	2	0	100	2	0	100	0	0	.
	Tea	0	0	.	1	0	100	1	0	100	0	0	.
Other plant products		***0***	***0***	***.***	***3***	***0***	***100***	***3***	***0***	***100***	***0***	***0***	***.***
		0	***0***	***.***	***48***	***40***	***16.7***	***48***	***40***	***16.7***	***0***	***0***	***.***

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2-b: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (b) - Variables related to the type of production and the samples processing

Strategy=Surveillance

Product Class	*Product*	*Organic*	*ND*	*%*	*Non Organic*	*ND*	*%*	*Raw*	*ND*	*%*	*Process*	*ND*	*%*
Animal products	Bovine Fat	0	0	.	11	5	54.5	11	5	54.5	0	0	.
	Bovine Muscle	0	0	.	12	1	91.7	12	1	91.7	0	0	.
	Eggs Chicken	0	0	.	37	8	78.4	37	8	78.4	0	0	.
	Eggs Quail	0	0	.	4	0	100	4	0	100	0	0	.
	Equine Fat	0	0	.	9	3	66.7	9	3	66.7	0	0	.
	Equine Muscle	0	0	.	7	0	100	7	0	100	0	0	.
	Goat Muscle	0	0	.	1	0	100	1	0	100	0	0	.
	Honey	0	0	.	63	3	95.2	46	3	93.5	17	0	100
	Horses, asses, mules or hinnies (equine) Tissues	0	0	.	1	1	0	1	1	0	0	0	.
	Milk Cattle	0	0	.	14	4	71.4	14	4	71.4	0	0	.
	Milk Sheep	0	0	.	1	0	100	1	0	100	0	0	.
	Other farm animals Muscle	0	0	.	3	3	0	3	3	0	0	0	.
	Other terrestrial animal products	0	0	.	7	5	28.6	7	5	28.6	0	0	.
	Poultry Fat	0	0	.	90	7	92.2	90	7	92.2	0	0	.
	Poultry Liver	0	0	.	3	0	100	3	0	100	0	0	.
	Poultry Muscle	0	0	.	127	31	75.6	127	31	75.6	0	0	.
	Poultry — chicken, geese, duck, turkey and Guinea fowl — ostrich, pigeon Tissues	0	0	.	48	14	70.8	48	14	70.8	0	0	.
	Sheep Fat	0	0	.	7	2	71.4	7	2	71.4	0	0	.
	Sheep Muscle	0	0	.	3	0	100	3	0	100	0	0	.
	Swine Fat	0	0	.	77	8	89.6	77	8	89.6	0	0	.
	Swine Muscle	0	0	.	113	28	75.2	113	28	75.2	0	0	.
	Swine Others	0	0	.	7	7	0	7	7	0	0	0	.
Animal products		***0***	***0***	***.***	***645***	***130***	***79.8***	***628***	***130***	***79.3***	***17***	***0***	***100***
Baby food	Baby food for infants and young childern	3	0	100	0	0	.	0	0	.	3	0	100
	Processed cereal-based baby foods (e.g. cereal and pastas to be reconstituted with milk or other liq	37	0	100	0	0	.	0	0	.	37	0	100
Baby food		***40***	***0***	***100***	***0***	***0***	***.***	***0***	***0***	***.***	***40***	***0***	***100***

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2-b: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (b) - Variables related to the type of production and the samples processing

Strategy=Surveillance

Product Class	*Product*	*Organic*	*ND*	*%*	*Non Organic*	*ND*	*%*	*Raw*	*ND*	*%*	*Process*	*ND*	*%*
Cereals	Barley	0	0	.	5	0	100	5	0	100	0	0	.
	Maize	0	0	.	106	1	99.1	106	1	99.1	0	0	.
	Rice	2	1	50	34	2	94.1	33	3	90.9	3	0	100
	Rye	0	0	.	16	3	81.3	16	3	81.3	0	0	.
	Wheat	1	0	100	158	21	86.7	109	15	86.2	50	6	88
Cereals		***3***	***1***	***66.7***	***319***	***27***	***91.5***	***269***	***22***	***91.8***	***53***	***6***	***88.7***
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	0	0	.	1	1	0	1	1	0	0	0	.
Fish products		***0***	***0***	***.***	***1***	***1***	***0***	***1***	***1***	***0***	***0***	***0***	***.***
Fruits and nuts	Apples	0	0	.	193	94	51.3	193	94	51.3	0	0	.
	Apricots	1	0	100	52	28	46.2	53	28	47.2	0	0	.
	Avocados	0	0	.	3	1	66.7	3	1	66.7	0	0	.
	Bananas	0	0	.	39	23	41	39	23	41	0	0	.
	Blueberries	0	0	.	13	6	53.8	13	6	53.8	0	0	.
	Cherries	1	0	100	60	33	45	61	33	45.9	0	0	.
	Chestnuts	0	0	.	1	0	100	1	0	100	0	0	.
	Figs	0	0	.	2	0	100	2	0	100	0	0	.
	Grapefruit	0	0	.	158	146	7.6	158	146	7.6	0	0	.
	Kiwi	0	0	.	16	2	87.5	16	2	87.5	0	0	.
	Lemons	0	0	.	148	111	25	148	111	25	0	0	.
	Limes	0	0	.	1	0	100	1	0	100	0	0	.
	Mandarins	0	0	.	73	58	20.5	73	58	20.5	0	0	.
	Mangoes	0	0	.	2	0	100	2	0	100	0	0	.
	Oranges	0	0	.	94	64	31.9	88	62	29.5	6	2	66.7
	Peaches	0	0	.	66	32	51.5	66	32	51.5	0	0	.
	Pears	3	0	100	52	23	55.8	55	23	58.2	0	0	.
	Pineapples	0	0	.	14	7	50	14	7	50	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2-b: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (b) - Variables related to the type of production and the samples processing

Strategy=Surveillance

Product Class	*Product*	*Organic*	*ND*	*%*	*Non Organic*	*ND*	*%*	*Raw*	*ND*	*%*	*Process*	*ND*	*%*
	Plums	0	0	.	105	22	79	105	22	79	0	0	.
	Pomegranate	0	0	.	30	11	63.3	30	11	63.3	0	0	.
	Quinces	0	0	.	8	2	75	8	2	75	0	0	.
	Strawberries	0	0	.	41	19	53.7	41	19	53.7	0	0	.
	Table grapes	0	0	.	102	71	30.4	102	71	30.4	0	0	.
	Wine grapes	0	0	.	198	66	66.7	83	43	48.2	115	23	80
Fruits and nuts		***5***	***0***	***100***	***1471***	***819***	***44.3***	***1355***	***794***	***41.4***	***121***	***25***	***79.3***
Other plant products	Beans (dry)	0	0	.	88	7	92	88	7	92	0	0	.
	Carob (St Johns bread)	0	0	.	1	0	100	1	0	100	0	0	.
	Lentils (dry)	0	0	.	5	0	100	5	0	100	0	0	.
	Olives for oil production	0	0	.	12	0	100	10	0	100	2	0	100
	Soya bean	0	0	.	1	0	100	1	0	100	0	0	.
	Sugar beet (root)	0	0	.	2	0	100	2	0	100	0	0	.
	Tea	0	0	.	3	3	0	3	3	0	0	0	.
Other plant products		***0***	***0***	***.***	***112***	***10***	***91.1***	***110***	***10***	***90.9***	***2***	***0***	***100***
Vegetables	Aubergines (egg plants)	1	0	100	49	3	93.9	50	3	94	0	0	.
	Beans (with pods)	4	0	100	39	12	69.2	43	12	72.1	0	0	.
	Beetroot	0	0	.	5	1	80	5	1	80	0	0	.
	Broccoli	0	0	.	9	0	100	9	0	100	0	0	.
	Carrots	2	0	100	64	13	79.7	66	13	80.3	0	0	.
	Cauliflower	0	0	.	33	5	84.8	33	5	84.8	0	0	.
	Celeriac	0	0	.	18	2	88.9	18	2	88.9	0	0	.
	Celery	0	0	.	11	0	100	11	0	100	0	0	.
	Chinese cabbage	0	0	.	1	0	100	1	0	100	0	0	.
	Courgettes	0	0	.	62	15	75.8	62	15	75.8	0	0	.
	Cucumbers	1	0	100	105	42	60	106	42	60.4	0	0	.
	Cultivated fungi	0	0	.	30	7	76.7	30	7	76.7	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2-b: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (b) - Variables related to the type of production and the samples processing

Strategy=Surveillance

Product Class	*Product*	*Organic*	*ND*	*%*	*Non Organic*	*ND*	*%*	*Raw*	*ND*	*%*	*Process*	*ND*	*%*
	Garlic	0	0	.	40	2	95	40	2	95	0	0	.
	Gherkins	0	0	.	11	6	45.5	11	6	45.5	0	0	.
	Head cabbage	0	0	.	67	4	94	67	4	94	0	0	.
	Kohlrabi	0	0	.	3	0	100	3	0	100	0	0	.
	Leek	0	0	.	22	3	86.4	22	3	86.4	0	0	.
	Lettuce	1	1	0	58	39	32.8	59	40	32.2	0	0	.
	Melons	0	0	.	25	6	76	25	6	76	0	0	.
	Onions	0	0	.	89	3	96.6	89	3	96.6	0	0	.
	Other spinach and similar (leaves)	0	0	.	1	0	100	1	0	100	0	0	.
	Parsley	0	0	.	29	20	31	29	20	31	0	0	.
	Parsley root	0	0	.	2	0	100	2	0	100	0	0	.
	Parsnips	0	0	.	15	4	73.3	15	4	73.3	0	0	.
	Peas (without pods)	0	0	.	31	3	90.3	31	3	90.3	0	0	.
	Peppers	1	0	100	141	48	66	142	48	66.2	0	0	.
	Potatoes	4	1	75	122	20	83.6	126	21	83.3	0	0	.
	Radishes	0	0	.	29	5	82.8	29	5	82.8	0	0	.
	Spinach	2	1	50	21	5	76.2	23	6	73.9	0	0	.
	Spring onions	1	0	100	46	8	82.6	47	8	83	0	0	.
	Sweet potatoes	0	0	.	1	0	100	1	0	100	0	0	.
	Tomatoes	0	0	.	259	95	63.3	259	95	63.3	0	0	.
	Watermelons	0	0	.	56	5	91.1	56	5	91.1	0	0	.
Vegetables		***17***	***3***	***82.4***	***1494***	***376***	***74.8***	***1511***	***379***	***74.9***	***0***	***0***	***.***
		65	***4***	***93.8***	***4042***	***1363***	***66.3***	***3874***	***1336***	***65.5***	***233***	***31***	***86.7***

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Products*	*Nr Found*	*MRL Ex*
10	Aldrin	283	0	0
11	Aldrin and Dieldrin	145	7	0
15	Azinphos-ethyl	235	0	0
23	Bifenthrin	392	0	0
48	Chlordane (sum animal products)	326	19	0
54	Chlorobenzilate	326	1	0
59	Chlorpyrifos	391	0	0
60	Chlorpyrifos-methyl	391	0	0
64	Coumaphos	391	0	0
65	Cyfluthrin (sum)	392	0	0
66	Cypermethrin (sum)	392	0	0
69	DDD, p,p-	283	0	0
70	DDE, p,p-	283	0	0
71	DDT (sum)	428	84	0
72	DDT, o,p-	283	0	0
73	DDT, p,p-	283	0	0
74	Deltamethrin	392	0	0
77	Diazinon	391	0	0
83	Dieldrin	283	0	0
94	Endosulfan (sum)	326	7	0
95	Endosulfansulfate	283	0	0
96	Endrin	428	0	0
100	Ethion	391	0	0
124	Fenthion	391	0	0
128	Fenvalerate (sum of RR, SS, RS and SR isomers)	47	0	0
129	Fenvalerate/Esfenvalerate (sum)	345	0	0
131	Flucythrinate	181	0	0
132	Flucythrinate (sum of isomers expressed as flucythrinate)	62	0	0
148	Heptachlor	283	0	0
149	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	79	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Products*	*Nr Found*	*MRL Ex*
150	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	247	29	0
152	Heptachlorepoxide, cis-	283	0	0
153	Heptachlorepoxide, trans-	283	0	0
155	Hexachlorobenzene	428	9	0
156	Hexachlorocyclohexane (HCH), alpha-isomer	428	48	0
157	Hexachlorocyclohexane (HCH), beta-isomer	428	23	0
174	Lambda-Cyhalothrin	243	0	0
175	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	428	47	0
178	Malathion	391	2	0
189	Methidathion	391	0	0
196	Methoxychlor	428	0	0
211	Oxychlordane	283	0	0
216	Parathion	391	0	0
217	Parathion-methyl	391	0	0
222	Permethrin (sum of isomers)	392	0	0
224	Phorate	391	0	0
229	Phoxim	108	0	0
233	Pirimiphos-methyl	391	2	0
236	Profenofos	391	0	0
247	Pyrazophos	391	0	0
255	Quintozene	280	0	0
257	Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	283	0	0
267	Tecnazene	280	0	0
292	Triazophos	391	0	0
304	alpha-Endosulfan	283	0	0
305	beta-Endosulfan	283	0	0
306	cis-Chlordane	283	0	0
309	trans-Chlordane	283	0	0
		18579	*278*	*0*

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Baby/Infant Food*	*Nr Found*	*MRL Ex*
10	Aldrin	40	0	0
11	Aldrin and Dieldrin	40	0	0
23	Bifenthrin	40	0	0
44	Chinomethionat	40	0	0
56	Chlorothalonil	40	0	0
59	Chlorpyrifos	40	0	0
60	Chlorpyrifos-methyl	40	0	0
69	DDD, p,p-	40	0	0
70	DDE, p,p-	40	0	0
71	DDT (sum)	40	0	0
72	DDT, o,p-	40	0	0
73	DDT, p,p-	40	0	0
77	Diazinon	40	0	0
79	Dichlorvos	40	0	0
83	Dieldrin	40	0	0
87	Dimethoate (sum)	40	0	0
94	Endosulfan (sum)	40	0	0
96	Endrin	40	0	0
100	Ethion	40	0	0
122	Fensulfothion	40	0	0
123	Fensulfothion (sum baby and infant food)	40	0	0
124	Fenthion	40	0	0
125	Fenthion (sum)	40	0	0
142	Fonofos	40	0	0
148	Heptachlor	40	0	0
150	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	40	0	0
151	Heptachlor epoxide	40	0	0
154	Heptenophos	40	0	0
155	Hexachlorobenzene	40	0	0
156	Hexachlorocyclohexane (HCH), alpha-isomer	40	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Baby/Infant Food*	*Nr Found*	*MRL Ex*
157	Hexachlorocyclohexane (HCH), beta-isomer	40	0	0
158	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	40	0	0
168	Isofenphos	40	0	0
169	Isofenphos (sum)	40	0	0
175	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	40	0	0
178	Malathion	40	0	0
179	Malathion (sum of malathion and malaoxon expressed as malathion)	40	0	0
181	Mecarbam	40	0	0
184	Metalaxyl	40	0	0
188	Methamidophos	40	0	0
196	Methoxychlor	40	0	0
199	Metribuzin	40	0	0
200	Mevinphos (sum of E- and Z-isomers)	40	0	0
201	Molinate	40	0	0
202	Monocrotophos	40	0	0
203	Myclobutanil	40	0	0
204	Naled	40	0	0
207	Omethoate	40	0	0
216	Parathion	40	0	0
217	Parathion-methyl	40	0	0
218	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	40	0	0
223	Phenthoate	40	0	0
224	Phorate	40	0	0
225	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	40	0	0
226	Phosalone	40	0	0
227	Phosmet	40	0	0
228	Phosmet (phosmet and phosmet oxon expressed as phosmet)	40	0	0
230	Pirimicarb	40	0	0
231	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	40	0	0
233	Pirimiphos-methyl	40	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Baby/Infant Food*	*Nr Found*	*MRL Ex*
235	Procymidone	40	0	0
236	Profenofos	40	0	0
247	Pyrazophos	40	0	0
250	Pyridaphenthion	40	0	0
253	Quinalphos	40	0	0
255	Quintozene	40	0	0
256	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	40	0	0
258	Simazine	40	0	0
263	Sulfotep	40	0	0
270	Temephos	40	0	0
271	Terbufos	40	0	0
272	Terbufos (sum baby and infant food)	40	0	0
273	Terbumeton	40	0	0
275	Terbutryn	40	0	0
276	Tetrachlorvinphos	40	0	0
284	Thiometon	40	0	0
286	Thiram (expressed as thiram)	40	0	0
289	Triadimefon	40	0	0
291	Triadimenol	40	0	0
292	Triazophos	40	0	0
299	Vamidothion	40	0	0
300	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	40	0	0
304	alpha-Endosulfan	40	0	0
305	beta-Endosulfan	40	0	0
		3360	*0*	*0*

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
1	3-Chloroaniline	99	0	0
2	Acephate	210	0	0
3	Acetamiprid	210	0	0
4	Acrinathrin	210	0	0
5	Alachlor	111	0	0
6	Aldicarb	99	0	0
7	Aldicarb (sum)	210	0	0
8	Aldicarb sulfone	99	0	0
9	Aldicarb sulfoxide	99	0	0
10	Aldrin	212	0	0
11	Aldrin and Dieldrin	99	0	0
12	Amitraz	210	0	0
13	Atrazine	323	0	0
14	Atrazine desethyl	111	0	0
15	Azinphos-ethyl	323	0	0
16	Azinphos-methyl	210	0	0
17	Azoxystrobin	210	0	0
18	Barban	111	0	0
19	Beflubutamid	111	0	0
20	Benalaxyl	224	0	0
21	Benfluralin	111	0	0
22	Benfuracarb	111	0	0
23	Bifenthrin	323	0	0
24	Biphenyl	111	0	0
25	Bitertanol	210	0	0
26	Bixafen	111	0	0
27	Boscalid	323	0	0
28	Bromophos	111	0	0
29	Bromophos-ethyl	212	0	0
30	Bromopropylate	323	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
31	Bromuconazole (sum)	181	0	0
32	Bupirimate	210	0	0
33	Buprofezin	323	0	0
34	Cadusafos	111	0	0
35	Captan	212	0	0
36	Carbaryl	210	0	0
37	Carbendazim	210	0	0
38	Carbendazim and benomyl	210	0	0
39	Carbofuran	210	0	0
40	Carbofuran (sum)	212	0	0
41	Carbofuran, 3-hydroxy	99	0	0
42	Carbosulfan	210	0	0
43	Carboxin	111	0	0
45	Chlorbenside	224	0	0
46	Chlorbufam	111	0	0
47	Chlordane	111	0	0
49	Chlordane (sum)	113	0	0
50	Chlorfenapyr	111	0	0
51	Chlorfenson	111	0	0
52	Chlorfenvinphos	210	0	0
53	Chlornitrofen	111	0	0
54	Chlorobenzilate	111	0	0
55	Chloropropylate	111	0	0
56	Chlorothalonil	323	0	0
57	Chlorpropham	323	0	0
58	Chlorpropham (sum)	99	0	0
59	Chlorpyrifos	323	2	0
60	Chlorpyrifos-methyl	323	12	0
61	Chlozolinate	111	0	0
62	Clofentezine	111	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
63	Clothianidin	210	0	0
65	Cyfluthrin (sum)	224	0	0
66	Cypermethrin (sum)	323	0	0
67	Cyproconazole	210	0	0
68	Cyprodinil	323	1	0
69	DDD, p,p-	99	0	0
70	DDE, p,p-	99	0	0
71	DDT (sum)	323	0	0
72	DDT, o,p-	99	0	0
73	DDT, p,p-	99	0	0
74	Deltamethrin	323	2	0
75	Demeton-S-methyl	111	0	0
76	Diafenthiuron	99	0	0
77	Diazinon	323	0	0
78	Dichlofluanid	323	0	0
79	Dichlorvos	210	0	0
80	Dicloran	210	0	0
81	Dicofol o, p'	99	0	0
82	Dicrotophos	70	0	0
83	Dieldrin	323	0	0
84	Diethofencarb	181	0	0
85	Difenoconazole	210	0	0
86	Dimethoate	99	0	0
87	Dimethoate (sum)	210	0	0
88	Dimethomorph	111	0	0
89	Dimoxystrobin	111	0	0
90	Diniconazole	181	0	0
91	Diphenylamine	323	0	0
92	Disulfoton	210	0	0
93	EPN	210	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
94	Endosulfan (sum)	323	0	0
95	Endosulfansulfate	99	0	0
96	Endrin	212	0	0
97	Epoxiconazole	210	0	0
98	Esfenvalerate	212	0	0
99	Etaconazole	111	0	0
100	Ethion	323	0	0
101	Ethofumesate (sum)	111	0	0
102	Ethoprophos	210	0	0
103	Etofenprox	111	0	0
104	Fenamidone	210	0	0
105	Fenamiphos	70	0	0
106	Fenamiphos (sum)	111	0	0
107	Fenamiphos sulfone	111	0	0
108	Fenarimol	323	0	0
109	Fenazaquin	111	0	0
110	Fenbuconazole	111	0	0
111	Fenchlorphos	99	0	0
112	Fenchlorphos (sum)	224	0	0
113	Fenfuram	111	0	0
114	Fenhexamid	323	0	0
115	Fenitrothion	323	0	0
116	Fenothiocarb	111	0	0
117	Fenoxycarb	210	0	0
118	Fenpropathrin	210	0	0
119	Fenpropidin	111	3	0
120	Fenpropimorph	181	0	0
121	Fenpyroximate	181	0	0
124	Fenthion	99	0	0
125	Fenthion (sum)	224	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
126	Fenthion sulfoxide	111	0	0
127	Fenvalerate	99	0	0
128	Fenvalerate (sum of RR, SS, RS and SR isomers)	210	0	0
130	Fipronil	70	0	0
131	Flucythrinate	99	0	0
133	Fludioxonil	323	1	0
134	Flufenoxuron	111	0	0
135	Fluopicolide	111	0	0
136	Fluquinconazole	111	0	0
137	Flusilazole	181	0	0
138	Flutolanil	111	0	0
139	Flutriafol	181	0	0
140	Fluxapyroxad	111	0	0
141	Folpet	212	0	0
143	Formothion	111	0	0
144	Fosthiazate	111	0	0
145	Furathiocarb	111	0	0
146	HCH, delta-	113	0	0
147	Haloxyfop	111	0	0
148	Heptachlor	323	0	0
151	Heptachlor epoxide	113	0	0
155	Hexachlorobenzene	99	0	0
156	Hexachlorocyclohexane (HCH), alpha-isomer	323	0	0
157	Hexachlorocyclohexane (HCH), beta-isomer	323	0	0
158	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	99	0	0
159	Hexaconazole	210	0	0
160	Hexaflumuron	99	0	0
161	Hexythiazox	111	0	0
162	Imazalil	210	0	0
163	Imidacloprid	210	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
164	Indoxacarb as sum of the isomers S and R	210	0	0
165	Iprodione	323	1	0
166	Iprovalicarb	210	0	0
167	Isocarbophos	181	0	0
170	Isofenphos-methyl	181	0	0
171	Isoprocarb	181	0	0
172	Isoprothiolane	111	0	0
173	Kresoxim-methyl	323	0	0
174	Lambda-Cyhalothrin	323	0	0
175	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	323	0	0
176	Linuron	111	0	0
177	Malaoxon	210	0	0
178	Malathion	323	4	0
179	Malathion (sum of malathion and malaoxon expressed as malathion)	99	0	0
180	Mandipropamid	181	0	0
182	Mepanipyrim	294	0	0
183	Metaflumizone (sum of E- and Z- isomers)	111	0	0
184	Metalaxyl	212	0	0
185	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	111	0	0
186	Metconazole	181	0	0
187	Methacrifos	111	0	0
188	Methamidophos	210	0	0
189	Methidathion	111	0	0
190	Methiocarb	99	0	0
191	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	210	0	0
192	Methiocarb sulfone	99	0	0
193	Methiocarb sulfoxide	99	0	0
194	Methomyl	210	0	0
195	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	99	0	0
197	Methoxyfenozide	181	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Cereals	Nr Found	MRL Ex
198	Metrafenone	111	0	0
199	Metribuzin	323	0	0
200	Mevinphos (sum of E- and Z-isomers)	210	0	0
201	Molinate	111	0	0
202	Monocrotophos	210	0	0
203	Myclobutanil	323	0	0
205	Nitrofen	111	0	0
206	Nuarimol	111	0	0
207	Omethoate	99	0	0
208	Orthophenylphenol	294	0	0
209	Oxadixyl	323	0	0
210	Oxamyl	210	0	0
212	Oxydemeton-methyl	99	0	0
213	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	111	0	0
214	Paclobutrazol	181	0	0
215	Paraoxon	111	0	0
216	Parathion	323	0	0
217	Parathion-methyl	212	0	0
218	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	111	0	0
219	Penconazole	323	0	0
220	Pencycuron	181	0	0
221	Pendimethalin	224	0	0
222	Permethrin (sum of isomers)	323	1	0
223	Phenthoate	210	0	0
224	Phorate	212	0	0
225	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	111	0	0
226	Phosalone	323	0	0
227	Phosmet	212	0	0
230	Pirimicarb	212	0	0
231	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	111	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
232	Pirimiphos-ethyl	111	0	0
233	Pirimiphos-methyl	323	5	0
234	Prochloraz	210	0	0
235	Procymidone	323	0	0
236	Profenofos	210	0	0
237	Propamocarb	99	0	0
238	Propargite	323	0	0
239	Propham	224	0	0
240	Propiconazole	210	0	0
241	Propoxur	111	0	0
242	Propyzamide	323	0	0
243	Prothioconazole-desthio	111	0	0
244	Prothiofos	210	0	0
245	Pymetrozine	181	0	0
246	Pyraclostrobin	210	0	0
247	Pyrazophos	111	0	0
248	Pyrethrins	70	0	0
249	Pyridaben	323	0	0
251	Pyrimethanil	323	0	0
252	Pyriproxyfen	181	1	0
253	Quinalphos	323	0	0
254	Quinoxyfen	294	1	1
255	Quintozene	111	0	0
257	Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	99	0	0
259	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	181	0	0
260	Spirodiclofen	181	0	0
261	Spiromesifen	111	0	0
262	Spiroxamine	323	0	0
264	Tebuconazole	323	0	0
265	Tebufenozide	181	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
266	Tebufenpyrad	210	0	0
267	Tecnazene	111	0	0
268	Teflubenzuron	111	0	0
269	Tefluthrin	181	0	0
274	Terbuthylazine	111	0	0
277	Tetraconazole	181	0	0
278	Tetradifon	210	0	0
279	Thiabendazole	210	0	0
280	Thiacloprid	210	0	0
281	Thiametoxam	99	0	0
282	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	210	0	0
283	Thiodicarb	210	0	0
285	Thiophanate-methyl	210	0	0
287	Tolclofos-methyl	210	0	0
288	Tolylfluanid	323	0	0
289	Triadimefon	99	0	0
290	Triadimefon (sum of Triadimefon and Triadimenol)	323	0	0
291	Triadimenol	99	0	0
292	Triazophos	323	0	0
293	Tricyclazole	111	0	0
294	Trifloxystrobin	210	0	0
295	Triflumuron	181	0	0
296	Trifluralin	294	0	0
297	Triforine	99	0	0
298	Triticonazole	181	0	0
301	Vinclozolin	210	0	0
302	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	113	0	0
303	Zoxamide	210	0	0
304	alpha-Endosulfan	99	0	0
305	beta-Endosulfan	99	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
307	cis-Resmethrin	111	0	0
308	tau-Fluvalinate	210	0	0
		50660	*34*	*1*

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
1	3-Chloroaniline	996	0	0
2	Acephate	1329	0	0
3	Acetamiprid	1329	65	0
4	Acrinathrin	1329	0	0
5	Alachlor	333	0	0
6	Aldicarb	996	0	0
7	Aldicarb (sum)	1329	0	0
8	Aldicarb sulfone	996	0	0
9	Aldicarb sulfoxide	996	0	0
10	Aldrin	1187	0	0
11	Aldrin and Dieldrin	996	0	0
12	Amitraz	1329	0	0
13	Atrazine	1520	0	0
14	Atrazine desethyl	333	0	0
15	Azinphos-ethyl	1520	0	0
16	Azinphos-methyl	1329	0	0
17	Azoxystrobin	1329	13	0
18	Barban	333	0	0
19	Beflubutamid	333	0	0
20	Benalaxyl	524	0	0
21	Benfluralin	333	0	0
22	Benfuracarb	333	0	0
23	Bifenthrin	1520	5	0
24	Biphenyl	333	0	0
25	Bitertanol	1329	0	0
26	Bixafen	333	0	0
27	Boscalid	1520	71	0
28	Bromophos	333	0	0
29	Bromophos-ethyl	1187	0	0
30	Bromopropylate	1520	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
31	Bromuconazole (sum)	1010	0	0
32	Bupirimate	1329	1	0
33	Buprofezin	1520	6	0
34	Cadusafos	333	0	0
35	Captan	1187	20	0
36	Carbaryl	1329	0	0
37	Carbendazim	1329	63	0
38	Carbendazim and benomyl	1329	27	3
39	Carbofuran	1329	0	0
40	Carbofuran (sum)	1187	0	0
41	Carbofuran, 3-hydroxy	996	0	0
42	Carbosulfan	1329	0	0
43	Carboxin	333	0	0
45	Chlorbenside	524	0	0
46	Chlorbufam	333	0	0
47	Chlordane	333	0	0
49	Chlordane (sum)	191	0	0
50	Chlorfenapyr	333	0	0
51	Chlorfenson	333	0	0
52	Chlorfenvinphos	1329	0	0
53	Chlornitrofen	333	0	0
54	Chlorobenzilate	333	0	0
55	Chloropropylate	333	0	0
56	Chlorothalonil	1520	9	1
57	Chlorpropham	1520	0	0
58	Chlorpropham (sum)	996	0	0
59	Chlorpyrifos	1520	164	2
60	Chlorpyrifos-methyl	1520	8	0
61	Chlozolinate	333	0	0
62	Clofentezine	333	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
63	Clothianidin	1329	1	0
65	Cyfluthrin (sum)	524	0	0
66	Cypermethrin (sum)	1520	15	0
67	Cyproconazole	1329	0	0
68	Cyprodinil	1520	94	0
69	DDD, p,p-	996	0	0
70	DDE, p,p-	996	0	0
71	DDT (sum)	1520	0	0
72	DDT, o,p-	996	0	0
73	DDT, p,p-	996	0	0
74	Deltamethrin	1520	0	0
75	Demeton-S-methyl	333	0	0
76	Diafenthiuron	996	0	0
77	Diazinon	1520	1	0
78	Dichlofluanid	1520	0	0
79	Dichlorvos	1329	0	0
80	Dicloran	1329	0	0
81	Dicofol o, p'	996	0	0
82	Dicrotophos	677	0	0
83	Dieldrin	1520	0	0
84	Diethofencarb	1010	0	0
85	Difenoconazole	1329	12	0
86	Dimethoate	996	0	0
87	Dimethoate (sum)	1329	4	0
88	Dimethomorph	333	0	0
89	Dimoxystrobin	333	0	0
90	Diniconazole	1010	0	0
91	Diphenylamine	1520	0	0
92	Disulfoton	1329	0	0
93	EPN	1329	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
94	Endosulfan (sum)	1520	0	0
95	Endosulfansulfate	996	0	0
96	Endrin	1187	0	0
97	Epoxiconazole	1329	0	0
98	Esfenvalerate	1187	0	0
99	Etaconazole	333	0	0
100	Ethion	1520	0	0
101	Ethofumesate (sum)	333	0	0
102	Ethoprophos	1329	0	0
103	Etofenprox	333	3	0
104	Fenamidone	1329	1	0
105	Fenamiphos	677	0	0
106	Fenamiphos (sum)	333	0	0
107	Fenamiphos sulfone	333	0	0
108	Fenarimol	1520	0	0
109	Fenazaquin	333	0	0
110	Fenbuconazole	333	0	0
111	Fenchlorphos	996	0	0
112	Fenchlorphos (sum)	524	0	0
113	Fenfuram	333	0	0
114	Fenhexamid	1520	19	0
115	Fenitrothion	1520	0	0
116	Fenothiocarb	333	0	0
117	Fenoxycarb	1329	0	0
118	Fenpropathrin	1329	0	0
119	Fenpropidin	333	0	0
120	Fenpropimorph	1010	0	0
121	Fenpyroximate	1010	0	0
124	Fenthion	996	0	0
125	Fenthion (sum)	524	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
126	Fenthion sulfoxide	333	0	0
127	Fenvalerate	996	0	0
128	Fenvalerate (sum of RR, SS, RS and SR isomers)	1329	0	0
130	Fipronil	677	0	0
131	Flucythrinate	996	0	0
133	Fludioxonil	1520	28	0
134	Flufenoxuron	333	0	0
135	Fluopicolide	333	0	0
136	Fluquinconazole	333	0	0
137	Flusilazole	1010	0	0
138	Flutolanil	333	0	0
139	Flutriafol	1010	0	0
140	Fluxapyroxad	333	0	0
141	Folpet	1187	3	0
143	Formothion	333	0	0
144	Fosthiazate	333	0	0
145	Furathiocarb	333	0	0
146	HCH, delta-	191	0	0
147	Haloxyfop	333	0	0
148	Heptachlor	1520	0	0
151	Heptachlor epoxide	191	0	0
155	Hexachlorobenzene	996	0	0
156	Hexachlorocyclohexane (HCH), alpha-isomer	1520	0	0
157	Hexachlorocyclohexane (HCH), beta-isomer	1520	0	0
158	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	996	0	0
159	Hexaconazole	1329	0	0
160	Hexaflumuron	996	0	0
161	Hexythiazox	333	0	0
162	Imazalil	1329	351	1
163	Imidacloprid	1329	6	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
164	Indoxacarb as sum of the isomers S and R	1329	0	0
165	Iprodione	1520	32	0
166	Iprovalicarb	1329	1	0
167	Isocarbophos	1010	0	0
170	Isofenphos-methyl	1010	0	0
171	Isoprocarb	1010	0	0
172	Isoprothiolane	333	0	0
173	Kresoxim-methyl	1520	3	0
174	Lambda-Cyhalothrin	1520	23	0
175	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	1520	0	0
176	Linuron	333	0	0
177	Malaoxon	1329	0	0
178	Malathion	1520	4	0
179	Malathion (sum of malathion and malaoxon expressed as malathion)	996	0	0
180	Mandipropamid	1010	2	0
182	Mepanipyrim	1201	1	0
183	Metaflumizone (sum of E- and Z- isomers)	333	0	0
184	Metalaxyl	1187	13	0
185	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	333	15	0
186	Metconazole	1010	0	0
187	Methacrifos	333	0	0
188	Methamidophos	1329	0	0
189	Methidathion	333	0	0
190	Methiocarb	996	0	0
191	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	1329	1	0
192	Methiocarb sulfone	996	0	0
193	Methiocarb sulfoxide	996	0	0
194	Methomyl	1329	0	0
195	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	996	0	0
197	Methoxyfenozide	1010	4	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
198	Metrafenone	333	0	0
199	Metribuzin	1520	0	0
200	Mevinphos (sum of E- and Z-isomers)	1329	0	0
201	Molinate	333	0	0
202	Monocrotophos	1329	0	0
203	Myclobutanil	1520	15	0
205	Nitrofen	333	0	0
206	Nuarimol	333	0	0
207	Omethoate	996	0	0
208	Orthophenylphenol	1201	54	0
209	Oxadixyl	1520	0	0
210	Oxamyl	1329	0	0
212	Oxydemeton-methyl	996	0	0
213	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	333	0	0
214	Paclobutrazol	1010	0	0
215	Paraoxon	333	0	0
216	Parathion	1520	0	0
217	Parathion-methyl	1187	0	0
218	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	333	0	0
219	Penconazole	1520	4	0
220	Pencycuron	1010	0	0
221	Pendimethalin	524	0	0
222	Permethrin (sum of isomers)	1520	0	0
223	Phenthoate	1329	0	0
224	Phorate	1187	0	0
225	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	333	0	0
226	Phosalone	1520	0	0
227	Phosmet	1187	1	0
230	Pirimicarb	1187	3	0
231	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	333	3	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
232	Pirimiphos-ethyl	333	0	0
233	Pirimiphos-methyl	1520	0	0
234	Prochloraz	1329	97	0
235	Procymidone	1520	3	3
236	Profenofos	1329	0	0
237	Propamocarb	996	0	0
238	Propargite	1520	7	0
239	Propham	524	0	0
240	Propiconazole	1329	22	0
241	Propoxur	333	0	0
242	Propyzamide	1520	0	0
243	Prothioconazole-desthio	333	0	0
244	Prothiofos	1329	0	0
245	Pymetrozine	1010	0	0
246	Pyraclostrobin	1329	21	0
247	Pyrazophos	333	0	0
248	Pyrethrins	677	0	0
249	Pyridaben	1520	2	0
251	Pyrimethanil	1520	178	0
252	Pyriproxyfen	1010	5	0
253	Quinalphos	1520	0	0
254	Quinoxyfen	1201	0	0
255	Quintozene	333	0	0
257	Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	996	0	0
259	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	1010	0	0
260	Spirodiclofen	1010	1	0
261	Spiromesifen	333	0	0
262	Spiroxamine	1520	4	0
264	Tebuconazole	1520	29	0
265	Tebufenozide	1010	1	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
266	Tebufenpyrad	1329	6	0
267	Tecnazene	333	0	0
268	Teflubenzuron	333	0	0
269	Tefluthrin	1010	0	0
274	Terbuthylazine	333	0	0
277	Tetraconazole	1010	3	0
278	Tetradifon	1329	0	0
279	Thiabendazole	1329	209	0
280	Thiacloprid	1329	4	0
281	Thiametoxam	996	2	0
282	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	1329	5	0
283	Thiodicarb	1329	0	0
285	Thiophanate-methyl	1329	10	1
287	Tolclofos-methyl	1329	0	0
288	Tolylfluanid	1520	0	0
289	Triadimefon	996	4	0
290	Triadimefon (sum of Triadimefon and Triadimenol)	1520	0	0
291	Triadimenol	996	1	0
292	Triazophos	1520	0	0
293	Tricyclazole	333	0	0
294	Trifloxystrobin	1329	5	0
295	Triflumuron	1010	0	0
296	Trifluralin	1201	0	0
297	Triforine	996	0	0
298	Triticonazole	1010	0	0
301	Vinclozolin	1329	0	0
302	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	191	0	0
303	Zoxamide	1329	0	0
304	alpha-Endosulfan	996	0	0
305	beta-Endosulfan	996	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
307	cis-Resmethrin	333	0	0
308	tau-Fluvalinate	1329	4	0
		266521	*1792*	*11*

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
1	3-Chloroaniline	5	0	0
2	Acephate	5	0	0
3	Acetamiprid	5	2	0
4	Acrinathrin	5	0	0
6	Aldicarb	5	0	0
7	Aldicarb (sum)	5	0	0
8	Aldicarb sulfone	5	0	0
9	Aldicarb sulfoxide	5	0	0
10	Aldrin	5	0	0
11	Aldrin and Dieldrin	5	0	0
12	Amitraz	5	0	0
13	Atrazine	5	0	0
15	Azinphos-ethyl	5	0	0
16	Azinphos-methyl	5	0	0
17	Azoxystrobin	5	0	0
23	Bifenthrin	5	0	0
25	Bitertanol	5	0	0
27	Boscalid	5	0	0
29	Bromophos-ethyl	5	0	0
30	Bromopropylate	5	0	0
31	Bromuconazole (sum)	4	0	0
32	Bupirimate	5	0	0
33	Buprofezin	5	2	0
35	Captan	5	0	0
36	Carbaryl	5	0	0
37	Carbendazim	5	1	0
38	Carbendazim and benomyl	5	0	0
39	Carbofuran	5	0	0
40	Carbofuran (sum)	5	0	0
41	Carbofuran, 3-hydroxy	5	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
42	Carbosulfan	5	0	0
52	Chlorfenvinphos	5	0	0
56	Chlorothalonil	5	0	0
57	Chlorpropham	5	0	0
58	Chlorpropham (sum)	5	0	0
59	Chlorpyrifos	5	0	0
60	Chlorpyrifos-methyl	5	0	0
63	Clothianidin	5	0	0
66	Cypermethrin (sum)	5	1	0
67	Cyproconazole	5	0	0
68	Cyprodinil	5	0	0
69	DDD, p,p-	5	0	0
70	DDE, p,p-	5	0	0
71	DDT (sum)	5	0	0
72	DDT, o,p-	5	0	0
73	DDT, p,p-	5	0	0
74	Deltamethrin	5	0	0
76	Diafenthiuron	5	0	0
77	Diazinon	5	0	0
78	Dichlofluanid	5	0	0
79	Dichlorvos	5	0	0
80	Dicloran	5	0	0
81	Dicofol o, p'	5	0	0
82	Dicrotophos	4	0	0
83	Dieldrin	5	0	0
84	Diethofencarb	4	0	0
85	Difenoconazole	5	0	0
86	Dimethoate	5	0	0
87	Dimethoate (sum)	5	0	0
90	Diniconazole	4	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
91	Diphenylamine	5	0	0
92	Disulfoton	5	0	0
93	EPN	5	0	0
94	Endosulfan (sum)	5	0	0
95	Endosulfansulfate	5	0	0
96	Endrin	5	0	0
97	Epoxiconazole	5	0	0
98	Esfenvalerate	5	0	0
100	Ethion	5	0	0
102	Ethoprophos	5	0	0
104	Fenamidone	5	0	0
105	Fenamiphos	4	0	0
108	Fenarimol	5	0	0
111	Fenchlorphos	5	0	0
114	Fenhexamid	5	0	0
115	Fenitrothion	5	0	0
117	Fenoxycarb	5	0	0
118	Fenpropathrin	5	0	0
120	Fenpropimorph	4	0	0
121	Fenpyroximate	4	0	0
124	Fenthion	5	0	0
127	Fenvalerate	5	0	0
128	Fenvalerate (sum of RR, SS, RS and SR isomers)	5	0	0
130	Fipronil	4	0	0
131	Flucythrinate	5	0	0
133	Fludioxonil	5	0	0
137	Flusilazole	4	0	0
139	Flutriafol	4	0	0
141	Folpet	5	0	0
148	Heptachlor	5	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
155	Hexachlorobenzene	5	0	0
156	Hexachlorocyclohexane (HCH), alpha-isomer	5	0	0
157	Hexachlorocyclohexane (HCH), beta-isomer	5	0	0
158	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	5	0	0
159	Hexaconazole	5	0	0
160	Hexaflumuron	5	0	0
162	Imazalil	5	0	0
163	Imidacloprid	5	0	0
164	Indoxacarb as sum of the isomers S and R	5	0	0
165	Iprodione	5	0	0
166	Iprovalicarb	5	0	0
167	Isocarbophos	4	0	0
170	Isofenphos-methyl	4	0	0
171	Isoprocarb	4	0	0
173	Kresoxim-methyl	5	0	0
174	Lambda-Cyhalothrin	5	0	0
175	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	5	0	0
177	Malaoxon	5	0	0
178	Malathion	5	0	0
179	Malathion (sum of malathion and malaoxon expressed as malathion)	5	0	0
180	Mandipropamid	4	0	0
182	Mepanipyrim	4	0	0
184	Metalaxyl	5	0	0
186	Metconazole	4	0	0
188	Methamidophos	5	0	0
190	Methiocarb	5	0	0
191	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	5	0	0
192	Methiocarb sulfone	5	0	0
193	Methiocarb sulfoxide	5	0	0
194	Methomyl	5	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
195	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	5	0	0
197	Methoxyfenozide	4	0	0
199	Metribuzin	5	0	0
200	Mevinphos (sum of E- and Z-isomers)	5	0	0
202	Monocrotophos	5	0	0
203	Myclobutanil	5	0	0
207	Omethoate	5	0	0
208	Orthophenylphenol	4	0	0
209	Oxadixyl	5	0	0
210	Oxamyl	5	0	0
212	Oxydemeton-methyl	5	0	0
214	Paclobutrazol	4	0	0
216	Parathion	5	0	0
217	Parathion-methyl	5	0	0
219	Penconazole	5	0	0
220	Pencycuron	4	0	0
222	Permethrin (sum of isomers)	5	1	0
223	Phenthoate	5	0	0
224	Phorate	5	0	0
226	Phosalone	5	0	0
227	Phosmet	5	0	0
230	Pirimicarb	5	0	0
233	Pirimiphos-methyl	5	0	0
234	Prochloraz	5	0	0
235	Procymidone	5	0	0
236	Profenofos	5	0	0
237	Propamocarb	5	0	0
238	Propargite	5	0	0
240	Propiconazole	5	0	0
242	Propyzamide	5	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
244	Prothiofos	5	0	0
245	Pymetrozine	4	0	0
246	Pyraclostrobin	5	0	0
248	Pyrethrins	4	0	0
249	Pyridaben	5	1	0
251	Pyrimethanil	5	0	0
252	Pyriproxyfen	4	0	0
253	Quinalphos	5	0	0
254	Quinoxyfen	4	0	0
257	Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	5	0	0
259	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	4	0	0
260	Spirodiclofen	4	0	0
262	Spiroxamine	5	0	0
264	Tebuconazole	5	0	0
265	Tebufenozide	4	0	0
266	Tebufenpyrad	5	0	0
269	Tefluthrin	4	0	0
277	Tetraconazole	4	0	0
278	Tetradifon	5	0	0
279	Thiabendazole	5	0	0
280	Thiacloprid	5	0	0
281	Thiametoxam	5	0	0
282	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	5	0	0
283	Thiodicarb	5	0	0
285	Thiophanate-methyl	5	0	0
287	Tolclofos-methyl	5	0	0
288	Tolylfluanid	5	0	0
289	Triadimefon	5	0	0
290	Triadimefon (sum of Triadimefon and Triadimenol)	5	0	0
291	Triadimenol	5	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
292	Triazophos	5	0	0
294	Trifloxystrobin	5	0	0
295	Triflumuron	4	0	0
296	Trifluralin	4	0	0
297	Triforine	5	0	0
298	Triticonazole	4	0	0
301	Vinclozolin	5	0	0
303	Zoxamide	5	0	0
304	alpha-Endosulfan	5	0	0
305	beta-Endosulfan	5	0	0
308	tau-Fluvalinate	5	0	0
		923	*8*	*0*

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
1	3-Chloroaniline	13	0	0
2	Acephate	13	0	0
3	Acetamiprid	13	0	0
4	Acrinathrin	13	0	0
6	Aldicarb	13	0	0
7	Aldicarb (sum)	13	0	0
8	Aldicarb sulfone	13	0	0
9	Aldicarb sulfoxide	13	0	0
10	Aldrin	13	0	0
11	Aldrin and Dieldrin	13	0	0
12	Amitraz	13	0	0
13	Atrazine	13	0	0
15	Azinphos-ethyl	13	0	0
16	Azinphos-methyl	13	0	0
17	Azoxystrobin	13	0	0
23	Bifenthrin	13	0	0
25	Bitertanol	13	0	0
27	Boscalid	13	0	0
29	Bromophos-ethyl	13	0	0
30	Bromopropylate	13	0	0
31	Bromuconazole (sum)	8	0	0
32	Bupirimate	13	0	0
33	Buprofezin	13	0	0
35	Captan	13	0	0
36	Carbaryl	13	0	0
37	Carbendazim	13	0	0
38	Carbendazim and benomyl	13	0	0
39	Carbofuran	13	0	0
40	Carbofuran (sum)	13	0	0
41	Carbofuran, 3-hydroxy	13	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
42	Carbosulfan	13	0	0
52	Chlorfenvinphos	13	0	0
56	Chlorothalonil	13	0	0
57	Chlorpropham	13	0	0
58	Chlorpropham (sum)	13	0	0
59	Chlorpyrifos	13	0	0
60	Chlorpyrifos-methyl	13	0	0
63	Clothianidin	13	0	0
66	Cypermethrin (sum)	13	0	0
67	Cyproconazole	13	0	0
68	Cyprodinil	13	0	0
69	DDD, p,p-	13	0	0
70	DDE, p,p-	13	0	0
71	DDT (sum)	13	0	0
72	DDT, o,p-	13	0	0
73	DDT, p,p-	13	0	0
74	Deltamethrin	13	0	0
76	Diafenthiuron	13	0	0
77	Diazinon	13	0	0
78	Dichlofluanid	13	0	0
79	Dichlorvos	13	0	0
80	Dicloran	13	0	0
81	Dicofol o, p'	13	0	0
82	Dicrotophos	8	0	0
83	Dieldrin	13	0	0
84	Diethofencarb	8	0	0
85	Difenoconazole	13	0	0
86	Dimethoate	13	0	0
87	Dimethoate (sum)	13	0	0
90	Diniconazole	8	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
91	Diphenylamine	13	0	0
92	Disulfoton	13	0	0
93	EPN	13	0	0
94	Endosulfan (sum)	13	0	0
95	Endosulfansulfate	13	0	0
96	Endrin	13	0	0
97	Epoxiconazole	13	0	0
98	Esfenvalerate	13	0	0
100	Ethion	13	0	0
102	Ethoprophos	13	0	0
104	Fenamidone	13	0	0
105	Fenamiphos	8	0	0
108	Fenarimol	13	0	0
111	Fenchlorphos	13	0	0
114	Fenhexamid	13	0	0
115	Fenitrothion	13	0	0
117	Fenoxycarb	13	0	0
118	Fenpropathrin	13	0	0
120	Fenpropimorph	8	0	0
121	Fenpyroximate	8	0	0
124	Fenthion	13	0	0
127	Fenvalerate	13	0	0
128	Fenvalerate (sum of RR, SS, RS and SR isomers)	13	0	0
130	Fipronil	8	0	0
131	Flucythrinate	13	0	0
133	Fludioxonil	13	0	0
137	Flusilazole	8	0	0
139	Flutriafol	8	0	0
141	Folpet	13	0	0
148	Heptachlor	13	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
155	Hexachlorobenzene	13	0	0
156	Hexachlorocyclohexane (HCH), alpha-isomer	13	0	0
157	Hexachlorocyclohexane (HCH), beta-isomer	13	0	0
158	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	13	0	0
159	Hexaconazole	13	0	0
160	Hexaflumuron	13	0	0
162	Imazalil	13	0	0
163	Imidacloprid	13	0	0
164	Indoxacarb as sum of the isomers S and R	13	0	0
165	Iprodione	13	0	0
166	Iprovalicarb	13	0	0
167	Isocarbophos	8	0	0
170	Isofenphos-methyl	8	0	0
171	Isoprocarb	8	0	0
173	Kresoxim-methyl	13	0	0
174	Lambda-Cyhalothrin	13	0	0
175	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	13	0	0
177	Malaoxon	13	0	0
178	Malathion	13	0	0
179	Malathion (sum of malathion and malaoxon expressed as malathion)	13	0	0
180	Mandipropamid	8	0	0
182	Mepanipyrim	8	0	0
184	Metalaxyl	13	0	0
186	Metconazole	8	0	0
188	Methamidophos	13	0	0
190	Methiocarb	13	0	0
191	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	13	0	0
192	Methiocarb sulfone	13	0	0
193	Methiocarb sulfoxide	13	0	0
194	Methomyl	13	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
195	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	13	0	0
197	Methoxyfenozide	8	0	0
199	Metribuzin	13	0	0
200	Mevinphos (sum of E- and Z-isomers)	13	0	0
202	Monocrotophos	13	0	0
203	Myclobutanil	13	0	0
207	Omethoate	13	0	0
208	Orthophenylphenol	8	0	0
209	Oxadixyl	13	0	0
210	Oxamyl	13	0	0
212	Oxydemeton-methyl	13	0	0
214	Paclobutrazol	8	0	0
216	Parathion	13	0	0
217	Parathion-methyl	13	0	0
219	Penconazole	13	0	0
220	Pencycuron	8	0	0
222	Permethrin (sum of isomers)	13	0	0
223	Phenthoate	13	0	0
224	Phorate	13	0	0
226	Phosalone	13	0	0
227	Phosmet	13	0	0
230	Pirimicarb	13	0	0
233	Pirimiphos-methyl	13	0	0
234	Prochloraz	13	0	0
235	Procymidone	13	0	0
236	Profenofos	13	0	0
237	Propamocarb	13	0	0
238	Propargite	13	0	0
240	Propiconazole	13	0	0
242	Propyzamide	13	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
244	Prothiofos	13	0	0
245	Pymetrozine	8	0	0
246	Pyraclostrobin	13	0	0
248	Pyrethrins	8	0	0
249	Pyridaben	13	0	0
251	Pyrimethanil	13	0	0
252	Pyriproxyfen	8	0	0
253	Quinalphos	13	0	0
254	Quinoxyfen	8	0	0
257	Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	13	0	0
259	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	8	0	0
260	Spirodiclofen	8	0	0
262	Spiroxamine	13	0	0
264	Tebuconazole	13	0	0
265	Tebufenozide	8	0	0
266	Tebufenpyrad	13	0	0
269	Tefluthrin	8	0	0
277	Tetraconazole	8	0	0
278	Tetradifon	13	0	0
279	Thiabendazole	13	0	0
280	Thiacloprid	13	0	0
281	Thiametoxam	13	0	0
282	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	13	0	0
283	Thiodicarb	13	0	0
285	Thiophanate-methyl	13	0	0
287	Tolclofos-methyl	13	0	0
288	Tolylfluanid	13	0	0
289	Triadimefon	13	0	0
290	Triadimefon (sum of Triadimefon and Triadimenol)	13	0	0
291	Triadimenol	13	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
292	Triazophos	13	0	0
294	Trifloxystrobin	13	0	0
295	Triflumuron	8	0	0
296	Trifluralin	8	0	0
297	Triforine	13	0	0
298	Triticonazole	8	0	0
301	Vinclozolin	13	0	0
303	Zoxamide	13	0	0
304	alpha-Endosulfan	13	0	0
305	beta-Endosulfan	13	0	0
308	tau-Fluvalinate	13	0	0
		2323	*0*	*0*

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
1	3-Chloroaniline	77	0	0
2	Acephate	85	0	0
3	Acetamiprid	85	0	0
4	Acrinathrin	85	0	0
5	Alachlor	8	0	0
6	Aldicarb	77	0	0
7	Aldicarb (sum)	85	0	0
8	Aldicarb sulfone	77	0	0
9	Aldicarb sulfoxide	77	0	0
10	Aldrin	87	0	0
11	Aldrin and Dieldrin	77	0	0
12	Amitraz	85	0	0
13	Atrazine	95	0	0
14	Atrazine desethyl	8	0	0
15	Azinphos-ethyl	95	0	0
16	Azinphos-methyl	85	0	0
17	Azoxystrobin	85	1	0
18	Barban	8	0	0
19	Beflubutamid	8	0	0
20	Benalaxyl	18	0	0
21	Benfluralin	8	0	0
22	Benfuracarb	8	0	0
23	Bifenthrin	95	0	0
24	Biphenyl	8	0	0
25	Bitertanol	85	0	0
26	Bixafen	8	0	0
27	Boscalid	95	0	0
28	Bromophos	8	0	0
29	Bromophos-ethyl	87	0	0
30	Bromopropylate	95	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
31	Bromuconazole (sum)	48	0	0
32	Bupirimate	85	0	0
33	Buprofezin	95	0	0
34	Cadusafos	8	0	0
35	Captan	87	0	0
36	Carbaryl	85	0	0
37	Carbendazim	85	0	0
38	Carbendazim and benomyl	85	0	0
39	Carbofuran	85	0	0
40	Carbofuran (sum)	87	0	0
41	Carbofuran, 3-hydroxy	77	0	0
42	Carbosulfan	85	0	0
43	Carboxin	8	0	0
45	Chlorbenside	18	0	0
46	Chlorbufam	8	0	0
47	Chlordane	8	0	0
49	Chlordane (sum)	10	0	0
50	Chlorfenapyr	8	0	0
51	Chlorfenson	8	0	0
52	Chlorfenvinphos	85	0	0
53	Chlornitrofen	8	0	0
54	Chlorobenzilate	8	0	0
55	Chloropropylate	8	0	0
56	Chlorothalonil	95	0	0
57	Chlorpropham	95	0	0
58	Chlorpropham (sum)	77	0	0
59	Chlorpyrifos	95	0	0
60	Chlorpyrifos-methyl	95	0	0
61	Chlozolinate	8	0	0
62	Clofentezine	8	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
63	Clothianidin	85	0	0
65	Cyfluthrin (sum)	18	0	0
66	Cypermethrin (sum)	95	0	0
67	Cyproconazole	85	0	0
68	Cyprodinil	95	0	0
69	DDD, p,p-	77	0	0
70	DDE, p,p-	77	0	0
71	DDT (sum)	95	0	0
72	DDT, o,p-	77	0	0
73	DDT, p,p-	77	0	0
74	Deltamethrin	95	0	0
75	Demeton-S-methyl	8	0	0
76	Diafenthiuron	77	0	0
77	Diazinon	95	0	0
78	Dichlofluanid	95	0	0
79	Dichlorvos	85	0	0
80	Dicloran	85	0	0
81	Dicofol o, p'	77	0	0
82	Dicrotophos	40	0	0
83	Dieldrin	95	0	0
84	Diethofencarb	48	0	0
85	Difenoconazole	85	0	0
86	Dimethoate	77	0	0
87	Dimethoate (sum)	85	0	0
88	Dimethomorph	8	0	0
89	Dimoxystrobin	8	0	0
90	Diniconazole	48	0	0
91	Diphenylamine	95	0	0
92	Disulfoton	85	0	0
93	EPN	85	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
94	Endosulfan (sum)	95	0	0
95	Endosulfansulfate	77	0	0
96	Endrin	87	0	0
97	Epoxiconazole	85	0	0
98	Esfenvalerate	87	0	0
99	Etaconazole	8	0	0
100	Ethion	95	0	0
101	Ethofumesate (sum)	8	0	0
102	Ethoprophos	85	0	0
103	Etofenprox	8	0	0
104	Fenamidone	85	0	0
105	Fenamiphos	40	0	0
106	Fenamiphos (sum)	8	0	0
107	Fenamiphos sulfone	8	0	0
108	Fenarimol	95	0	0
109	Fenazaquin	8	0	0
110	Fenbuconazole	8	0	0
111	Fenchlorphos	77	0	0
112	Fenchlorphos (sum)	18	0	0
113	Fenfuram	8	0	0
114	Fenhexamid	95	0	0
115	Fenitrothion	95	1	0
116	Fenothiocarb	8	0	0
117	Fenoxycarb	85	0	0
118	Fenpropathrin	85	0	0
119	Fenpropidin	8	0	0
120	Fenpropimorph	48	0	0
121	Fenpyroximate	48	0	0
124	Fenthion	77	0	0
125	Fenthion (sum)	18	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
126	Fenthion sulfoxide	8	0	0
127	Fenvalerate	77	0	0
128	Fenvalerate (sum of RR, SS, RS and SR isomers)	85	0	0
130	Fipronil	40	0	0
131	Flucythrinate	77	0	0
133	Fludioxonil	95	1	1
134	Flufenoxuron	8	0	0
135	Fluopicolide	8	0	0
136	Fluquinconazole	8	0	0
137	Flusilazole	48	0	0
138	Flutolanil	8	0	0
139	Flutriafol	48	0	0
140	Fluxapyroxad	8	0	0
141	Folpet	87	0	0
143	Formothion	8	0	0
144	Fosthiazate	8	0	0
145	Furathiocarb	8	0	0
146	HCH, delta-	10	0	0
147	Haloxyfop	8	0	0
148	Heptachlor	95	0	0
151	Heptachlor epoxide	10	0	0
155	Hexachlorobenzene	77	0	0
156	Hexachlorocyclohexane (HCH), alpha-isomer	95	0	0
157	Hexachlorocyclohexane (HCH), beta-isomer	95	0	0
158	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	77	0	0
159	Hexaconazole	85	0	0
160	Hexaflumuron	77	0	0
161	Hexythiazox	8	0	0
162	Imazalil	85	0	0
163	Imidacloprid	85	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
164	Indoxacarb as sum of the isomers S and R	85	0	0
165	Iprodione	95	0	0
166	Iprovalicarb	85	0	0
167	Isocarbophos	48	0	0
170	Isofenphos-methyl	48	0	0
171	Isoprocarb	48	0	0
172	Isoprothiolane	8	0	0
173	Kresoxim-methyl	95	0	0
174	Lambda-Cyhalothrin	95	0	0
175	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	95	0	0
176	Linuron	8	0	0
177	Malaoxon	85	0	0
178	Malathion	95	5	2
179	Malathion (sum of malathion and malaoxon expressed as malathion)	77	0	0
180	Mandipropamid	48	0	0
182	Mepanipyrim	58	0	0
183	Metaflumizone (sum of E- and Z- isomers)	8	0	0
184	Metalaxyl	87	0	0
185	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	8	0	0
186	Metconazole	48	0	0
187	Methacrifos	8	0	0
188	Methamidophos	85	0	0
189	Methidathion	8	0	0
190	Methiocarb	77	0	0
191	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	85	0	0
192	Methiocarb sulfone	77	0	0
193	Methiocarb sulfoxide	77	0	0
194	Methomyl	85	0	0
195	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	77	0	0
197	Methoxyfenozide	48	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
198	Metrafenone	8	0	0
199	Metribuzin	95	0	0
200	Mevinphos (sum of E- and Z-isomers)	85	0	0
201	Molinate	8	0	0
202	Monocrotophos	85	0	0
203	Myclobutanil	95	1	0
205	Nitrofen	8	0	0
206	Nuarimol	8	0	0
207	Omethoate	77	0	0
208	Orthophenylphenol	58	0	0
209	Oxadixyl	95	0	0
210	Oxamyl	85	0	0
212	Oxydemeton-methyl	77	0	0
213	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	8	0	0
214	Paclobutrazol	48	0	0
215	Paraoxon	8	0	0
216	Parathion	95	0	0
217	Parathion-methyl	87	0	0
218	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	8	0	0
219	Penconazole	95	0	0
220	Pencycuron	48	0	0
221	Pendimethalin	18	0	0
222	Permethrin (sum of isomers)	95	0	0
223	Phenthoate	85	0	0
224	Phorate	87	0	0
225	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	8	0	0
226	Phosalone	95	0	0
227	Phosmet	87	0	0
230	Pirimicarb	87	0	0
231	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	8	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
232	Pirimiphos-ethyl	8	0	0
233	Pirimiphos-methyl	95	0	0
234	Prochloraz	85	0	0
235	Procymidone	95	0	0
236	Profenofos	85	0	0
237	Propamocarb	77	0	0
238	Propargite	95	0	0
239	Propham	18	0	0
240	Propiconazole	85	0	0
241	Propoxur	8	0	0
242	Propyzamide	95	0	0
243	Prothioconazole-desthio	8	0	0
244	Prothiofos	85	0	0
245	Pymetrozine	48	0	0
246	Pyraclostrobin	85	0	0
247	Pyrazophos	8	0	0
248	Pyrethrins	40	0	0
249	Pyridaben	95	0	0
251	Pyrimethanil	95	0	0
252	Pyriproxyfen	48	0	0
253	Quinalphos	95	0	0
254	Quinoxyfen	58	0	0
255	Quintozene	8	0	0
257	Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	77	0	0
259	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	48	0	0
260	Spirodiclofen	48	0	0
261	Spiromesifen	8	0	0
262	Spiroxamine	95	0	0
264	Tebuconazole	95	0	0
265	Tebufenozide	48	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
266	Tebufenpyrad	85	0	0
267	Tecnazene	8	0	0
268	Teflubenzuron	8	0	0
269	Tefluthrin	48	0	0
274	Terbuthylazine	8	0	0
277	Tetraconazole	48	0	0
278	Tetradifon	85	0	0
279	Thiabendazole	85	0	0
280	Thiacloprid	85	0	0
281	Thiametoxam	77	0	0
282	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	85	0	0
283	Thiodicarb	85	0	0
285	Thiophanate-methyl	85	0	0
287	Tolclofos-methyl	85	0	0
288	Tolylfluanid	95	0	0
289	Triadimefon	77	0	0
290	Triadimefon (sum of Triadimefon and Triadimenol)	95	0	0
291	Triadimenol	77	0	0
292	Triazophos	95	0	0
293	Tricyclazole	8	0	0
294	Trifloxystrobin	85	0	0
295	Triflumuron	48	0	0
296	Trifluralin	58	0	0
297	Triforine	77	0	0
298	Triticonazole	48	0	0
301	Vinclozolin	85	0	0
302	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	10	0	0
303	Zoxamide	85	0	0
304	alpha-Endosulfan	77	0	0
305	beta-Endosulfan	77	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
307	cis-Resmethrin	8	0	0
308	tau-Fluvalinate	85	0	0
		16023	*9*	*3*

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Sugar Plants*	*Nr Found*	*MRL Ex*
10	Aldrin	2	0	0
13	Atrazine	2	0	0
15	Azinphos-ethyl	2	0	0
20	Benalaxyl	2	0	0
23	Bifenthrin	2	0	0
27	Boscalid	2	0	0
29	Bromophos-ethyl	2	0	0
30	Bromopropylate	2	0	0
33	Buprofezin	2	0	0
35	Captan	2	0	0
40	Carbofuran (sum)	2	0	0
45	Chlorbenside	2	0	0
49	Chlordane (sum)	2	0	0
56	Chlorothalonil	2	0	0
57	Chlorpropham	2	0	0
59	Chlorpyrifos	2	0	0
60	Chlorpyrifos-methyl	2	0	0
65	Cyfluthrin (sum)	2	0	0
66	Cypermethrin (sum)	2	0	0
68	Cyprodinil	2	0	0
71	DDT (sum)	2	0	0
74	Deltamethrin	2	0	0
77	Diazinon	2	0	0
78	Dichlofluanid	2	0	0
83	Dieldrin	2	0	0
91	Diphenylamine	2	0	0
94	Endosulfan (sum)	2	0	0
96	Endrin	2	0	0
98	Esfenvalerate	2	0	0
100	Ethion	2	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Sugar Plants*	*Nr Found*	*MRL Ex*
108	Fenarimol	2	0	0
112	Fenchlorphos (sum)	2	0	0
114	Fenhexamid	2	0	0
115	Fenitrothion	2	0	0
125	Fenthion (sum)	2	0	0
133	Fludioxonil	2	0	0
141	Folpet	2	0	0
146	HCH, delta-	2	0	0
148	Heptachlor	2	0	0
151	Heptachlor epoxide	2	0	0
156	Hexachlorocyclohexane (HCH), alpha-isomer	2	0	0
157	Hexachlorocyclohexane (HCH), beta-isomer	2	0	0
165	Iprodione	2	0	0
173	Kresoxim-methyl	2	0	0
174	Lambda-Cyhalothrin	2	0	0
175	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	2	0	0
178	Malathion	2	0	0
182	Mepanipyrim	2	0	0
184	Metalaxyl	2	0	0
199	Metribuzin	2	0	0
203	Myclobutanil	2	0	0
208	Orthophenylphenol	2	0	0
209	Oxadixyl	2	0	0
216	Parathion	2	0	0
217	Parathion-methyl	2	0	0
219	Penconazole	2	0	0
221	Pendimethalin	2	0	0
222	Permethrin (sum of isomers)	2	0	0
224	Phorate	2	0	0
226	Phosalone	2	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Sugar Plants*	*Nr Found*	*MRL Ex*
227	Phosmet	2	0	0
230	Pirimicarb	2	0	0
233	Pirimiphos-methyl	2	0	0
235	Procymidone	2	0	0
238	Propargite	2	0	0
239	Propham	2	0	0
242	Propyzamide	2	0	0
249	Pyridaben	2	0	0
251	Pyrimethanil	2	0	0
253	Quinalphos	2	0	0
254	Quinoxyfen	2	0	0
262	Spiroxamine	2	0	0
264	Tebuconazole	2	0	0
288	Tolylfluanid	2	0	0
290	Triadimefon (sum of Triadimefon and Triadimenol)	2	0	0
292	Triazophos	2	0	0
296	Trifluralin	2	0	0
302	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	2	0	0
		156	*0*	*0*

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
1	3-Chloroaniline	521	0	0
2	Acephate	1205	0	0
3	Acetamiprid	1205	34	0
4	Acrinathrin	1205	0	0
5	Alachlor	684	0	0
6	Aldicarb	521	0	0
7	Aldicarb (sum)	1205	0	0
8	Aldicarb sulfone	521	0	0
9	Aldicarb sulfoxide	521	0	0
10	Aldrin	827	0	0
11	Aldrin and Dieldrin	521	0	0
12	Amitraz	1205	0	0
13	Atrazine	1511	0	0
14	Atrazine desethyl	684	0	0
15	Azinphos-ethyl	1511	0	0
16	Azinphos-methyl	1205	0	0
17	Azoxystrobin	1205	23	0
18	Barban	684	0	0
19	Beflubutamid	684	0	0
20	Benalaxyl	990	0	0
21	Benfluralin	684	0	0
22	Benfuracarb	684	0	0
23	Bifenthrin	1511	3	0
24	Biphenyl	684	0	0
25	Bitertanol	1205	0	0
26	Bixafen	684	0	0
27	Boscalid	1511	45	0
28	Bromophos	684	0	0
29	Bromophos-ethyl	827	0	0
30	Bromopropylate	1511	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
31	Bromuconazole (sum)	960	0	0
32	Bupirimate	1205	0	0
33	Buprofezin	1511	2	0
34	Cadusafos	684	0	0
35	Captan	827	0	0
36	Carbaryl	1205	0	0
37	Carbendazim	1205	9	0
38	Carbendazim and benomyl	1205	43	1
39	Carbofuran	1205	0	0
40	Carbofuran (sum)	827	0	0
41	Carbofuran, 3-hydroxy	521	0	0
42	Carbosulfan	1205	0	0
43	Carboxin	684	0	0
45	Chlorbenside	990	0	0
46	Chlorbufam	684	0	0
47	Chlordane	684	0	0
49	Chlordane (sum)	306	0	0
50	Chlorfenapyr	684	0	0
51	Chlorfenson	684	0	0
52	Chlorfenvinphos	1205	0	0
53	Chlornitrofen	684	0	0
54	Chlorobenzilate	684	0	0
55	Chloropropylate	684	0	0
56	Chlorothalonil	1511	28	0
57	Chlorpropham	1511	12	0
58	Chlorpropham (sum)	521	0	0
59	Chlorpyrifos	1511	39	4
60	Chlorpyrifos-methyl	1511	12	2
61	Chlozolinate	684	0	0
62	Clofentezine	684	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
63	Clothianidin	1205	1	0
65	Cyfluthrin (sum)	990	0	0
66	Cypermethrin (sum)	1511	9	0
67	Cyproconazole	1205	1	0
68	Cyprodinil	1511	68	0
69	DDD, p,p-	521	0	0
70	DDE, p,p-	521	0	0
71	DDT (sum)	1511	2	0
72	DDT, o,p-	521	0	0
73	DDT, p,p-	521	0	0
74	Deltamethrin	1511	0	0
75	Demeton-S-methyl	684	0	0
76	Diafenthiuron	521	0	0
77	Diazinon	1511	1	1
78	Dichlofluanid	1511	0	0
79	Dichlorvos	1205	0	0
80	Dicloran	1205	0	0
81	Dicofol o, p'	521	0	0
82	Dicrotophos	276	0	0
83	Dieldrin	1511	1	0
84	Diethofencarb	960	0	0
85	Difenoconazole	1205	2	0
86	Dimethoate	521	0	0
87	Dimethoate (sum)	1205	6	3
88	Dimethomorph	684	7	0
89	Dimoxystrobin	684	0	0
90	Diniconazole	960	0	0
91	Diphenylamine	1511	1	0
92	Disulfoton	1205	0	0
93	EPN	1205	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
94	Endosulfan (sum)	1511	2	0
95	Endosulfansulfate	521	1	0
96	Endrin	827	0	0
97	Epoxiconazole	1205	0	0
98	Esfenvalerate	827	0	0
99	Etaconazole	684	0	0
100	Ethion	1511	0	0
101	Ethofumesate (sum)	684	0	0
102	Ethoprophos	1205	0	0
103	Etofenprox	684	1	0
104	Fenamidone	1205	1	0
105	Fenamiphos	276	0	0
106	Fenamiphos (sum)	684	0	0
107	Fenamiphos sulfone	684	0	0
108	Fenarimol	1511	0	0
109	Fenazaquin	684	2	1
110	Fenbuconazole	684	0	0
111	Fenchlorphos	521	0	0
112	Fenchlorphos (sum)	990	0	0
113	Fenfuram	684	0	0
114	Fenhexamid	1511	2	0
115	Fenitrothion	1511	0	0
116	Fenothiocarb	684	0	0
117	Fenoxycarb	1205	0	0
118	Fenpropathrin	1205	0	0
119	Fenpropidin	684	0	0
120	Fenpropimorph	960	0	0
121	Fenpyroximate	960	0	0
124	Fenthion	521	0	0
125	Fenthion (sum)	990	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
126	Fenthion sulfoxide	684	0	0
127	Fenvalerate	521	0	0
128	Fenvalerate (sum of RR, SS, RS and SR isomers)	1205	0	0
130	Fipronil	276	0	0
131	Flucythrinate	521	0	0
133	Fludioxonil	1511	18	1
134	Flufenoxuron	684	0	0
135	Fluopicolide	684	0	0
136	Fluquinconazole	684	0	0
137	Flusilazole	960	0	0
138	Flutolanil	684	0	0
139	Flutriafol	960	3	0
140	Fluxapyroxad	684	0	0
141	Folpet	827	2	0
143	Formothion	684	0	0
144	Fosthiazate	684	0	0
145	Furathiocarb	684	0	0
146	HCH, delta-	306	0	0
147	Haloxyfop	684	0	0
148	Heptachlor	1511	0	0
151	Heptachlor epoxide	306	0	0
155	Hexachlorobenzene	521	0	0
156	Hexachlorocyclohexane (HCH), alpha-isomer	1511	0	0
157	Hexachlorocyclohexane (HCH), beta-isomer	1511	0	0
158	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	521	0	0
159	Hexaconazole	1205	0	0
160	Hexaflumuron	521	0	0
161	Hexythiazox	684	0	0
162	Imazalil	1205	3	0
163	Imidacloprid	1205	20	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
164	Indoxacarb as sum of the isomers S and R	1205	0	0
165	Iprodione	1511	23	1
166	Iprovalicarb	1205	1	0
167	Isocarbophos	960	0	0
170	Isofenphos-methyl	960	0	0
171	Isoprocarb	960	0	0
172	Isoprothiolane	684	0	0
173	Kresoxim-methyl	1511	0	0
174	Lambda-Cyhalothrin	1511	9	0
175	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	1511	0	0
176	Linuron	684	0	0
177	Malaoxon	1205	0	0
178	Malathion	1511	1	0
179	Malathion (sum of malathion and malaoxon expressed as malathion)	521	0	0
180	Mandipropamid	960	0	0
182	Mepanipyrim	1266	0	0
183	Metaflumizone (sum of E- and Z- isomers)	684	0	0
184	Metalaxyl	827	15	0
185	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	684	10	2
186	Metconazole	960	0	0
187	Methacrifos	684	0	0
188	Methamidophos	1205	0	0
189	Methidathion	684	0	0
190	Methiocarb	521	0	0
191	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	1205	2	0
192	Methiocarb sulfone	521	0	0
193	Methiocarb sulfoxide	521	0	0
194	Methomyl	1205	2	0
195	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	521	0	0
197	Methoxyfenozide	960	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
198	Metrafenone	684	0	0
199	Metribuzin	1511	0	0
200	Mevinphos (sum of E- and Z-isomers)	1205	0	0
201	Molinate	684	0	0
202	Monocrotophos	1205	0	0
203	Myclobutanil	1511	4	1
205	Nitrofen	684	0	0
206	Nuarimol	684	0	0
207	Omethoate	521	0	0
208	Orthophenylphenol	1266	1	0
209	Oxadixyl	1511	0	0
210	Oxamyl	1205	0	0
212	Oxydemeton-methyl	521	0	0
213	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	684	0	0
214	Paclobutrazol	960	0	0
215	Paraoxon	684	0	0
216	Parathion	1511	0	0
217	Parathion-methyl	827	0	0
218	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	684	0	0
219	Penconazole	1511	1	0
220	Pencycuron	960	0	0
221	Pendimethalin	990	10	0
222	Permethrin (sum of isomers)	1511	0	0
223	Phenthoate	1205	0	0
224	Phorate	827	0	0
225	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	684	0	0
226	Phosalone	1511	0	0
227	Phosmet	827	0	0
230	Pirimicarb	827	2	0
231	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	684	5	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
232	Pirimiphos-ethyl	684	0	0
233	Pirimiphos-methyl	1511	5	0
234	Prochloraz	1205	2	0
235	Procymidone	1511	1	1
236	Profenofos	1205	0	0
237	Propamocarb	521	17	0
238	Propargite	1511	4	0
239	Propham	990	0	0
240	Propiconazole	1205	9	1
241	Propoxur	684	0	0
242	Propyzamide	1511	4	3
243	Prothioconazole-desthio	684	0	0
244	Prothiofos	1205	0	0
245	Pymetrozine	960	0	0
246	Pyraclostrobin	1205	14	0
247	Pyrazophos	684	0	0
248	Pyrethrins	276	0	0
249	Pyridaben	1511	6	0
251	Pyrimethanil	1511	19	2
252	Pyriproxyfen	960	3	0
253	Quinalphos	1511	0	0
254	Quinoxyfen	1266	0	0
255	Quintozene	684	0	0
257	Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	521	0	0
259	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	960	0	0
260	Spirodiclofen	960	0	0
261	Spiromesifen	684	0	0
262	Spiroxamine	1511	0	0
264	Tebuconazole	1511	31	0
265	Tebufenozide	960	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Vegetables	Nr Found	MRL Ex
266	Tebufenpyrad	1205	0	0
267	Tecnazene	684	0	0
268	Teflubenzuron	684	0	0
269	Tefluthrin	960	4	0
274	Terbuthylazine	684	0	0
277	Tetraconazole	960	0	0
278	Tetradifon	1205	0	0
279	Thiabendazole	1205	2	1
280	Thiacloprid	1205	1	0
281	Thiametoxam	521	1	0
282	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	1205	5	0
283	Thiodicarb	1205	0	0
285	Thiophanate-methyl	1205	18	2
287	Tolclofos-methyl	1205	0	0
288	Tolylfluanid	1511	0	0
289	Triadimefon	521	0	0
290	Triadimefon (sum of Triadimefon and Triadimenol)	1511	3	1
291	Triadimenol	521	0	0
292	Triazophos	1511	0	0
293	Tricyclazole	684	0	0
294	Trifloxystrobin	1205	2	0
295	Triflumuron	960	0	0
296	Trifluralin	1266	0	0
297	Triforine	521	0	0
298	Triticonazole	960	0	0
301	Vinclozolin	1205	1	0
302	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	306	0	0
303	Zoxamide	1205	0	0
304	alpha-Endosulfan	521	0	0
305	beta-Endosulfan	521	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
307	cis-Resmethrin	684	0	0
308	tau-Fluvalinate	1205	0	0
		262599	*642*	*28*

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Enforcement Region=TC Origin=Argentina

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Lemons	Unprocessed	Non-organic production	6	6	0	0	0	0

Strategy=Enforcement Region=TC Origin=China

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	2	2	0	0	0	0
Other plant products	Tea	Unprocessed	Non-organic production	1	0	0	0	0	0
Origin				*3*	*2*	*0*	*0*	*0*	*0*

Strategy=Enforcement Region=TC Origin=Egypt

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Oranges	Unprocessed	Non-organic production	30	27	0	0	0	0

Strategy=Enforcement Region=TC Origin=Israel

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Lemons	Unprocessed	Non-organic production	1	1	0	0	0	0

Strategy=Enforcement Region=TC Origin=Madagascar

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Other plant products	Beans (dry)	Unprocessed	Non-organic production	2	0	0	0	0	0

Strategy=Enforcement Region=TC Origin=Moldova, Republic of

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Apples	Unprocessed	Non-organic production	1	0	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Enforcement Region=TC Origin=Turkey

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Rice	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	1	1	0	0	0	0
Origin				*5*	*4*	*0*	*0*	*0*	*0*
Region				*48*	*40*	*0*	*0*	*0*	*0*
Strategy				*48*	*40*	*0*	*0*	*0*	*0*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=Domestic Origin=Romania

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Animal products	Bovine Fat	Unprocessed	Non-organic production	11	5	0	0	0	0
Animal products	Bovine Muscle	Unprocessed	Non-organic production	12	1	0	0	0	0
Animal products	Eggs Chicken	Unprocessed	Non-organic production	37	8	0	0	0	0
Animal products	Eggs Quail	Unprocessed	Non-organic production	4	0	0	0	0	0
Animal products	Equine Fat	Unprocessed	Non-organic production	9	3	0	0	0	0
Animal products	Equine Muscle	Unprocessed	Non-organic production	7	0	0	0	0	0
Animal products	Goat Muscle	Unprocessed	Non-organic production	1	0	0	0	0	0
Animal products	Honey	Processed	Non-organic production	17	0	0	0	0	0
Animal products	Honey	Unprocessed	Non-organic production	46	3	0	0	0	0
Animal products	Horses, asses, mules or hinnies (equine) Tissues	Unprocessed	Non-organic production	1	1	0	0	0	0
Animal products	Milk Cattle	Unprocessed	Non-organic production	14	4	0	0	0	0
Animal products	Milk Sheep	Unprocessed	Non-organic production	1	0	0	0	0	0
Animal products	Other farm animals Muscle	Unprocessed	Non-organic production	3	3	0	0	0	0
Animal products	Other terrestrial animal products	Unprocessed	Non-organic production	7	5	0	0	0	0
Animal products	Poultry Fat	Unprocessed	Non-organic production	90	7	0	90	6	0
Animal products	Poultry Liver	Unprocessed	Non-organic production	3	0	0	3	0	0
Animal products	Poultry Muscle	Unprocessed	Non-organic production	127	31	0	127	27	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=Domestic Origin=Romania

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Animal products	Poultry — chicken, geese, duck, turkey and Guinea fowl — ostrich, pigeon Tissues	Unprocessed	Non-organic production	48	14	0	0	0	0
Animal products	Sheep Fat	Unprocessed	Non-organic production	7	2	0	0	0	0
Animal products	Sheep Muscle	Unprocessed	Non-organic production	3	0	0	0	0	0
Animal products	Swine Fat	Unprocessed	Non-organic production	77	8	0	0	0	0
Animal products	Swine Muscle	Unprocessed	Non-organic production	113	28	0	0	0	0
Animal products	Swine Others	Unprocessed	Non-organic production	7	7	0	0	0	0
Cereals	Barley	Unprocessed	Non-organic production	5	0	0	0	0	0
Cereals	Maize	Unprocessed	Non-organic production	98	1	0	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	5	0	0	2	0	0
Cereals	Rice	Unprocessed	Organic production	2	1	0	0	0	0
Cereals	Rye	Unprocessed	Non-organic production	16	3	0	0	0	0
Cereals	Wheat	Milling - refined flour	Non-organic production	34	4	0	33	2	0
Cereals	Wheat	Unprocessed	Non-organic production	105	15	0	0	0	0
Cereals	Wheat	Unprocessed	Organic production	1	0	0	0	0	0
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	139	73	0	0	0	0
Fruits and nuts	Apricots	Unprocessed	Non-organic production	39	22	2	0	0	0
Fruits and nuts	Apricots	Unprocessed	Organic production	1	0	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=Domestic Origin=Romania

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Blueberries	Unprocessed	Non-organic production	13	6	2	0	0	0
Fruits and nuts	Cherries	Unprocessed	Non-organic production	60	33	3	0	0	0
Fruits and nuts	Cherries	Unprocessed	Organic production	1	0	0	0	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	25	13	1	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	29	10	0	29	10	0
Fruits and nuts	Pears	Unprocessed	Organic production	3	0	0	3	0	0
Fruits and nuts	Plums	Unprocessed	Non-organic production	90	17	0	0	0	0
Fruits and nuts	Strawberries	Unprocessed	Non-organic production	25	12	1	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	41	25	0	0	0	0
Fruits and nuts	Wine grapes	Unprocessed	Non-organic production	83	43	0	0	0	0
Fruits and nuts	Wine grapes	Wine production - red wine cold process	Non-organic production	40	9	0	0	0	0
Fruits and nuts	Wine grapes	Wine production - white wine	Non-organic production	47	12	0	0	0	0
Other plant products	Beans (dry)	Unprocessed	Non-organic production	18	1	0	0	0	0
Other plant products	Sugar beet (root)	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	41	2	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	38	12	0	38	11	0
Vegetables	Beans (with pods)	Unprocessed	Organic production	4	0	0	4	0	0
Vegetables	Beetroot	Unprocessed	Non-organic production	5	1	1	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	37	10	3	37	10	3
Vegetables	Carrots	Unprocessed	Organic production	2	0	0	2	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	25	5	0	0	0	0
Vegetables	Celeriac	Unprocessed	Non-organic production	18	2	0	0	0	0
Vegetables	Courgettes	Unprocessed	Non-organic production	32	6	1	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	71	21	3	70	21	3
Vegetables	Cucumbers	Unprocessed	Organic production	1	0	0	1	0	0
Vegetables	Cultivated fungi	Unprocessed	Non-organic production	28	7	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=Domestic Origin=Romania

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Garlic	Unprocessed	Non-organic production	19	2	1	0	0	0
Vegetables	Gherkins	Unprocessed	Non-organic production	11	6	3	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	49	4	0	0	0	0
Vegetables	Leek	Unprocessed	Non-organic production	14	3	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	52	34	1	0	0	0
Vegetables	Lettuce	Unprocessed	Organic production	1	1	0	0	0	0
Vegetables	Melons	Unprocessed	Non-organic production	16	2	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	44	3	0	0	0	0
Vegetables	Other spinach and similar (leaves)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Parsley	Unprocessed	Non-organic production	29	20	2	0	0	0
Vegetables	Parsnips	Unprocessed	Non-organic production	13	4	0	0	0	0
Vegetables	Peas (without pods)	Unprocessed	Non-organic production	27	2	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	62	19	0	0	0	0
Vegetables	Peppers	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	102	14	1	102	14	1
Vegetables	Potatoes	Unprocessed	Organic production	4	1	1	4	1	1
Vegetables	Radishes	Unprocessed	Non-organic production	24	4	1	0	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	19	5	0	19	5	0
Vegetables	Spinach	Unprocessed	Organic production	2	1	0	2	1	0
Vegetables	Spring onions	Unprocessed	Non-organic production	46	8	1	0	0	0
Vegetables	Spring onions	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	151	48	3	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	30	1	0	0	0	0
Origin				*2590*	*680*	*31*	*566*	*108*	*8*
Region				*2590*	*680*	*31*	*566*	*108*	*8*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=EEA Origin=Austria

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Apples	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	1	0	0	0	0	0
Other plant products	Olives for oil production	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	3	0	0	0	0	0
Origin				*6*	*0*	*0*	*0*	*0*	*0*

Strategy=Surveillance Region=EEA Origin=Belgium

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Potatoes	Unprocessed	Non-organic production	4	3	0	4	3	0

Strategy=Surveillance Region=EEA Origin=Bulgaria

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Rice	Unprocessed	Non-organic production	2	1	1	2	1	1
Cereals	Wheat	Milling - refined flour	Non-organic production	1	0	0	1	0	0
Fruits and nuts	Wine grapes	Wine production - white wine	Non-organic production	1	0	0	0	0	0
Other plant products	Beans (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
Origin				*5*	*1*	*1*	*3*	*1*	*1*

Strategy=Surveillance Region=EEA Origin=Croatia

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby food	Processed cereal-based baby foods (e.g. cereal and pastas to be reconstituted with milk or other liq	Processed	Organic production	2	0	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	1	1	0
Origin				*3*	*1*	*0*	*1*	*1*	*0*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=EEA Origin=Czech Republic

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby food	Baby food for infants and young childern	Processed	Organic production	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	1	0	0	0	0	0
Origin				*2*	*0*	*0*	*0*	*0*	*0*

Strategy=Surveillance Region=EEA Origin=France

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Wheat	Milling - refined flour	Non-organic production	1	0	0	1	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruits and nuts	Wine grapes	Wine production - white wine	Non-organic production	1	0	0	0	0	0
Vegetables	Leek	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	3	2	0	3	2	0
Origin				*10*	*2*	*0*	*4*	*2*	*0*

Strategy=Surveillance Region=EEA Origin=Germany

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby food	Processed cereal-based baby foods (e.g. cereal and pastas to be reconstituted with milk or other liq	Processed	Organic production	6	0	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruits and nuts	Wine grapes	Wine production - red wine cold process	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Wine grapes	Wine production - white wine	Non-organic production	1	0	0	0	0	0
Vegetables	Celery	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Kohlrabi	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	2	0	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=EEA Origin=Germany

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Potatoes	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Radishes	Unprocessed	Non-organic production	1	0	0	0	0	0
Origin				*17*	*0*	*0*	*1*	*0*	*0*

Strategy=Surveillance Region=EEA Origin=Greece

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Rice	Heating	Non-organic production	1	0	0	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	1	0	0	1	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Apricots	Unprocessed	Non-organic production	3	0	0	0	0	0
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Non-organic production	7	1	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	2	0	0	2	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	22	12	0	22	10	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	14	8	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	1	0	0	1	0	0
Fruits and nuts	Quinces	Unprocessed	Non-organic production	3	1	0	0	0	0
Fruits and nuts	Strawberries	Unprocessed	Non-organic production	1	0	0	0	0	0
Other plant products	Olives for oil production	Oil production - Virgin oil after cold press	Non-organic production	1	0	0	0	0	0
Other plant products	Olives for oil production	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	3	2	0	3	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	2	1	0	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	2	1	0	0	0	0
Origin				*68*	*27*	*0*	*29*	*10*	*0*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=EEA Origin=Hungary

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby food	Baby food for infants and young childern	Processed	Organic production	1	0	0	0	0	0
Cereals	Wheat	Milling - refined flour	Non-organic production	5	1	0	5	1	0
Cereals	Wheat	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	5	1	0	0	0	0
Fruits and nuts	Plums	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Wine grapes	Wine production - red wine cold process	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Wine grapes	Wine production - white wine	Non-organic production	1	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Chinese cabbage	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	2	2	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	0	0	0	0	0
Origin				*22*	*5*	*0*	*7*	*1*	*0*

Strategy=Surveillance Region=EEA Origin=Italy

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Rice	Unprocessed	Non-organic production	3	0	0	3	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	10	2	0	0	0	0
Fruits and nuts	Apricots	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Non-organic production	4	1	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	3	1	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruits and nuts	Oranges	Juicing	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	6	3	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	12	7	0	12	7	0
Fruits and nuts	Pineapples	Unprocessed	Non-organic production	1	1	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=EEA Origin=Italy

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Plums	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	15	12	0	0	0	0
Fruits and nuts	Wine grapes	Wine production - red wine cold process	Non-organic production	3	0	0	0	0	0
Fruits and nuts	Wine grapes	Wine production - white wine	Non-organic production	5	1	0	0	0	0
Other plant products	Olives for oil production	Unprocessed	Non-organic production	7	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	1	1	0	1	1	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Courgettes	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Garlic	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Kohlrabi	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	2	2	0	0	0	0
Vegetables	Melons	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	3	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Radishes	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	11	1	0	0	0	0
Origin				*105*	*38*	*0*	*20*	*10*	*0*

Strategy=Surveillance Region=EEA Origin=Martinique

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Bananas	Unprocessed	Non-organic production	2	0	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=EEA Origin=Netherlands

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Pears	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	10	1	0	10	1	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Celery	Unprocessed	Non-organic production	6	0	0	0	0	0
Vegetables	Courgettes	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Leek	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	4	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	2	1	0	2	1	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	1	0	0	0	0
Origin				*32*	*3*	*0*	*13*	*2*	*0*

Strategy=Surveillance Region=EEA Origin=Poland

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby food	Processed cereal-based baby foods (e.g. cereal and pastas to be reconstituted with milk or other liq	Processed	Organic production	6	0	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	21	10	0	0	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	1	0	0	0	0	0
Other plant products	Beans (dry)	Unprocessed	Non-organic production	3	0	0	0	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	5	1	0	5	1	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	3	0	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=EEA Origin=Poland

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Celery	Unprocessed	Non-organic production	3	0	0	0	0	0
Vegetables	Cultivated fungi	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Parsley root	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Parsnips	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	2	0	0	2	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	3	2	0	0	0	0
Origin				*57*	*13*	*0*	*7*	*1*	*0*

Strategy=Surveillance Region=EEA Origin=Portugal

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby food	Processed cereal-based baby foods (e.g. cereal and pastas to be reconstituted with milk or other liq	Processed	Organic production	7	0	0	0	0	0

Strategy=Surveillance Region=EEA Origin=Spain

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby food	Baby food for infants and young childern	Processed	Organic production	1	0	0	0	0	0
Baby food	Processed cereal-based baby foods (e.g. cereal and pastas to be reconstituted with milk or other liq	Processed	Organic production	15	0	0	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	3	1	0	3	1	0
Fruits and nuts	Apricots	Unprocessed	Non-organic production	1	1	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=EEA Origin=Spain

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Lemons	Unprocessed	Non-organic production	12	11	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	4	3	0	4	3	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	4	2	0	0	0	0
Fruits and nuts	Pineapples	Unprocessed	Non-organic production	1	0	0	0	0	0
Other plant products	Olives for oil production	Oil production - Virgin oil after cold press	Non-organic production	1	0	0	0	0	0
Other plant products	Olives for oil production	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	3	0	0	0	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	8	6	0	8	2	0
Vegetables	Garlic	Unprocessed	Non-organic production	4	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Melons	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	10	2	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	11	2	0	0	0	0
Origin				*85*	*29*	*0*	*16*	*6*	*0*
Region				*425*	*122*	*1*	*105*	*37*	*1*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=TC Origin=Albania

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Cucumbers	Unprocessed	Non-organic production	2	1	0	2	0	0
Vegetables	Leek	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Melons	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	5	5	0	0	0	0
Origin				*11*	*7*	*0*	*2*	*0*	*0*

Strategy=Surveillance Region=TC Origin=Argentina

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Maize	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	4	4	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	5	3	0	5	3	0
Other plant products	Beans (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peas (without pods)	Unprocessed	Non-organic production	2	1	1	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	1	0	0	0	0	0
Origin				*14*	*8*	*1*	*5*	*3*	*0*

Strategy=Surveillance Region=TC Origin=Belize

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Other plant products	Beans (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Brazil

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Limes	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Mangoes	Unprocessed	Non-organic production	1	0	0	0	0	0
Origin				*2*	*0*	*0*	*0*	*0*	*0*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=TC Origin=Cambodia

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Rice	Unprocessed	Non-organic production	5	0	0	5	0	0

Strategy=Surveillance Region=TC Origin=Cameroon

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Bananas	Unprocessed	Non-organic production	3	2	0	0	0	0

Strategy=Surveillance Region=TC Origin=Canada

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Other plant products	Beans (dry)	Unprocessed	Non-organic production	2	0	0	0	0	0
Other plant products	Lentils (dry)	Unprocessed	Non-organic production	3	0	0	0	0	0
Origin				*5*	*0*	*0*	*0*	*0*	*0*

Strategy=Surveillance Region=TC Origin=Chile

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Kiwi	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruits and nuts	Pomegranate	Unprocessed	Non-organic production	2	1	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	2	2	0	0	0	0
Fruits and nuts	Wine grapes	Wine production - red wine cold process	Non-organic production	5	0	0	0	0	0
Fruits and nuts	Wine grapes	Wine production - white wine	Non-organic production	3	1	0	0	0	0
Origin				*14*	*5*	*0*	*1*	*1*	*0*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=TC Origin=China

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Chestnuts	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	34	29	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	1	1	0	0	0	0
Other plant products	Beans (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
Other plant products	Tea	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Garlic	Unprocessed	Non-organic production	16	0	0	0	0	0
Origin				*54*	*31*	*0*	*0*	*0*	*0*

Strategy=Surveillance Region=TC Origin=Colombia

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Bananas	Unprocessed	Non-organic production	2	1	0	0	0	0

Strategy=Surveillance Region=TC Origin=Costa Rica

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Bananas	Unprocessed	Non-organic production	2	1	0	0	0	0
Fruits and nuts	Pineapples	Unprocessed	Non-organic production	9	5	0	0	0	0
Origin				*11*	*6*	*0*	*0*	*0*	*0*

Strategy=Surveillance Region=TC Origin=Côte d'Ivoire

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Mangoes	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Pineapples	Unprocessed	Non-organic production	1	1	0	0	0	0
Origin				*2*	*1*	*0*	*0*	*0*	*0*

Strategy=Surveillance Region=TC Origin=Dominican Republic

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Bananas	Unprocessed	Non-organic production	1	1	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=TC Origin=Ecuador

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Bananas	Unprocessed	Non-organic production	23	15	0	0	0	0

Strategy=Surveillance Region=TC Origin=Egypt

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	3	2	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	10	8	0	10	8	0
Fruits and nuts	Pomegranate	Unprocessed	Non-organic production	2	1	0	0	0	0
Other plant products	Beans (dry)	Unprocessed	Non-organic production	28	2	0	0	0	0
Other plant products	Lentils (dry)	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	1	1	0	1	0	0
Vegetables	Onions	Unprocessed	Non-organic production	7	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	4	0	0	3	0	0
Vegetables	Sweet potatoes	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	3	0	0	0	0	0
Origin				*64*	*17*	*0*	*15*	*9*	*0*

Strategy=Surveillance Region=TC Origin=Ethiopia

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Other plant products	Beans (dry)	Unprocessed	Non-organic production	17	3	2	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=TC Origin=Ghana

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Bananas	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Pineapples	Unprocessed	Non-organic production	2	0	0	0	0	0
Origin				*3*	*0*	*0*	*0*	*0*	*0*

Strategy=Surveillance Region=TC Origin=India

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Rice	Heating	Non-organic production	1	0	0	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	3	0	0	3	0	0
Vegetables	Onions	Unprocessed	Non-organic production	1	0	0	0	0	0
Origin				*5*	*0*	*0*	*3*	*0*	*0*

Strategy=Surveillance Region=TC Origin=Iran, Islamic Republic of

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Kiwi	Unprocessed	Non-organic production	3	0	0	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	9	0	0	0	0	0
Origin				*12*	*0*	*0*	*0*	*0*	*0*

Strategy=Surveillance Region=TC Origin=Israel

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Avocados	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	2	2	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	1	1	0	0	0	0
Origin				*5*	*3*	*0*	*1*	*0*	*0*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=TC Origin=Jordan

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	3	2	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	2	1	1	0	0	0
Origin				*7*	*4*	*1*	*1*	*0*	*0*

Strategy=Surveillance Region=TC Origin=Kyrgyzstan

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Other plant products	Beans (dry)	Unprocessed	Non-organic production	3	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Macedonia, The Former Yugoslav Republic of

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Apples	Unprocessed	Non-organic production	4	3	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	4	3	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	2	1	0	2	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	12	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	2	1	0	0	0	0
Origin				*28*	*8*	*0*	*2*	*0*	*0*

Strategy=Surveillance Region=TC Origin=Madagascar

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Other plant products	Beans (dry)	Unprocessed	Non-organic production	3	0	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=TC Origin=Mexico

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Bananas	Unprocessed	Non-organic production	1	1	0	0	0	0

Strategy=Surveillance Region=TC Origin=Moldova, Republic of

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Maize	Unprocessed	Non-organic production	6	0	0	0	0	0
Cereals	Wheat	Milling - refined flour	Non-organic production	7	0	0	7	0	0
Cereals	Wheat	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	5	2	0	0	0	0
Fruits and nuts	Plums	Unprocessed	Non-organic production	9	3	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	22	11	0	0	0	0
Fruits and nuts	Wine grapes	Wine production - red wine cold process	Non-organic production	3	0	0	0	0	0
Fruits and nuts	Wine grapes	Wine production - white wine	Non-organic production	3	0	0	0	0	0
Other plant products	Beans (dry)	Unprocessed	Non-organic production	2	0	0	0	0	0
Origin				*59*	*16*	*0*	*7*	*0*	*0*

Strategy=Surveillance Region=TC Origin=Morocco

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Myanmar

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Rice	Unprocessed	Non-organic production	3	0	0	3	0	0
Other plant products	Beans (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
Origin				*4*	*0*	*0*	*3*	*0*	*0*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=TC Origin=Pakistan

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Rice	Unprocessed	Non-organic production	2	0	0	2	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	1	1	0
Origin				*3*	*1*	*0*	*3*	*1*	*0*

Strategy=Surveillance Region=TC Origin=Peru

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Avocados	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	1	1	0	0	0	0
Other plant products	Beans (dry)	Unprocessed	Non-organic production	2	0	0	0	0	0
Origin				*4*	*1*	*0*	*0*	*0*	*0*

Strategy=Surveillance Region=TC Origin=Philippines

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Bananas	Unprocessed	Non-organic production	2	1	0	0	0	0

Strategy=Surveillance Region=TC Origin=Russian Federation

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Peas (without pods)	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Serbia

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Apples	Unprocessed	Non-organic production	2	2	0	0	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Plums	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	0	0	0	0	0
Origin				*6*	*3*	*0*	*0*	*0*	*0*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=TC Origin=South Africa

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Avocados	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	4	3	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	11	10	0	11	10	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	1	0	0	1	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	2	2	0	0	0	0
Origin				*20*	*17*	*0*	*13*	*11*	*0*

Strategy=Surveillance Region=TC Origin=Swaziland

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Oranges	Unprocessed	Non-organic production	1	1	0	1	1	0

Strategy=Surveillance Region=TC Origin=Switzerland

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Onions	Unprocessed	Non-organic production	2	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Thailand

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Rice	Heating	Non-organic production	1	0	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=TC Origin=Turkey

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby food	Processed cereal-based baby foods (e.g. cereal and pastas to be reconstituted with milk or other liq	Processed	Organic production	1	0	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Apricots	Unprocessed	Non-organic production	7	5	0	0	0	0
Fruits and nuts	Bananas	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Figs	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	117	111	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	124	91	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	66	53	0	65	51	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	38	26	0	37	25	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	17	6	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	2	2	0	1	1	0
Fruits and nuts	Plums	Unprocessed	Non-organic production	3	0	0	0	0	0
Fruits and nuts	Pomegranate	Unprocessed	Non-organic production	26	9	0	0	0	0
Fruits and nuts	Quinces	Unprocessed	Non-organic production	5	1	0	0	0	0
Fruits and nuts	Strawberries	Unprocessed	Non-organic production	15	7	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	14	14	1	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=TC Origin=Turkey

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Other plant products	Beans (dry)	Unprocessed	Non-organic production	1	1	0	0	0	0
Other plant products	Carob (St Johns bread)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	2	1	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	9	0	0	9	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Courgettes	Unprocessed	Non-organic production	28	8	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	17	10	0	17	8	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	3	0	0	0	0	0
Vegetables	Leek	Unprocessed	Non-organic production	5	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Melons	Unprocessed	Non-organic production	5	3	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	17	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	55	21	0	0	0	0
Vegetables	Radishes	Unprocessed	Non-organic production	3	0	0	0	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	67	34	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=TC Origin=Turkey

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Watermelons	Unprocessed	Non-organic production	10	3	0	0	0	0
Origin				*667*	*408*	*1*	*130*	*85*	*0*

Strategy=Surveillance Region=TC Origin=Ukraine

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Other plant products	Beans (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
Other plant products	Soya bean	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	2	0	0	0	0	0
Origin				*4*	*0*	*0*	*0*	*0*	*0*

Strategy=Surveillance Region=TC Origin=United States

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Maize	Unprocessed	Non-organic production	1	0	0	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	1	0	0	1	0	0
Cereals	Wheat	Milling - refined flour	Non-organic production	1	1	0	1	1	0
Other plant products	Beans (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	1	0	0	1	0	0
Origin				*5*	*1*	*0*	*3*	*1*	*0*

Strategy=Surveillance Region=TC Origin=Uzbekistan

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Other plant products	Beans (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Region=TC Origin=Viet Nam

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Rice	Unprocessed	Non-organic production	3	0	0	3	0	0
Other plant products	Tea	Unprocessed	Non-organic production	2	2	0	0	0	0
Origin				*5*	*2*	*0*	*3*	*0*	*0*

Strategy=Surveillance Region=TC Origin=Yemen

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Watermelons	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Zimbabwe

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruits and nuts	Oranges	Unprocessed	Non-organic production	1	1	0	1	1	0
Region				*1084*	*565*	*5*	*199*	*113*	*0*

Strategy=Surveillance Region=UNK Origin=Unknown

ProductClass	*Product*	*Treatment*	*ProductionMethod*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Wheat	Milling - refined flour	Non-organic production	1	0	0	1	0	0
Fruits and nuts	Apricots	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Bananas	Unprocessed	Non-organic production	1	0	0	0	0	0
Other plant products	Beans (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Cultivated fungi	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peas (without pods)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	0	0	0	0	0
Origin				*8*	*0*	*0*	*1*	*0*	*0*
Region				*8*	*0*	*0*	*1*	*0*	*0*
Strategy				*4107*	*1367*	*37*	*871*	*258*	*9*
				4155	*1407*	*37*	*871*	*258*	*9*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Animal products

Origin	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Romania	645	515	130	0	0

ProductType=Baby food

Origin	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Croatia	2	2	0	0	0
Czech Republic	1	1	0	0	0
Germany	6	6	0	0	0
Hungary	1	1	0	0	0
Poland	6	6	0	0	0
Portugal	7	7	0	0	0
Spain	16	16	0	0	0
Turkey	1	1	0	0	0
ProductType	*40*	*40*	*0*	*0*	*0*

ProductType=Cereals

Origin	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Argentina	1	1	0	0	0
Bulgaria	3	2	0	1	1
Cambodia	5	5	0	0	0
France	1	1	0	0	0
Greece	2	2	0	0	0
Hungary	6	5	1	0	0
India	4	4	0	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Cereals

Origin	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Italy	3	3	0	0	0
Moldova, Republic of	15	15	0	0	0
Myanmar	3	3	0	0	0
Pakistan	2	2	0	0	0
Romania	266	242	24	0	0
Spain	3	2	1	0	0
Thailand	1	1	0	0	0
Turkey	1	1	0	0	0
United States	3	2	1	0	0
Unknown	1	1	0	0	0
Viet Nam	3	3	0	0	0
ProductType	*323*	*295*	*27*	*1*	*1*

ProductType=Fish products

Origin	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Romania	1	0	1	0	0

ProductType=Fruits and nuts

Origin	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Argentina	15	2	13	0	0
Austria	2	2	0	0	0
Brazil	2	2	0	0	0
Bulgaria	1	1	0	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Fruits and nuts

Origin	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Cameroon	3	1	2	0	0
Chile	14	9	5	0	0
China	38	6	32	0	0
Colombia	2	1	1	0	0
Costa Rica	11	5	6	0	0
Croatia	1	0	1	0	0
Côte d'Ivoire	2	1	1	0	0
Dominican Republic	1	0	1	0	0
Ecuador	23	8	15	0	0
Egypt	47	7	40	0	0
France	3	3	0	0	0
Germany	4	4	0	0	0
Ghana	3	3	0	0	0
Greece	56	33	23	0	0
Hungary	8	6	2	0	0
Iran, Islamic Republic of	3	3	0	0	0
Israel	4	1	3	0	0
Italy	64	33	31	0	0
Jordan	1	0	1	0	0
Macedonia, The Former Yugoslav Republic of	8	2	6	0	0
Martinique	2	2	0	0	0
Mexico	1	0	1	0	0
Moldova, Republic of	43	27	16	0	0
Netherlands	1	1	0	0	0
Pakistan	1	0	1	0	0
Peru	2	1	1	0	0
Philippines	2	1	1	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Fruits and nuts

Origin	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Poland	22	12	10	0	0
Romania	637	361	267	9	4
Serbia	4	1	3	0	0
South Africa	20	3	17	0	0
Spain	22	5	17	0	0
Swaziland	1	0	1	0	0
Turkey	443	112	330	1	1
Unknown	2	2	0	0	0
Zimbabwe	1	0	1	0	0
ProductType	*1520*	*661*	*849*	*10*	*5*

ProductType=Others

Origin	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Argentina	1	1	0	0	0
Austria	1	1	0	0	0
Belize	1	1	0	0	0
Bulgaria	1	1	0	0	0
Canada	5	5	0	0	0
China	3	2	1	0	0
Egypt	30	28	2	0	0
Ethiopia	17	14	1	2	2
Greece	2	2	0	0	0
Italy	7	7	0	0	0
Kyrgyzstan	3	3	0	0	0
Madagascar	5	5	0	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Others

Origin	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Moldova, Republic of	2	2	0	0	0
Myanmar	1	1	0	0	0
Peru	2	2	0	0	0
Poland	3	3	0	0	0
Romania	20	19	1	0	0
Spain	2	2	0	0	0
Turkey	2	1	1	0	0
Ukraine	2	2	0	0	0
United States	1	1	0	0	0
Unknown	1	1	0	0	0
Uzbekistan	1	1	0	0	0
Viet Nam	2	0	2	0	0
ProductType	*115*	*105*	*8*	*2*	*2*

ProductType=Vegetables

Origin	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Albania	11	4	7	0	0
Argentina	3	2	0	1	1
Austria	3	3	0	0	0
Belgium	4	1	3	0	0
China	16	16	0	0	0
Czech Republic	1	1	0	0	0
Egypt	17	15	2	0	0
France	6	4	2	0	0
Germany	7	7	0	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Vegetables

Origin	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Greece	8	4	4	0	0
Hungary	7	5	2	0	0
India	1	1	0	0	0
Iran, Islamic Republic of	9	9	0	0	0
Israel	2	1	1	0	0
Italy	31	24	7	0	0
Jordan	6	3	2	1	1
Macedonia, The Former Yugoslav Republic of	20	18	2	0	0
Morocco	1	1	0	0	0
Netherlands	31	28	3	0	0
Poland	26	23	3	0	0
Romania	1021	773	226	22	1
Russian Federation	1	1	0	0	0
Serbia	2	2	0	0	0
Spain	42	31	11	0	0
Switzerland	2	2	0	0	0
Turkey	225	145	80	0	0
Ukraine	2	2	0	0	0
United States	1	1	0	0	0
Unknown	4	4	0	0	0
Yemen	1	1	0	0	0
ProductType	*1511*	*1132*	*355*	*24*	*3*
	4155	***2748***	***1370***	***37***	***11***

Figures in bold totals for all countries

Table B: Results of the EU co-ordinated programme

Product=Beans (with pods) Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Acephate	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Acetamiprid	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.15	0
Acrinathrin	0.010	0.020	28	28	0	0	0.010	0.006	0.005	0.3	0
Aldicarb (sum)	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.02	0
Aldrin and Dieldrin	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Azinphos-ethyl	0.010	0.050	42	42	0	0	0.025	0.012	0.005	0.02	0
Azinphos-methyl	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.05	0
Azoxystrobin	0.010	0.010	28	27	1	0	0.018	0.005	0.005	3	0
Benfuracarb	0.020	0.020	25	25	0	0	0.010	0.010	0.010	0.02	0
Bifenthrin	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.5	0
Biphenyl	0.010	0.010	25	25	0	0	0.005	0.005	0.005	0.01	0
Bitertanol	0.010	0.010	28	28	0	0	0.005	0.005	0.005	.	0
Boscalid	0.010	0.010	42	41	1	0	0.325	0.013	0.005	3	0
Bromopropylate	0.010	0.050	42	42	0	0	0.025	0.012	0.005	0.01	0
Bromuconazole (sum)	0.010	0.020	28	28	0	0	0.010	0.006	0.005	0.05	0
Bupirimate	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.020	42	42	0	0	0.010	0.007	0.005	1	0
Captan	0.020	0.100	17	17	0	0	0.050	0.043	0.050	.	0
Carbaryl	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Carbendazim and benomyl	0.010	0.010	28	24	4	0	0.097	0.011	0.005	0.2	0
Carbofuran (sum)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Carbosulfan	0.010	0.020	28	28	0	0	0.010	0.009	0.010	0.01	0
Chlorfenapyr	0.020	0.020	25	25	0	0	0.010	0.010	0.010	0.01	0
Chlorfenvinphos	0.010	0.010	28	28	0	0	0.005	0.005	0.005	.	0
Chlorobenzilate	0.010	0.010	25	25	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.050	42	42	0	0	0.025	0.012	0.005	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Beans (with pods) Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Chlorpropham	0.010	0.010	42	42	0	0	0.005	0.005	0.005	.	0
Chlorpropham (sum)	0.020	0.020	3	3	0	0	0.010	0.010	0.010	.	0
Chlorpyrifos	0.010	0.020	42	41	1	0	0.020	0.007	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.05	0
Clofentezine	0.020	0.020	25	25	0	0	0.010	0.010	0.010	0.02	0
Clothianidin	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.2	0
Cyfluthrin (sum)	0.010	0.100	39	39	0	0	0.050	0.021	0.005	0.1	0
Cypermethrin (sum)	0.020	0.050	42	42	0	0	0.025	0.015	0.010	0.7	0
Cyproconazole	0.010	0.020	28	28	0	0	0.010	0.006	0.005	0.05	0
Cyprodinil	0.010	0.010	42	37	5	0	0.112	0.010	0.005	2	0
DDT (sum)	0.010	0.050	42	42	0	0	0.025	0.012	0.005	0.05	0
Deltamethrin	0.010	0.050	42	42	0	0	0.025	0.012	0.005	0.2	0
Diazinon	0.010	0.020	42	42	0	0	0.010	0.007	0.005	0.01	0
Dichlofluanid	0.010	0.020	42	42	0	0	0.010	0.007	0.005	0.01	0
Dichlorvos	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	28	28	0	0	0.005	0.005	0.005	2	0
Dicrotophos	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Diethofencarb	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.1	0
Difenoconazole	0.010	0.010	28	28	0	0	0.005	0.005	0.005	1	0
Dimethoate (sum)	0.010	0.010	28	27	1	0	0.020	0.006	0.005	0.02	0
Dimethomorph	0.010	0.010	25	25	0	0	0.005	0.005	0.005	.	0
Diniconazole	0.010	0.020	28	28	0	0	0.010	0.009	0.010	0.01	0
Diphenylamine	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.05	0
EPN	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.010	0.050	42	42	0	0	0.025	0.015	0.010	0.05	0
Endrin	0.010	0.100	17	17	0	0	0.050	0.042	0.050	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Beans (with pods) Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Epoxiconazole	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.020	42	42	0	0	0.010	0.007	0.005	0.01	0
Ethoprophos	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Etofenprox	0.010	0.010	25	25	0	0	0.005	0.005	0.005	0.5	0
Fenamidone	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	25	25	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.050	42	42	0	0	0.025	0.012	0.005	0.02	0
Fenazaquin	0.010	0.010	25	24	1	0	0.046	0.007	0.005	0.1	0
Fenbuconazole	0.020	0.020	25	25	0	0	0.010	0.010	0.010	0.05	0
Fenhexamid	0.020	0.100	42	42	0	0	0.050	0.023	0.010	5	0
Fenitrothion	0.010	0.020	42	42	0	0	0.010	0.007	0.005	0.01	0
Fenoxycarb	0.010	0.020	28	28	0	0	0.010	0.009	0.010	0.05	0
Fenpropathrin	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	28	28	0	0	0.005	0.005	0.005	.	0
Fenthion (sum)	0.010	0.050	39	39	0	0	0.025	0.012	0.005	0.01	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.020	28	28	0	0	0.010	0.009	0.010	.	0
Fludioxonil	0.010	0.050	42	42	0	0	0.025	0.012	0.005	1	0
Flufenoxuron	0.020	0.020	25	25	0	0	0.010	0.010	0.010	0.5	0
Fluquinconazole	0.020	0.020	25	25	0	0	0.010	0.010	0.010	0.05	0
Flusilazole	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.020	28	28	0	0	0.010	0.006	0.005	0.05	0
Folpet	0.020	0.100	17	17	0	0	0.050	0.043	0.050	.	0
Formothion	0.010	0.010	25	25	0	0	0.005	0.005	0.005	0.02	0
Fosthiazate	0.010	0.010	25	25	0	0	0.005	0.005	0.005	0.02	0
Hexachlorobenzene	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Beans (with pods) Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Hexachlorocyclohexane (HCH), alpha-isomer	0.010	0.010	42	42	0	0	0.005	0.005	0.005	.	0
Hexachlorocyclohexane (HCH), beta-isomer	0.010	0.020	42	42	0	0	0.010	0.007	0.005	.	0
Hexaconazole	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Hexythiazox	0.020	0.020	25	25	0	0	0.010	0.010	0.010	0.5	0
Imazalil	0.010	0.020	28	28	0	0	0.010	0.009	0.010	0.05	0
Imidacloprid	0.010	0.020	28	28	0	0	0.010	0.006	0.005	2	0
Indoxacarb as sum of the isomers S and R	0.010	0.020	28	28	0	0	0.010	0.009	0.010	.	0
Iprodione	0.010	0.100	42	42	0	0	0.050	0.023	0.010	5	0
Iprovalicarb	0.010	0.010	28	28	0	0	0.005	0.005	0.005	.	0
Isocarbophos	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Isoprocarb	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.020	42	42	0	0	0.010	0.007	0.005	0.05	0
Lambda-Cyhalothrin	0.010	0.020	42	41	1	0	0.027	0.007	0.005	0.2	0
Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	0.010	0.020	42	42	0	0	0.010	0.007	0.005	0.01	0
Linuron	0.050	0.050	25	25	0	0	0.025	0.025	0.025	0.05	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.02	0
Mandipropamid	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Mepanipyrim	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.01	0
Metaflumizone (sum of E- and Z- isomers)	0.020	0.020	25	25	0	0	0.010	0.010	0.010	.	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.020	0.020	25	25	0	0	0.010	0.010	0.010	0.05	0
Metconazole	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.020	28	28	0	0	0.010	0.009	0.010	0.01	0
Methidathion	0.010	0.010	25	25	0	0	0.005	0.005	0.005	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.020	28	28	0	0	0.010	0.006	0.005	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Beans (with pods) Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.010	0.020	28	28	0	0	0.010	0.009	0.010	2	0
Monocrotophos	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.050	42	42	0	0	0.025	0.012	0.005	0.3	0
Orthophenylphenol	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.05	0
Oxadixyl	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	25	25	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.050	42	42	0	0	0.025	0.012	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	25	25	0	0	0.010	0.010	0.010	0.01	0
Penconazole	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.010	0.020	28	28	0	0	0.010	0.009	0.010	0.05	0
Pendimethalin	0.020	0.050	39	39	0	0	0.025	0.015	0.010	0.2	0
Permethrin (sum of isomers)	0.020	0.050	42	42	0	0	0.025	0.015	0.010	0.05	0
Phenthoate	0.010	0.010	28	28	0	0	0.005	0.005	0.005	.	0
Phosalone	0.010	0.050	42	42	0	0	0.025	0.012	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	25	25	0	0	0.005	0.005	0.005	1	0
Pirimiphos-methyl	0.010	0.020	42	42	0	0	0.010	0.008	0.010	0.05	0
Procymidone	0.010	0.020	42	42	0	0	0.010	0.010	0.010	0.01	0
Profenofos	0.010	0.020	28	28	0	0	0.010	0.009	0.010	0.01	0
Propargite	0.010	0.100	42	42	0	0	0.050	0.020	0.005	0.01	0
Propiconazole	0.010	0.020	28	27	1	0	0.026	0.010	0.010	0.05	0
Propoxur	0.010	0.010	25	25	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Beans (with pods) Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Prothiofos	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Pymetrozine	0.010	0.020	28	28	0	0	0.010	0.006	0.005	2	0
Pyraclostrobin	0.010	0.010	28	27	1	0	0.020	0.006	0.005	0.02	0
Pyrazophos	0.010	0.010	25	25	0	0	0.005	0.005	0.005	0.05	0
Pyrethrins	0.020	0.020	3	3	0	0	0.010	0.010	0.010	1	0
Pyridaben	0.010	0.020	42	42	0	0	0.010	0.007	0.005	0.5	0
Pyrimethanil	0.010	0.010	42	42	0	0	0.005	0.005	0.005	.	0
Pyriproxyfen	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Quinoxyfen	0.010	0.020	42	42	0	0	0.010	0.007	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	0.020	0.020	3	3	0	0	0.010	0.010	0.010	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.020	28	28	0	0	0.010	0.009	0.010	0.5	0
Spirodiclofen	0.010	0.020	28	28	0	0	0.010	0.009	0.010	0.02	0
Spiromesifen	0.010	0.010	25	25	0	0	0.005	0.005	0.005	1	0
Spiroxamine	0.010	0.020	42	42	0	0	0.010	0.007	0.005	0.05	0
Tebuconazole	0.010	0.050	42	42	0	0	0.025	0.012	0.005	2	0
Tebufenozide	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	28	28	0	0	0.005	0.005	0.005	1	0
Teflubenzuron	0.020	0.020	25	25	0	0	0.010	0.010	0.010	0.05	0
Tefluthrin	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Terbuthylazine	0.010	0.010	25	25	0	0	0.005	0.005	0.005	0.1	0
Tetraconazole	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Tetradifon	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.020	28	28	0	0	0.010	0.009	0.010	0.05	0
Thiacloprid	0.010	0.020	28	28	0	0	0.010	0.009	0.010	1	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.020	28	28	0	0	0.010	0.006	0.005	0.5	0
Thiophanate-methyl	0.010	0.020	28	27	1	0	0.046	0.011	0.010	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Beans (with pods) Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Tolclofos-methyl	0.010	0.020	28	28	0	0	0.010	0.006	0.005	0.1	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	42	42	0	0	0.025	0.012	0.005	0.1	0
Triazophos	0.010	0.050	42	42	0	0	0.025	0.012	0.005	0.01	0
Trifloxystrobin	0.010	0.010	28	28	0	0	0.005	0.005	0.005	1	0
Triflumuron	0.010	0.020	28	28	0	0	0.010	0.009	0.010	0.05	0
Trifluralin	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.01	0
Triticonazole	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.05	0
Zoxamide	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.020	28	28	0	0	0.010	0.009	0.010	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Carrots Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Acephate	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.01	0
Acetamiprid	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.01	0
Acrinathrin	0.010	0.020	48	48	0	0	0.010	0.008	0.010	0.05	0
Aldicarb (sum)	0.020	0.020	48	48	0	0	0.010	0.010	0.010	0.02	0
Aldrin and Dieldrin	0.010	0.010	27	27	0	0	0.005	0.005	0.005	0.01	0
Azinphos-ethyl	0.010	0.050	66	66	0	0	0.025	0.013	0.010	0.02	0
Azinphos-methyl	0.020	0.020	48	48	0	0	0.010	0.010	0.010	0.05	0
Azoxystrobin	0.010	0.010	48	46	2	0	0.024	0.006	0.005	1	0
Benfuracarb	0.020	0.020	21	21	0	0	0.010	0.010	0.010	0.02	0
Bifenthrin	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.05	0
Biphenyl	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Bitertanol	0.010	0.010	48	48	0	0	0.005	0.005	0.005	.	0
Boscalid	0.010	0.010	66	62	4	0	0.097	0.007	0.005	2	0
Bromopropylate	0.010	0.050	66	66	0	0	0.025	0.010	0.005	0.01	0
Bromuconazole (sum)	0.010	0.020	29	29	0	0	0.010	0.006	0.005	0.05	0
Bupirimate	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.020	66	66	0	0	0.010	0.006	0.005	0.05	0
Captan	0.020	0.100	45	45	0	0	0.050	0.026	0.010	0.1	0
Carbaryl	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.01	0
Carbendazim and benomyl	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.1	0
Carbofuran (sum)	0.010	0.010	45	45	0	0	0.005	0.005	0.005	0.01	0
Carbosulfan	0.010	0.020	48	48	0	0	0.010	0.007	0.005	0.01	0
Chlorfenapyr	0.020	0.020	21	21	0	0	0.010	0.010	0.010	0.01	0
Chlorfenvinphos	0.010	0.010	48	48	0	0	0.005	0.005	0.005	.	0
Chlorobenzilate	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.050	66	66	0	0	0.025	0.010	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Carrots Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Chlorpropham	0.010	0.010	66	66	0	0	0.005	0.005	0.005	.	0
Chlorpropham (sum)	0.020	0.020	27	27	0	0	0.010	0.010	0.010	.	0
Chlorpyrifos	0.010	0.020	66	64	1	1	0.111	0.008	0.005	0.1	0
Chlorpyrifos-methyl	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.05	0
Clofentezine	0.020	0.020	21	21	0	0	0.010	0.010	0.010	0.02	0
Clothianidin	0.020	0.020	48	48	0	0	0.010	0.010	0.010	0.05	0
Cyfluthrin (sum)	0.010	0.100	39	39	0	0	0.050	0.026	0.005	0.02	0
Cypermethrin (sum)	0.020	0.050	66	66	0	0	0.025	0.014	0.010	0.05	0
Cyproconazole	0.010	0.020	48	48	0	0	0.010	0.008	0.010	0.05	0
Cyprodinil	0.010	0.010	66	65	1	0	0.049	0.006	0.005	2	0
DDT (sum)	0.010	0.050	66	65	1	0	0.050	0.011	0.005	0.05	0
Deltamethrin	0.010	0.050	66	66	0	0	0.025	0.013	0.010	0.05	0
Diazinon	0.010	0.020	66	66	0	0	0.010	0.006	0.005	0.01	0
Dichlofluanid	0.010	0.020	66	66	0	0	0.010	0.006	0.005	0.01	0
Dichlorvos	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.1	0
Dicrotophos	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Diethofencarb	0.020	0.020	29	29	0	0	0.010	0.010	0.010	0.05	0
Difenoconazole	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.4	0
Dimethoate (sum)	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.010	0.010	21	21	0	0	0.005	0.005	0.005	.	0
Diniconazole	0.010	0.020	29	29	0	0	0.010	0.009	0.010	0.01	0
Diphenylamine	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.05	0
EPN	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.010	0.050	66	66	0	0	0.025	0.012	0.010	0.05	0
Endrin	0.010	0.100	45	45	0	0	0.050	0.023	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Carrots Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Epoxiconazole	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.020	66	66	0	0	0.010	0.006	0.005	0.01	0
Ethoprophos	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.02	0
Etofenprox	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Fenamidone	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.050	66	66	0	0	0.025	0.013	0.010	0.02	0
Fenazaquin	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Fenbuconazole	0.020	0.020	21	21	0	0	0.010	0.010	0.010	0.05	0
Fenhexamid	0.020	0.100	66	66	0	0	0.050	0.021	0.010	0.05	0
Fenitrothion	0.010	0.020	66	66	0	0	0.010	0.006	0.005	0.01	0
Fenoxycarb	0.010	0.020	48	48	0	0	0.010	0.007	0.005	0.05	0
Fenpropathrin	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	29	29	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	29	29	0	0	0.005	0.005	0.005	0.05	0
Fenthion (sum)	0.010	0.050	39	39	0	0	0.025	0.014	0.005	0.01	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.020	48	48	0	0	0.010	0.007	0.005	0.02	0
Fludioxonil	0.010	0.050	66	66	0	0	0.025	0.013	0.010	1	0
Flufenoxuron	0.020	0.020	21	21	0	0	0.010	0.010	0.010	0.05	0
Fluquinconazole	0.020	0.020	21	21	0	0	0.010	0.010	0.010	0.05	0
Flusilazole	0.010	0.010	29	29	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.020	29	29	0	0	0.010	0.006	0.005	0.2	0
Folpet	0.020	0.100	45	45	0	0	0.050	0.026	0.010	0.02	0
Formothion	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.02	0
Fosthiazate	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.02	0
Hexachlorobenzene	0.010	0.010	27	27	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Carrots Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Hexachlorocyclohexane (HCH), alpha-isomer	0.010	0.010	66	66	0	0	0.005	0.005	0.005	.	0
Hexachlorocyclohexane (HCH), beta-isomer	0.010	0.020	66	66	0	0	0.010	0.006	0.005	.	0
Hexaconazole	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.01	0
Hexythiazox	0.020	0.020	21	21	0	0	0.010	0.010	0.010	0.5	0
Imazalil	0.010	0.020	48	47	1	0	0.043	0.008	0.005	0.05	0
Imidacloprid	0.010	0.020	48	48	0	0	0.010	0.008	0.010	0.5	0
Indoxacarb as sum of the isomers S and R	0.010	0.020	48	48	0	0	0.010	0.007	0.005	0.02	0
Iprodione	0.010	0.100	66	63	3	0	0.322	0.024	0.010	0.5	0
Iprovalicarb	0.010	0.010	48	48	0	0	0.005	0.005	0.005	.	0
Isocarbophos	0.010	0.010	29	29	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	29	29	0	0	0.005	0.005	0.005	0.01	0
Isoprocarb	0.010	0.010	29	29	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.020	66	66	0	0	0.010	0.006	0.005	0.05	0
Lambda-Cyhalothrin	0.010	0.020	66	66	0	0	0.010	0.006	0.005	0.02	0
Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	0.010	0.020	66	66	0	0	0.010	0.006	0.005	0.01	0
Linuron	0.050	0.050	21	21	0	0	0.025	0.025	0.025	0.2	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	27	27	0	0	0.005	0.005	0.005	0.02	0
Mandipropamid	0.010	0.010	29	29	0	0	0.005	0.005	0.005	0.01	0
Mepanipyrim	0.010	0.010	47	47	0	0	0.005	0.005	0.005	0.01	0
Metaflumizone (sum of E- and Z- isomers)	0.020	0.020	21	21	0	0	0.010	0.010	0.010	0.05	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.020	0.020	21	21	0	0	0.010	0.010	0.010	0.1	0
Metconazole	0.010	0.010	29	29	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.020	48	48	0	0	0.010	0.007	0.005	0.01	0
Methidathion	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.020	48	48	0	0	0.010	0.008	0.010	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Carrots Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	27	27	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.010	0.020	29	29	0	0	0.010	0.009	0.010	0.5	0
Monocrotophos	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.050	66	65	1	0	0.025	0.011	0.005	0.2	0
Orthophenylphenol	0.010	0.010	47	47	0	0	0.005	0.005	0.005	0.05	0
Oxadixyl	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.05	0
Oxamyl	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	29	29	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.050	66	66	0	0	0.025	0.010	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	21	21	0	0	0.010	0.010	0.010	0.01	0
Penconazole	0.010	0.010	66	66	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.010	0.020	29	29	0	0	0.010	0.009	0.010	0.05	0
Pendimethalin	0.020	0.050	39	39	0	0	0.025	0.017	0.010	0.2	0
Permethrin (sum of isomers)	0.020	0.050	66	66	0	0	0.025	0.014	0.010	0.05	0
Phenthoate	0.010	0.010	48	48	0	0	0.005	0.005	0.005	.	0
Phosalone	0.010	0.050	66	66	0	0	0.025	0.010	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.5	0
Pirimiphos-methyl	0.010	0.020	66	66	0	0	0.010	0.007	0.005	1	0
Procymidone	0.010	0.020	66	66	0	0	0.010	0.008	0.010	0.01	0
Profenofos	0.010	0.020	48	48	0	0	0.010	0.007	0.005	0.01	0
Propargite	0.010	0.100	66	66	0	0	0.050	0.019	0.010	0.01	0
Propiconazole	0.010	0.020	48	48	0	0	0.010	0.007	0.005	0.05	0
Propoxur	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	66	64	0	2	0.024	0.006	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Carrots Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Prothiofos	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.01	0
Pymetrozine	0.010	0.020	29	29	0	0	0.010	0.006	0.005	0.02	0
Pyraclostrobin	0.010	0.010	48	48	0	0	0.005	0.005	0.005	.	0
Pyrazophos	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.05	0
Pyrethrins	0.020	0.020	8	8	0	0	0.010	0.010	0.010	1	0
Pyridaben	0.010	0.020	66	66	0	0	0.010	0.006	0.005	0.05	0
Pyrimethanil	0.010	0.010	66	64	2	0	0.048	0.006	0.005	1	0
Pyriproxyfen	0.010	0.010	29	29	0	0	0.005	0.005	0.005	0.05	0
Quinoxyfen	0.010	0.020	47	47	0	0	0.010	0.007	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	0.020	0.020	27	27	0	0	0.010	0.010	0.010	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.020	29	29	0	0	0.010	0.009	0.010	0.02	0
Spirodiclofen	0.010	0.020	29	29	0	0	0.010	0.009	0.010	0.02	0
Spiromesifen	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.02	0
Spiroxamine	0.010	0.020	66	66	0	0	0.010	0.006	0.005	0.05	0
Tebuconazole	0.010	0.050	65	65	0	0	0.025	0.011	0.005	.	0
	0.010	0.010	1	0	1	0	0.015	0.015	0.015	0.4	0
Tebufenozide	0.010	0.010	29	29	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.05	0
Teflubenzuron	0.020	0.020	21	21	0	0	0.010	0.010	0.010	0.05	0
Tefluthrin	0.010	0.010	29	26	3	0	0.041	0.007	0.005	0.05	0
Terbuthylazine	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	29	29	0	0	0.005	0.005	0.005	0.02	0
Tetradifon	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.020	48	47	0	1	0.070	0.008	0.005	0.05	0
Thiacloprid	0.010	0.020	48	48	0	0	0.010	0.007	0.005	0.05	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.020	48	48	0	0	0.010	0.008	0.010	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Carrots Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Thiophanate-methyl	0.010	0.020	48	48	0	0	0.010	0.007	0.005	0.1	0
Tolclofos-methyl	0.010	0.020	48	48	0	0	0.010	0.008	0.010	0.5	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	66	66	0	0	0.025	0.013	0.010	0.1	0
Triazophos	0.010	0.050	66	66	0	0	0.025	0.010	0.005	0.01	0
Trifloxystrobin	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.05	0
Triflumuron	0.010	0.020	29	29	0	0	0.010	0.009	0.010	0.05	0
Trifluralin	0.010	0.010	47	47	0	0	0.005	0.005	0.005	0.01	0
Triticonazole	0.010	0.010	29	29	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.020	0.020	18	18	0	0	0.010	0.010	0.010	0.05	0
Zoxamide	0.010	0.010	48	48	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.020	48	48	0	0	0.010	0.007	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Cucumbers Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Acephate	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.01	0
Acetamiprid	0.010	0.010	96	89	7	0	0.164	0.010	0.005	0.3	0
Acrinathrin	0.010	0.020	96	96	0	0	0.010	0.007	0.005	0.1	0
Aldicarb (sum)	0.020	0.020	96	96	0	0	0.010	0.010	0.010	0.02	0
Aldrin and Dieldrin	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.02	0
Azinphos-ethyl	0.010	0.050	105	105	0	0	0.025	0.009	0.005	0.02	0
Azinphos-methyl	0.020	0.020	96	96	0	0	0.010	0.010	0.010	0.2	0
Azoxystrobin	0.010	0.010	96	94	2	0	0.120	0.006	0.005	1	0
Benfuracarb	0.020	0.020	54	54	0	0	0.010	0.010	0.010	0.02	0
Bifenthrin	0.010	0.010	105	105	0	0	0.005	0.005	0.005	0.1	0
Biphenyl	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.01	0
Bitertanol	0.010	0.010	96	96	0	0	0.005	0.005	0.005	.	0
Boscalid	0.010	0.010	105	102	3	0	0.025	0.005	0.005	3	0
Bromopropylate	0.010	0.050	105	105	0	0	0.025	0.007	0.005	0.01	0
Bromuconazole (sum)	0.010	0.020	89	89	0	0	0.010	0.007	0.005	0.05	0
Bupirimate	0.010	0.010	96	96	0	0	0.005	0.005	0.005	1	0
Buprofezin	0.010	0.020	105	105	0	0	0.010	0.005	0.005	1	0
Captan	0.020	0.100	51	51	0	0	0.050	0.017	0.010	0.02	0
Carbaryl	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.01	0
Carbendazim and benomyl	0.010	0.010	96	92	4	0	0.079	0.007	0.005	0.1	0
Carbofuran (sum)	0.010	0.010	51	51	0	0	0.005	0.005	0.005	0.01	0
Carbosulfan	0.010	0.020	96	96	0	0	0.010	0.008	0.010	0.01	0
Chlorfenapyr	0.020	0.020	54	54	0	0	0.010	0.010	0.010	0.01	0
Chlorfenvinphos	0.010	0.010	96	96	0	0	0.005	0.005	0.005	.	0
Chlorobenzilate	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.050	105	103	2	0	0.571	0.013	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Cucumbers Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Chlorpropham	0.010	0.010	105	105	0	0	0.005	0.005	0.005	.	0
Chlorpropham (sum)	0.020	0.020	42	42	0	0	0.010	0.010	0.010	.	0
Chlorpyrifos	0.010	0.020	105	102	1	2	0.088	0.007	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	105	105	0	0	0.005	0.005	0.005	0.05	0
Clofentezine	0.020	0.020	54	54	0	0	0.010	0.010	0.010	0.02	0
Clothianidin	0.020	0.020	96	96	0	0	0.010	0.010	0.010	0.02	0
Cyfluthrin (sum)	0.010	0.100	63	63	0	0	0.050	0.011	0.005	0.1	0
Cypermethrin (sum)	0.020	0.050	105	105	0	0	0.025	0.011	0.010	0.2	0
Cyproconazole	0.010	0.020	96	96	0	0	0.010	0.007	0.005	0.05	0
Cyprodinil	0.010	0.010	105	103	2	0	0.015	0.005	0.005	0.5	0
DDT (sum)	0.010	0.050	105	105	0	0	0.025	0.007	0.005	0.05	0
Deltamethrin	0.010	0.050	105	105	0	0	0.025	0.009	0.005	0.2	0
Diazinon	0.010	0.020	105	105	0	0	0.010	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.020	105	105	0	0	0.010	0.005	0.005	0.01	0
Dichlorvos	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.3	0
Dicrotophos	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.01	0
Diethofencarb	0.020	0.020	89	89	0	0	0.010	0.010	0.010	0.5	0
Difenoconazole	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.3	0
Dimethoate (sum)	0.010	0.010	96	95	0	1	0.030	0.005	0.005	0.02	0
Dimethomorph	0.010	0.010	54	54	0	0	0.005	0.005	0.005	.	0
Diniconazole	0.010	0.020	89	89	0	0	0.010	0.008	0.010	0.01	0
Diphenylamine	0.010	0.010	105	105	0	0	0.005	0.005	0.005	0.05	0
EPN	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.010	0.050	105	105	0	0	0.025	0.009	0.010	0.05	0
Endrin	0.010	0.100	51	51	0	0	0.050	0.013	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Cucumbers Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Epoxiconazole	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.020	105	105	0	0	0.010	0.005	0.005	0.01	0
Ethoprophos	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.02	0
Etofenprox	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.2	0
Fenamidone	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.2	0
Fenamiphos (sum)	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.050	105	105	0	0	0.025	0.009	0.005	0.2	0
Fenazaquin	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.2	0
Fenbuconazole	0.020	0.020	54	54	0	0	0.010	0.010	0.010	0.2	0
Fenhexamid	0.020	0.100	105	105	0	0	0.050	0.013	0.010	1	0
Fenitrothion	0.010	0.020	105	105	0	0	0.010	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.020	96	96	0	0	0.010	0.008	0.010	0.05	0
Fenpropathrin	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	89	89	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	89	89	0	0	0.005	0.005	0.005	0.1	0
Fenthion (sum)	0.010	0.050	63	63	0	0	0.025	0.008	0.005	0.01	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.020	96	96	0	0	0.010	0.008	0.010	0.02	0
Fludioxonil	0.010	0.050	105	105	0	0	0.025	0.009	0.005	.	0
Flufenoxuron	0.020	0.020	54	54	0	0	0.010	0.010	0.010	0.2	0
Fluquinconazole	0.020	0.020	54	54	0	0	0.010	0.010	0.010	0.05	0
Flusilazole	0.010	0.010	89	89	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.020	89	88	1	0	0.024	0.007	0.005	0.05	0
Folpet	0.020	0.100	51	51	0	0	0.050	0.017	0.010	0.02	0
Formothion	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.02	0
Fosthiazate	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.02	0
Hexachlorobenzene	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Cucumbers Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Hexachlorocyclohexane (HCH), alpha-isomer	0.010	0.010	105	105	0	0	0.005	0.005	0.005	.	0
Hexachlorocyclohexane (HCH), beta-isomer	0.010	0.020	105	105	0	0	0.010	0.005	0.005	.	0
Hexaconazole	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.01	0
Hexythiazox	0.020	0.020	54	54	0	0	0.010	0.010	0.010	0.5	0
Imazalil	0.010	0.020	96	96	0	0	0.010	0.008	0.010	0.2	0
Imidacloprid	0.010	0.020	96	95	1	0	0.052	0.008	0.005	1	0
Indoxacarb as sum of the isomers S and R	0.010	0.020	96	96	0	0	0.010	0.008	0.010	0.5	0
Iprodione	0.010	0.100	105	103	2	0	0.050	0.012	0.010	2	0
Iprovalicarb	0.010	0.010	96	95	1	0	0.025	0.005	0.005	0.1	0
Isocarbophos	0.010	0.010	89	89	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	89	89	0	0	0.005	0.005	0.005	0.01	0
Isoprocarb	0.010	0.010	89	89	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.020	105	105	0	0	0.010	0.005	0.005	0.05	0
Lambda-Cyhalothrin	0.010	0.020	105	105	0	0	0.010	0.005	0.005	0.1	0
Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	0.010	0.020	105	105	0	0	0.010	0.005	0.005	0.01	0
Linuron	0.050	0.050	54	54	0	0	0.025	0.025	0.025	0.05	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.02	0
Mandipropamid	0.010	0.010	89	89	0	0	0.005	0.005	0.005	0.2	0
Mepanipyrim	0.010	0.010	98	98	0	0	0.005	0.005	0.005	0.01	0
Metaflumizone (sum of E- and Z- isomers)	0.020	0.020	54	54	0	0	0.010	0.010	0.010	.	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.020	0.020	54	51	3	0	0.085	0.013	0.010	0.5	0
Metconazole	0.010	0.010	89	89	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.020	96	96	0	0	0.010	0.008	0.010	0.01	0
Methidathion	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.020	96	96	0	0	0.010	0.007	0.005	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Cucumbers Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	42	42	0	0	0.005	0.005	0.005	0.1	0
Methoxyfenozide	0.010	0.020	89	89	0	0	0.010	0.008	0.010	0.02	0
Monocrotophos	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.050	105	105	0	0	0.025	0.007	0.005	0.1	0
Orthophenylphenol	0.010	0.010	98	98	0	0	0.005	0.005	0.005	0.05	0
Oxadixyl	0.010	0.010	105	105	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	96	96	0	0	0.005	0.005	0.005	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	89	89	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.050	105	105	0	0	0.025	0.007	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	54	54	0	0	0.010	0.010	0.010	0.01	0
Penconazole	0.010	0.010	105	105	0	0	0.005	0.005	0.005	0.1	0
Pencycuron	0.010	0.020	89	89	0	0	0.010	0.008	0.010	0.05	0
Pendimethalin	0.020	0.050	63	63	0	0	0.025	0.012	0.010	0.05	0
Permethrin (sum of isomers)	0.020	0.050	105	105	0	0	0.025	0.011	0.010	0.05	0
Phenthoate	0.010	0.010	96	96	0	0	0.005	0.005	0.005	.	0
Phosalone	0.010	0.050	105	105	0	0	0.025	0.007	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	54	54	0	0	0.005	0.005	0.005	1	0
Pirimiphos-methyl	0.010	0.020	105	105	0	0	0.010	0.008	0.010	0.1	0
Procymidone	0.010	0.020	105	105	0	0	0.010	0.008	0.010	0.01	0
Profenofos	0.010	0.020	96	96	0	0	0.010	0.008	0.010	0.01	0
Propargite	0.010	0.100	105	105	0	0	0.050	0.011	0.005	0.01	0
Propiconazole	0.010	0.020	96	96	0	0	0.010	0.008	0.010	0.05	0
Propoxur	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	105	105	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Cucumbers Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Prothiofos	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.01	0
Pymetrozine	0.010	0.020	89	89	0	0	0.010	0.007	0.005	.	0
Pyraclostrobin	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.5	0
Pyrazophos	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.05	0
Pyrethrins	0.020	0.020	35	35	0	0	0.010	0.010	0.010	1	0
Pyridaben	0.010	0.020	105	105	0	0	0.010	0.005	0.005	0.1	0
Pyrimethanil	0.010	0.010	105	105	0	0	0.005	0.005	0.005	.	0
Pyriproxyfen	0.010	0.010	89	89	0	0	0.005	0.005	0.005	0.1	0
Quinoxyfen	0.010	0.020	98	98	0	0	0.010	0.005	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	0.020	0.020	42	42	0	0	0.010	0.010	0.010	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.020	89	89	0	0	0.010	0.008	0.010	1	0
Spirodiclofen	0.010	0.020	89	89	0	0	0.010	0.008	0.010	0.1	0
Spiromesifen	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.3	0
Spiroxamine	0.010	0.020	105	105	0	0	0.010	0.005	0.005	0.05	0
Tebuconazole	0.010	0.050	103	103	0	0	0.025	0.007	0.005	.	0
	0.010	0.010	1	0	1	0	0.024	0.024	0.024	5	0
	0.010	0.010	1	0	1	0	0.018	0.018	0.018	0.2	0
Tebufenozide	0.010	0.010	89	89	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.3	0
Teflubenzuron	0.020	0.020	54	54	0	0	0.010	0.010	0.010	0.5	0
Tefluthrin	0.010	0.010	89	89	0	0	0.005	0.005	0.005	0.05	0
Terbuthylazine	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	89	89	0	0	0.005	0.005	0.005	0.2	0
Tetradifon	0.010	0.010	96	96	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.020	96	96	0	0	0.010	0.008	0.010	0.05	0
Thiacloprid	0.010	0.020	96	96	0	0	0.010	0.008	0.010	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Cucumbers Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.020	96	94	2	0	0.034	0.008	0.005	0.5	0
Thiophanate-methyl	0.010	0.020	96	96	0	0	0.010	0.008	0.010	0.1	0
Tolclofos-methyl	0.010	0.020	96	96	0	0	0.010	0.007	0.005	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	105	105	0	0	0.025	0.009	0.005	0.2	0
Triazophos	0.010	0.050	105	105	0	0	0.025	0.007	0.005	0.01	0
Trifloxystrobin	0.010	0.010	96	95	1	0	0.016	0.005	0.005	0.2	0
Triflumuron	0.010	0.020	89	89	0	0	0.010	0.008	0.010	0.05	0
Trifluralin	0.010	0.010	98	98	0	0	0.005	0.005	0.005	0.01	0
Triticonazole	0.010	0.010	89	89	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.020	0.020	9	9	0	0	0.010	0.010	0.010	.	0
Zoxamide	0.010	0.010	96	96	0	0	0.005	0.005	0.005	2	0
tau-Fluvalinate	0.010	0.020	96	96	0	0	0.010	0.008	0.010	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Mandarins Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Acephate	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Acetamiprid	0.010	0.010	69	69	0	0	0.005	0.005	0.005	.	0
	0.010	0.010	3	0	3	0	0.052	0.037	0.040	0.9	0
Acrinathrin	0.020	0.020	72	72	0	0	0.010	0.010	0.010	0.2	0
Aldicarb (sum)	0.020	0.020	72	72	0	0	0.010	0.010	0.010	0.02	0
Aldrin and Dieldrin	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Azinphos-ethyl	0.020	0.020	72	72	0	0	0.010	0.010	0.010	0.02	0
Azinphos-methyl	0.020	0.020	72	72	0	0	0.010	0.010	0.010	0.05	0
Azoxystrobin	0.010	0.010	72	72	0	0	0.005	0.005	0.005	15	0
Bifenthrin	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.1	0
Bitertanol	0.010	0.010	72	72	0	0	0.005	0.005	0.005	.	0
Boscalid	0.010	0.010	72	72	0	0	0.005	0.005	0.005	2	0
Bromopropylate	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Bromuconazole (sum)	0.020	0.020	56	56	0	0	0.010	0.010	0.010	0.05	0
Bupirimate	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.010	72	72	0	0	0.005	0.005	0.005	1	0
Captan	0.020	0.020	72	72	0	0	0.010	0.010	0.010	0.02	0
Carbaryl	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Carbendazim and benomyl	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.7	0
Carbofuran (sum)	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.5	0
Carbosulfan	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.1	0
Chlorfenvinphos	0.010	0.010	72	72	0	0	0.005	0.005	0.005	.	0
Chlorothalonil	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Chlorpropham	0.010	0.010	72	72	0	0	0.005	0.005	0.005	.	0
Chlorpropham (sum)	0.020	0.020	72	72	0	0	0.010	0.010	0.010	.	0
Chlorpyrifos	0.010	0.010	71	62	9	0	0.031	0.007	0.005	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
	0.010	0.010	1	0	1	0	0.014	0.014	0.014	0.3	0
Chlorpyrifos-methyl	0.010	0.010	72	72	0	0	0.005	0.005	0.005	1	0
Clothianidin	0.020	0.020	72	72	0	0	0.010	0.010	0.010	0.1	0
Cypermethrin (sum)	0.020	0.020	72	72	0	0	0.010	0.010	0.010	2	0
Cyproconazole	0.020	0.020	72	72	0	0	0.010	0.010	0.010	0.05	0
Cyprodinil	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.05	0
DDT (sum)	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.05	0
Deltamethrin	0.020	0.020	72	72	0	0	0.010	0.010	0.010	0.05	0
Diazinon	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Dichlorvos	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.1	0
Dicrotophos	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.01	0
Diethofencarb	0.020	0.020	56	56	0	0	0.010	0.010	0.010	0.05	0
Difenoconazole	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.1	0
Dimethoate (sum)	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.02	0
Diniconazole	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.01	0
Diphenylamine	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.05	0
EPN	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.05	0
Endrin	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Epoxiconazole	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Ethoprophos	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.020	0.020	72	72	0	0	0.010	0.010	0.010	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Mandarins Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Fenhexamid	0.020	0.020	72	72	0	0	0.010	0.010	0.010	0.05	0
Fenitrothion	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.010	72	72	0	0	0.005	0.005	0.005	2	0
Fenpropathrin	0.010	0.010	72	72	0	0	0.005	0.005	0.005	2	0
Fenpropimorph	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.5	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.02	0
Fludioxonil	0.020	0.020	72	72	0	0	0.010	0.010	0.010	10	0
Flusilazole	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.1	0
Flutriafol	0.020	0.020	56	56	0	0	0.010	0.010	0.010	0.2	0
Folpet	0.020	0.020	72	72	0	0	0.010	0.010	0.010	0.02	0
Hexachlorobenzene	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.010	0.010	72	72	0	0	0.005	0.005	0.005	.	0
Hexachlorocyclohexane (HCH), beta-isomer	0.010	0.010	72	72	0	0	0.005	0.005	0.005	.	0
Hexaconazole	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Imazalil	0.010	0.010	72	23	49	0	2.310	0.330	0.214	5	0
Imidacloprid	0.020	0.020	72	72	0	0	0.010	0.010	0.010	1	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.02	0
Iprodione	0.010	0.010	72	72	0	0	0.005	0.005	0.005	1	0
Iprovalicarb	0.010	0.010	72	72	0	0	0.005	0.005	0.005	.	0
Isocarbophos	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.01	0
Isoprocarb	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.05	0
Lambda-Cyhalothrin	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.2	0
Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Mandarins Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.02	0
Mandipropamid	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.01	0
Mepanipyrim	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.01	0
Metconazole	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.020	0.020	72	72	0	0	0.010	0.010	0.010	0.2	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.010	0.010	56	56	0	0	0.005	0.005	0.005	.	0
Monocrotophos	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	72	72	0	0	0.005	0.005	0.005	3	0
Orthophenylphenol	0.010	0.010	56	43	13	0	0.553	0.042	0.005	5	0
Oxadixyl	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	72	72	0	0	0.005	0.005	0.005	.	0
Paclobutrazol	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.5	0
Parathion	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.05	0
Penconazole	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.05	0
Permethrin (sum of isomers)	0.020	0.020	72	72	0	0	0.010	0.010	0.010	0.05	0
Phenthoate	0.010	0.010	72	72	0	0	0.005	0.005	0.005	.	0
Phosalone	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Pirimiphos-methyl	0.010	0.010	72	72	0	0	0.005	0.005	0.005	2	0
Procymidone	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Profenofos	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Propargite	0.020	0.020	72	72	0	0	0.010	0.010	0.010	3	0
Propiconazole	0.010	0.010	72	68	4	0	0.269	0.013	0.005	6	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Mandarins Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Propyzamide	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Pymetrozine	0.020	0.020	56	56	0	0	0.010	0.010	0.010	0.3	0
Pyraclostrobin	0.010	0.010	72	72	0	0	0.005	0.005	0.005	1	0
Pyrethrins	0.020	0.020	56	56	0	0	0.010	0.010	0.010	1	0
Pyridaben	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.5	0
Pyrimethanil	0.010	0.010	54	54	0	0	0.005	0.005	0.005	.	0
	0.010	0.010	14	0	14	0	0.830	0.168	0.062	8	0
	0.010	0.010	4	0	4	0	1.960	0.531	0.073	10	0
Pyriproxyfen	0.010	0.010	56	55	1	0	0.018	0.005	0.005	0.6	0
Quinoxyfen	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	0.020	0.020	72	72	0	0	0.010	0.010	0.010	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.3	0
Spirodiclofen	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.4	0
Spiroxamine	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	72	71	1	0	0.013	0.005	0.005	5	0
Tebufenozide	0.010	0.010	56	56	0	0	0.005	0.005	0.005	2	0
Tebufenpyrad	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.5	0
Tefluthrin	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.02	0
Tetradifon	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.010	72	39	33	0	1.590	0.120	0.005	5	0
Thiacloprid	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.02	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.020	0.020	72	72	0	0	0.010	0.010	0.010	0.2	0
Thiophanate-methyl	0.010	0.010	72	72	0	0	0.005	0.005	0.005	6	0
Tolclofos-methyl	0.020	0.020	72	72	0	0	0.010	0.010	0.010	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Mandarins Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Triadimefon (sum of Triadimefon and Triadimenol)	0.020	0.020	72	72	0	0	0.010	0.010	0.010	0.1	0
Triazophos	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.3	0
Triflumuron	0.010	0.010	56	56	0	0	0.005	0.005	0.005	1	0
Trifluralin	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.01	0
Triticonazole	0.010	0.010	56	56	0	0	0.005	0.005	0.005	0.01	0
Zoxamide	0.010	0.010	72	72	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.010	72	70	2	0	0.045	0.006	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Oranges Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Acephate	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Acetamiprid	0.010	0.010	85	85	0	0	0.005	0.005	0.005	.	0
	0.010	0.010	2	0	2	0	0.021	0.021	0.021	0.9	0
Acrinathrin	0.020	0.020	87	87	0	0	0.010	0.010	0.010	0.2	0
Aldicarb (sum)	0.020	0.020	87	87	0	0	0.010	0.010	0.010	0.02	0
Aldrin and Dieldrin	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Azinphos-ethyl	0.020	0.020	87	87	0	0	0.010	0.010	0.010	0.02	0
Azinphos-methyl	0.020	0.020	87	87	0	0	0.010	0.010	0.010	0.05	0
Azoxystrobin	0.010	0.010	87	86	1	0	0.073	0.006	0.005	15	0
Bifenthrin	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.1	0
Bitertanol	0.010	0.010	87	87	0	0	0.005	0.005	0.005	.	0
Boscalid	0.010	0.010	87	86	1	0	0.015	0.005	0.005	2	0
Bromopropylate	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Bromuconazole (sum)	0.020	0.020	50	50	0	0	0.010	0.010	0.010	0.05	0
Bupirimate	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.010	87	87	0	0	0.005	0.005	0.005	1	0
Captan	0.020	0.020	87	87	0	0	0.010	0.010	0.010	0.02	0
Carbaryl	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Carbendazim and benomyl	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.2	0
Carbofuran (sum)	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.5	0
Carbosulfan	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.1	0
Chlorfenvinphos	0.010	0.010	87	87	0	0	0.005	0.005	0.005	.	0
Chlorothalonil	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Chlorpropham	0.010	0.010	87	87	0	0	0.005	0.005	0.005	.	0
Chlorpropham (sum)	0.020	0.020	87	87	0	0	0.010	0.010	0.010	.	0
Chlorpyrifos	0.010	0.010	87	82	5	0	0.036	0.006	0.005	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Oranges Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Chlorpyrifos-methyl	0.010	0.010	87	86	1	0	0.017	0.005	0.005	0.5	0
Clothianidin	0.020	0.020	87	87	0	0	0.010	0.010	0.010	0.1	0
Cypermethrin (sum)	0.020	0.020	87	87	0	0	0.010	0.010	0.010	2	0
Cyproconazole	0.020	0.020	87	87	0	0	0.010	0.010	0.010	0.05	0
Cyprodinil	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.05	0
DDT (sum)	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.05	0
Deltamethrin	0.020	0.020	87	87	0	0	0.010	0.010	0.010	0.05	0
Diazinon	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Dichlorvos	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.1	0
Dicrotophos	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Diethofencarb	0.020	0.020	50	50	0	0	0.010	0.010	0.010	0.05	0
Difenoconazole	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.1	0
Dimethoate (sum)	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.02	0
Diniconazole	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Diphenylamine	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.05	0
EPN	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.05	0
Endrin	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Epoxiconazole	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Ethoprophos	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.020	0.020	87	87	0	0	0.010	0.010	0.010	0.02	0
Fenhexamid	0.020	0.020	87	87	0	0	0.010	0.010	0.010	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Oranges Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Fenitrothion	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.010	87	87	0	0	0.005	0.005	0.005	2	0
Fenpropathrin	0.010	0.010	87	87	0	0	0.005	0.005	0.005	2	0
Fenpropimorph	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.5	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.02	0
Fludioxonil	0.020	0.020	87	87	0	0	0.010	0.010	0.010	10	0
Flusilazole	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.1	0
Flutriafol	0.020	0.020	50	50	0	0	0.010	0.010	0.010	0.2	0
Folpet	0.020	0.020	87	87	0	0	0.010	0.010	0.010	0.02	0
Hexachlorobenzene	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.010	0.010	87	87	0	0	0.005	0.005	0.005	.	0
Hexachlorocyclohexane (HCH), beta-isomer	0.010	0.010	87	87	0	0	0.005	0.005	0.005	.	0
Hexaconazole	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Imazalil	0.010	0.010	87	29	58	0	3.160	0.405	0.225	5	0
Imidacloprid	0.020	0.020	87	86	1	0	0.021	0.010	0.010	1	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.02	0
Iprodione	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.02	0
Iprovalicarb	0.010	0.010	87	87	0	0	0.005	0.005	0.005	.	0
Isocarbophos	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Isoprocarb	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.05	0
Lambda-Cyhalothrin	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.2	0
Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Oranges Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Mandipropamid	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Mepanipyrim	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Metconazole	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.020	0.020	87	87	0	0	0.010	0.010	0.010	0.1	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.010	0.010	50	50	0	0	0.005	0.005	0.005	.	0
Monocrotophos	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	87	87	0	0	0.005	0.005	0.005	3	0
Orthophenylphenol	0.010	0.010	50	45	5	0	0.150	0.010	0.005	5	0
Oxadixyl	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.5	0
Parathion	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.05	0
Penconazole	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.05	0
Permethrin (sum of isomers)	0.020	0.020	87	87	0	0	0.010	0.010	0.010	0.05	0
Phenthoate	0.010	0.010	87	87	0	0	0.005	0.005	0.005	.	0
Phosalone	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Pirimiphos-methyl	0.010	0.010	87	87	0	0	0.005	0.005	0.005	1	0
Procymidone	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Profenofos	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Propargite	0.020	0.020	87	87	0	0	0.010	0.010	0.010	3	0
Propiconazole	0.010	0.010	87	84	3	0	0.231	0.010	0.005	6	0
Propyzamide	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Oranges Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Prothiofos	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Pymetrozine	0.020	0.020	50	50	0	0	0.010	0.010	0.010	0.3	0
Pyraclostrobin	0.010	0.010	87	87	0	0	0.005	0.005	0.005	2	0
Pyrethrins	0.020	0.020	50	50	0	0	0.010	0.010	0.010	1	0
Pyridaben	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.5	0
Pyrimethanil	0.010	0.010	71	71	0	0	0.005	0.005	0.005	.	0
	0.010	0.010	1	0	1	0	0.110	0.110	0.110	5	0
	0.010	0.010	8	0	8	0	0.746	0.231	0.183	8	0
	0.010	0.010	7	0	7	0	0.668	0.237	0.104	10	0
Pyriproxyfen	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.6	0
Quinoxyfen	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	0.020	0.020	87	87	0	0	0.010	0.010	0.010	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.3	0
Spirodiclofen	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.5	0
Spiroxamine	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	87	86	1	0	0.016	0.005	0.005	0.9	0
Tebufenozide	0.010	0.010	50	50	0	0	0.005	0.005	0.005	2	0
Tebufenpyrad	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.5	0
Tefluthrin	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Tetraconazole	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.02	0
Tetradifon	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.010	87	57	30	0	1.250	0.124	0.005	5	0
Thiacloprid	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.02	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.020	0.020	87	87	0	0	0.010	0.010	0.010	0.5	0
Thiophanate-methyl	0.010	0.010	87	87	0	0	0.005	0.005	0.005	6	0
Tolclofos-methyl	0.020	0.020	87	87	0	0	0.010	0.010	0.010	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Oranges Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Triadimefon (sum of Triadimefon and Triadimenol)	0.020	0.020	87	87	0	0	0.010	0.010	0.010	0.1	0
Triazophos	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.3	0
Triflumuron	0.010	0.010	50	50	0	0	0.005	0.005	0.005	1	0
Trifluralin	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Triticonazole	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Zoxamide	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.010	87	87	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Pears Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Acephate	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.01	0
Acetamiprid	0.010	0.010	40	39	1	0	0.057	0.006	0.005	0.8	0
Acrinathrin	0.010	0.020	40	40	0	0	0.010	0.008	0.010	0.1	0
Aldicarb (sum)	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.02	0
Aldrin and Dieldrin	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.01	0
Azinphos-ethyl	0.010	0.050	54	54	0	0	0.025	0.012	0.010	0.02	0
Azinphos-methyl	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.05	0
Azoxystrobin	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.05	0
Benfuracarb	0.020	0.020	18	18	0	0	0.010	0.010	0.010	0.02	0
Bifenthrin	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.3	0
Biphenyl	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Bitertanol	0.010	0.010	40	40	0	0	0.005	0.005	0.005	.	0
Boscalid	0.010	0.010	54	43	11	0	0.616	0.036	0.005	2	0
Bromopropylate	0.010	0.050	54	54	0	0	0.025	0.010	0.005	0.01	0
Bromuconazole (sum)	0.010	0.020	35	35	0	0	0.010	0.007	0.005	0.05	0
Bupirimate	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.2	0
Buprofezin	0.010	0.020	54	54	0	0	0.010	0.006	0.005	0.5	0
Captan	0.020	0.100	35	35	0	0	0.050	0.025	0.010	.	0
	0.100	0.100	1	0	1	0	1.005	1.005	1.005	3	0
Carbaryl	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.01	0
Carbendazim and benomyl	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.2	0
Carbofuran (sum)	0.010	0.010	36	36	0	0	0.005	0.005	0.005	0.01	0
Carbosulfan	0.010	0.020	40	40	0	0	0.010	0.007	0.005	0.01	0
Chlorfenapyr	0.020	0.020	18	18	0	0	0.010	0.010	0.010	0.01	0
Chlorfenvinphos	0.010	0.010	40	40	0	0	0.005	0.005	0.005	.	0
Chlorobenzilate	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Pears Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Chlorothalonil	0.010	0.050	54	54	0	0	0.025	0.010	0.005	1	0
Chlorpropham	0.010	0.010	54	54	0	0	0.005	0.005	0.005	.	0
Chlorpropham (sum)	0.020	0.020	22	22	0	0	0.010	0.010	0.010	.	0
Chlorpyrifos	0.010	0.020	54	47	7	0	0.377	0.016	0.005	0.5	0
Chlorpyrifos-methyl	0.010	0.010	54	53	1	0	0.092	0.007	0.005	0.5	0
Clofentezine	0.020	0.020	18	18	0	0	0.010	0.010	0.010	0.5	0
Clothianidin	0.020	0.020	40	40	0	0	0.010	0.010	0.010	0.4	0
Cyfluthrin (sum)	0.010	0.100	32	32	0	0	0.050	0.025	0.005	0.2	0
Cypermethrin (sum)	0.020	0.050	54	53	1	0	0.041	0.014	0.010	1	0
Cyproconazole	0.010	0.020	40	40	0	0	0.010	0.008	0.010	0.1	0
Cyprodinil	0.010	0.010	54	52	2	0	0.948	0.025	0.005	1	0
DDT (sum)	0.010	0.050	54	54	0	0	0.025	0.010	0.005	0.05	0
Deltamethrin	0.010	0.050	54	54	0	0	0.025	0.012	0.010	0.1	0
Diazinon	0.010	0.020	54	54	0	0	0.010	0.006	0.005	0.01	0
Dichlofluanid	0.010	0.020	54	54	0	0	0.010	0.006	0.005	0.01	0
Dichlorvos	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.1	0
Dicrotophos	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Diethofencarb	0.020	0.020	35	35	0	0	0.010	0.010	0.010	1	0
Difenoconazole	0.010	0.010	40	39	1	0	0.449	0.016	0.005	0.5	0
Dimethoate (sum)	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.010	0.010	18	18	0	0	0.005	0.005	0.005	.	0
Diniconazole	0.010	0.020	35	35	0	0	0.010	0.008	0.010	0.01	0
Diphenylamine	0.010	0.010	54	54	0	0	0.005	0.005	0.005	.	0
EPN	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.010	0.050	54	54	0	0	0.025	0.012	0.010	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Pears Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Endrin	0.010	0.100	36	36	0	0	0.050	0.023	0.005	0.01	0
Epoxiconazole	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.020	54	54	0	0	0.010	0.006	0.005	0.01	0
Ethoprophos	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.02	0
Etofenprox	0.010	0.010	18	18	0	0	0.005	0.005	0.005	1	0
Fenamidone	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.050	54	54	0	0	0.025	0.012	0.010	.	0
Fenazaquin	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.1	0
Fenbuconazole	0.020	0.020	18	18	0	0	0.010	0.010	0.010	.	0
Fenhexamid	0.020	0.100	54	54	0	0	0.050	0.020	0.010	0.05	0
Fenitrothion	0.010	0.020	54	54	0	0	0.010	0.006	0.005	0.01	0
Fenoxycarb	0.010	0.020	40	40	0	0	0.010	0.007	0.005	1	0
Fenpropathrin	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.3	0
Fenthion (sum)	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.01	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.020	40	40	0	0	0.010	0.007	0.005	.	0
Fludioxonil	0.010	0.050	54	50	4	0	0.916	0.032	0.010	5	0
Flufenoxuron	0.020	0.020	18	18	0	0	0.010	0.010	0.010	0.5	0
Fluquinconazole	0.020	0.020	18	18	0	0	0.010	0.010	0.010	0.2	0
Flusilazole	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.020	35	35	0	0	0.010	0.007	0.005	.	0
Folpet	0.020	0.100	36	36	0	0	0.050	0.026	0.010	.	0
Formothion	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Fosthiazate	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Pears Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Hexachlorobenzene	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.01	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.010	0.010	54	54	0	0	0.005	0.005	0.005	.	0
Hexachlorocyclohexane (HCH), beta-isomer	0.010	0.020	54	54	0	0	0.010	0.006	0.005	.	0
Hexaconazole	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.01	0
Hexythiazox	0.020	0.020	18	18	0	0	0.010	0.010	0.010	1	0
Imazalil	0.010	0.020	40	40	0	0	0.010	0.007	0.005	2	0
Imidacloprid	0.010	0.020	40	40	0	0	0.010	0.008	0.010	0.5	0
Indoxacarb as sum of the isomers S and R	0.010	0.020	40	40	0	0	0.010	0.007	0.005	.	0
Iprodione	0.010	0.100	54	52	2	0	0.050	0.020	0.010	5	0
Iprovalicarb	0.010	0.010	40	40	0	0	0.005	0.005	0.005	.	0
Isocarbophos	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.01	0
Isoprocarb	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.020	54	54	0	0	0.010	0.006	0.005	0.2	0
Lambda-Cyhalothrin	0.010	0.020	54	52	2	0	0.024	0.007	0.005	0.1	0
Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	0.010	0.020	54	54	0	0	0.010	0.006	0.005	0.01	0
Linuron	0.050	0.050	18	18	0	0	0.025	0.025	0.025	0.05	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.02	0
Mandipropamid	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.01	0
Mepanipyrim	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Metaflumizone (sum of E- and Z- isomers)	0.020	0.020	18	18	0	0	0.010	0.010	0.010	0.05	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.020	0.020	18	18	0	0	0.010	0.010	0.010	1	0
Metconazole	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.020	40	40	0	0	0.010	0.007	0.005	0.01	0
Methidathion	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.03	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Pears Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.020	40	40	0	0	0.010	0.008	0.010	0.1	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.010	0.020	35	35	0	0	0.010	0.008	0.010	2	0
Monocrotophos	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.050	54	53	1	0	0.028	0.011	0.005	0.5	0
Orthophenylphenol	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Oxadixyl	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.5	0
Parathion	0.010	0.050	54	54	0	0	0.025	0.010	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	18	18	0	0	0.010	0.010	0.010	0.01	0
Penconazole	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.2	0
Pencycuron	0.010	0.020	35	35	0	0	0.010	0.008	0.010	0.05	0
Pendimethalin	0.020	0.050	32	32	0	0	0.025	0.017	0.010	0.05	0
Permethrin (sum of isomers)	0.020	0.050	54	54	0	0	0.025	0.014	0.010	0.05	0
Phenthoate	0.010	0.010	40	40	0	0	0.005	0.005	0.005	.	0
Phosalone	0.010	0.050	54	54	0	0	0.025	0.010	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	2	0
Pirimiphos-methyl	0.010	0.020	54	54	0	0	0.010	0.007	0.005	0.05	0
Procymidone	0.010	0.020	54	54	0	0	0.010	0.008	0.010	0.01	0
Profenofos	0.010	0.020	40	40	0	0	0.010	0.007	0.005	0.01	0
Propargite	0.010	0.100	54	54	0	0	0.050	0.019	0.010	3	0
Propiconazole	0.010	0.020	40	40	0	0	0.010	0.007	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Pears Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Propoxur	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.01	0
Pymetrozine	0.010	0.020	35	35	0	0	0.010	0.007	0.005	0.02	0
Pyraclostrobin	0.010	0.010	38	38	0	0	0.005	0.005	0.005	.	0
	0.010	0.010	2	0	2	0	0.277	0.226	0.226	0.5	0
Pyrazophos	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Pyrethrins	0.020	0.020	17	17	0	0	0.010	0.010	0.010	1	0
Pyridaben	0.010	0.020	54	54	0	0	0.010	0.006	0.005	0.5	0
Pyrimethanil	0.010	0.010	53	53	0	0	0.005	0.005	0.005	.	0
	0.010	0.010	1	0	1	0	0.658	0.658	0.658	5	0
Pyriproxyfen	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.2	0
Quinoxyfen	0.010	0.020	49	49	0	0	0.010	0.006	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	0.020	0.020	22	22	0	0	0.010	0.010	0.010	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.020	35	35	0	0	0.010	0.008	0.010	1	0
Spirodiclofen	0.010	0.020	35	35	0	0	0.010	0.008	0.010	0.8	0
Spiromesifen	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Spiroxamine	0.010	0.020	54	54	0	0	0.010	0.006	0.005	0.05	0
Tebuconazole	0.010	0.050	51	51	0	0	0.025	0.010	0.005	.	0
	0.010	0.010	1	0	1	0	0.014	0.014	0.014	1	0
	0.010	0.010	2	0	2	0	0.035	0.027	0.027	0.3	0
Tebufenozide	0.010	0.010	35	35	0	0	0.005	0.005	0.005	1	0
Tebufenpyrad	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.2	0
Teflubenzuron	0.020	0.020	18	18	0	0	0.010	0.010	0.010	.	0
Tefluthrin	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.05	0
Terbuthylazine	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Pears Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Tetraconazole	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.3	0
Tetradifon	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.020	40	39	1	0	0.018	0.008	0.005	5	0
Thiacloprid	0.010	0.020	40	37	3	0	0.114	0.011	0.010	0.3	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.020	40	40	0	0	0.010	0.008	0.010	0.5	0
Thiophanate-methyl	0.010	0.020	40	40	0	0	0.010	0.007	0.005	0.5	0
Tolclofos-methyl	0.010	0.020	40	40	0	0	0.010	0.008	0.010	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	54	54	0	0	0.025	0.012	0.010	0.1	0
Triazophos	0.010	0.050	54	54	0	0	0.025	0.010	0.005	0.01	0
Trifloxystrobin	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.5	0
Triflumuron	0.010	0.020	35	35	0	0	0.010	0.008	0.010	0.5	0
Trifluralin	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Triticonazole	0.010	0.010	35	35	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.05	0
Zoxamide	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.020	40	40	0	0	0.010	0.007	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Potatoes Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Acephate	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.01	0
Acetamiprid	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.01	0
Acrinathrin	0.010	0.020	62	62	0	0	0.010	0.007	0.005	0.05	0
Aldicarb (sum)	0.020	0.020	62	62	0	0	0.010	0.010	0.010	0.02	0
Aldrin and Dieldrin	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.01	0
Azinphos-ethyl	0.010	0.050	125	125	0	0	0.025	0.016	0.025	0.02	0
Azinphos-methyl	0.020	0.020	62	62	0	0	0.010	0.010	0.010	0.05	0
Azoxystrobin	0.010	0.010	62	62	0	0	0.005	0.005	0.005	1	0
Benfuracarb	0.020	0.020	39	39	0	0	0.010	0.010	0.010	0.02	0
Bifenthrin	0.010	0.010	125	125	0	0	0.005	0.005	0.005	0.05	0
Biphenyl	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.01	0
Bitertanol	0.010	0.010	62	62	0	0	0.005	0.005	0.005	.	0
Boscalid	0.010	0.010	125	125	0	0	0.005	0.005	0.005	2	0
Bromopropylate	0.010	0.050	125	125	0	0	0.025	0.015	0.025	0.01	0
Bromuconazole (sum)	0.010	0.020	50	50	0	0	0.010	0.006	0.005	0.05	0
Bupirimate	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.020	125	125	0	0	0.010	0.008	0.010	0.05	0
Captan	0.020	0.100	86	86	0	0	0.050	0.039	0.050	0.05	0
Carbaryl	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.01	0
Carbendazim and benomyl	0.010	0.010	62	61	1	0	0.040	0.006	0.005	0.1	0
Carbofuran (sum)	0.010	0.010	86	86	0	0	0.005	0.005	0.005	0.01	0
Carbosulfan	0.010	0.020	62	62	0	0	0.010	0.008	0.010	0.01	0
Chlorfenapyr	0.020	0.020	39	39	0	0	0.010	0.010	0.010	0.01	0
Chlorfenvinphos	0.010	0.010	62	62	0	0	0.005	0.005	0.005	.	0
Chlorobenzilate	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.050	125	125	0	0	0.025	0.015	0.025	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Potatoes Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Chlorpropham	0.010	0.010	125	113	12	0	1.280	0.032	0.005	10	0
Chlorpropham (sum)	0.020	0.020	23	23	0	0	0.010	0.010	0.010	.	0
Chlorpyrifos	0.010	0.020	125	124	1	0	0.020	0.008	0.010	0.05	0
Chlorpyrifos-methyl	0.010	0.010	125	125	0	0	0.005	0.005	0.005	0.05	0
Clofentezine	0.020	0.020	39	39	0	0	0.010	0.010	0.010	0.02	0
Clothianidin	0.020	0.020	62	62	0	0	0.010	0.010	0.010	0.05	0
Cyfluthrin (sum)	0.010	0.100	102	102	0	0	0.050	0.033	0.050	0.04	0
Cypermethrin (sum)	0.020	0.050	125	125	0	0	0.025	0.018	0.025	0.05	0
Cyproconazole	0.010	0.020	62	62	0	0	0.010	0.007	0.005	0.05	0
Cyprodinil	0.010	0.010	125	124	1	0	0.020	0.005	0.005	0.05	0
DDT (sum)	0.010	0.050	125	125	0	0	0.025	0.015	0.025	0.05	0
Deltamethrin	0.010	0.050	125	125	0	0	0.025	0.016	0.025	0.2	0
Diazinon	0.010	0.020	125	125	0	0	0.010	0.008	0.010	0.01	0
Dichlofluanid	0.010	0.020	125	125	0	0	0.010	0.008	0.010	0.01	0
Dichlorvos	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.1	0
Dicrotophos	0.010	0.010	11	11	0	0	0.005	0.005	0.005	0.01	0
Diethofencarb	0.020	0.020	50	50	0	0	0.010	0.010	0.010	0.05	0
Difenoconazole	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.1	0
Dimethoate (sum)	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.010	0.010	39	39	0	0	0.005	0.005	0.005	.	0
Diniconazole	0.010	0.020	50	50	0	0	0.010	0.009	0.010	0.01	0
Diphenylamine	0.010	0.010	125	125	0	0	0.005	0.005	0.005	0.05	0
EPN	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.010	0.050	125	125	0	0	0.025	0.017	0.025	0.05	0
Endrin	0.010	0.100	86	86	0	0	0.050	0.038	0.050	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Potatoes Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Epoxiconazole	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.020	125	125	0	0	0.010	0.008	0.010	0.01	0
Ethoprophos	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.05	0
Etofenprox	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.5	0
Fenamidone	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.050	125	125	0	0	0.025	0.016	0.025	0.02	0
Fenazaquin	0.010	0.010	39	38	0	1	0.020	0.005	0.005	0.01	0
Fenbuconazole	0.020	0.020	39	39	0	0	0.010	0.010	0.010	0.05	0
Fenhexamid	0.020	0.100	125	125	0	0	0.050	0.030	0.050	0.05	0
Fenitrothion	0.010	0.020	125	125	0	0	0.010	0.008	0.010	0.01	0
Fenoxycarb	0.010	0.020	62	62	0	0	0.010	0.008	0.010	0.05	0
Fenpropathrin	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.05	0
Fenthion (sum)	0.010	0.050	102	102	0	0	0.025	0.017	0.025	0.01	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.020	62	62	0	0	0.010	0.008	0.010	0.02	0
Fludioxonil	0.010	0.050	125	125	0	0	0.025	0.016	0.025	.	0
Flufenoxuron	0.020	0.020	39	39	0	0	0.010	0.010	0.010	0.05	0
Fluquinconazole	0.020	0.020	39	39	0	0	0.010	0.010	0.010	0.05	0
Flusilazole	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.020	50	50	0	0	0.010	0.006	0.005	0.2	0
Folpet	0.020	0.100	86	86	0	0	0.050	0.039	0.050	0.1	0
Formothion	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.02	0
Fosthiazate	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.02	0
Hexachlorobenzene	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Potatoes Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Hexachlorocyclohexane (HCH), alpha-isomer	0.010	0.010	125	125	0	0	0.005	0.005	0.005	.	0
Hexachlorocyclohexane (HCH), beta-isomer	0.010	0.020	125	125	0	0	0.010	0.008	0.010	.	0
Hexaconazole	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.01	0
Hexythiazox	0.020	0.020	39	39	0	0	0.010	0.010	0.010	0.05	0
Imazalil	0.010	0.020	62	61	1	0	0.025	0.008	0.010	3	0
Imidacloprid	0.010	0.020	62	60	2	0	0.025	0.007	0.005	0.5	0
Indoxacarb as sum of the isomers S and R	0.010	0.020	62	62	0	0	0.010	0.008	0.010	0.02	0
Iprodione	0.010	0.100	125	124	0	1	0.050	0.029	0.050	0.02	0
Iprovalicarb	0.010	0.010	62	62	0	0	0.005	0.005	0.005	.	0
Isocarbophos	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Isoprocarb	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.020	125	125	0	0	0.010	0.008	0.010	0.05	0
Lambda-Cyhalothrin	0.010	0.020	125	125	0	0	0.010	0.008	0.010	0.02	0
Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	0.010	0.020	125	125	0	0	0.010	0.008	0.010	0.01	0
Linuron	0.050	0.050	39	39	0	0	0.025	0.025	0.025	0.05	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.02	0
Mandipropamid	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Mepanipyrim	0.010	0.010	113	113	0	0	0.005	0.005	0.005	0.01	0
Metaflumizone (sum of E- and Z- isomers)	0.020	0.020	39	39	0	0	0.010	0.010	0.010	0.05	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.020	0.020	39	39	0	0	0.010	0.010	0.010	0.05	0
Metconazole	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.020	62	62	0	0	0.010	0.008	0.010	0.01	0
Methidathion	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.020	62	62	0	0	0.010	0.007	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Potatoes Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.010	0.020	50	50	0	0	0.010	0.009	0.010	0.02	0
Monocrotophos	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.050	125	125	0	0	0.025	0.015	0.025	0.02	0
Orthophenylphenol	0.010	0.010	113	113	0	0	0.005	0.005	0.005	0.05	0
Oxadixyl	0.010	0.010	125	125	0	0	0.005	0.005	0.005	0.05	0
Oxamyl	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.050	125	125	0	0	0.025	0.015	0.025	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	39	39	0	0	0.010	0.010	0.010	0.01	0
Penconazole	0.010	0.010	125	125	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.010	0.020	50	50	0	0	0.010	0.009	0.010	0.1	0
Pendimethalin	0.020	0.050	102	102	0	0	0.025	0.019	0.025	0.05	0
Permethrin (sum of isomers)	0.020	0.050	125	125	0	0	0.025	0.018	0.025	0.05	0
Phenthoate	0.010	0.010	62	62	0	0	0.005	0.005	0.005	.	0
Phosalone	0.010	0.050	125	125	0	0	0.025	0.015	0.025	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.2	0
Pirimiphos-methyl	0.010	0.020	125	125	0	0	0.010	0.007	0.005	0.05	0
Procymidone	0.010	0.020	125	125	0	0	0.010	0.009	0.010	0.01	0
Profenofos	0.010	0.020	62	62	0	0	0.010	0.008	0.010	0.01	0
Propargite	0.010	0.100	125	125	0	0	0.050	0.029	0.050	0.01	0
Propiconazole	0.010	0.020	62	61	1	0	0.020	0.008	0.010	0.05	0
Propoxur	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	125	125	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Potatoes Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Prothiofos	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.01	0
Pymetrozine	0.010	0.020	50	50	0	0	0.010	0.006	0.005	0.02	0
Pyraclostrobin	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.02	0
Pyrazophos	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.05	0
Pyrethrins	0.020	0.020	11	11	0	0	0.010	0.010	0.010	1	0
Pyridaben	0.010	0.020	125	125	0	0	0.010	0.008	0.010	0.05	0
Pyrimethanil	0.010	0.010	125	124	1	0	0.036	0.005	0.005	0.05	0
Pyriproxyfen	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.05	0
Quinoxyfen	0.010	0.020	113	113	0	0	0.010	0.008	0.010	0.02	0
Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	0.020	0.020	23	23	0	0	0.010	0.010	0.010	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.020	50	50	0	0	0.010	0.009	0.010	0.02	0
Spirodiclofen	0.010	0.020	50	50	0	0	0.010	0.009	0.010	0.02	0
Spiromesifen	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.02	0
Spiroxamine	0.010	0.020	125	125	0	0	0.010	0.008	0.010	0.05	0
Tebuconazole	0.010	0.050	125	125	0	0	0.025	0.015	0.025	.	0
Tebufenozide	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.05	0
Teflubenzuron	0.020	0.020	39	39	0	0	0.010	0.010	0.010	0.1	0
Tefluthrin	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Terbuthylazine	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.1	0
Tetraconazole	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.02	0
Tetradifon	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.020	62	62	0	0	0.010	0.008	0.010	15	0
Thiacloprid	0.010	0.020	62	62	0	0	0.010	0.008	0.010	0.02	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.020	62	62	0	0	0.010	0.007	0.005	0.3	0
Thiophanate-methyl	0.010	0.020	62	62	0	0	0.010	0.008	0.010	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Potatoes Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Tolclofos-methyl	0.010	0.020	62	62	0	0	0.010	0.007	0.005	0.2	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	125	125	0	0	0.025	0.016	0.025	0.1	0
Triazophos	0.010	0.050	125	125	0	0	0.025	0.015	0.025	0.01	0
Trifloxystrobin	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.02	0
Triflumuron	0.010	0.020	50	50	0	0	0.010	0.009	0.010	0.05	0
Trifluralin	0.010	0.010	113	113	0	0	0.005	0.005	0.005	0.01	0
Triticonazole	0.010	0.010	50	50	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.020	0.020	63	63	0	0	0.010	0.010	0.010	0.05	0
Zoxamide	0.010	0.010	62	62	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.020	62	62	0	0	0.010	0.008	0.010	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Poultry Fat Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Aldrin and Dieldrin	0.008	0.010	7	7	0	0	0.005	0.005	0.005	0.2	0
Azinphos-ethyl	0.005	0.010	52	52	0	0	0.005	0.004	0.003	0.01	0
Bifenthrin	0.005	0.015	32	32	0	0	0.008	0.007	0.008	0.05	0
Chlordane (sum animal products)	0.010	0.015	34	32	2	0	0.040	0.009	0.008	0.05	0
Chlorobenzilate	0.010	0.050	34	34	0	0	0.025	0.009	0.005	0.1	0
Chlorpyrifos	0.005	0.015	83	83	0	0	0.008	0.006	0.005	0.05	0
Chlorpyrifos-methyl	0.005	0.040	83	83	0	0	0.020	0.011	0.008	0.05	0
Cyfluthrin (sum)	0.005	0.015	32	32	0	0	0.008	0.007	0.008	0.05	0
Cypermethrin (sum)	0.005	0.010	32	32	0	0	0.005	0.005	0.005	0.1	0
DDT (sum)	0.005	0.010	39	34	5	0	0.225	0.016	0.005	1	0
Deltamethrin	0.005	0.010	32	32	0	0	0.005	0.005	0.005	0.1	0
Diazinon	0.005	0.015	83	83	0	0	0.008	0.005	0.005	0.01	0
Endosulfan (sum)	0.010	0.015	34	34	0	0	0.008	0.007	0.008	0.05	0
Endrin	0.005	0.015	39	39	0	0	0.008	0.007	0.008	0.05	0
Ethion	0.005	0.010	83	83	0	0	0.005	0.003	0.003	0.01	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.2	0
Hexachlorobenzene	0.005	0.010	39	39	0	0	0.005	0.005	0.005	0.2	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.010	39	39	0	0	0.005	0.005	0.005	0.2	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.020	39	39	0	0	0.010	0.005	0.005	0.1	0
Lambda-Cyhalothrin	0.010	0.010	27	27	0	0	0.005	0.005	0.005	.	0
Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	0.005	0.010	39	39	0	0	0.005	0.004	0.005	0.02	0
Methidathion	0.002	0.020	83	83	0	0	0.010	0.005	0.005	0.02	0
Methoxychlor	0.005	0.010	39	39	0	0	0.005	0.003	0.003	0.01	0
Parathion	0.005	0.050	83	83	0	0	0.025	0.012	0.008	0.05	0
Permethrin (sum of isomers)	0.005	0.015	32	32	0	0	0.008	0.007	0.008	0.05	0
Phoxim	0.012	0.020	51	51	0	0	0.010	0.008	0.006	0.55	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Poultry Fat Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Pirimiphos-methyl	0.005	0.050	83	82	1	0	0.025	0.012	0.008	0.05	0
Profenofos	0.005	0.050	83	83	0	0	0.025	0.013	0.010	0.05	0
Pyrazophos	0.005	0.020	83	83	0	0	0.010	0.008	0.010	0.02	0
Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	0.005	0.010	32	32	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.005	0.010	83	83	0	0	0.005	0.004	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Poultry Liver Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Azinphos-ethyl	0.005	0.005	3	3	0	0	0.003	0.003	0.003	0.01	0
Bifenthrin	0.015	0.015	3	3	0	0	0.008	0.008	0.008	0.05	0
Chlordane (sum animal products)	0.015	0.015	3	3	0	0	0.008	0.008	0.008	0.05	0
Chlorobenzilate	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.1	0
Chlorpyrifos	0.015	0.015	3	3	0	0	0.008	0.008	0.008	0.05	0
Chlorpyrifos-methyl	0.015	0.015	3	3	0	0	0.008	0.008	0.008	0.05	0
Cyfluthrin (sum)	0.015	0.015	3	3	0	0	0.008	0.008	0.008	0.05	0
Cypermethrin (sum)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
DDT (sum)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	1	0
Deltamethrin	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.1	0
Diazinon	0.015	0.015	3	3	0	0	0.008	0.008	0.008	0.01	0
Endosulfan (sum)	0.015	0.015	3	3	0	0	0.008	0.008	0.008	0.05	0
Endrin	0.015	0.015	3	3	0	0	0.008	0.008	0.008	0.05	0
Ethion	0.005	0.005	3	3	0	0	0.003	0.003	0.003	0.01	0
Hexachlorobenzene	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.2	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.2	0
Hexachlorocyclohexane (HCH), beta-isomer	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.1	0
Lambda-Cyhalothrin	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.02	0
Methidathion	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.02	0
Methoxychlor	0.005	0.005	3	3	0	0	0.003	0.003	0.003	0.01	0
Parathion	0.015	0.015	3	3	0	0	0.008	0.008	0.008	0.05	0
Permethrin (sum of isomers)	0.015	0.015	3	3	0	0	0.008	0.008	0.008	0.05	0
Pirimiphos-methyl	0.015	0.015	3	3	0	0	0.008	0.008	0.008	0.05	0
Profenofos	0.015	0.015	3	3	0	0	0.008	0.008	0.008	0.05	0
Pyrazophos	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Poultry Liver Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.005	0.005	3	3	0	0	0.003	0.003	0.003	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Poultry Muscle Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Aldrin and Dieldrin	0.001	0.001	45	45	0	0	0.001	0.001	0.001	0.2	0
Azinphos-ethyl	0.005	0.005	39	39	0	0	0.003	0.003	0.003	0.01	0
Bifenthrin	0.000	0.015	82	82	0	0	0.008	0.005	0.005	0.05	0
Chlordane (sum animal products)	0.001	0.015	84	79	5	0	0.008	0.004	0.002	0.05	0
Chlorobenzilate	0.004	0.010	84	84	0	0	0.005	0.004	0.003	0.1	0
Chlorpyrifos	0.015	0.015	39	39	0	0	0.008	0.008	0.008	0.05	0
Chlorpyrifos-methyl	0.015	0.015	39	39	0	0	0.008	0.008	0.008	0.05	0
Cyfluthrin (sum)	0.002	0.020	82	82	0	0	0.010	0.006	0.008	0.05	0
Cypermethrin (sum)	0.002	0.020	82	82	0	0	0.010	0.005	0.005	0.1	0
DDT (sum)	0.001	0.010	84	69	15	0	0.005	0.003	0.003	1	0
Deltamethrin	0.005	0.025	82	82	0	0	0.013	0.006	0.005	0.1	0
Diazinon	0.015	0.015	39	39	0	0	0.008	0.008	0.008	0.02	0
Endosulfan (sum)	0.001	0.015	84	83	1	0	0.008	0.004	0.001	0.05	0
Endrin	0.001	0.015	84	84	0	0	0.008	0.004	0.001	0.05	0
Ethion	0.005	0.005	39	39	0	0	0.003	0.003	0.003	0.01	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.001	0.001	24	24	0	0	0.001	0.001	0.001	0.2	0
Hexachlorobenzene	0.001	0.010	84	81	3	0	0.009	0.003	0.001	0.2	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.001	0.010	84	77	7	0	0.005	0.003	0.001	0.2	0
Hexachlorocyclohexane (HCH), beta-isomer	0.001	0.010	84	78	6	0	0.007	0.003	0.003	0.1	0
Lambda-Cyhalothrin	0.001	0.010	62	62	0	0	0.005	0.003	0.005	.	0
Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	0.001	0.010	84	75	9	0	0.013	0.003	0.005	0.02	0
Methidathion	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.02	0
Methoxychlor	0.001	0.005	84	84	0	0	0.003	0.001	0.001	0.01	0
Parathion	0.015	0.015	39	39	0	0	0.008	0.008	0.008	0.05	0
Permethrin (sum of isomers)	0.003	0.040	82	82	0	0	0.020	0.009	0.008	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Poultry Muscle Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Pirimiphos-methyl	0.015	0.015	39	39	0	0	0.008	0.008	0.008	0.05	0
Profenofos	0.015	0.015	39	39	0	0	0.008	0.008	0.008	0.05	0
Pyrazophos	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.005	0.005	39	39	0	0	0.003	0.003	0.003	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Rice Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Acephate	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Acetamiprid	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Acrinathrin	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.05	0
Aldicarb (sum)	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.02	0
Aldrin and Dieldrin	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Azinphos-ethyl	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.05	0
Azinphos-methyl	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.05	0
Azoxystrobin	0.010	0.010	28	28	0	0	0.005	0.005	0.005	5	0
Bifenthrin	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Bitertanol	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Boscalid	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.5	0
Bromopropylate	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Bromuconazole (sum)	0.020	0.020	20	20	0	0	0.010	0.010	0.010	0.2	0
Bupirimate	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.5	0
Captan	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.02	0
Carbaryl	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Carbendazim and benomyl	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Carbofuran (sum)	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Chlorfenvinphos	0.010	0.010	28	28	0	0	0.005	0.005	0.005	.	0
Chlorothalonil	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Chlorpropham	0.010	0.010	28	28	0	0	0.005	0.005	0.005	.	0
Chlorpropham (sum)	0.020	0.020	28	28	0	0	0.010	0.010	0.010	.	0
Chlorpyrifos	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	28	28	0	0	0.005	0.005	0.005	3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Rice Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Clothianidin	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.5	0
Cypermethrin (sum)	0.020	0.020	28	28	0	0	0.010	0.010	0.010	2	0
Cyproconazole	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.1	0
Cyprodinil	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
DDT (sum)	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Deltamethrin	0.020	0.020	28	27	1	0	0.300	0.020	0.010	2	0
Diazinon	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Dichlorvos	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Dicrotophos	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Diethofencarb	0.020	0.020	20	20	0	0	0.010	0.010	0.010	0.05	0
Difenoconazole	0.010	0.010	28	28	0	0	0.005	0.005	0.005	3	0
Dimethoate (sum)	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Diniconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Diphenylamine	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
EPN	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Endrin	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Epoxiconazole	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.1	0
Ethion	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Ethoprophos	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.02	0
Fenhexamid	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.05	0
Fenitrothion	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Rice Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Fenoxycarb	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Fludioxonil	0.020	0.020	28	28	0	0	0.010	0.010	0.010	.	0
Flusilazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.020	0.020	20	20	0	0	0.010	0.010	0.010	0.5	0
Folpet	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.02	0
Hexachlorobenzene	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.010	0.010	28	28	0	0	0.005	0.005	0.005	.	0
Hexachlorocyclohexane (HCH), beta-isomer	0.010	0.010	28	28	0	0	0.005	0.005	0.005	.	0
Hexaconazole	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Imazalil	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Imidacloprid	0.020	0.020	28	28	0	0	0.010	0.010	0.010	1.5	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	28	28	0	0	0.005	0.005	0.005	.	0
Iprodione	0.010	0.010	28	28	0	0	0.005	0.005	0.005	3	0
Iprovalicarb	0.010	0.010	28	28	0	0	0.005	0.005	0.005	.	0
Isocarbophos	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Isoprocarb	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Lambda-Cyhalothrin	0.010	0.010	28	28	0	0	0.005	0.005	0.005	1	0
Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	28	28	0	0	0.005	0.005	0.005	8	0
Mandipropamid	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Rice Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Mepanipyrim	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Metconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	.	0
Methamidophos	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.1	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Monocrotophos	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Myclobutanil	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Orthophenylphenol	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Oxadixyl	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Penconazole	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Permethrin (sum of isomers)	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.05	0
Phenthoate	0.010	0.010	28	28	0	0	0.005	0.005	0.005	.	0
Phosalone	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Pirimiphos-methyl	0.010	0.010	28	28	0	0	0.005	0.005	0.005	5	0
Procymidone	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Profenofos	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Propargite	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.01	0
Propiconazole	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.7	0
Propyzamide	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Rice Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Pymetrozine	0.020	0.020	20	20	0	0	0.010	0.010	0.010	.	0
Pyraclostrobin	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Pyrethrins	0.020	0.020	20	20	0	0	0.010	0.010	0.010	3	0
Pyridaben	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Pyriproxyfen	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Quinoxyfen	0.010	0.010	20	19	0	1	0.024	0.006	0.005	0.02	1
Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.05	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Spirodiclofen	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Spiroxamine	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	28	28	0	0	0.005	0.005	0.005	.	0
Tebufenozide	0.010	0.010	20	20	0	0	0.005	0.005	0.005	3	0
Tebufenpyrad	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Tefluthrin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Tetradifon	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.6	0
Thiophanate-methyl	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0
Tolclofos-methyl	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.020	0.020	28	28	0	0	0.010	0.010	0.010	0.1	0
Triazophos	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Trifloxystrobin	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
Triflumuron	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Rice Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Trifluralin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Triticonazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Zoxamide	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Spinach Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Acephate	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Acetamiprid	0.010	0.010	21	21	0	0	0.005	0.005	0.005	.	0
Acrinathrin	0.010	0.020	21	21	0	0	0.010	0.005	0.005	0.05	0
Aldicarb (sum)	0.020	0.020	21	21	0	0	0.010	0.010	0.010	0.02	0
Aldrin and Dieldrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Azinphos-ethyl	0.010	0.050	23	23	0	0	0.025	0.007	0.005	0.02	0
Azinphos-methyl	0.020	0.020	21	21	0	0	0.010	0.010	0.010	0.05	0
Azoxystrobin	0.010	0.010	21	20	1	0	0.010	0.005	0.005	15	0
Benfuracarb	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.02	0
Bifenthrin	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.05	0
Biphenyl	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0
Bitertanol	0.010	0.010	21	21	0	0	0.005	0.005	0.005	.	0
Boscalid	0.010	0.010	23	23	0	0	0.005	0.005	0.005	30	0
Bromopropylate	0.010	0.050	23	23	0	0	0.025	0.007	0.005	0.01	0
Bromuconazole (sum)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.020	23	23	0	0	0.010	0.005	0.005	0.05	0
Captan	0.020	0.100	4	4	0	0	0.050	0.030	0.030	0.02	0
Carbaryl	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Carbendazim and benomyl	0.010	0.010	21	20	1	0	0.080	0.009	0.005	0.1	0
Carbofuran (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Carbosulfan	0.010	0.020	21	21	0	0	0.010	0.010	0.010	0.01	0
Chlorfenapyr	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.01	0
Chlorfenvinphos	0.010	0.010	21	21	0	0	0.005	0.005	0.005	.	0
Chlorobenzilate	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.050	23	23	0	0	0.025	0.007	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Spinach Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Chlorpropham	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.05	0
Chlorpropham (sum)	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.05	0
Chlorpyrifos	0.010	0.020	23	20	3	0	0.020	0.007	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.05	0
Clofentezine	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.02	0
Clothianidin	0.020	0.020	21	20	1	0	0.165	0.017	0.010	2	0
Cyfluthrin (sum)	0.010	0.100	21	21	0	0	0.050	0.009	0.005	0.02	0
Cypermethrin (sum)	0.020	0.050	23	23	0	0	0.025	0.011	0.010	0.7	0
Cyproconazole	0.010	0.020	21	21	0	0	0.010	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	23	21	2	0	0.020	0.006	0.005	15	0
DDT (sum)	0.010	0.050	23	23	0	0	0.025	0.007	0.005	0.05	0
Deltamethrin	0.010	0.050	23	23	0	0	0.025	0.007	0.005	0.5	0
Diazinon	0.010	0.020	23	23	0	0	0.010	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.020	23	23	0	0	0.010	0.005	0.005	0.01	0
Dichlorvos	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.1	0
Diethofencarb	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.05	0
Difenoconazole	0.010	0.010	21	21	0	0	0.005	0.005	0.005	2	0
Dimethoate (sum)	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.010	0.010	19	19	0	0	0.005	0.005	0.005	1	0
Diniconazole	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.01	0
Diphenylamine	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.05	0
EPN	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.010	0.050	23	23	0	0	0.025	0.011	0.010	0.05	0
Endrin	0.010	0.100	4	4	0	0	0.050	0.028	0.028	0.01	0
Epoxiconazole	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Spinach Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Ethion	0.010	0.020	23	23	0	0	0.010	0.005	0.005	0.01	0
Ethoprophos	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.02	0
Etofenprox	0.010	0.010	19	19	0	0	0.005	0.005	0.005	3	0
Fenamidone	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.050	23	23	0	0	0.025	0.007	0.005	0.02	0
Fenazaquin	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0
Fenbuconazole	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.05	0
Fenhexamid	0.020	0.100	23	23	0	0	0.050	0.013	0.010	0.05	0
Fenitrothion	0.010	0.020	23	23	0	0	0.010	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.020	21	21	0	0	0.010	0.010	0.010	0.05	0
Fenpropathrin	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Fenthion (sum)	0.010	0.050	21	21	0	0	0.025	0.007	0.005	0.01	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.020	21	21	0	0	0.010	0.010	0.010	0.02	0
Fludioxonil	0.010	0.050	23	23	0	0	0.025	0.007	0.005	15	0
Flufenoxuron	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.05	0
Fluquinconazole	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.05	0
Flusilazole	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Folpet	0.020	0.100	4	4	0	0	0.050	0.030	0.030	10	0
Formothion	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Fosthiazate	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Hexachlorobenzene	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.010	0.010	23	23	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Spinach Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Hexachlorocyclohexane (HCH), beta-isomer	0.010	0.020	23	23	0	0	0.010	0.005	0.005	.	0
Hexaconazole	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Hexythiazox	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.5	0
Imazalil	0.010	0.020	21	21	0	0	0.010	0.010	0.010	0.05	0
Imidacloprid	0.010	0.020	21	20	1	0	0.030	0.007	0.005	0.05	0
Indoxacarb as sum of the isomers S and R	0.010	0.020	21	21	0	0	0.010	0.010	0.010	2	0
Iprodione	0.010	0.100	23	23	0	0	0.050	0.013	0.010	0.02	0
Iprovalicarb	0.010	0.010	21	21	0	0	0.005	0.005	0.005	.	0
Isocarbophos	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0
Isoprocarb	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.020	23	23	0	0	0.010	0.005	0.005	0.05	0
Lambda-Cyhalothrin	0.010	0.020	23	23	0	0	0.010	0.005	0.005	0.5	0
Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	0.010	0.020	23	23	0	0	0.010	0.005	0.005	0.01	0
Linuron	0.050	0.050	19	19	0	0	0.025	0.025	0.025	0.05	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Mandipropamid	0.010	0.010	19	19	0	0	0.005	0.005	0.005	25	0
Mepanipyrim	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Metaflumizone (sum of E- and Z- isomers)	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.05	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.05	0
Metconazole	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.020	21	21	0	0	0.010	0.010	0.010	0.01	0
Methidathion	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.020	21	21	0	0	0.010	0.005	0.005	0.1	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Spinach Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Methoxyfenozide	0.020	0.020	19	19	0	0	0.010	0.010	0.010	4	0
Monocrotophos	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.050	23	23	0	0	0.025	0.007	0.005	0.02	0
Orthophenylphenol	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.05	0
Oxadixyl	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.050	23	23	0	0	0.025	0.007	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.01	0
Penconazole	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.05	0
Pendimethalin	0.020	0.050	21	21	0	0	0.025	0.011	0.010	0.05	0
Permethrin (sum of isomers)	0.020	0.050	23	23	0	0	0.025	0.011	0.010	0.05	0
Phenthoate	0.010	0.010	21	21	0	0	0.005	0.005	0.005	.	0
Phosalone	0.010	0.050	23	23	0	0	0.025	0.007	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	2	0
Pirimiphos-methyl	0.010	0.020	23	23	0	0	0.010	0.009	0.010	0.05	0
Procymidone	0.010	0.020	23	23	0	0	0.010	0.010	0.010	0.01	0
Profenofos	0.010	0.020	21	21	0	0	0.010	0.010	0.010	0.01	0
Propargite	0.010	0.100	23	23	0	0	0.050	0.009	0.005	0.01	0
Propiconazole	0.010	0.020	21	21	0	0	0.010	0.010	0.010	0.05	0
Propoxur	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Spinach Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Pymetrozine	0.010	0.010	19	19	0	0	0.005	0.005	0.005	.	0
Pyraclostrobin	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.5	0
Pyrazophos	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Pyridaben	0.010	0.020	23	23	0	0	0.010	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	23	23	0	0	0.005	0.005	0.005	.	0
Pyriproxyfen	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Quinoxyfen	0.010	0.020	21	21	0	0	0.010	0.005	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.020	0.020	19	19	0	0	0.010	0.010	0.010	10	0
Spirodiclofen	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.02	0
Spiromesifen	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Spiroxamine	0.010	0.020	23	23	0	0	0.010	0.005	0.005	0.05	0
Tebuconazole	0.010	0.050	23	23	0	0	0.025	0.007	0.005	.	0
Tebufenozide	0.010	0.010	19	19	0	0	0.005	0.005	0.005	10	0
Tebufenpyrad	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.05	0
Teflubenzuron	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.05	0
Tefluthrin	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Terbuthylazine	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Tetradifon	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.020	21	21	0	0	0.010	0.010	0.010	0.05	0
Thiacloprid	0.010	0.020	21	21	0	0	0.010	0.010	0.010	.	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.020	21	20	1	0	0.213	0.015	0.005	3	0
Thiophanate-methyl	0.010	0.020	21	20	1	0	0.078	0.013	0.010	0.1	0
Tolclofos-methyl	0.010	0.020	21	21	0	0	0.010	0.005	0.005	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	23	23	0	0	0.025	0.007	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Spinach Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Triazophos	0.010	0.050	23	23	0	0	0.025	0.007	0.005	0.01	0
Trifloxystrobin	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.02	0
Triflumuron	0.020	0.020	19	19	0	0	0.010	0.010	0.010	0.05	0
Trifluralin	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Triticonazole	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.05	0
Zoxamide	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.020	21	21	0	0	0.010	0.010	0.010	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Wheat Treatment=Milling - refined flour

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Acephate	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Acetamiprid	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.03	0
Acrinathrin	0.020	0.020	49	49	0	0	0.010	0.010	0.010	0.05	0
Aldicarb (sum)	0.020	0.020	49	49	0	0	0.010	0.010	0.010	0.02	0
Aldrin and Dieldrin	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Azinphos-ethyl	0.020	0.020	49	49	0	0	0.010	0.010	0.010	0.05	0
Azinphos-methyl	0.020	0.020	49	49	0	0	0.010	0.010	0.010	0.05	0
Azoxystrobin	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.3	0
Bifenthrin	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.5	0
Bitertanol	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Boscalid	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.5	0
Bromopropylate	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Bromuconazole (sum)	0.020	0.020	37	37	0	0	0.010	0.010	0.010	0.2	0
Bupirimate	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Captan	0.020	0.020	49	49	0	0	0.010	0.010	0.010	0.02	0
Carbaryl	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.5	0
Carbendazim and benomyl	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.1	0
Carbofuran (sum)	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.02	0
Chlorfenvinphos	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
Chlorothalonil	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.1	0
Chlorpropham	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
Chlorpropham (sum)	0.020	0.020	49	49	0	0	0.010	0.010	0.010	.	0
Chlorpyrifos	0.010	0.010	49	47	2	0	0.037	0.006	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	49	47	2	0	0.137	0.010	0.005	3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Wheat Treatment=Milling - refined flour

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Clothianidin	0.020	0.020	49	49	0	0	0.010	0.010	0.010	0.02	0
Cypermethrin (sum)	0.020	0.020	49	49	0	0	0.010	0.010	0.010	2	0
Cyproconazole	0.020	0.020	49	49	0	0	0.010	0.010	0.010	0.1	0
Cyprodinil	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.5	0
DDT (sum)	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Deltamethrin	0.020	0.020	49	49	0	0	0.010	0.010	0.010	2	0
Diazinon	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Dichlorvos	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Dicrotophos	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.01	0
Diethofencarb	0.020	0.020	37	37	0	0	0.010	0.010	0.010	0.05	0
Difenoconazole	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.1	0
Dimethoate (sum)	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Diniconazole	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.01	0
Diphenylamine	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
EPN	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Endrin	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Epoxiconazole	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.6	0
Ethion	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Ethoprophos	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.020	0.020	49	49	0	0	0.010	0.010	0.010	0.02	0
Fenhexamid	0.020	0.020	49	49	0	0	0.010	0.010	0.010	0.05	0
Fenitrothion	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Wheat Treatment=Milling - refined flour

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Fenoxycarb	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.5	0
Fenpyroximate	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.05	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
Fludioxonil	0.020	0.020	49	49	0	0	0.010	0.010	0.010	.	0
Flusilazole	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.1	0
Flutriafol	0.020	0.020	37	37	0	0	0.010	0.010	0.010	0.5	0
Folpet	0.020	0.020	49	49	0	0	0.010	0.010	0.010	2	0
Hexachlorobenzene	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
Hexachlorocyclohexane (HCH), beta-isomer	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
Hexaconazole	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Imazalil	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Imidacloprid	0.020	0.020	49	49	0	0	0.010	0.010	0.010	0.1	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
Iprodione	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.5	0
Iprovalicarb	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
Isocarbophos	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.01	0
Isoprocarb	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.1	0
Lambda-Cyhalothrin	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	49	49	0	0	0.005	0.005	0.005	8	0
Mandipropamid	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Wheat Treatment=Milling - refined flour

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Mepanipyrim	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.01	0
Metconazole	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.15	0
Methamidophos	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.020	0.020	49	49	0	0	0.010	0.010	0.010	0.1	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.05	0
Monocrotophos	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.02	0
Myclobutanil	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.02	0
Orthophenylphenol	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.05	0
Oxadixyl	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Penconazole	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.05	0
Permethrin (sum of isomers)	0.020	0.020	49	49	0	0	0.010	0.010	0.010	0.05	0
Phenthoate	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
Phosalone	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Pirimiphos-methyl	0.010	0.010	49	48	1	0	0.046	0.006	0.005	5	0
Procymidone	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Profenofos	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Propargite	0.020	0.020	49	49	0	0	0.010	0.010	0.010	0.01	0
Propiconazole	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Wheat Treatment=Milling - refined flour

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Pymetrozine	0.020	0.020	37	37	0	0	0.010	0.010	0.010	.	0
Pyraclostrobin	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.2	0
Pyrethrins	0.020	0.020	37	37	0	0	0.010	0.010	0.010	3	0
Pyridaben	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Pyriproxyfen	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.05	0
Quinoxyfen	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	0.020	0.020	49	49	0	0	0.010	0.010	0.010	0.05	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	37	37	0	0	0.005	0.005	0.005	1	0
Spirodiclofen	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.02	0
Spiroxamine	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	49	49	0	0	0.005	0.005	0.005	.	0
Tebufenozide	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Tefluthrin	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.1	0
Tetradifon	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.1	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.020	0.020	49	49	0	0	0.010	0.010	0.010	0.05	0
Thiophanate-methyl	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Tolclofos-methyl	0.020	0.020	49	49	0	0	0.010	0.010	0.010	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.020	0.020	49	49	0	0	0.010	0.010	0.010	0.2	0
Triazophos	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.02	0
Trifloxystrobin	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0
Triflumuron	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Wheat Treatment=Milling - refined flour

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Trifluralin	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.05	0
Triticonazole	0.010	0.010	37	37	0	0	0.005	0.005	0.005	0.01	0
Zoxamide	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.010	49	49	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Animal products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Bovine products	Bovine Fat	Aldrin and Dieldrin	0.008	0.010	5	4	1	0	0.127	0.029	0.005	0.2	0
		Chlordane (sum animal products)	0.010	0.010	5	2	3	0	0.041	0.025	0.034	0.05	0
		DDT (sum)	0.010	0.010	5	0	5	0	0.306	0.095	0.060	1	0
		Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.055	0.048	0.048	0.2	0
		Hexachlorocyclohexa ne (HCH), alpha- isomer	0.010	0.010	5	2	3	0	0.054	0.029	0.034	0.2	0
		Hexachlorocyclohexa ne (HCH), beta- isomer	0.010	0.020	5	4	1	0	0.048	0.016	0.010	0.1	0
		Lindane (Gamma- isomer of hexachlorociclohexa ne (HCH))	0.005	0.010	5	4	1	0	0.015	0.006	0.005	0.02	0
	Bovine Muscle	DDT (sum)	0.001	0.010	3	2	1	0	0.013	0.007	0.005	1	0
Eggs	Eggs Chicken	Chlordane (sum animal products)	0.001	0.015	30	28	2	0	0.008	0.004	0.001	0.005	0
		Chlorobenzilate	0.005	0.040	30	29	1	0	0.025	0.011	0.005	0.1	0
		DDT (sum)	0.001	0.010	37	32	5	0	0.010	0.003	0.003	0.05	0
		Endosulfan (sum)	0.001	0.015	30	25	5	0	0.044	0.007	0.008	0.05	0
		Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	0.001	0.010	15	15	0	0	0.005	0.004	0.005	.	0
			0.001	0.001	3	0	3	0	0.013	0.006	0.005	0.02	0
		Hexachlorobenzene	0.001	0.010	37	36	1	0	0.005	0.003	0.003	0.02	0
		Hexachlorocyclohexa ne (HCH), alpha- isomer	0.001	0.010	37	31	6	0	0.015	0.003	0.003	0.02	0
		Hexachlorocyclohexa ne (HCH), beta- isomer	0.001	0.010	37	36	1	0	0.006	0.003	0.003	0.01	0
		Lindane (Gamma- isomer of hexachlorociclohexa ne (HCH))	0.001	0.010	37	31	6	0	0.009	0.004	0.003	0.01	0
Game products	Other terrestrial animal products	DDT (sum)	0.001	0.001	7	2	5	0	0.005	0.003	0.003	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Animal products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Hexachlorocyclohexa ne (HCH), alpha- isomer	0.001	0.001	2	2	0	0	0.001	0.001	0.001	.	0
			0.001	0.001	5	0	5	0	0.005	0.005	0.005	0.01	0
		Hexachlorocyclohexa ne (HCH), beta- isomer	0.001	0.001	2	2	0	0	0.001	0.001	0.001	.	0
			0.002	0.002	5	0	5	0	0.003	0.003	0.003	0.01	0
		Lindane (Gamma- isomer of hexachlorociclohexa ne (HCH))	0.001	0.001	2	2	0	0	0.001	0.001	0.001	.	0
			0.001	0.001	5	0	5	0	0.005	0.003	0.003	0.01	0
Honey	Honey	Hexachlorocyclohexa ne (HCH), alpha- isomer	0.001	0.010	16	16	0	0	0.005	0.002	0.003	.	0
			0.001	0.001	3	0	3	0	0.005	0.005	0.005	0.01	0
Milk and milk products	Milk Cattle	Aldrin and Dieldrin	0.000	0.000	4	3	1	0	0.003	0.001	0.000	0.006	0
		DDT (sum)	0.000	0.010	12	9	3	0	0.005	0.003	0.005	0.04	0
		Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	0.000	0.010	8	8	0	0	0.005	0.004	0.005	.	0
			0.000	0.000	2	1	1	0	0.001	0.001	0.001	0.004	0
		Hexachlorobenzene	0.000	0.010	12	11	1	0	0.005	0.003	0.005	0.01	0
		Hexachlorocyclohexa ne (HCH), alpha- isomer	0.000	0.010	12	9	3	0	0.005	0.003	0.005	0.004	0
Poultry products	Poultry Fat	Chlordane (sum animal products)	0.010	0.015	34	32	2	0	0.040	0.009	0.008	0.05	0
		DDT (sum)	0.005	0.010	39	34	5	0	0.225	0.016	0.005	1	0
		Malathion	0.005	0.020	82	82	0	0	0.010	0.006	0.005	.	0
			0.005	0.005	1	0	1	0	0.016	0.016	0.016	0.02	0
		Pirimiphos-methyl	0.005	0.050	83	82	1	0	0.025	0.012	0.008	0.05	0
	Poultry Muscle	Chlordane (sum animal products)	0.001	0.015	84	79	5	0	0.008	0.004	0.002	0.05	0
		DDT (sum)	0.001	0.010	84	69	15	0	0.005	0.003	0.003	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Animal products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Endosulfan (sum)	0.001	0.015	84	83	1	0	0.008	0.004	0.001	0.05	0
		Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	0.001	0.010	45	45	0	0	0.005	0.004	0.005	.	0
			0.001	0.001	15	0	15	0	0.006	0.003	0.002	0.2	0
		Hexachlorobenzene	0.001	0.010	84	81	3	0	0.009	0.003	0.001	0.2	0
		Hexachlorocyclohexa ne (HCH), alpha- isomer	0.001	0.010	84	77	7	0	0.005	0.003	0.001	0.2	0
		Hexachlorocyclohexa ne (HCH), beta- isomer	0.001	0.010	84	78	6	0	0.007	0.003	0.003	0.1	0
		Lindane (Gamma- isomer of hexachlorociclohexa ne (HCH))	0.001	0.010	84	75	9	0	0.013	0.003	0.005	0.02	0
	Poultry — chicken, geese, duck, turkey and Guinea fowl — ostrich, pigeon Tissues	DDT (sum)	0.005	0.010	47	34	13	0	0.163	0.017	0.003	1	0
		Hexachlorocyclohexa ne (HCH), beta- isomer	0.005	0.020	47	45	2	0	0.010	0.003	0.003	0.1	0
		Lindane (Gamma- isomer of hexachlorociclohexa ne (HCH))	0.005	0.010	47	41	6	0	0.014	0.003	0.003	0.02	0
Products derived from horses, asses, mules or hinnies	Equine Fat	DDT (sum)	0.010	0.010	6	5	1	0	0.024	0.008	0.005	1	0
		Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	0.010	0.010	5	5	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.066	0.066	0.066	0.2	0
		Hexachlorobenzene	0.010	0.010	6	5	1	0	0.013	0.006	0.005	0.2	0
		Hexachlorocyclohexa ne (HCH), alpha- isomer	0.010	0.010	6	4	2	0	0.051	0.016	0.005	0.2	0
		Pirimiphos-methyl	0.010	0.015	7	6	1	0	0.013	0.008	0.008	0.05	0
	Horses, asses, mules or hinnies (equine) Tissues	DDT (sum)	0.005	0.005	1	0	1	0	0.101	0.101	0.101	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Animal products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Products of other farm animals	Other farm animals Muscle	Aldrin and Dieldrin	0.001	0.001	3	0	3	0	0.004	0.003	0.004	0.2	0
		DDT (sum)	0.001	0.001	3	2	1	0	0.003	0.001	0.001	1	0
Sheep products	Sheep Fat	Chlordane (sum animal products)	0.010	0.015	6	5	1	0	0.027	0.010	0.008	0.05	0
		DDT (sum)	0.010	0.010	6	4	2	0	0.023	0.010	0.005	1	0
		Hexachlorocyclohexa ne (HCH), alpha- isomer	0.010	0.010	6	5	1	0	0.017	0.007	0.005	0.2	0
Swine products	Swine Fat	Chlordane (sum animal products)	0.010	0.015	39	37	2	0	0.025	0.008	0.008	0.05	0
		DDT (sum)	0.005	0.010	49	43	6	0	0.258	0.015	0.005	1	0
		Endosulfan (sum)	0.010	0.015	39	38	1	0	0.036	0.008	0.008	0.05	0
		Hexachlorocyclohexa ne (HCH), alpha- isomer	0.005	0.010	49	46	3	0	0.100	0.007	0.005	0.2	0
		Lindane (Gamma- isomer of hexachlorociclohexa ne (HCH))	0.005	0.010	49	47	2	0	0.015	0.005	0.005	0.02	0
		Malathion	0.005	0.020	69	69	0	0	0.010	0.006	0.005	.	0
			0.005	0.005	1	0	1	0	0.010	0.010	0.010	0.02	0
	Swine Muscle	Aldrin and Dieldrin	0.001	0.001	26	24	2	0	0.005	0.001	0.001	0.2	0
		Chlordane (sum animal products)	0.001	0.015	54	50	4	0	0.008	0.004	0.008	0.05	0
		DDT (sum)	0.001	0.010	75	59	16	0	0.327	0.013	0.005	1	0
		Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)	0.001	0.010	32	32	0	0	0.005	0.004	0.005	.	0
			0.001	0.001	8	1	7	0	0.012	0.005	0.005	0.2	0
		Hexachlorobenzene	0.001	0.010	75	74	1	0	0.005	0.003	0.003	0.2	0
		Hexachlorocyclohexa ne (HCH), alpha- isomer	0.001	0.010	75	64	11	0	0.008	0.003	0.003	0.2	0
		Hexachlorocyclohexa ne (HCH), beta- isomer	0.001	0.010	75	70	5	0	0.007	0.003	0.003	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Animal products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Lindane (Gamma- isomer of hexachlorociclohexa ne (HCH))	0.001	0.010	75	60	15	0	0.010	0.003	0.003	0.02	0
	Swine Others	DDT (sum)	0.005	0.010	7	2	5	0	0.387	0.170	0.079	1	0
		Hexachlorobenzene	0.005	0.010	7	5	2	0	0.012	0.006	0.005	0.2	0
		Hexachlorocyclohexa ne (HCH), alpha- isomer	0.005	0.010	7	3	4	0	0.032	0.014	0.014	0.2	0
		Hexachlorocyclohexa ne (HCH), beta- isomer	0.005	0.010	7	4	3	0	0.009	0.006	0.005	0.1	0
		Lindane (Gamma- isomer of hexachlorociclohexa ne (HCH))	0.005	0.010	7	4	3	0	0.011	0.006	0.005	0.02	0

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Cereals

Prod. Group	*Product*	*Compound*	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Cereals	Maize	Pyriproxyfen	0.010	0.010	1	0	1	0	0.030	0.030	0.030	0.2	0
			0.010	0.010	51	51	0	0	0.005	0.005	0.005	0.05	0
	Rice	Deltamethrin	0.010	0.020	31	30	1	0	0.300	0.019	0.010	2	0
		Quinoxyfen	0.010	0.010	23	22	0	1	0.024	0.006	0.005	0.02	1
	Rye	Chlorpyrifos-methyl	0.010	0.010	16	15	1	0	0.047	0.008	0.005	3	0
		Fenpropidin	0.020	0.020	5	5	0	0	0.010	0.010	0.010	.	0
			0.020	0.020	2	0	2	0	0.082	0.077	0.077	0.1	0
	Wheat	Chlorpyrifos-methyl	0.010	0.010	108	99	9	0	0.698	0.018	0.005	3	0
		Cyprodinil	0.010	0.010	108	107	1	0	0.081	0.006	0.005	0.5	0
		Fenpropidin	0.020	0.020	50	50	0	0	0.010	0.010	0.010	.	0
			0.020	0.020	1	0	1	0	0.077	0.077	0.077	0.1	0
		Fludioxonil	0.010	0.050	107	107	0	0	0.025	0.014	0.010	.	0
			0.050	0.050	1	0	1	0	0.110	0.110	0.110	0.2	0
		Malathion	0.010	0.020	107	107	0	0	0.010	0.007	0.005	.	0
			0.010	0.010	1	0	1	0	0.047	0.047	0.047	8	0
		Permethrin (sum of isomers)	0.020	0.050	108	107	1	0	0.044	0.017	0.010	0.05	0
		Pirimiphos-methyl	0.010	0.020	108	104	4	0	3.000	0.040	0.005	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Fish products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	DDT (sum)	0.005	0.005	1	0	1	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Brassica vegetables	Cauliflower	Bifenthrin	0.010	0.010	33	32	1	0	0.018	0.005	0.005	0.2	0
		Buprofezin	0.010	0.020	33	32	1	0	0.039	0.006	0.005	0.05	0
		Chlorothalonil	0.010	0.050	33	32	1	0	0.062	0.009	0.005	5	0
		Chlorpyrifos	0.010	0.020	33	32	1	0	0.045	0.007	0.005	0.05	0
		Cyprodinil	0.010	0.010	33	32	1	0	0.049	0.006	0.005	0.05	0
		Diphenylamine	0.010	0.010	33	32	1	0	0.012	0.005	0.005	0.05	0
		Endosulfan (sum)	0.010	0.050	33	32	1	0	0.050	0.011	0.010	0.05	0
		Iprodione	0.010	0.100	33	32	1	0	0.050	0.015	0.010	0.1	0
		Lambda-Cyhalothrin	0.010	0.020	33	32	1	0	0.022	0.006	0.005	0.1	0
	Head cabbage	Boscalid	0.010	0.010	67	66	1	0	0.017	0.005	0.005	5	0
		Cyprodinil	0.010	0.010	67	66	1	0	0.025	0.005	0.005	0.05	0
		Etofenprox	0.010	0.010	31	30	1	0	0.031	0.006	0.005	2	0
		Lambda-Cyhalothrin	0.010	0.020	67	66	1	0	0.051	0.007	0.005	0.2	0
		Pyrimethanil	0.010	0.010	66	66	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.010	0.010	0.010	0.01	0
Bulb vegetables	Garlic	Iprodione	0.010	0.100	40	39	1	0	0.050	0.016	0.005	0.2	0
		Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	11	10	1	0	0.024	0.007	0.005	0.5	0
		Pyrimethanil	0.010	0.010	39	39	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	0	1	0.015	0.015	0.015	0.01	0
	Onions	Cypermethrin (sum)	0.020	0.050	89	88	1	0	0.050	0.013	0.010	0.1	0
		Cyprodinil	0.010	0.010	89	88	1	0	0.024	0.005	0.005	0.3	0
		Propiconazole	0.010	0.020	72	70	2	0	0.023	0.007	0.005	0.05	0
		Tebuconazole	0.010	0.050	89	88	1	0	0.070	0.010	0.005	0.1	0
	Spring onions	Azoxystrobin	0.010	0.010	35	34	1	0	0.084	0.007	0.005	10	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Chlorothalonil	0.010	0.050	46	45	1	0	1.130	0.034	0.005	10	0
		Chlorpyrifos	0.010	0.020	46	45	1	0	0.020	0.007	0.005	0.05	0
		Cyprodinil	0.010	0.010	46	43	3	0	0.021	0.006	0.005	1	0
		Dimethoate (sum)	0.010	0.010	35	34	1	0	0.023	0.006	0.005	2	0
		Dimethomorph	0.010	0.010	33	33	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.024	0.022	0.022	0.2	0
		Iprodione	0.020	0.100	46	45	1	0	0.388	0.028	0.010	3	0
		Pyrimethanil	0.010	0.010	45	45	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	0	1	0.095	0.095	0.095	0.05	0
		Tebuconazole	0.010	0.050	45	45	0	0	0.025	0.010	0.005	.	0
			0.010	0.010	1	0	1	0	0.090	0.090	0.090	0.5	0
Cane fruit, small fruit and berries	Blueberries	Carbendazim and benomyl	0.010	0.010	12	10	1	1	0.164	0.024	0.005	0.1	0
		Chlorothalonil	0.010	0.050	13	12	0	1	0.025	0.007	0.005	0.01	0
		Cyprodinil	0.010	0.010	13	12	1	0	0.020	0.006	0.005	5	0
		Iprodione	0.020	0.100	13	11	2	0	3.295	0.275	0.010	10	0
		Tebuconazole	0.010	0.050	12	12	0	0	0.025	0.007	0.005	.	0
			0.010	0.010	1	0	1	0	0.040	0.040	0.040	2	0
		tau-Fluvalinate	0.020	0.020	12	10	2	0	0.440	0.050	0.010	0.5	0
Citrus fruit	Grapefruit	Acetamiprid	0.010	0.010	119	119	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	11	0	11	0	0.064	0.036	0.035	1	0
			0.010	0.010	28	0	28	0	0.364	0.083	0.041	0.9	0
		Boscalid	0.010	0.010	1	0	1	0	0.023	0.023	0.023	1	0
			0.010	0.010	157	154	3	0	0.027	0.005	0.005	2	0
		Buprofezin	0.010	0.010	158	156	2	0	0.045	0.005	0.005	1	0
		Carbendazim	0.010	0.010	147	147	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.038	0.038	0.038	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	*Product*	*Compound*	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
			0.010	0.010	9	0	9	0	0.182	0.056	0.032	0.2	0
			0.010	0.010	1	0	1	0	0.033	0.033	0.033	0.9	0
		Chlorpyrifos	0.010	0.010	158	111	47	0	0.159	0.013	0.005	0.3	0
		Cypermethrin (sum)	0.020	0.020	158	155	3	0	0.064	0.011	0.010	2	0
		Imazalil	0.010	0.010	158	52	106	0	3.510	0.318	0.136	5	0
		Lambda-Cyhalothrin	0.010	0.010	158	157	1	0	0.029	0.005	0.005	0.2	0
		Malathion	0.010	0.010	156	156	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.017	0.017	0.017	0.02	0
		Myclobutanil	0.010	0.010	158	155	3	0	0.057	0.006	0.005	3	0
		Orthophenylphenol	0.010	0.010	100	91	9	0	0.177	0.011	0.005	5	0
		Prochloraz	0.010	0.010	123	123	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	35	0	35	0	0.807	0.152	0.047	10	0
		Propiconazole	0.010	0.010	158	152	6	0	0.252	0.009	0.005	6	0
		Pyraclostrobin	0.010	0.010	158	157	1	0	0.019	0.005	0.005	1	0
		Pyridaben	0.010	0.010	158	157	1	0	0.029	0.005	0.005	0.5	0
		Pyrimethanil	0.010	0.010	123	123	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	18	0	18	0	0.464	0.120	0.089	8	0
			0.010	0.010	17	0	17	0	1.430	0.287	0.132	10	0
		Pyriproxyfen	0.010	0.010	100	98	2	0	0.028	0.005	0.005	0.6	0
		Tebuconazole	0.010	0.010	158	154	4	0	0.020	0.005	0.005	5	0
		Thiabendazole	0.010	0.010	158	91	67	0	2.650	0.133	0.005	5	0
	Lemons	Acetamiprid	0.010	0.010	143	143	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.346	0.189	0.189	1	0
			0.010	0.010	3	0	3	0	0.060	0.041	0.052	0.9	0
		Boscalid	0.010	0.010	148	147	1	0	0.016	0.005	0.005	2	0
		Buprofezin	0.010	0.010	148	144	4	0	0.031	0.005	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Carbendazim	0.010	0.010	139	139	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	9	0	9	0	0.520	0.118	0.068	0.7	0
		Chlorpyrifos	0.010	0.010	148	129	19	0	0.075	0.007	0.005	0.2	0
		Fludioxonil	0.020	0.020	148	147	1	0	0.111	0.011	0.010	10	0
		Imazalil	0.010	0.010	148	66	82	0	3.720	0.306	0.040	5	0
		Lambda-Cyhalothrin	0.010	0.010	148	146	2	0	0.033	0.005	0.005	0.2	0
		Malathion	0.010	0.010	147	147	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.011	0.011	0.011	0.02	0
		Orthophenylphenol	0.010	0.010	100	86	14	0	0.200	0.017	0.005	5	0
		Prochloraz	0.010	0.010	118	118	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	30	0	30	0	2.210	0.578	0.387	10	0
		Propiconazole	0.010	0.010	148	143	5	0	0.342	0.010	0.005	6	0
		Pyrimethanil	0.010	0.010	121	121	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	12	0	12	0	0.730	0.156	0.087	8	0
			0.010	0.010	15	0	15	0	1.610	0.546	0.365	10	0
		Pyriproxyfen	0.010	0.010	100	98	2	0	0.030	0.005	0.005	0.6	0
		Tebufenpyrad	0.010	0.010	148	147	1	0	0.098	0.006	0.005	0.5	0
		Thiabendazole	0.010	0.010	148	118	30	0	0.823	0.027	0.005	5	0
		Thiophanate-methyl	0.010	0.010	148	147	1	0	0.036	0.005	0.005	6	0
	Mandarins	Acetamiprid	0.010	0.010	70	70	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	3	0	3	0	0.052	0.037	0.040	0.9	0
		Carbendazim	0.010	0.010	69	69	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	4	0	4	0	0.066	0.049	0.045	0.7	0
		Chlorpyrifos	0.010	0.010	72	63	9	0	0.031	0.007	0.005	2	0
			0.010	0.010	1	0	1	0	0.014	0.014	0.014	0.3	0
		Imazalil	0.010	0.010	73	24	49	0	2.310	0.325	0.214	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Orthophenylphenol	0.010	0.010	56	43	13	0	0.553	0.042	0.005	5	0
		Prochloraz	0.010	0.010	58	58	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.135	0.125	0.125	5	0
			0.010	0.010	13	0	13	0	1.220	0.375	0.154	10	0
		Propiconazole	0.010	0.010	73	69	4	0	0.269	0.013	0.005	6	0
		Pyrimethanil	0.010	0.010	55	55	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	14	0	14	0	0.830	0.168	0.062	8	0
			0.010	0.010	4	0	4	0	1.960	0.531	0.073	10	0
		Pyriproxyfen	0.010	0.010	56	55	1	0	0.018	0.005	0.005	0.6	0
		Tebuconazole	0.010	0.010	73	72	1	0	0.013	0.005	0.005	5	0
		Thiabendazole	0.010	0.010	73	40	33	0	1.590	0.118	0.005	5	0
		tau-Fluvalinate	0.010	0.010	73	71	2	0	0.045	0.006	0.005	0.1	0
	Oranges	Acetamiprid	0.010	0.010	86	86	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.021	0.021	0.021	0.9	0
		Azoxystrobin	0.010	0.010	88	87	1	0	0.073	0.006	0.005	15	0
		Boscalid	0.010	0.010	88	87	1	0	0.015	0.005	0.005	2	0
		Carbendazim	0.010	0.010	85	85	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	3	0	3	0	0.062	0.040	0.038	0.2	0
		Chlorpyrifos	0.010	0.010	88	83	5	0	0.036	0.006	0.005	0.3	0
		Chlorpyrifos-methyl	0.010	0.010	88	87	1	0	0.017	0.005	0.005	0.5	0
		Imazalil	0.010	0.010	88	30	58	0	3.160	0.401	0.223	5	0
		Imidacloprid	0.020	0.020	88	87	1	0	0.021	0.010	0.010	1	0
		Orthophenylphenol	0.010	0.010	50	45	5	0	0.150	0.010	0.005	5	0
		Prochloraz	0.010	0.010	77	77	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	11	0	11	0	1.430	0.241	0.091	10	0
		Propiconazole	0.010	0.010	88	84	4	0	0.231	0.011	0.005	6	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Pyrimethanil	0.010	0.010	72	72	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.110	0.110	0.110	5	0
			0.010	0.010	8	0	8	0	0.746	0.231	0.183	8	0
			0.010	0.010	7	0	7	0	0.668	0.237	0.104	10	0
		Tebuconazole	0.010	0.010	88	87	1	0	0.016	0.005	0.005	0.9	0
		Thiabendazole	0.010	0.010	88	57	31	0	1.250	0.122	0.005	5	0
Fruiting vegetables	Aubergines (egg plants)	Acetamiprid	0.010	0.010	39	38	1	0	0.076	0.007	0.005	0.2	0
		Chlorpyrifos	0.010	0.020	49	47	2	0	0.024	0.007	0.005	0.5	0
	Courgettes	Acetamiprid	0.010	0.010	51	49	2	0	0.050	0.006	0.005	0.3	0
		Azoxystrobin	0.010	0.010	51	50	1	0	0.023	0.005	0.005	1	0
		Boscalid	0.010	0.010	62	60	2	0	0.088	0.006	0.005	3	0
		Carbendazim	0.010	0.010	50	50	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.098	0.098	0.098	0.1	0
		Carbendazim and benomyl	0.010	0.010	51	49	2	0	0.049	0.007	0.005	0.1	0
		Chlorothalonil	0.010	0.010	1	0	1	0	0.023	0.023	0.023	1	0
			0.010	0.050	61	61	0	0	0.025	0.009	0.005	0.01	0
		Cyprodinil	0.010	0.010	62	60	2	0	0.030	0.006	0.005	0.5	0
		Imazalil	0.010	0.020	51	50	1	0	0.019	0.007	0.005	0.2	0
		Metalaxyl	0.010	0.050	40	40	0	0	0.025	0.011	0.005	.	0
			0.010	0.010	1	0	1	0	0.011	0.011	0.011	0.05	0
		Methomyl	0.010	0.020	50	50	0	0	0.010	0.007	0.005	.	0
			0.010	0.010	1	0	1	0	0.031	0.031	0.031	0.1	0
		Propamocarb	0.010	0.010	26	26	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	4	0	4	0	0.322	0.146	0.122	10	0
		Thiabendazole	0.010	0.020	51	50	1	0	0.030	0.007	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Thiophanate-methyl	0.010	0.020	51	50	0	1	0.150	0.010	0.005	0.1	0
	Cucumbers	Acetamiprid	0.010	0.010	96	89	7	0	0.164	0.010	0.005	0.3	0
		Azoxystrobin	0.010	0.010	96	94	2	0	0.120	0.006	0.005	1	0
		Boscalid	0.010	0.010	105	102	3	0	0.025	0.005	0.005	3	0
		Carbendazim and benomyl	0.010	0.010	96	92	4	0	0.079	0.007	0.005	0.1	0
		Chlorothalonil	0.010	0.050	105	103	2	0	0.571	0.013	0.005	1	0
		Chlorpyrifos	0.010	0.020	105	102	1	2	0.088	0.007	0.005	0.05	0
		Cyprodinil	0.010	0.010	105	103	2	0	0.015	0.005	0.005	0.5	0
		Dimethoate (sum)	0.010	0.010	96	95	0	1	0.030	0.005	0.005	0.02	0
		Flutriafol	0.010	0.020	89	88	1	0	0.024	0.007	0.005	0.05	0
		Imidacloprid	0.010	0.020	96	95	1	0	0.052	0.008	0.005	1	0
		Iprodione	0.010	0.100	105	103	2	0	0.050	0.012	0.010	2	0
		Iprovalicarb	0.010	0.010	96	95	1	0	0.025	0.005	0.005	0.1	0
		Metalaxyl	0.010	0.050	43	43	0	0	0.025	0.009	0.005	.	0
			0.010	0.010	1	0	1	0	0.016	0.016	0.016	5	0
			0.010	0.010	8	0	8	0	0.141	0.054	0.039	0.5	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers))	0.020	0.020	53	50	3	0	0.085	0.013	0.010	0.5	0
		Methomyl	0.010	0.020	95	95	0	0	0.010	0.008	0.010	.	0
			0.010	0.010	1	0	1	0	0.035	0.035	0.035	0.1	0
		Pirimicarb	0.010	0.010	51	51	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.117	0.117	0.117	1	0
		Propamocarb	0.010	0.010	32	32	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	6	0	6	0	0.445	0.119	0.054	5	0
			0.010	0.010	5	0	5	0	0.196	0.109	0.105	10	0
		Tebuconazole	0.010	0.050	103	103	0	0	0.025	0.007	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
			0.010	0.010	1	0	1	0	0.024	0.024	0.024	5	0
			0.010	0.010	1	0	1	0	0.018	0.018	0.018	0.2	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.020	96	94	2	0	0.034	0.008	0.005	0.5	0
		Trifloxystrobin	0.010	0.010	96	95	1	0	0.016	0.005	0.005	0.2	0
	Gherkins	Acetamiprid	0.010	0.010	11	10	1	0	0.017	0.006	0.005	0.3	0
		Carbendazim and benomyl	0.010	0.010	11	9	2	0	0.087	0.015	0.005	0.1	0
		Chlorothalonil	0.010	0.010	11	10	1	0	0.155	0.019	0.005	5	0
		Dimethoate (sum)	0.010	0.010	11	10	0	1	0.025	0.007	0.005	0.02	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers))	0.020	0.020	11	8	1	2	0.093	0.027	0.010	0.05	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	11	10	1	0	0.064	0.010	0.005	0.5	0
	Melons	Azoxystrobin	0.010	0.010	23	22	1	0	0.025	0.006	0.005	1	0
		Chlorothalonil	0.010	0.050	25	24	1	0	0.041	0.008	0.005	2	0
		Cyprodinil	0.010	0.010	25	24	1	0	0.085	0.008	0.005	0.6	0
		Fludioxonil	0.010	0.050	25	24	1	0	0.212	0.016	0.005	0.3	0
		Metalaxyl	0.010	0.050	9	9	0	0	0.025	0.009	0.005	.	0
			0.010	0.010	2	0	2	0	0.021	0.017	0.017	0.2	0
		Pirimiphos-methyl	0.010	0.020	25	24	1	0	0.065	0.010	0.010	1	0
	Peppers	Acetamiprid	0.010	0.010	1	0	1	0	0.131	0.131	0.131	0.2	0
			0.010	0.010	124	120	4	0	0.288	0.009	0.005	0.3	0
		Azoxystrobin	0.010	0.010	125	122	3	0	0.083	0.006	0.005	3	0
		Boscalid	0.010	0.010	141	128	13	0	0.763	0.016	0.005	3	0
		Buprofezin	0.010	0.020	141	140	1	0	0.059	0.006	0.005	2	0
		Carbendazim	0.010	0.010	124	124	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.039	0.039	0.039	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Carbendazim and benomyl	0.010	0.010	125	122	3	0	0.026	0.005	0.005	0.1	0
		Chlorothalonil	0.010	0.050	141	140	1	0	0.082	0.008	0.005	2	0
		Chlorpyrifos	0.010	0.020	141	132	9	0	0.414	0.010	0.005	0.5	0
		Chlorpyrifos-methyl	0.010	0.010	141	136	5	0	0.164	0.007	0.005	0.5	0
		Cypermethrin (sum)	0.020	0.050	141	138	3	0	0.104	0.013	0.010	0.5	0
		Cyproconazole	0.010	0.020	125	124	1	0	0.049	0.009	0.010	0.05	0
		Cyprodinil	0.010	0.010	141	134	7	0	0.261	0.008	0.005	1	0
		Difenoconazole	0.010	0.010	125	124	1	0	0.345	0.008	0.005	0.5	0
		Dimethoate (sum)	0.010	0.010	125	124	1	0	0.020	0.005	0.005	0.02	0
		Fludioxonil	0.010	0.050	140	140	0	0	0.025	0.010	0.010	.	0
			0.020	0.020	1	0	1	0	0.023	0.023	0.023	1	0
		Flutriafol	0.010	0.020	97	95	2	0	0.117	0.009	0.010	1	0
		Imidacloprid	0.010	0.020	125	121	4	0	0.126	0.011	0.010	1	0
		Iprodione	0.010	0.100	141	140	1	0	0.050	0.012	0.005	5	0
		Lambda-Cyhalothrin	0.010	0.020	141	139	2	0	0.058	0.006	0.005	0.1	0
		Myclobutanil	0.010	0.050	141	140	1	0	0.172	0.008	0.005	0.5	0
		Penconazole	0.010	0.010	141	140	1	0	0.015	0.005	0.005	0.2	0
		Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	46	45	1	0	0.050	0.006	0.005	1	0
		Pirimiphos-methyl	0.010	0.020	141	138	3	0	0.309	0.009	0.005	1	0
		Propargite	0.010	0.100	141	140	1	0	0.051	0.013	0.010	2	0
		Pyraclostrobin	0.010	0.010	125	121	4	0	0.126	0.007	0.005	0.5	0
		Pyridaben	0.010	0.020	141	140	1	0	0.013	0.006	0.005	0.5	0
		Pyrimethanil	0.010	0.010	141	139	2	0	0.072	0.006	0.005	2	0
		Pyriproxyfen	0.010	0.010	96	94	2	0	0.039	0.006	0.005	1	0
			0.010	0.010	1	0	1	0	0.138	0.138	0.138	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Tebuconazole	0.010	0.050	132	132	0	0	0.025	0.007	0.005	.	0
			0.010	0.010	5	0	5	0	0.082	0.044	0.042	0.5	0
			0.010	0.010	4	0	4	0	0.058	0.045	0.045	0.6	0
		Thiophanate-methyl	0.010	0.020	125	124	1	0	0.029	0.007	0.005	0.1	0
	Tomatoes	Acetamiprid	0.010	0.010	223	206	17	0	0.143	0.009	0.005	0.2	0
		Azoxystrobin	0.010	0.010	223	218	5	0	0.147	0.006	0.005	3	0
		Boscalid	0.010	0.010	259	246	13	0	0.196	0.009	0.005	3	0
		Carbendazim	0.010	0.010	218	218	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	5	0	5	0	0.240	0.088	0.055	0.3	0
		Carbendazim and benomyl	0.010	0.010	223	205	17	1	0.354	0.014	0.005	0.3	0
		Chlorothalonil	0.010	0.050	259	243	16	0	0.707	0.014	0.005	2	0
		Chlorpyrifos	0.010	0.020	259	248	10	1	0.720	0.014	0.005	0.5	0
		Cypermethrin (sum)	0.020	0.050	259	258	1	0	0.141	0.013	0.010	0.5	0
		Cyprodinil	0.010	0.010	259	250	9	0	0.174	0.007	0.005	1	0
		Diazinon	0.010	0.020	259	258	0	1	0.020	0.006	0.005	0.01	0
		Difenoconazole	0.010	0.010	223	222	1	0	0.154	0.006	0.005	2	0
		Dimethomorph	0.010	0.010	108	107	1	0	0.018	0.005	0.005	1	0
		Fenamidone	0.010	0.010	223	222	1	0	0.036	0.005	0.005	0.5	0
		Fludioxonil	0.010	0.050	258	258	0	0	0.025	0.010	0.010	.	0
			0.020	0.020	1	0	1	0	0.020	0.020	0.020	0.9	0
		Folpet	0.020	0.100	149	149	0	0	0.050	0.019	0.010	.	0
			0.020	0.100	2	0	2	0	0.221	0.123	0.123	3	0
		Imidacloprid	0.010	0.020	223	216	7	0	0.073	0.009	0.010	0.5	0
		Iprodione	0.010	0.100	259	249	10	0	0.352	0.019	0.010	5	0
		Lambda-Cyhalothrin	0.010	0.020	259	257	2	0	0.066	0.006	0.005	0.1	0
		Metalaxyl	0.010	0.050	150	150	0	0	0.025	0.010	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
			0.010	0.010	1	0	1	0	0.108	0.108	0.108	0.2	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers))	0.020	0.020	108	106	2	0	0.072	0.011	0.010	0.2	0
		Myclobutanil	0.010	0.050	258	258	0	0	0.025	0.008	0.005	0.3	0
			0.010	0.010	1	0	1	0	0.054	0.054	0.054	0.5	0
		Orthophenylphenol	0.010	0.010	207	206	1	0	0.014	0.005	0.005	0.05	0
		Pirimicarb	0.010	0.010	150	150	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.013	0.013	0.013	1	0
		Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	108	107	1	0	0.033	0.005	0.005	1	0
		Pirimiphos-methyl	0.010	0.020	259	258	1	0	0.027	0.007	0.005	1	0
		Procymidone	0.010	0.020	259	258	0	1	0.051	0.008	0.010	0.01	1
		Propamocarb	0.010	0.010	113	113	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.221	0.156	0.156	4	0
		Propargite	0.010	0.100	259	256	3	0	0.424	0.016	0.010	2	0
		Propiconazole	0.010	0.020	223	221	2	0	0.049	0.008	0.005	0.05	0
		Pyraclostrobin	0.010	0.010	223	216	7	0	0.064	0.006	0.005	0.3	0
		Pyridaben	0.010	0.020	259	254	5	0	0.088	0.006	0.005	0.3	0
		Pyrimethanil	0.010	0.010	258	255	3	0	0.667	0.009	0.005	1	0
			0.010	0.010	1	0	1	0	0.031	0.031	0.031	10	0
		Tebuconazole	0.010	0.050	246	246	0	0	0.025	0.008	0.005	.	0
			0.010	0.010	9	0	9	0	0.141	0.051	0.024	1	0
			0.010	0.010	4	0	4	0	0.043	0.024	0.019	0.9	0
		Thiophanate-methyl	0.010	0.020	223	214	9	0	0.195	0.011	0.005	1	0
	Watermelons	Boscalid	0.010	0.010	56	54	2	0	0.089	0.008	0.005	3	0
		Carbendazim	0.010	0.010	50	50	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
			0.010	0.010	1	0	1	0	0.061	0.061	0.061	0.1	0
		Chlorpyrifos-methyl	0.010	0.010	56	55	1	0	0.044	0.006	0.005	0.05	0
		Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	25	24	1	0	0.049	0.007	0.005	1	0
Fungi	Cultivated fungi	Carbendazim	0.010	0.010	14	14	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.378	0.378	0.378	1	0
		Carbendazim and benomyl	0.010	0.010	15	14	1	0	0.022	0.006	0.005	1	0
		Cyprodinil	0.010	0.010	30	29	1	0	0.020	0.006	0.005	0.05	0
		Prochloraz	0.010	0.010	13	13	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.048	0.041	0.041	3	0
		Pyrimethanil	0.010	0.010	28	28	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.038	0.026	0.026	0.05	0
Leafy vegetables & fresh herbs	Lettuce	Acetamiprid	0.010	0.010	44	44	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.018	0.018	0.018	5	0
		Azoxystrobin	0.010	0.010	45	41	4	0	2.468	0.064	0.005	15	0
		Boscalid	0.010	0.010	58	53	5	0	0.131	0.010	0.005	30	0
		Carbendazim and benomyl	0.010	0.010	45	42	3	0	0.100	0.009	0.005	0.1	0
		Chlorothalonil	0.010	0.050	58	57	1	0	0.025	0.010	0.005	0.01	0
		Chlorpyrifos	0.010	0.020	58	57	1	0	0.020	0.006	0.005	0.05	0
		Cypermethrin (sum)	0.020	0.050	58	54	4	0	2.000	0.055	0.010	2	0
		Cyprodinil	0.010	0.010	58	38	20	0	4.260	0.316	0.005	15	0
		Dimethomorph	0.010	0.010	39	37	2	0	0.208	0.011	0.005	15	0
		Fenhexamid	0.020	0.100	58	56	2	0	2.266	0.060	0.010	40	0
		Fludioxonil	0.010	0.050	58	44	14	0	8.500	0.426	0.010	15	0
		Imidacloprid	0.010	0.020	45	42	3	0	0.832	0.026	0.005	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Iprodione	0.010	0.100	58	55	3	0	3.227	0.077	0.010	10	0
		Lambda-Cyhalothrin	0.010	0.020	58	56	2	0	0.191	0.012	0.005	0.5	0
		Metalaxyl	0.010	0.050	17	17	0	0	0.025	0.020	0.025	.	0
			0.010	0.010	2	0	2	0	0.359	0.197	0.197	3	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers))	0.020	0.020	39	37	2	0	0.130	0.014	0.010	3	0
		Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.020	45	44	1	0	0.058	0.007	0.005	1	0
		Pendimethalin	0.020	0.050	52	48	4	0	0.040	0.015	0.010	0.05	0
		Propyzamide	0.010	0.010	58	57	1	0	0.038	0.006	0.005	1	0
		Pyraclostrobin	0.010	0.010	45	44	1	0	0.049	0.006	0.005	2	0
		Pyrimethanil	0.010	0.010	58	55	3	0	2.717	0.055	0.005	20	0
		Tebuconazole	0.010	0.050	58	57	1	0	0.143	0.012	0.005	0.5	0
		Thiametoxam	0.020	0.020	5	5	0	0	0.010	0.010	0.010	.	0
			0.020	0.020	1	0	1	0	0.231	0.231	0.231	5	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.020	45	44	1	0	0.080	0.007	0.005	5	0
		Thiophanate-methyl	0.010	0.020	45	41	3	1	0.169	0.019	0.010	0.1	0
	Parsley	Carbendazim and benomyl	0.010	0.010	29	25	4	0	0.100	0.013	0.005	0.1	0
		Chlorothalonil	0.010	0.010	29	27	2	0	0.085	0.009	0.005	5	0
		Chlorpyrifos	0.010	0.010	29	26	3	0	0.050	0.010	0.005	0.05	0
		Chlorpyrifos-methyl	0.010	0.010	29	25	3	1	0.148	0.013	0.005	0.05	1
		Cyprodinil	0.010	0.010	29	21	8	0	0.039	0.012	0.005	15	0
		DDT (sum)	0.010	0.010	29	28	1	0	0.050	0.007	0.005	0.05	0
		Dimethoate (sum)	0.010	0.010	29	28	0	1	0.094	0.008	0.005	0.02	1
		Dimethomorph	0.010	0.010	29	28	1	0	0.030	0.006	0.005	10	0
		Endosulfan (sum)	0.020	0.020	29	28	1	0	0.050	0.011	0.010	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Imidacloprid	0.010	0.010	29	28	1	0	0.770	0.031	0.005	2	0
		Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	29	28	1	0	0.530	0.023	0.005	1	0
		Myclobutanil	0.010	0.010	29	28	0	1	0.394	0.018	0.005	0.02	1
		Pendimethalin	0.020	0.020	25	23	2	0	0.030	0.012	0.010	2	0
			0.020	0.020	4	0	4	0	0.600	0.176	0.042	0.6	0
		Propiconazole	0.020	0.020	29	27	1	1	0.062	0.012	0.010	0.05	0
		Thiacloprid	0.020	0.020	29	28	1	0	0.026	0.011	0.010	5	0
		Thiophanate-methyl	0.020	0.020	29	28	1	0	0.051	0.011	0.010	0.1	0
		Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	29	26	2	1	0.162	0.012	0.005	0.1	0
		Trifloxystrobin	0.010	0.010	29	28	1	0	0.031	0.006	0.005	10	0
	Spinach	Azoxystrobin	0.010	0.010	19	18	1	0	0.010	0.005	0.005	15	0
		Carbendazim and benomyl	0.010	0.010	19	18	1	0	0.080	0.009	0.005	0.1	0
		Chlorpyrifos	0.010	0.020	21	18	3	0	0.020	0.007	0.005	0.05	0
		Clothianidin	0.020	0.020	19	18	1	0	0.165	0.018	0.010	2	0
		Cyprodinil	0.010	0.010	21	20	1	0	0.020	0.006	0.005	15	0
		Imidacloprid	0.010	0.020	19	18	1	0	0.030	0.007	0.005	0.05	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.020	19	18	1	0	0.213	0.016	0.005	3	0
		Thiophanate-methyl	0.010	0.020	19	18	1	0	0.078	0.013	0.010	0.1	0
Legume vegetables (fresh)	Beans (with pods)	Azoxystrobin	0.010	0.010	28	27	1	0	0.018	0.005	0.005	3	0
		Boscalid	0.010	0.010	39	38	1	0	0.325	0.013	0.005	3	0
		Carbendazim and benomyl	0.010	0.010	28	24	4	0	0.097	0.011	0.005	0.2	0
		Chlorpyrifos	0.010	0.020	39	38	1	0	0.020	0.007	0.005	0.05	0
		Cyprodinil	0.010	0.010	39	34	5	0	0.112	0.010	0.005	2	0
		Dimethoate (sum)	0.010	0.010	28	27	1	0	0.020	0.006	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Fenazaquin	0.010	0.010	24	23	1	0	0.046	0.007	0.005	0.1	0
		Lambda-Cyhalothrin	0.010	0.020	39	38	1	0	0.027	0.007	0.005	0.2	0
		Malathion	0.010	0.020	38	38	0	0	0.010	0.008	0.010	.	0
			0.010	0.010	1	0	1	0	0.012	0.012	0.012	0.02	0
		Propiconazole	0.010	0.020	28	27	1	0	0.026	0.010	0.010	0.05	0
		Pyraclostrobin	0.010	0.010	28	27	1	0	0.020	0.006	0.005	0.02	0
		Thiophanate-methyl	0.010	0.020	28	27	1	0	0.046	0.011	0.010	0.1	0
	Peas (without pods)	Bifenthrin	0.010	0.010	31	30	1	0	0.040	0.006	0.005	0.05	0
		Chlorpyrifos-methyl	0.010	0.010	31	30	0	1	0.243	0.013	0.005	0.05	1
		Imidacloprid	0.010	0.020	18	18	0	0	0.010	0.006	0.005	2	0
			0.010	0.010	1	0	1	0	0.019	0.019	0.019	0.2	0
		Propiconazole	0.010	0.020	19	18	1	0	0.021	0.009	0.010	0.05	0
Pome fruit	Apples	Acetamiprid	0.010	0.010	128	122	6	0	0.043	0.006	0.005	0.8	0
			0.010	0.010	1	0	1	0	0.020	0.020	0.020	0.05	0
		Azoxystrobin	0.010	0.010	129	128	1	0	0.010	0.005	0.005	0.05	0
		Bifenthrin	0.010	0.010	193	192	1	0	0.017	0.005	0.005	0.3	0
		Boscalid	0.010	0.010	193	181	12	0	0.217	0.010	0.005	2	0
		Captan	0.020	0.100	112	112	0	0	0.050	0.028	0.010	.	0
			0.020	0.100	14	0	14	0	0.805	0.421	0.430	3	0
		Carbendazim	0.010	0.010	123	123	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	6	0	6	0	0.122	0.073	0.075	0.2	0
		Chlorothalonil	0.010	0.050	193	191	2	0	0.062	0.012	0.005	1	0
		Chlorpyrifos	0.010	0.020	193	159	34	0	0.112	0.013	0.005	0.5	0
		Chlorpyrifos-methyl	0.010	0.010	193	189	4	0	0.118	0.006	0.005	0.5	0
		Clothianidin	0.020	0.020	129	128	1	0	0.020	0.010	0.010	0.4	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Cypermethrin (sum)	0.020	0.050	193	187	6	0	0.069	0.016	0.010	1	0
		Cyprodinil	0.010	0.010	193	170	23	0	0.199	0.011	0.005	1	0
		Difenoconazole	0.010	0.010	129	127	2	0	0.129	0.006	0.005	0.5	0
		Fludioxonil	0.010	0.050	193	191	2	0	0.128	0.014	0.010	5	0
		Folpet	0.020	0.100	123	123	0	0	0.050	0.030	0.050	.	0
			0.020	0.100	3	0	3	0	0.378	0.246	0.339	3	0
		Iprodione	0.010	0.100	193	188	5	0	1.943	0.047	0.010	5	0
		Lambda-Cyhalothrin	0.010	0.020	193	192	1	0	0.022	0.007	0.005	0.1	0
		Methoxyfenozide	0.010	0.020	110	108	2	0	0.030	0.008	0.010	2	0
		Myclobutanil	0.010	0.050	193	189	4	0	0.495	0.015	0.005	0.5	0
		Orthophenylphenol	0.010	0.010	174	173	1	0	0.017	0.005	0.005	0.05	0
		Pirimicarb	0.010	0.010	124	124	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.140	0.097	0.097	2	0
		Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	67	65	2	0	0.033	0.006	0.005	2	0
		Propargite	0.010	0.100	193	187	6	0	0.553	0.032	0.010	3	0
		Pyraclostrobin	0.010	0.010	121	121	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	8	0	8	0	0.088	0.048	0.038	0.5	0
		Pyrimethanil	0.010	0.010	187	187	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	3	0	3	0	0.027	0.020	0.018	5	0
			0.010	0.010	3	0	3	0	0.132	0.069	0.044	7	0
		Spirodiclofen	0.010	0.020	110	109	1	0	0.032	0.008	0.010	0.8	0
		Tebuconazole	0.010	0.050	189	189	0	0	0.025	0.012	0.005	.	0
			0.010	0.010	1	0	1	0	0.053	0.053	0.053	1	0
			0.010	0.050	3	0	3	0	0.075	0.055	0.072	0.3	0
		Tebufenpyrad	0.010	0.010	129	127	2	0	0.048	0.005	0.005	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Trifloxystrobin	0.010	0.010	129	126	3	0	0.035	0.005	0.005	0.5	0
	Pears	Acetamiprid	0.010	0.010	38	37	1	0	0.057	0.006	0.005	0.8	0
		Boscalid	0.010	0.010	52	40	12	0	0.616	0.037	0.005	2	0
		Captan	0.020	0.100	36	36	0	0	0.050	0.024	0.010	.	0
			0.100	0.100	1	0	1	0	1.005	1.005	1.005	3	0
		Carbendazim	0.010	0.010	37	37	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.013	0.013	0.013	0.2	0
		Chlorpyrifos	0.010	0.020	52	44	8	0	0.377	0.017	0.005	0.5	0
		Chlorpyrifos-methyl	0.010	0.010	52	51	1	0	0.092	0.007	0.005	0.5	0
		Cypermethrin (sum)	0.020	0.050	52	51	1	0	0.041	0.015	0.010	1	0
		Cyprodinil	0.010	0.010	52	50	2	0	0.948	0.026	0.005	1	0
		Difenoconazole	0.010	0.010	38	37	1	0	0.449	0.017	0.005	0.5	0
		Fludioxonil	0.010	0.050	52	48	4	0	0.916	0.033	0.010	5	0
		Iprodione	0.010	0.100	52	50	2	0	0.050	0.020	0.010	5	0
		Lambda-Cyhalothrin	0.010	0.020	52	50	2	0	0.024	0.007	0.005	0.1	0
		Myclobutanil	0.010	0.050	52	51	1	0	0.028	0.011	0.005	0.5	0
		Pyraclostrobin	0.010	0.010	36	36	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.277	0.226	0.226	0.5	0
		Pyrimethanil	0.010	0.010	51	51	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.658	0.658	0.658	5	0
		Tebuconazole	0.010	0.050	49	49	0	0	0.025	0.011	0.005	.	0
			0.010	0.010	1	0	1	0	0.014	0.014	0.014	1	0
			0.010	0.010	2	0	2	0	0.035	0.027	0.027	0.3	0
		Thiabendazole	0.010	0.020	38	37	1	0	0.018	0.007	0.005	5	0
		Thiacloprid	0.010	0.020	38	35	3	0	0.114	0.011	0.005	0.3	0
		Thiametoxam	0.020	0.020	22	22	0	0	0.010	0.010	0.010	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	*Product*	*Compound*	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
			0.020	0.020	1	0	1	0	0.024	0.024	0.024	0.5	0
	Quinces	Boscalid	0.010	0.010	8	7	1	0	0.040	0.009	0.005	2	0
		Chlorpyrifos	0.010	0.010	8	6	2	0	0.017	0.008	0.005	0.5	0
		Tebuconazole	0.010	0.010	8	7	1	0	0.040	0.009	0.005	0.5	0
Pulses	Beans (dry)	Azoxystrobin	0.010	0.010	1	0	1	0	0.049	0.049	0.049	3	0
			0.010	0.010	77	77	0	0	0.005	0.005	0.005	0.1	0
		Fenitrothion	0.010	0.020	88	87	1	0	0.010	0.006	0.005	0.01	0
		Fludioxonil	0.010	0.050	87	87	0	0	0.025	0.011	0.010	.	0
			0.020	0.020	1	0	0	1	0.191	0.191	0.191	0.05	1
		Malathion	0.010	0.020	83	83	0	0	0.010	0.005	0.005	.	0
			0.010	0.010	5	0	3	2	0.092	0.038	0.018	0.02	2
		Myclobutanil	0.010	0.050	88	87	1	0	0.025	0.007	0.005	0.02	0
Root and tuber vegetables	Beetroot	Cyprodinil	0.010	0.010	5	4	1	0	0.060	0.016	0.005	1	0
		Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	3	2	1	0	0.020	0.010	0.005	0.5	0
		Propyzamide	0.010	0.010	5	4	0	1	0.025	0.009	0.005	0.02	0
	Carrots	Azoxystrobin	0.010	0.010	47	45	2	0	0.024	0.006	0.005	1	0
		Boscalid	0.010	0.010	64	60	4	0	0.097	0.007	0.005	2	0
		Chlorpyrifos	0.010	0.020	64	62	1	1	0.111	0.008	0.005	0.1	0
		Cyprodinil	0.010	0.010	64	63	1	0	0.049	0.006	0.005	2	0
		DDT (sum)	0.010	0.050	64	63	1	0	0.050	0.011	0.005	0.05	0
		Imazalil	0.010	0.020	47	46	1	0	0.043	0.008	0.005	0.05	0
		Iprodione	0.010	0.100	64	61	3	0	0.322	0.024	0.010	0.5	0
		Myclobutanil	0.010	0.050	64	63	1	0	0.025	0.011	0.005	0.2	0
		Propyzamide	0.010	0.010	64	62	0	2	0.024	0.006	0.005	0.02	0
		Pyrimethanil	0.010	0.010	64	62	2	0	0.048	0.006	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Tebuconazole	0.010	0.050	63	63	0	0	0.025	0.010	0.005	.	0
			0.010	0.010	1	0	1	0	0.015	0.015	0.015	0.4	0
		Tefluthrin	0.010	0.010	28	25	3	0	0.041	0.007	0.005	0.05	0
		Thiabendazole	0.010	0.020	47	46	0	1	0.070	0.008	0.005	0.05	0
	Celeriac	Cyprodinil	0.010	0.010	18	17	1	0	0.039	0.007	0.005	0.3	0
		Tebuconazole	0.010	0.050	18	17	1	0	0.067	0.017	0.015	0.5	0
	Parsnips	Chlorpyrifos-methyl	0.010	0.010	15	14	1	0	0.019	0.006	0.005	0.05	0
		Dieldrin	0.010	0.020	14	14	0	0	0.010	0.006	0.005	.	0
			0.010	0.010	1	0	1	0	0.020	0.020	0.020	0.02	0
		Tebuconazole	0.010	0.050	14	14	0	0	0.025	0.009	0.005	.	0
			0.010	0.010	1	0	1	0	0.028	0.028	0.028	0.4	0
		Tefluthrin	0.010	0.010	11	10	1	0	0.013	0.006	0.005	0.05	0
		Vinclozolin	0.010	0.020	11	11	0	0	0.010	0.009	0.010	.	0
			0.020	0.020	1	0	1	0	0.042	0.042	0.042	0.05	0
	Potatoes	Carbendazim and benomyl	0.010	0.010	61	60	1	0	0.040	0.006	0.005	0.1	0
		Chlorpropham	0.010	0.010	122	110	12	0	1.280	0.033	0.005	10	0
		Chlorpyrifos	0.010	0.020	122	121	1	0	0.020	0.008	0.008	0.05	0
		Cyprodinil	0.010	0.010	122	121	1	0	0.020	0.005	0.005	0.05	0
		Imazalil	0.010	0.020	61	60	1	0	0.025	0.008	0.010	3	0
		Imidacloprid	0.010	0.020	61	59	2	0	0.025	0.008	0.005	0.5	0
		Iprodione	0.010	0.100	122	121	0	1	0.050	0.029	0.036	0.02	0
		Propiconazole	0.010	0.020	61	60	1	0	0.020	0.008	0.010	0.05	0
		Pyrimethanil	0.010	0.010	122	121	1	0	0.036	0.005	0.005	0.05	0
	Radishes	Azoxystrobin	0.010	0.010	21	19	2	0	0.038	0.007	0.005	1	0
		Bifenthrin	0.010	0.010	29	28	1	0	0.019	0.005	0.005	0.05	0
		Cyprodinil	0.010	0.010	29	28	1	0	0.080	0.008	0.005	0.08	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	*Product*	*Compound*	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
		Dimethomorph	0.010	0.010	15	15	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.016	0.016	0.016	1.5	0
		Endosulfansulfate	0.010	0.010	4	4	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.029	0.029	0.029	0.05	0
		Fludioxonil	0.010	0.050	29	28	0	1	0.103	0.015	0.005	0.1	0
		Pyraclostrobin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.010	0.010	0.010	0.5	0
Small fruit and berries	Strawberries	Acetamiprid	0.010	0.010	37	35	2	0	0.147	0.009	0.005	0.5	0
		Azoxystrobin	0.010	0.010	37	36	1	0	0.070	0.007	0.005	10	0
		Boscalid	0.010	0.010	41	35	6	0	1.700	0.085	0.005	10	0
		Bupirimate	0.010	0.010	37	36	1	0	0.206	0.010	0.005	1	0
		Carbendazim and benomyl	0.010	0.010	37	34	2	1	0.720	0.026	0.005	0.1	1
		Chlorothalonil	0.010	0.050	41	38	3	0	1.960	0.110	0.005	5	0
		Chlorpyrifos	0.010	0.020	40	39	1	0	0.020	0.006	0.005	0.2	0
			0.010	0.010	1	0	1	0	0.050	0.050	0.050	0.05	0
		Cyprodinil	0.010	0.010	41	34	7	0	0.680	0.047	0.005	5	0
		Difenoconazole	0.010	0.010	37	34	3	0	0.075	0.008	0.005	0.4	0
		Dimethoate (sum)	0.010	0.010	37	36	1	0	0.020	0.005	0.005	0.02	0
		Fenhexamid	0.020	0.100	41	39	2	0	0.370	0.026	0.010	5	0
		Fludioxonil	0.010	0.050	35	35	0	0	0.025	0.010	0.010	.	0
			0.010	0.010	6	0	6	0	0.505	0.236	0.165	3	0
		Imazalil	0.010	0.020	37	36	1	0	0.026	0.008	0.010	0.05	0
		Kresoxim-methyl	0.010	0.020	41	40	1	0	0.021	0.006	0.005	1	0
		Lambda-Cyhalothrin	0.010	0.020	41	39	2	0	0.030	0.006	0.005	0.5	0
		Mepanipyrim	0.010	0.010	25	25	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
			0.010	0.010	1	0	1	0	0.374	0.374	0.374	1.5	0
		Metalaxyl	0.010	0.050	19	19	0	0	0.025	0.009	0.005	.	0
			0.010	0.010	1	0	1	0	0.030	0.030	0.030	0.5	0
		Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.020	37	36	1	0	0.030	0.008	0.005	1	0
		Pyraclostrobin	0.010	0.010	37	34	3	0	0.090	0.009	0.005	1.5	0
		Pyrimethanil	0.010	0.010	41	40	1	0	0.020	0.005	0.005	5	0
		Tebufenpyrad	0.010	0.010	37	34	3	0	0.052	0.007	0.005	0.5	0
		Thiabendazole	0.010	0.020	37	36	1	0	0.050	0.009	0.010	0.05	0
		Thiophanate-methyl	0.010	0.020	37	35	1	1	3.080	0.092	0.010	0.1	1
	Table grapes	Azoxystrobin	0.010	0.010	92	85	7	0	0.360	0.021	0.005	2	0
		Boscalid	0.010	0.010	102	90	12	0	0.720	0.025	0.005	5	0
		Carbendazim	0.010	0.010	87	87	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	4	0	4	0	0.057	0.031	0.026	0.3	0
			0.010	0.010	1	0	1	0	0.046	0.046	0.046	0.5	0
		Chlorothalonil	0.010	0.050	102	101	1	0	0.025	0.007	0.005	3	0
		Chlorpyrifos	0.010	0.020	102	92	10	0	0.210	0.012	0.005	0.5	0
		Chlorpyrifos-methyl	0.010	0.010	102	101	1	0	0.030	0.005	0.005	0.2	0
		Cypermethrin (sum)	0.020	0.050	102	99	3	0	0.136	0.014	0.010	0.5	0
		Cyprodinil	0.010	0.010	102	81	21	0	1.072	0.049	0.005	5	0
		Difenoconazole	0.010	0.010	92	91	1	0	0.101	0.006	0.005	0.5	0
		Fenamidone	0.010	0.010	92	91	1	0	0.028	0.005	0.005	0.5	0
		Fenhexamid	0.020	0.100	102	95	7	0	0.815	0.038	0.010	5	0
		Fludioxonil	0.020	0.020	1	0	1	0	0.097	0.097	0.097	4	0
			0.010	0.050	101	94	7	0	0.248	0.017	0.010	5	0
		Imazalil	0.010	0.020	92	91	0	1	0.227	0.009	0.005	0.05	1

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Iprodione	0.010	0.100	102	100	2	0	0.700	0.018	0.005	10	0
		Iprovalicarb	0.010	0.010	92	91	1	0	0.016	0.005	0.005	2	0
		Kresoxim-methyl	0.010	0.020	102	100	2	0	0.110	0.007	0.005	1	0
		Lambda-Cyhalothrin	0.010	0.020	102	98	4	0	0.046	0.007	0.005	0.2	0
		Mandipropamid	0.010	0.010	79	77	2	0	0.161	0.008	0.005	2	0
		Metalaxyl	0.010	0.050	63	63	0	0	0.025	0.008	0.005	.	0
			0.010	0.010	3	0	3	0	0.094	0.053	0.032	1	0
			0.010	0.050	6	0	6	0	0.144	0.049	0.025	2	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers))	0.020	0.020	30	21	9	0	0.096	0.025	0.010	2	0
		Methoxyfenozide	0.010	0.020	79	77	2	0	0.071	0.008	0.005	1	0
		Myclobutanil	0.010	0.050	102	98	4	0	0.035	0.008	0.005	1	0
		Penconazole	0.010	0.010	102	98	4	0	0.067	0.006	0.005	0.2	0
		Propargite	0.010	0.100	102	101	1	0	0.150	0.014	0.010	7	0
		Pyraclostrobin	0.010	0.010	92	91	1	0	0.029	0.005	0.005	1	0
		Pyrimethanil	0.010	0.010	2	0	2	0	0.373	0.275	0.275	2	0
			0.010	0.010	100	76	24	0	2.490	0.122	0.005	5	0
		Spiroxamine	0.010	0.020	102	98	4	0	0.416	0.013	0.005	1	0
		Tebuconazole	0.010	0.050	99	99	0	0	0.025	0.007	0.005	.	0
			0.010	0.050	3	0	3	0	0.250	0.136	0.080	0.5	0
		Tebufenozide	0.010	0.010	79	78	1	0	0.039	0.005	0.005	3	0
		Tetraconazole	0.010	0.010	79	76	3	0	0.095	0.007	0.005	0.5	0
		Thiophanate-methyl	0.010	0.010	1	0	1	0	0.076	0.076	0.076	3	0
			0.010	0.020	91	91	0	0	0.010	0.007	0.005	0.1	0
		Trifloxystrobin	0.010	0.010	92	90	2	0	0.102	0.007	0.005	5	0
	Wine grapes	Carbendazim	0.010	0.010	57	57	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
			0.010	0.010	3	0	3	0	0.251	0.205	0.234	0.5	0
		Cyprodinil	0.010	0.010	83	67	16	0	1.040	0.046	0.005	5	0
		Fenhexamid	0.020	0.100	83	79	4	0	0.318	0.027	0.010	5	0
		Fludioxonil	0.010	0.050	83	81	2	0	0.095	0.013	0.005	4	0
		Iprodione	0.010	0.100	83	75	8	0	1.288	0.050	0.010	10	0
		Metalaxyl	0.010	0.050	30	30	0	0	0.025	0.020	0.025	.	0
			0.050	0.050	1	0	1	0	0.080	0.080	0.080	1	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers))	0.020	0.020	52	46	6	0	0.250	0.022	0.010	1	0
		Pyrimethanil	0.010	0.010	83	57	26	0	4.236	0.227	0.005	5	0
Stem vegetables	Leek	Boscalid	0.010	0.010	22	21	1	0	0.025	0.006	0.005	5	0
		Chlorothalonil	0.010	0.010	22	21	1	0	0.204	0.014	0.005	40	0
		Pyrimethanil	0.010	0.010	22	20	2	0	0.031	0.007	0.005	1	0
		Tebuconazole	0.010	0.010	21	21	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.051	0.051	0.051	0.6	0
Stone fruit	Apricots	Acetamiprid	0.010	0.010	38	37	1	0	0.037	0.006	0.005	0.1	0
		Boscalid	0.010	0.010	52	47	5	0	0.744	0.028	0.005	3	0
		Captan	0.020	0.100	28	24	4	0	2.158	0.129	0.030	4	0
		Carbendazim	0.010	0.010	34	34	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	4	0	4	0	0.157	0.070	0.056	0.2	0
		Carbendazim and benomyl	0.010	0.010	38	31	6	1	0.390	0.030	0.005	0.2	0
		Chlorothalonil	0.010	0.050	52	51	1	0	0.253	0.015	0.005	1	0
		Chlorpyrifos	0.010	0.020	52	49	2	1	0.097	0.009	0.005	0.05	0
		Cypermethrin (sum)	0.020	0.050	52	51	1	0	0.060	0.015	0.010	2	0
		Cyprodinil	0.010	0.010	52	41	11	0	0.747	0.028	0.005	2	0
		Difenoconazole	0.010	0.010	38	37	1	0	0.198	0.010	0.005	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	*Product*	*Compound*	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
		Fenhexamid	0.020	0.100	52	51	1	0	1.650	0.052	0.010	5	0
		Fludioxonil	0.010	0.050	52	51	1	0	0.201	0.015	0.010	5	0
		Imidacloprid	0.010	0.020	38	36	2	0	0.075	0.009	0.005	0.5	0
		Iprodione	0.010	0.100	52	51	1	0	0.087	0.020	0.010	3	0
		Lambda-Cyhalothrin	0.010	0.020	52	51	1	0	0.024	0.007	0.005	0.2	0
		Phosmet	0.010	0.020	27	27	0	0	0.010	0.008	0.010	.	0
			0.010	0.010	1	0	1	0	0.032	0.032	0.032	0.05	0
		Pyraclostrobin	0.010	0.010	36	36	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.022	0.022	0.022	1	0
		Pyrimethanil	0.010	0.010	51	51	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.100	0.100	0.100	3	0
		Tebuconazole	0.010	0.050	51	51	0	0	0.025	0.010	0.005	.	0
			0.010	0.010	1	0	1	0	0.013	0.013	0.013	1	0
		Thiacloprid	0.010	0.020	38	37	1	0	0.060	0.009	0.010	0.3	0
	Cherries	Boscalid	0.010	0.010	60	54	6	0	0.369	0.015	0.005	4	0
		Captan	0.020	0.100	14	13	1	0	0.243	0.061	0.050	5	0
		Carbendazim and benomyl	0.010	0.010	47	38	9	0	0.104	0.014	0.005	0.5	0
		Chlorpyrifos	0.010	0.020	60	58	2	0	0.224	0.013	0.005	0.3	0
		Cyprodinil	0.010	0.010	60	53	7	0	0.428	0.022	0.005	1	0
		Difenoconazole	0.010	0.010	47	46	1	0	0.047	0.006	0.005	0.3	0
		Dimethoate (sum)	0.010	0.010	47	45	2	0	0.200	0.009	0.005	0.2	0
		Fenhexamid	0.020	0.100	60	57	3	0	0.500	0.040	0.010	5	0
		Fludioxonil	0.010	0.050	60	58	2	0	0.225	0.015	0.005	5	0
		Imidacloprid	0.010	0.020	47	45	2	0	0.056	0.007	0.005	0.5	0
		Lambda-Cyhalothrin	0.010	0.020	60	53	7	0	0.060	0.009	0.005	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	46	45	1	0	0.046	0.006	0.005	5	0
		Procymidone	0.010	0.020	60	57	0	3	0.742	0.043	0.010	0.01	3
		Propiconazole	0.010	0.020	47	44	3	0	0.032	0.011	0.010	0.05	0
		Tebuconazole	0.010	0.050	59	59	0	0	0.025	0.009	0.005	.	0
			0.010	0.010	1	0	1	0	0.024	0.024	0.024	1	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.020	47	42	5	0	0.089	0.010	0.005	1	0
	Peaches	Acetamiprid	0.010	0.010	62	60	2	0	0.040	0.006	0.005	0.7	0
		Boscalid	0.010	0.010	66	62	4	0	0.120	0.008	0.005	3	0
		Carbendazim	0.010	0.010	61	61	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.048	0.048	0.048	0.048	0
		Carbendazim and benomyl	0.010	0.010	62	57	5	0	0.126	0.012	0.005	0.2	0
		Chlorothalonil	0.010	0.050	66	65	1	0	0.061	0.007	0.005	1	0
		Chlorpyrifos	0.010	0.020	66	53	12	1	0.202	0.017	0.005	0.2	0
		Cyprodinil	0.010	0.010	66	63	3	0	0.106	0.007	0.005	2	0
		Dimethoate (sum)	0.010	0.010	62	61	1	0	0.013	0.005	0.005	0.02	0
		Etofenprox	0.010	0.010	20	18	2	0	0.095	0.011	0.005	0.6	0
		Fludioxonil	0.010	0.050	65	65	0	0	0.025	0.009	0.010	.	0
			0.020	0.020	1	0	1	0	0.219	0.219	0.219	10	0
		Imidacloprid	0.010	0.020	62	61	1	0	0.088	0.010	0.010	0.5	0
		Iprodione	0.010	0.100	66	65	1	0	0.174	0.012	0.005	3	0
		Lambda-Cyhalothrin	0.010	0.020	66	64	2	0	0.063	0.007	0.005	0.2	0
		Myclobutanil	0.010	0.050	66	65	1	0	0.025	0.006	0.005	0.5	0
		Pyraclostrobin	0.010	0.010	62	61	1	0	0.014	0.005	0.005	0.3	0
		Pyrimethanil	0.010	0.010	66	65	1	0	0.072	0.006	0.005	10	0
		Tebuconazole	0.010	0.050	61	61	0	0	0.025	0.006	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
			0.010	0.010	3	0	3	0	0.042	0.028	0.023	1	0
			0.010	0.010	2	0	2	0	0.116	0.074	0.074	0.6	0
	Plums	Boscalid	0.010	0.010	105	104	1	0	0.043	0.005	0.005	3	0
		Carbendazim	0.010	0.010	62	62	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.013	0.013	0.013	0.5	0
		Carbendazim and benomyl	0.010	0.010	63	62	1	0	0.090	0.006	0.005	0.5	0
		Chlorpyrifos	0.010	0.020	105	103	2	0	0.027	0.007	0.005	0.2	0
		Cyprodinil	0.010	0.010	105	102	3	0	0.105	0.007	0.005	2	0
		Difenoconazole	0.010	0.010	63	62	1	0	0.326	0.010	0.005	0.5	0
		Etofenprox	0.010	0.010	43	42	1	0	0.038	0.006	0.005	1	0
		Iprodione	0.010	0.100	105	101	4	0	0.256	0.028	0.010	3	0
		Pirimicarb	0.010	0.010	61	61	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.026	0.026	0.026	1	0
		Pyrimethanil	0.010	0.010	98	98	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	6	0	6	0	0.780	0.280	0.174	2	0
			0.010	0.010	1	0	1	0	0.190	0.190	0.190	3	0
		Tebuconazole	0.010	0.050	105	103	2	0	0.284	0.016	0.005	1	0
Tea, coffee, herbal infusions and cocoa	Tea	Acetamiprid	0.010	0.010	1	1	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.096	0.094	0.094	0.1	0
		Buprofezin	0.010	0.010	3	1	2	0	0.046	0.031	0.042	0.05	0
		Carbendazim	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.053	0.053	0.053	0.1	0
		Cypermethrin (sum)	0.020	0.020	3	2	1	0	0.230	0.083	0.010	0.5	0
		Permethrin (sum of isomers)	0.020	0.020	3	2	1	0	0.056	0.025	0.010	0.1	0
		Pyridaben	0.010	0.010	3	2	1	0	0.031	0.014	0.005	0.05	0
Tropical and subtropical fruit	Avocados	Prochloraz	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
			0.010	0.010	1	0	1	0	0.254	0.254	0.254	5	0
	Bananas	Azoxystrobin	0.010	0.010	39	36	3	0	0.043	0.007	0.005	2	0
		Bifenthrin	0.010	0.010	39	37	2	0	0.017	0.006	0.005	0.1	0
		Chlorpyrifos	0.010	0.010	39	38	1	0	0.040	0.006	0.005	3	0
		Imazalil	0.010	0.010	39	25	14	0	0.148	0.032	0.005	2	0
		Myclobutanil	0.010	0.010	39	37	2	0	0.037	0.006	0.005	2	0
		Prochloraz	0.010	0.010	38	38	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.022	0.022	0.022	0.05	0
		Thiabendazole	0.010	0.010	39	25	14	0	0.242	0.044	0.005	5	0
	Kiwi	Boscalid	0.010	0.010	16	15	1	0	0.019	0.006	0.005	5	0
		Fludioxonil	0.020	0.020	15	15	0	0	0.010	0.010	0.010	.	0
			0.020	0.020	1	0	1	0	0.148	0.148	0.148	20	0
	Pineapples	Diazinon	0.010	0.010	14	13	1	0	0.080	0.010	0.005	0.3	0
		Prochloraz	0.010	0.010	12	12	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.154	0.088	0.088	5	0
		Triadimefon	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.018	0.018	0.018	2	0
			0.010	0.010	3	0	3	0	0.143	0.078	0.064	3	0
		Triadimenol	0.020	0.020	13	13	0	0	0.010	0.010	0.010	.	0
			0.020	0.020	1	0	1	0	0.277	0.277	0.277	3	0
	Pomegranate	Bifenthrin	0.010	0.010	30	29	1	0	0.011	0.005	0.005	0.05	0
		Boscalid	0.010	0.010	30	26	4	0	0.048	0.009	0.005	0.05	0
		Carbendazim	0.010	0.010	29	29	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.077	0.077	0.077	0.1	0
		Chlorpyrifos	0.010	0.010	30	26	4	0	0.047	0.008	0.005	0.05	0
		Chlorpyrifos-methyl	0.010	0.010	30	29	1	0	0.016	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Cypermethrin (sum)	0.020	0.020	30	29	1	0	0.038	0.011	0.010	0.05	0
		Difenoconazole	0.010	0.010	30	29	1	0	0.025	0.006	0.005	0.1	0
		Lambda-Cyhalothrin	0.010	0.010	30	29	1	0	0.015	0.005	0.005	0.02	0
		Prochloraz	0.010	0.010	29	29	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.047	0.047	0.047	0.05	0
		Pyraclostrobin	0.010	0.010	30	28	2	0	0.016	0.006	0.005	0.02	0
		Tebuconazole	0.010	0.010	29	29	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.018	0.018	0.018	0.02	0
		Thiametoxam	0.020	0.020	29	29	0	0	0.010	0.010	0.010	.	0
			0.020	0.020	1	0	1	0	0.031	0.031	0.031	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C2: Results of national programme organic products where residues were detected

ProductClass=Cereals

Prod. Group	*Product*	*Treatment*	*Compound*	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Cereals	Rice	Unprocessed	Deltamethrin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	.	0
				0.010	0.010	1	0	1	0	0.153	0.153	0.153	2	0
			Iprodione	0.020	0.020	1	1	0	0	0.010	0.010	0.010	.	0
				0.020	0.020	1	0	1	0	0.062	0.062	0.062	3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C2: Results of national programme organic products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	*Product*	*Treatment*	*Compound*	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Leafy vegetables & fresh herbs	Lettuce	Unprocessed	Chlorpyrifos	0.010	0.010	1	0	1	0	0.020	0.020	0.020	0.05	0
	Spinach	Unprocessed	Cyprodinil	0.010	0.010	1	1	0	0	0.005	0.005	0.005	.	0
				0.010	0.010	1	0	1	0	0.020	0.020	0.020	15	0
Root and tuber vegetables	Potatoes	Unprocessed	Fenazaquin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	.	0
				0.010	0.010	1	0	0	1	0.020	0.020	0.020	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C3: Results of national programme processed conventional products where residues were detected

ProductClass=Cereals

Prod. Group	*Product*	*Treatment*	*Compound*	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*Non Compliant*
Cereals	Wheat	Milling - refined flour	Chlorpyrifos	0.010	0.010	50	48	2	0	0.037	0.006	0.005	0
			Chlorpyrifos-methyl	0.010	0.010	50	48	2	0	0.137	0.010	0.005	0
			Malathion	0.010	0.010	50	47	3	0	0.182	0.010	0.005	0
			Pirimiphos-methyl	0.010	0.010	50	49	1	0	0.046	0.006	0.005	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C3: Results of national programme processed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Treatment	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	Non Compliant
Citrus fruit	Oranges	Juicing	Imazalil	0.010	0.010	6	4	2	0	0.086	0.025	0.005	0
Small fruit and berries	Wine grapes	Wine production - red wine cold process	Boscalid	0.010	0.010	53	52	1	0	0.033	0.006	0.005	0
			Carbendazim	0.010	0.010	53	49	4	0	0.095	0.010	0.005	0
			Fenhexamid	0.020	0.020	53	52	1	0	0.047	0.011	0.010	0
			Iprodione	0.010	0.010	53	51	2	0	0.080	0.007	0.005	0
			Metalaxyl	0.010	0.010	53	52	1	0	0.057	0.006	0.005	0
			Pyrimethanil	0.010	0.010	53	52	1	0	0.033	0.006	0.005	0
			Thiophanate-methyl	0.010	0.010	53	51	2	0	0.146	0.009	0.005	0
		Wine production - white wine	Carbendazim	0.010	0.010	62	59	3	0	0.067	0.007	0.005	0
			Fenhexamid	0.020	0.020	62	61	1	0	0.076	0.011	0.010	0
			Iprodione	0.010	0.010	62	57	5	0	0.151	0.011	0.005	0
			Malathion	0.010	0.010	62	61	1	0	0.018	0.005	0.005	0
			Metalaxyl	0.010	0.010	62	61	1	0	0.015	0.005	0.005	0
			Pyrimethanil	0.010	0.010	62	60	2	0	0.044	0.006	0.005	0
			Tebuconazole	0.010	0.010	62	61	1	0	0.021	0.005	0.005	0
			Thiophanate-methyl	0.010	0.010	62	58	4	0	0.200	0.011	0.005	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table D: Reported exceedences of MRL for surveillance and enforcement samples

Strategy=Surveillance

Lab Sample Code	*Orig Country*	*Product*	*Sampling Point*	*Treatment*	*Organic*	*Residue*	*LOQ*	*Level*	*Unit*	*MRL*	*Result Evaluation*
RO321-ANSVSA-31127	BG	Rice	Wholesale	Unprocessed		Quinoxyfen	0.010	0.024	mg/kg	0.02	Non compliant
14-0399	RO	Apricots	Distribution: wholesale and retail sale	Unprocessed		Chlorpyrifos	0.010	0.097	mg/kg	0.05	Numerical exceedence
14-0500	RO	Apricots	Distribution: wholesale and retail sale	Unprocessed		Carbendazim and benomyl	0.010	0.390	mg/kg	0.20	Numerical exceedence
RO321-ANSVSA-30626	ET	Beans (dry)	Import activities	Unprocessed		Malathion	0.010	0.054	mg/kg	0.02	Non compliant
RO321-ANSVSA-30896	ET	Beans (dry)	Import activities	Unprocessed		Fludioxonil	0.020	0.191	mg/kg	0.05	Non compliant
RO321-ANSVSA-30896	ET	Beans (dry)	Import activities	Unprocessed		Malathion	0.010	0.092	mg/kg	0.02	Non compliant
14-0330	RO	Beetroot	Distribution: wholesale and retail sale	Unprocessed		Propyzamide	0.010	0.025	mg/kg	0.02	Numerical exceedence
14-0194	RO	Blueberries	Distribution: wholesale and retail sale	Unprocessed		Chlorothalonil	0.010	0.017	mg/kg	0.01	Numerical exceedence
14-0505	RO	Blueberries	Distribution: wholesale and retail sale	Unprocessed		Carbendazim and benomyl	0.010	0.164	mg/kg	0.10	Numerical exceedence
14-0115	RO	Carrots	Distribution: wholesale and retail sale	Unprocessed		Chlorpyrifos	0.010	0.111	mg/kg	0.10	Numerical exceedence
14-0115	RO	Carrots	Distribution: wholesale and retail sale	Unprocessed		Thiabendazole	0.020	0.070	mg/kg	0.05	Numerical exceedence
14-0969	RO	Carrots	Distribution: wholesale and retail sale	Unprocessed		Propyzamide	0.010	0.022	mg/kg	0.02	Numerical exceedence
14-1076	RO	Carrots	Distribution: wholesale and retail sale	Unprocessed		Propyzamide	0.010	0.024	mg/kg	0.02	Numerical exceedence
14-0294	RO	Cherries	Distribution: wholesale and retail sale	Unprocessed		Procymidone	0.020	0.670	mg/kg	0.01	Non compliant

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Table D: Reported exceedences of MRL for surveillance and enforcement samples

Strategy=Surveillance

Lab Sample Code	*Orig Country*	*Product*	*Sampling Point*	*Treatment*	*Organic*	*Residue*	*LOQ*	*Level*	*Unit*	*MRL*	*Result Evaluation*
14-0304	RO	Cherries	Distribution: wholesale and retail sale	Unprocessed		Procymidone	0.020	0.742	mg/kg	0.01	Non compliant
14-0334	RO	Cherries	Distribution: wholesale and retail sale	Unprocessed		Procymidone	0.020	0.591	mg/kg	0.01	Non compliant
14-0271	RO	Courgettes	Distribution: wholesale and retail sale	Unprocessed		Thiophanate-methyl	0.020	0.150	mg/kg	0.10	Numerical exceedence
14-0589	RO	Cucumbers	Distribution: wholesale and retail sale	Unprocessed		Chlorpyrifos	0.010	0.088	mg/kg	0.05	Numerical exceedence
14-0690	RO	Cucumbers	Distribution: wholesale and retail sale	Unprocessed		Dimethoate (sum)	0.010	0.030	mg/kg	0.02	Numerical exceedence
14-0829	RO	Cucumbers	Distribution: wholesale and retail sale	Unprocessed		Chlorpyrifos	0.010	0.061	mg/kg	0.05	Numerical exceedence
14-1044	RO	Garlic	Distribution: wholesale and retail sale	Unprocessed		Pyrimethanil	0.010	0.015	mg/kg	0.01	Numerical exceedence
14-0586	RO	Gherkins	Distribution: wholesale and retail sale	Unprocessed		Dimethoate (sum)	0.010	0.025	mg/kg	0.02	Numerical exceedence
14-0604	RO	Gherkins	Distribution: wholesale and retail sale	Unprocessed		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.020	0.082	mg/kg	0.05	Numerical exceedence
14-0611	RO	Gherkins	Distribution: wholesale and retail sale	Unprocessed		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.020	0.093	mg/kg	0.05	Numerical exceedence
14-0117	RO	Lettuce	Distribution: wholesale and retail sale	Unprocessed		Thiophanate-methyl	0.020	0.169	mg/kg	0.10	Numerical exceedence
14-0336	RO	Parsley	Distribution: wholesale and retail sale	Unprocessed		Chlorpyrifos-methyl	0.010	0.148	mg/kg	0.05	Non compliant

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Table D: Reported exceedences of MRL for surveillance and enforcement samples

Strategy=Surveillance

Lab Sample Code	*Orig Country*	*Product*	*Sampling Point*	*Treatment*	*Organic*	*Residue*	*LOQ*	*Level*	*Unit*	*MRL*	*Result Evaluation*
14-0336	RO	Parsley	Distribution: wholesale and retail sale	Unprocessed		Dimethoate (sum)	0.010	0.094	mg/kg	0.02	Non compliant
14-0336	RO	Parsley	Distribution: wholesale and retail sale	Unprocessed		Myclobutanil	0.010	0.394	mg/kg	0.02	Non compliant
14-0336	RO	Parsley	Distribution: wholesale and retail sale	Unprocessed		Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.162	mg/kg	0.10	Numerical exceedence
14-0683	RO	Parsley	Distribution: wholesale and retail sale	Unprocessed		Propiconazole	0.020	0.062	mg/kg	0.05	Numerical exceedence
14-0458	RO	Peaches	Distribution: wholesale and retail sale	Unprocessed		Chlorpyrifos	0.010	0.202	mg/kg	0.20	Numerical exceedence
RO321-ANSVSA-30582	AR	Peas (without pods)	Import activities	Unprocessed		Chlorpyrifos-methyl	0.010	0.243	mg/kg	0.05	Non compliant
14-1030	RO	Potatoes	Distribution: wholesale and retail sale	Unprocessed	Y	Fenazaquin	0.010	0.020	mg/kg	0.01	Numerical exceedence
14-1122	RO	Potatoes	Distribution: wholesale and retail sale	Unprocessed		Iprodione	0.020	0.021	mg/kg	0.02	Numerical exceedence
14-0044	RO	Radishes	Distribution: wholesale and retail sale	Unprocessed		Fludioxonil	0.010	0.103	mg/kg	0.10	Numerical exceedence
14-0360	RO	Spring onions	Distribution: wholesale and retail sale	Unprocessed		Pyrimethanil	0.010	0.095	mg/kg	0.05	Numerical exceedence
14-0272	RO	Strawberries	Distribution: wholesale and retail sale	Unprocessed		Carbendazim and benomyl	0.010	0.720	mg/kg	0.10	Non compliant
14-0272	RO	Strawberries	Distribution: wholesale and retail sale	Unprocessed		Thiophanate-methyl	0.020	3.080	mg/kg	0.10	Non compliant

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Table D: Reported exceedences of MRL for surveillance and enforcement samples

Strategy=Surveillance

Lab Sample Code	*Orig Country*	*Product*	*Sampling Point*	*Treatment*	*Organic*	*Residue*	*LOQ*	*Level*	*Unit*	*MRL*	*Result Evaluation*
RO321-ANSVSA-31421	TR	Table grapes	Wholesale	Unprocessed		Imazalil	0.010	0.227	mg/kg	0.05	Non compliant
14-0358	RO	Tomatoes	Distribution: wholesale and retail sale	Unprocessed		Chlorpyrifos	0.010	0.720	mg/kg	0.50	Numerical exceedence
14-0605	RO	Tomatoes	Distribution: wholesale and retail sale	Unprocessed		Carbendazim and benomyl	0.010	0.354	mg/kg	0.30	Numerical exceedence
14-0615	RO	Tomatoes	Distribution: wholesale and retail sale	Unprocessed		Diazinon	0.010	0.020	mg/kg	0.01	Numerical exceedence
RO321-ANSVSA-30191	JO	Tomatoes	Wholesale	Unprocessed		Procymidone	0.010	0.051	mg/kg	0.01	Non compliant

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Table E1: Number of residues detected by product

ProductClass	*Product*	*Processed*	*n0*	*n1*	*n2*	*n3*	*n4*	*n5*	*n6*	*n7*	*n8*
Animal products	Bovine Fat		6	2	.	1	1	1	.	.	.
Animal products	Bovine Muscle		11	1	.	.	.	.	.	.	.
Animal products	Eggs Chicken		29	2	.	3	1	1	.	1	.
Animal products	Eggs Quail		4	.	.	.	.	.	.	.	.
Animal products	Equine Fat		6	2	.	1	.	.	.	.	.
Animal products	Equine Muscle		7	.	.	.	.	.	.	.	.
Animal products	Goat Muscle		1	.	.	.	.	.	.	.	.
Animal products	Honey		43	3	.	.	.	.	.	.	.
Animal products	Honey	Y	17	.	.	.	.	.	.	.	.
Animal products	Horses, asses, mules or hinnies (equine) Tissues		.	1	.	.	.	.	.	.	.
Animal products	Milk Cattle		10	1	2	1	.	.	.	.	.
Animal products	Milk Sheep		1	.	.	.	.	.	.	.	.
Animal products	Other farm animals Muscle		.	2	1	.	.	.	.	.	.
Animal products	Other terrestrial animal products		2	.	.	.	5	.	.	.	.
Animal products	Poultry Fat		84	4	2	.	.	.	.	.	.
Animal products	Poultry Liver		3	.	.	.	.	.	.	.	.
Animal products	Poultry Muscle		100	15	7	3	2	.	.	.	.
Animal products	Poultry — chicken, geese, duck, turkey and Guinea fowl — ostrich, pigeon Tissues		34	8	5	1	.	.	.	.	.
Animal products	Sheep Fat		5	1	.	1	.	.	.	.	.
Animal products	Sheep Muscle		3	.	.	.	.	.	.	.	.
Animal products	Swine Fat		70	3	2	1	1	.	.	.	.
Animal products	Swine Muscle		88	7	10	5	3	.	.	.	.
Animal products	Swine Others		.	2	.	5	.	.	.	.	.
Baby food	Baby food for infants and young childern	Y	3	.	.	.	.	.	.	.	.
Baby food	Processed cereal-based baby foods (e.g. cereal and pastas to be reconstituted with milk or other liq	Y	37	.	.	.	.	.	.	.	.
Cereals	Barley		5	.	.	.	.	.	.	.	.
Cereals	Maize		105	1	.	.	.	.	.	.	.
Cereals	Rice		31	2	1	.	.	.	.	.	.
Cereals	Rice	Y	3	.	.	.	.	.	.	.	.

Column nX indicates number of residues detected in product.
To avoid duplicates residues marked as part of sum are excluded

Table E1: Number of residues detected by product

ProductClass	*Product*	*Processed*	*n0*	*n1*	*n2*	*n3*	*n4*	*n5*	*n6*	*n7*	*n8*
Cereals	Rye		13	3	.	.	.	.	.	.	.
Cereals	Wheat		95	11	3	.	.	.	.	.	.
Cereals	Wheat	Y	46	3	1	.	.	.	.	.	.
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products		.	1	.	.	.	.	.	.	.
Fruits and nuts	Apples		116	49	14	9	6	.	.	.	.
Fruits and nuts	Apricots		30	14	7	2	.	.	.	.	.
Fruits and nuts	Avocados		3	.	.	.	.	.	.	.	.
Fruits and nuts	Bananas		16	12	9	2	.	.	.	.	.
Fruits and nuts	Blueberries		8	3	1	1	.	.	.	.	.
Fruits and nuts	Cherries		30	24	1	3	3	.	.	.	.
Fruits and nuts	Chestnuts		1	.	.	.	.	.	.	.	.
Fruits and nuts	Figs		2	.	.	.	.	.	.	.	.
Fruits and nuts	Grapefruit		22	36	43	32	22	6	.	.	.
Fruits and nuts	Kiwi		14	2	.	.	.	.	.	.	.
Fruits and nuts	Lemons		47	44	30	25	9	1	.	.	.
Fruits and nuts	Limes		1	.	.	.	.	.	.	.	.
Fruits and nuts	Mandarins		17	13	16	22	4	1	1	.	.
Fruits and nuts	Mangoes		2	.	.	.	.	.	.	.	.
Fruits and nuts	Oranges		31	16	51	15	4	1	.	1	.
Fruits and nuts	Oranges	Y	4	2	.	.	.	.	.	.	.
Fruits and nuts	Peaches		37	20	6	2	1	.	.	.	.
Fruits and nuts	Pears		33	11	5	4	1	.	1	.	.
Fruits and nuts	Pineapples		13	1	.	.	.	.	.	.	.
Fruits and nuts	Plums		86	17	2	.	.	.	.	.	.
Fruits and nuts	Pomegranate		19	6	5	.	.	.	.	.	.
Fruits and nuts	Quinces		6	1	.	1	.	.	.	.	.
Fruits and nuts	Strawberries		24	4	4	4	3	2	.	.	.
Fruits and nuts	Table grapes		38	32	14	7	5	3	1	1	1
Fruits and nuts	Wine grapes		43	26	14	.	.	.	.	.	.

Column nX indicates number of residues detected in product.
To avoid duplicates residues marked as part of sum are excluded

Table E1: Number of residues detected by product

ProductClass	*Product*	*Processed*	*n0*	*n1*	*n2*	*n3*	*n4*	*n5*	*n6*	*n7*	*n8*
Fruits and nuts	Wine grapes	Y	96	18	1	.	.	.	.	.	.
Other plant products	Beans (dry)		87	2	1	.	.	.	.	.	.
Other plant products	Carob (St Johns bread)		1	.	.	.	.	.	.	.	.
Other plant products	Lentils (dry)		5	.	.	.	.	.	.	.	.
Other plant products	Olives for oil production		10	.	.	.	.	.	.	.	.
Other plant products	Olives for oil production	Y	2	.	.	.	.	.	.	.	.
Other plant products	Soya bean		1	.	.	.	.	.	.	.	.
Other plant products	Sugar beet (root)		2	.	.	.	.	.	.	.	.
Other plant products	Tea		1	.	2	1	.	.	.	.	.
Vegetables	Aubergines (egg plants)		47	3	.	.	.	.	.	.	.
Vegetables	Beans (with pods)		33	6	3	1	.	.	.	.	.
Vegetables	Beetroot		4	.	1	.	.	.	.	.	.
Vegetables	Broccoli		9	.	.	.	.	.	.	.	.
Vegetables	Carrots		53	8	3	1	.	.	1	.	.
Vegetables	Cauliflower		28	4	.	.	.	1	.	.	.
Vegetables	Celeriac		17	1	.	.	.	.	.	.	.
Vegetables	Celery		11	.	.	.	.	.	.	.	.
Vegetables	Chinese cabbage		1	.	.	.	.	.	.	.	.
Vegetables	Courgettes		53	7	2	.	.	.	.	.	.
Vegetables	Cucumbers		76	24	6	.	.	.	.	.	.
Vegetables	Cultivated fungi		27	3	.	.	.	.	.	.	.
Vegetables	Garlic		38	1	1	.	.	.	.	.	.
Vegetables	Gherkins		5	3	3	.	.	.	.	.	.
Vegetables	Head cabbage		64	2	1	.	.	.	.	.	.
Vegetables	Kohlrabi		3	.	.	.	.	.	.	.	.
Vegetables	Leek		19	2	.	1	.	.	.	.	.
Vegetables	Lettuce		20	18	15	4	2	.	.	.	.
Vegetables	Melons		21	3	1	.	.	.	.	.	.
Vegetables	Onions		86	2	1	.	.	.	.	.	.

Column nX indicates number of residues detected in product.
To avoid duplicates residues marked as part of sum are excluded

Table E1: Number of residues detected by product

ProductClass	*Product*	*Processed*	*n0*	*n1*	*n2*	*n3*	*n4*	*n5*	*n6*	*n7*	*n8*
Vegetables	Other spinach and similar (leaves)		1	.	.	.	.	.	.	.	.
Vegetables	Parsley		11	11	2	3	1	.	1	.	.
Vegetables	Parsley root		2	.	.	.	.	.	.	.	.
Vegetables	Parsnips		12	3	.	.	.	.	.	.	.
Vegetables	Peas (without pods)		28	2	1	.	.	.	.	.	.
Vegetables	Peppers		97	24	12	3	4	1	.	1	.
Vegetables	Potatoes		112	13	1	.	.	.	.	.	.
Vegetables	Radishes		25	2	2	.	.	.	.	.	.
Vegetables	Spinach		18	4	.	.	.	1	.	.	.
Vegetables	Spring onions		40	5	2	.	.	.	.	.	.
Vegetables	Sweet potatoes		1	.	.	.	.	.	.	.	.
Vegetables	Tomatoes		167	52	21	12	4	3	.	.	.
Vegetables	Watermelons		52	4	.	.	.	.	.	.	.
			2891	*635*	*338*	*177*	*82*	*22*	*5*	*4*	*1*

Column nX indicates number of residues detected in product.
To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apples

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3
14-0020	RO	4	Boscalid(0.136)	Acetamiprid(0.02)	Clothianidin(0.02)
14-0021	RO	2	Methoxyfenozide(0.03)	Tebuconazole(0.053)	
14-0022	RO	2	Boscalid(0.033)	Chlorpyrifos(0.022)	
14-0030	RO	3	Chlorothalonil(0.062)	Cyprodinil(0.033)	Chlorpyrifos(0.066)
14-0031	RO	2	Cyprodinil(0.023)	Chlorpyrifos(0.023)	
14-0039	RO	2	Cyprodinil(0.02)	Propargite(0.216)	
14-0040	RO	4	Acetamiprid(0.013)	Cyprodinil(0.044)	Azoxystrobin(0.01)
14-022	RO	2	Boscalid(0.217)	Iprodione(0.705)	
14-023	RO	2	Pyrimethanil(0.018)	Cyprodinil(0.036)	
14-079	RO	2	Chlorpyrifos-methyl(0.118)	Chlorpyrifos(0.066)	
14-0950	RO	2	Cyprodinil(0.025)	Chlorpyrifos(0.018)	
14-0951	RO	2	Cyprodinil(0.03)	Chlorpyrifos(0.022)	
14-0970	RO	3	Chlorpyrifos(0.02)	Myclobutanil(0.043)	Pyraclostrobin(0.044)

LABSAMPCODE	Compound4	Compound5	Compound6	Compound7	Compound8	Compound9
14-0020	Pyraclostrobin(0.06)					
14-0021						
14-0022						
14-0030						
14-0031						
14-0039						
14-0040	Chlorpyrifos(0.02)					
14-022						
14-023						
14-079						
14-0950						
14-0951						
14-0970						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apples

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
14-1021	RO	3	Chlorpyrifos(0.038)	Cyprodinil(0.031)	Cypermethrin (sum)(0.042)
14-1023	RO	2	Chlorpyrifos(0.036)	Cypermethrin (sum)(0.032)	
14-1043	RO	3	Chlorpyrifos(0.056)	Pyraclostrobin(0.088)	Cypermethrin (sum)(0.055)
14-1048	RO	3	Tebuconazole(0.072)	Chlorpyrifos(0.085)	Iprodione(0.273)
14-1077	RO	5	Cypermethrin (sum)(0.035)	Chlorothalonil(0.039)	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.033)
14-1098	RO	4	Cypermethrin (sum)(0.04)	Chlorpyrifos(0.025)	Propargite(0.492)
14-376	RO	2	Captan(0.48)	Chlorpyrifos-methyl(0.033)	
14-377	RO	2	Folpet(0.378)	Captan(0.453)	
14-435	RO	2	Myclobutanil(0.05)	Captan(0.805)	
14-450	RO	2	Lambda-Cyhalothrin(0.022)	Captan(0.389)	
14-467	RO	2	Captan(0.247)	Chlorpyrifos(0.051)	

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-1021						
14-1023						
14-1043						
14-1048						
14-1077	Chlorpyrifos(0.04)	Cyprodinil(0.019)				
14-1098	Boscalid(0.015)					
14-376						
14-377						
14-435						
14-450						
14-467						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apples

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
14-469	RO	2	Captan(0.473)	Cyprodinil(0.128)	
14-489	RO	2	Fludioxonil(0.128)	Cyprodinil(0.199)	
RO321-ANSVSA-30019	RS	3	Pyrimethanil(0.027)	Carbendazim(0.014)	Chlorpyrifos(0.021)
RO321-ANSVSA-30092	MK	2	Carbendazim(0.071)	Trifloxystrobin(0.012)	
RO321-ANSVSA-30134	MK	3	Trifloxystrobin(0.01)	Acetamiprid(0.011)	Pyrimethanil(0.014)
RO321-ANSVSA-30711	PL	3	Boscalid(0.121)	Propargite(0.553)	Pyraclostrobin(0.031)
RO321-ANSVSA-30999	HU	2	Pyraclostrobin(0.018)	Boscalid(0.057)	
RO321-ANSVSA-31387	TR	3	Acetamiprid(0.025)	Difenoconazole(0.129)	Cypermethrin (sum)(0.069)
RO321-ANSVSA-31472	MK	4	Tebufenpyrad(0.048)	Chlorpyrifos(0.021)	Pyraclostrobin(0.028)
RO321-ANSVSA-31559	PL	4	Boscalid(0.16)	Acetamiprid(0.043)	Spirodiclofen(0.032)
RO321-ANSVSA-32302	RO	5	Fludioxonil(0.036)	Chlorpyrifos(0.021)	Carbendazim(0.078)
RO321-ANSVSA-32493	RO	2	Folpet(0.021)	Pirimicarb(0.14)	
RO321-ANSVSA-32496	MD	4	Boscalid(0.014)	Cyprodinil(0.042)	Tebuconazole(0.017)

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-469						
14-489						
RO321-ANSVSA-30019						
RO321-ANSVSA-30092						
RO321-ANSVSA-30134						
RO321-ANSVSA-30711						
RO321-ANSVSA-30999						
RO321-ANSVSA-31387						
RO321-ANSVSA-31472	Boscalid(0.034)					
RO321-ANSVSA-31559	Carbendazim(0.122)					
RO321-ANSVSA-32302	Difenoconazole(0.06)	Cyprodinil(0.091)				
RO321-ANSVSA-32493						
RO321-ANSVSA-32496	Tebufenpyrad(0.017)					

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apples

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-32652	IT	3	Pyrimethanil(0.032)	Boscalid(0.035)	Captan(0.066)
RO321-ANSVSA-32835	PL	3	Carbendazim(0.054)	Acetamiprid(0.03)	Methoxyfenozide(0.027)
RO321-ANSVSA-33224	IT	3	Chlorpyrifos(0.026)	Pyraclostrobin(0.088)	Boscalid(0.127)
RO321-ANSVSA-33288	PL	2	Acetamiprid(0.023)	Boscalid(0.019)	

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-32652						
RO321-ANSVSA-32835						
RO321-ANSVSA-33224						
RO321-ANSVSA-33288						

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apricots

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
14-0335	RO	2	Imidacloprid(0.025)	Cyprodinil(0.087)		
14-0399	RO	2	Cyprodinil(0.016)	Chlorpyrifos(0.097)		
14-0402	RO	2	Thiacloprid(0.06)	Carbendazim and benomyl(0.186)		
14-0409	RO	3	Cyprodinil(0.012)	Carbendazim and benomyl(0.041)	Pyraclostrobin(0.022)	
14-0426	RO	3	Carbendazim and benomyl(0.104)	Pyraclostrobin(0.022)	Cyprodinil(0.012)	
14-0451	RO	2	Chlorpyrifos(0.041)	Cyprodinil(0.025)		
14-0489	RO	3	Boscalid(0.075)	Lambda-Cyhalothrin(0.024)	Chlorothalonil(0.253)	
14-0500	RO	2	Cypermethrin (sum)(0.06)	Carbendazim and benomyl(0.39)		
14-0535	RO	2	Cyprodinil(0.078)	Difenoconazole(0.198)		
14-177	RO	3	Cyprodinil(0.155)	Captan(2.158)	Fludioxonil(0.201)	
14-180	RO	2	Boscalid(0.744)	Cyprodinil(0.747)		
14-186	RO	3	Boscalid(0.053)	Iprodione(0.087)	Cyprodinil(0.022)	
14-249	RO	2	Captan(0.229)	Chlorpyrifos(0.026)		

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9
14-0335					
14-0399					
14-0402					
14-0409					
14-0426					
14-0451					
14-0489					
14-0500					
14-0535					
14-177					
14-180					
14-186					
14-249					

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apricots

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*
RO321-ANSVSA-30429	TR	2	Carbendazim(0.157)	Pyrimethanil(0.1)		
RO321-ANSVSA-30485	ES	3	Carbendazim(0.011)	Tebuconazole(0.013)	Phosmet(0.032)	
RO321-ANSVSA-30554-3	TR	2	Boscalid(0.204)	Acetamiprid(0.037)		

LABSAMPCODE	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-30429					
RO321-ANSVSA-30485					
RO321-ANSVSA-30554-3					

Pesticide monitoring 2014 Romania on January 26, 2016 at 04:35:16 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Bananas

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
RO321-ANSVSA-30015	EC	2	Thiabendazole(0.156)	Imazalil(0.082)			
RO321-ANSVSA-30038	TR	2	Imazalil(0.12)	Thiabendazole(0.172)			
RO321-ANSVSA-30460	EC	2	Imazalil(0.071)	Thiabendazole(0.192)			
RO321-ANSVSA-30643	EC	2	Imazalil(0.098)	Thiabendazole(0.033)			
RO321-ANSVSA-31501	PH	2	Prochloraz(0.022)	Chlorpyrifos(0.04)			
RO321-ANSVSA-31705	EC	2	Imazalil(0.146)	Thiabendazole(0.137)			
RO321-ANSVSA-31763-1	EC	2	Imazalil(0.148)	Thiabendazole(0.127)			
RO321-ANSVSA-32627	MX	3	Thiabendazole(0.242)	Imazalil(0.059)	Bifenthrin(0.013)		
RO321-ANSVSA-32683	EC	2	Imazalil(0.07)	Thiabendazole(0.08)			
RO321-ANSVSA-32866	EC	2	Thiabendazole(0.075)	Imazalil(0.023)			
RO321-ANSVSA-33178	EC	2	Imazalil(0.139)	Thiabendazole(0.156)			
RO321-ANSVSA-33286	EC	3	Bifenthrin(0.017)	Thiabendazole(0.135)	Imazalil(0.055)		

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
RO321-ANSVSA-30015				
RO321-ANSVSA-30038				
RO321-ANSVSA-30460				
RO321-ANSVSA-30643				
RO321-ANSVSA-31501				
RO321-ANSVSA-31705				
RO321-ANSVSA-31763-1				
RO321-ANSVSA-32627				
RO321-ANSVSA-32683				
RO321-ANSVSA-32866				
RO321-ANSVSA-33178				
RO321-ANSVSA-33286				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Beans (dry)

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
RO321-ANSVSA-30896	ET	3	Malathion(0.092)	Azoxystrobin(0.049)	Fludioxonil(0.191)		

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
RO321-ANSVSA-30896				

Product=Beans (with pods)

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
14-0182	RO	2	Thiophanate-methyl(0.046)	Carbendazim and benomyl(0.033)		
14-0284	RO	3	Pyraclostrobin(0.02)	Cyprodinil(0.027)	Azoxystrobin(0.018)	
14-0318	RO	4	Fenazaquin(0.046)	Carbendazim and benomyl(0.029)	Chlorpyrifos(0.02)	Cyprodinil(0.029)
14-0420	RO	2	Boscalid(0.325)	Lambda-Cyhalothrin(0.027)		

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9
14-0182					
14-0284					
14-0318					
14-0420					

Product=Beetroot

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
14-0330	RO	3	Cyprodinil(0.06)	Propyzamide(0.025)	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.02)	

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9
14-0330					

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Blueberries

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
14-0213	RO	3	tau-Fluvalinate(0.44)	Tebuconazole(0.04)	Iprodione(0.13)
14-0505	RO	2	tau-Fluvalinate(0.057)	Carbendazim and benomyl(0.164)	

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-0213						
14-0505						

Product=Bovine Fat

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
RO215-ANSVSA-30653-1	RO	6	Hexachlorocyclohexane (HCH), beta-isomer(0.048)	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.015)	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.041)	Hexachlorocyclohexane (HCH), alpha-isomer(0.054)	DDT (sum)(0.306)
RO215-ANSVSA-31126-1	RO	4	DDT (sum)(0.06)	Aldrin and Dieldrin(0.127)	Chlordane (sum animal products)(0.038)	Hexachlorocyclohexane (HCH), alpha-isomer(0.034)	
RO215-ANSVSA-31320-1	RO	4	DDT (sum)(0.07)	Hexachlorocyclohexane (HCH), alpha-isomer(0.049)	Chlordane (sum animal products)(0.034)	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.055)	

LABSAMPCODE	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO215-ANSVSA-30653-1	Chlordane (sum animal products)(0.041)			
RO215-ANSVSA-31126-1				
RO215-ANSVSA-31320-1				

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Carrots

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
14-0115	RO	6	Myclobutanil(0.025)	Azoxystrobin(0.024)	DDT (sum)(0.05)	Chlorpyrifos(0.111)
14-0322	RO	2	Tefluthrin(0.024)	Cyprodinil(0.049)		
14-0980	RO	2	Tefluthrin(0.041)	Iprodione(0.322)		
14-0999	RO	3	Iprodione(0.035)	Pyrimethanil(0.029)	Tefluthrin(0.014)	
RO321-ANSVSA-30492	NL	2	Chlorpyrifos(0.021)	Boscalid(0.017)		
RO321-ANSVSA-32889	PL	2	Tebuconazole(0.015)	Boscalid(0.016)		

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9
14-0115	Imazalil(0.043)	Thiabendazole(0.07)			
14-0322					
14-0980					
14-0999					
RO321-ANSVSA-30492					
RO321-ANSVSA-32889					

Product=Cauliflower

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3
14-187	RO	5	Cyprodinil(0.049)	Chlorothalonil(0.062)	Chlorpyrifos(0.045)

LABSAMPCODE	Compound4	Compound5	Compound6	Compound7	Compound8	Compound9
14-187	Buprofezin(0.039)	Endosulfan (sum)(0.05)				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Cherries

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
14-0294	RO	3	Lambda-Cyhalothrin(0.023)	Procymidone(0.67)	Carbendazim and benomyl(0.104)		
14-0300	RO	4	Fenhexamid(0.335)	Imidacloprid(0.056)	Lambda-Cyhalothrin(0.025)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.029)	
14-0303	RO	3	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.027)	Fenhexamid(0.458)	Imidacloprid(0.05)		
14-0304	RO	5	Lambda-Cyhalothrin(0.06)	Boscalid(0.028)	Carbendazim and benomyl(0.098)	Cyprodinil(0.02)	Procymidone(0.742)
14-0333	RO	3	Dimethoate (sum)(0.2)	Fenhexamid(0.5)	Propiconazole(0.023)		
14-0334	RO	4	Carbendazim and benomyl(0.05)	Lambda-Cyhalothrin(0.034)	Procymidone(0.591)	Boscalid(0.018)	
14-0337	RO	2	Cyprodinil(0.384)	Fludioxonil(0.125)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
14-0294				
14-0300				
14-0303				
14-0304				
14-0333				
14-0334				
14-0337				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Cherries

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
14-0352	RO	2	Cyprodinil(0.12)	Carbendazim and benomyl(0.023)			
14-0395	RO	2	Cyprodinil(0.059)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.067)			
14-0414	RO	2	Cyprodinil(0.428)	Fludioxonil(0.225)			
14-0419	RO	2	Boscalid(0.369)	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.046)			
14-148	RO	2	Captan(0.243)	Lambda-Cyhalothrin(0.022)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
14-0352				
14-0395				
14-0414				
14-0419				
14-148				

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Courgettes

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
14-0278	RO	2	Thiabendazole(0.03)	Carbendazim and benomyl(0.039)	
RO321-ANSVSA-30044-3	TR	4	Carbendazim(0.098)	Metalaxyl(0.011)	Chlorothalonil(0.023)
RO321-ANSVSA-32844-3	TR	2	Acetamiprid(0.05)	Methomyl(0.031)	

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-0278						
RO321-ANSVSA-30044-3	Imazalil(0.019)					
RO321-ANSVSA-32844-3						

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Cucumbers

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
14-0600	RO	2	Acetamiprid(0.121)	Chlorothalonil(0.571)			
14-0647	RO	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.085)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.031)			
14-0685	RO	2	Chlorpyrifos(0.046)	Carbendazim and benomyl(0.044)			
RO321-ANSVSA-30028-5	TR	3	Propamocarb(0.18)	Metalaxyl(0.014)	Cyprodinil(0.011)		
RO321-ANSVSA-30206-1	TR	5	Acetamiprid(0.016)	Metalaxyl(0.016)	Tebuconazole(0.024)	Propamocarb(0.196)	Pirimicarb(0.117)
RO321-ANSVSA-31872	MK	2	Methomyl(0.035)	Metalaxyl(0.035)			
RO321-ANSVSA-32424	TR	2	Propamocarb(0.036)	Metalaxyl(0.141)			
RO321-ANSVSA-32804	TR	2	Boscalid(0.025)	Acetamiprid(0.05)			
RO321-ANSVSA-32822	TR	2	Metalaxyl(0.025)	Trifloxystrobin(0.016)			
RO321-ANSVSA-32885	ES	2	Acetamiprid(0.164)	Propamocarb(0.048)			

LABSAMPCODE	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-0600				
14-0647				
14-0685				
RO321-ANSVSA-30028-5				
RO321-ANSVSA-30206-1				
RO321-ANSVSA-31872				
RO321-ANSVSA-32424				
RO321-ANSVSA-32804				
RO321-ANSVSA-32822				
RO321-ANSVSA-32885				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Cucumbers

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
RO321-ANSVSA-32920	TR	3	Tebuconazole(0.018)	Propamocarb(0.445)	Iprodione(0.027)		
RO321-ANSVSA-32955-5	TR	2	Iprodione(0.021)	Propamocarb(0.059)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
RO321-ANSVSA-32920				
RO321-ANSVSA-32955-5				

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Eggs Chicken

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
RO215-ANSVSA-30636-1	RO	4	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.003)	Endosulfan (sum)(0.002)	Hexachlorocyclohexane (HCH), alpha-isomer(0.002)	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.002)
RO215-ANSVSA-30855-1	RO	4	Hexachlorocyclohexane (HCH), alpha-isomer(0.015)	Chlordane (sum animal products)(0.004)	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.003)	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.005)
RO215-ANSVSA-30948-1	RO	3	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.007)	DDT (sum)(0.004)	Endosulfan (sum)(0.014)	
RO215-ANSVSA-31059-1	RO	5	Hexachlorocyclohexane (HCH), alpha-isomer(0.001)	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.013)	Endosulfan (sum)(0.008)	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.002)

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9
RO215-ANSVSA-30636-1					
RO215-ANSVSA-30855-1					
RO215-ANSVSA-30948-1					
RO215-ANSVSA-31059-1	DDT (sum)(0.002)				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Eggs Chicken

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
RO215-ANSVSA-31062-1	RO	7	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.008)	Hexachlorocyclohexane (HCH), beta-isomer(0.006)	Hexachlorocyclohexane (HCH), alpha-isomer(0.004)	DDT (sum)(0.01)
RO215-ANSVSA-31180-1	RO	5	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.009)	Endosulfan (sum)(0.039)	DDT (sum)(0.006)	Chlordane (sum animal products)(0.005)

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9
RO215-ANSVSA-31062-1	Endosulfan (sum)(0.044)	Chlorobenzilate(0.025)	Hexachlorobenzene(0.002)		
RO215-ANSVSA-31180-1	Hexachlorocyclohexane (HCH), alpha-isomer(0.002)				

Product=Equine Fat

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
RO215-ANSVSA-30932-1	RO	4	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.066)	Hexachlorobenzene(0.013)	DDT (sum)(0.024)	Hexachlorocyclohexane (HCH), alpha-isomer(0.051)

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9
RO215-ANSVSA-30932-1					

Product=Garlic

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
14-1129	RO	2	Iprodione(0.022)	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.024)		

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9
14-1129					

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Gherkins

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
14-0602	RO	2	Carbendazim and benomyl(0.087)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.064)				
14-0611	RO	2	Acetamiprid(0.017)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.093)				
14-0619	RO	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.041)	Chlorothalonil(0.155)				

LABSAMPCODE	Compound7	Compound8	Compound9
14-0602			
14-0611			
14-0619			

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Grapefruit

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-30022	TR	3	Pyrimethanil(0.42)	Imazalil(1.03)	Thiabendazole(1.43)
RO321-ANSVSA-30037	TR	4	Thiabendazole(0.047)	Pyrimethanil(0.047)	Chlorpyrifos(0.012)
RO321-ANSVSA-30042-3	TR	4	Pyrimethanil(0.013)	Imazalil(0.046)	Prochloraz(0.011)
RO321-ANSVSA-30061-3	TR	4	Prochloraz(0.018)	Thiabendazole(0.039)	Imazalil(0.038)
RO321-ANSVSA-30065	TR	4	Chlorpyrifos(0.042)	Pyrimethanil(0.099)	Imazalil(1.28)
RO321-ANSVSA-30066	TR	3	Thiabendazole(2.65)	Chlorpyrifos(0.019)	Imazalil(1.48)
RO321-ANSVSA-30067	TR	4	Imazalil(0.756)	Thiabendazole(0.565)	Pyrimethanil(0.135)
RO321-ANSVSA-30068	TR	6	Pyrimethanil(0.132)	Chlorpyrifos(0.013)	Malathion(0.017)
RO321-ANSVSA-30087-1	TR	4	Thiabendazole(0.02)	Propiconazole(0.038)	Prochloraz(0.212)
RO321-ANSVSA-30100	TR	4	Imazalil(0.249)	Thiabendazole(0.182)	Pyrimethanil(0.022)
RO321-ANSVSA-30106	TR	4	Thiabendazole(0.339)	Propiconazole(0.189)	Prochloraz(0.082)
RO321-ANSVSA-30110	TR	3	Thiabendazole(0.021)	Imazalil(0.346)	Acetamiprid(0.027)
RO321-ANSVSA-30111	TR	2	Imazalil(1.59)	Thiabendazole(0.084)	

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-30022						
RO321-ANSVSA-30037	Imazalil(0.721)					
RO321-ANSVSA-30042-3	Thiabendazole(0.026)					
RO321-ANSVSA-30061-3	Acetamiprid(0.064)					
RO321-ANSVSA-30065	Thiabendazole(1.64)					
RO321-ANSVSA-30066						
RO321-ANSVSA-30067	Acetamiprid(0.031)					
RO321-ANSVSA-30068	Imazalil(1.28)	Thiabendazole(1.35)	Acetamiprid(0.035)			
RO321-ANSVSA-30087-1	Chlorpyrifos(0.031)					
RO321-ANSVSA-30100	Chlorpyrifos(0.015)					
RO321-ANSVSA-30106	Imazalil(0.024)					
RO321-ANSVSA-30110						
RO321-ANSVSA-30111						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Grapefruit

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-30119	TR	2	Prochloraz(0.013)	Chlorpyrifos(0.033)	
RO321-ANSVSA-30129	CN	3	Buprofezin(0.016)	Myclobutanil(0.016)	Imazalil(0.065)
RO321-ANSVSA-30139	TR	5	Pyrimethanil(0.214)	Thiabendazole(0.868)	Imazalil(0.819)
RO321-ANSVSA-30147	CN	2	Prochloraz(0.02)	Imazalil(0.014)	
RO321-ANSVSA-30156	JO	3	Prochloraz(0.018)	Carbendazim(0.182)	Pyrimethanil(0.04)
RO321-ANSVSA-30164	TR	2	Imazalil(0.11)	Thiabendazole(0.141)	
RO321-ANSVSA-30165	TR	3	Imazalil(0.318)	Pyrimethanil(0.1)	Thiabendazole(0.033)
RO321-ANSVSA-30179-1	TR	3	Thiabendazole(0.54)	Pyrimethanil(0.061)	Imazalil(0.431)
RO321-ANSVSA-30195-1	TR	6	Thiabendazole(0.064)	Chlorpyrifos(0.064)	Imazalil(0.325)
RO321-ANSVSA-30202-3	TR	2	Imazalil(0.11)	Thiabendazole(0.227)	
RO321-ANSVSA-30212	TR	2	Thiabendazole(0.02)	Imazalil(0.147)	
RO321-ANSVSA-30214	TR	3	Carbendazim(0.038)	Prochloraz(0.033)	Imazalil(0.141)
RO321-ANSVSA-30254	TR	2	Imazalil(0.311)	Thiabendazole(0.029)	

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-30119						
RO321-ANSVSA-30129						
RO321-ANSVSA-30139	Chlorpyrifos(0.061)	Acetamiprid(0.035)				
RO321-ANSVSA-30147						
RO321-ANSVSA-30156						
RO321-ANSVSA-30164						
RO321-ANSVSA-30165						
RO321-ANSVSA-30179-1						
RO321-ANSVSA-30195-1	Acetamiprid(0.038)	Carbendazim(0.03)	Pyrimethanil(0.059)			
RO321-ANSVSA-30202-3						
RO321-ANSVSA-30212						
RO321-ANSVSA-30214						
RO321-ANSVSA-30254						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Grapefruit

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-30260-3	TR	2	Imazalil(0.279)	Thiabendazole(0.033)	
RO321-ANSVSA-30299	TR	2	Thiabendazole(0.044)	Imazalil(0.118)	
RO321-ANSVSA-30352	TR	2	Imazalil(0.157)	Thiabendazole(0.924)	
RO321-ANSVSA-30356	TR	3	Chlorpyrifos(0.021)	Imazalil(0.083)	Thiabendazole(0.866)
RO321-ANSVSA-30357	TR	2	Thiabendazole(1.02)	Imazalil(0.065)	
RO321-ANSVSA-30392	TR	3	Thiabendazole(0.032)	Acetamiprid(0.034)	Imazalil(0.26)
RO321-ANSVSA-30498	TR	5	Thiabendazole(0.26)	Propiconazole(0.049)	Prochloraz(0.062)
RO321-ANSVSA-30558	TR	2	Imazalil(1)	Pyrimethanil(0.283)	
RO321-ANSVSA-30640-3	TR	4	Thiabendazole(0.016)	Pyrimethanil(1.43)	Imazalil(0.459)
RO321-ANSVSA-30641	TR	4	Pyrimethanil(0.636)	Acetamiprid(0.02)	Imazalil(0.889)
RO321-ANSVSA-30689	TR	3	Pyrimethanil(1.01)	Imazalil(0.806)	Prochloraz(0.016)
RO321-ANSVSA-30701	TR	3	Imazalil(0.297)	Chlorpyrifos(0.011)	Pyrimethanil(0.186)
RO321-ANSVSA-30702	TR	2	Prochloraz(0.024)	Imazalil(2.72)	

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-30260-3						
RO321-ANSVSA-30299						
RO321-ANSVSA-30352						
RO321-ANSVSA-30356						
RO321-ANSVSA-30357						
RO321-ANSVSA-30392						
RO321-ANSVSA-30498	Imazalil(0.542)	Acetamiprid(0.057)				
RO321-ANSVSA-30558						
RO321-ANSVSA-30640-3	Prochloraz(0.078)					
RO321-ANSVSA-30641	Thiabendazole(0.311)					
RO321-ANSVSA-30689						
RO321-ANSVSA-30701						
RO321-ANSVSA-30702						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Grapefruit

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-30838	TR	2	Imazalil(0.107)	Thiabendazole(0.016)	
RO321-ANSVSA-30943	TR	2	Imazalil(0.422)	Chlorpyrifos(0.016)	
RO321-ANSVSA-31109	TR	2	Imazalil(0.819)	Thiabendazole(0.027)	
RO321-ANSVSA-31463	EG	2	Pyraclostrobin(0.019)	Imazalil(3.51)	
RO321-ANSVSA-31795	TR	2	Acetamiprid(0.043)	Prochloraz(0.032)	
RO321-ANSVSA-31963	TR	3	Propiconazole(0.252)	Thiabendazole(0.023)	Imazalil(0.19)
RO321-ANSVSA-32279	CN	2	Imazalil(0.035)	Chlorpyrifos(0.019)	
RO321-ANSVSA-32280	CN	3	Chlorpyrifos(0.033)	Imazalil(0.049)	Cypermethrin (sum)(0.064)
RO321-ANSVSA-32287	ZA	3	Carbendazim(0.028)	Imazalil(0.442)	Thiabendazole(0.483)
RO321-ANSVSA-32374	CN	2	Difenoconazole(0.018)	Carbendazim(0.104)	
RO321-ANSVSA-32429	CN	2	Prochloraz(0.101)	Chlorpyrifos(0.024)	
RO321-ANSVSA-32447	TR	4	Imazalil(0.53)	Prochloraz(0.806)	Chlorpyrifos(0.031)
RO321-ANSVSA-32448	TR	3	Imazalil(0.162)	Pyrimethanil(0.017)	Thiabendazole(0.086)

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-30838						
RO321-ANSVSA-30943						
RO321-ANSVSA-31109						
RO321-ANSVSA-31463						
RO321-ANSVSA-31795						
RO321-ANSVSA-31963						
RO321-ANSVSA-32279						
RO321-ANSVSA-32280						
RO321-ANSVSA-32287						
RO321-ANSVSA-32374						
RO321-ANSVSA-32429						
RO321-ANSVSA-32447	Thiabendazole(0.155)					
RO321-ANSVSA-32448						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Grapefruit

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-32451	TR	2	Imazalil(0.285)	Chlorpyrifos(0.026)	
RO321-ANSVSA-32453	TR	2	Thiabendazole(0.016)	Imazalil(0.034)	
RO321-ANSVSA-32455	TR	2	Imazalil(0.34)	Orthophenylphenol(0.02)	
RO321-ANSVSA-32458-1	CN	2	Imazalil(0.205)	Prochloraz(0.123)	
RO321-ANSVSA-32458-5	CN	2	Acetamiprid(0.017)	Imazalil(0.228)	
RO321-ANSVSA-32460	TR	2	Orthophenylphenol(0.037)	Imazalil(0.449)	
RO321-ANSVSA-32463	TR	4	Imazalil(0.767)	Thiabendazole(0.08)	Prochloraz(0.047)
RO321-ANSVSA-32465	TR	5	Chlorpyrifos(0.084)	Carbendazim(0.049)	Acetamiprid(0.192)
RO321-ANSVSA-32468	TR	6	Acetamiprid(0.033)	Thiabendazole(0.045)	Prochloraz(0.723)
RO321-ANSVSA-32469	TR	2	Chlorpyrifos(0.057)	Acetamiprid(0.041)	
RO321-ANSVSA-32473	TR	2	Chlorpyrifos(0.04)	Acetamiprid(0.094)	
RO321-ANSVSA-32484	TR	5	Thiabendazole(0.27)	Prochloraz(0.807)	Imazalil(0.765)
RO321-ANSVSA-32506-1	TR	3	Thiabendazole(0.246)	Imazalil(0.154)	Acetamiprid(0.119)

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-32451						
RO321-ANSVSA-32453						
RO321-ANSVSA-32455						
RO321-ANSVSA-32458-1						
RO321-ANSVSA-32458-5						
RO321-ANSVSA-32460						
RO321-ANSVSA-32463	Acetamiprid(0.107)					
RO321-ANSVSA-32465	Imazalil(0.666)	Thiabendazole(0.053)				
RO321-ANSVSA-32468	Imazalil(0.069)	Chlorpyrifos(0.031)	Carbendazim(0.107)			
RO321-ANSVSA-32469						
RO321-ANSVSA-32473						
RO321-ANSVSA-32484	Chlorpyrifos(0.159)	Carbendazim(0.025)				
RO321-ANSVSA-32506-1						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Grapefruit

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-32510-1	TR	2	Imazalil(0.104)	Thiabendazole(0.21)	
RO321-ANSVSA-32519-5	TR	2	Thiabendazole(0.029)	Chlorpyrifos(0.056)	
RO321-ANSVSA-32570	TR	5	Thiabendazole(0.073)	Orthophenylphenol(0.017)	Acetamiprid(0.034)
RO321-ANSVSA-32574-3	TR	5	Carbendazim(0.023)	Acetamiprid(0.113)	Boscalid(0.019)
RO321-ANSVSA-32580	TR	4	Chlorpyrifos(0.022)	Acetamiprid(0.036)	Prochloraz(0.027)
RO321-ANSVSA-32590-1	TR	2	Imazalil(0.182)	Buprofezin(0.045)	
RO321-ANSVSA-32598	CN	3	Imazalil(0.041)	Orthophenylphenol(0.018)	Prochloraz(0.137)
RO321-ANSVSA-32609-1	TR	2	Imazalil(0.041)	Prochloraz(0.39)	
RO321-ANSVSA-32609-3	TR	3	Prochloraz(0.409)	Imazalil(0.05)	Chlorpyrifos(0.016)
RO321-ANSVSA-32611-1	TR	4	Thiabendazole(0.116)	Chlorpyrifos(0.02)	Boscalid(0.021)
RO321-ANSVSA-32611-5	CN	2	Chlorpyrifos(0.018)	Acetamiprid(0.03)	
RO321-ANSVSA-32612-1	TR	3	Thiabendazole(0.155)	Imazalil(0.485)	Chlorpyrifos(0.03)
RO321-ANSVSA-32624-1	TR	2	Imazalil(0.063)	Chlorpyrifos(0.016)	

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-32510-1						
RO321-ANSVSA-32519-5						
RO321-ANSVSA-32570	Chlorpyrifos(0.025)	Imazalil(0.427)				
RO321-ANSVSA-32574-3	Imazalil(0.776)	Thiabendazole(0.466)				
RO321-ANSVSA-32580	Imazalil(0.375)					
RO321-ANSVSA-32590-1						
RO321-ANSVSA-32598						
RO321-ANSVSA-32609-1						
RO321-ANSVSA-32609-3						
RO321-ANSVSA-32611-1	Imazalil(0.206)					
RO321-ANSVSA-32611-5						
RO321-ANSVSA-32612-1						
RO321-ANSVSA-32624-1						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Grapefruit

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-32711	CN	2	Myclobutanil(0.027)	Chlorpyrifos(0.08)	
RO321-ANSVSA-32712	TR	2	Thiabendazole(0.143)	Imazalil(0.896)	
RO321-ANSVSA-32731	CN	2	Propiconazole(0.027)	Chlorpyrifos(0.013)	
RO321-ANSVSA-32736	TR	4	Pyrimethanil(0.104)	Orthophenylphenol(0.12)	Imazalil(0.554)
RO321-ANSVSA-32737	TR	4	Pyrimethanil(0.106)	Pyridaben(0.029)	Orthophenylphenol(0.177)
RO321-ANSVSA-32744-1	TR	2	Imazalil(0.958)	Thiabendazole(0.532)	
RO321-ANSVSA-32774-1	TR	2	Imazalil(0.023)	Chlorpyrifos(0.019)	
RO321-ANSVSA-32787-3	TR	4	Thiabendazole(0.294)	Pyrimethanil(0.069)	Acetamiprid(0.091)
RO321-ANSVSA-32882	TR	2	Chlorpyrifos(0.023)	Imazalil(0.041)	
RO321-ANSVSA-32906	CN	2	Acetamiprid(0.026)	Prochloraz(0.09)	
RO321-ANSVSA-32916	TR	5	Thiabendazole(0.037)	Tebuconazole(0.015)	Pyrimethanil(0.02)
RO321-ANSVSA-32948	CN	2	Prochloraz(0.032)	Myclobutanil(0.057)	
RO321-ANSVSA-32959-1	TR	3	Pyrimethanil(0.464)	Imazalil(0.517)	Thiabendazole(0.342)

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-32711						
RO321-ANSVSA-32712						
RO321-ANSVSA-32731						
RO321-ANSVSA-32736	Chlorpyrifos(0.039)					
RO321-ANSVSA-32737	Imazalil(0.92)					
RO321-ANSVSA-32744-1						
RO321-ANSVSA-32774-1						
RO321-ANSVSA-32787-3	Imazalil(0.586)					
RO321-ANSVSA-32882						
RO321-ANSVSA-32906						
RO321-ANSVSA-32916	Imazalil(1.59)	Prochloraz(0.449)				
RO321-ANSVSA-32948						
RO321-ANSVSA-32959-1						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Grapefruit

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-32960-3	TR	3	Tebuconazole(0.02)	Imazalil(0.024)	Boscalid(0.023)
RO321-ANSVSA-32972	TR	5	Tebuconazole(0.015)	Imazalil(0.756)	Carbendazim(0.033)
RO321-ANSVSA-32984-3	TR	4	Thiabendazole(0.372)	Imazalil(0.572)	Chlorpyrifos(0.041)
RO321-ANSVSA-33166-5	TR	2	Acetamiprid(0.018)	Imazalil(0.561)	
RO321-ANSVSA-33172-1	TR	3	Thiabendazole(0.018)	Imazalil(0.131)	Acetamiprid(0.054)
RO321-ANSVSA-33179	CN	4	Prochloraz(0.164)	Acetamiprid(0.022)	Cypermethrin (sum)(0.055)
RO321-ANSVSA-33180-3	TR	3	Imazalil(0.45)	Thiabendazole(0.044)	Acetamiprid(0.04)
RO321-ANSVSA-33230	TR	2	Imazalil(0.3)	Acetamiprid(0.023)	
RO321-ANSVSA-33233	TR	3	Thiabendazole(0.533)	Imazalil(1.05)	Pyrimethanil(0.073)
RO321-ANSVSA-33247-3	TR	4	Thiabendazole(0.024)	Pyrimethanil(0.024)	Acetamiprid(0.126)
RO321-ANSVSA-33250-1	TR	3	Imazalil(0.429)	Cypermethrin (sum)(0.038)	Acetamiprid(0.079)
RO321-ANSVSA-33265-3	TR	3	Acetamiprid(0.05)	Thiabendazole(0.266)	Imazalil(0.25)
RO321-ANSVSA-33284-1	TR	5	Orthophenylphenol(0.19)	Imazalil(1.59)	Chlorpyrifos(0.026)

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-32960-3						
RO321-ANSVSA-32972	Pyrimethanil(0.061)	Thiabendazole(0.467)				
RO321-ANSVSA-32984-3	Pyrimethanil(0.144)					
RO321-ANSVSA-33166-5						
RO321-ANSVSA-33172-1						
RO321-ANSVSA-33179	Chlorpyrifos(0.065)					
RO321-ANSVSA-33180-3						
RO321-ANSVSA-33230						
RO321-ANSVSA-33233						
RO321-ANSVSA-33247-3	Imazalil(0.226)					
RO321-ANSVSA-33250-1						
RO321-ANSVSA-33265-3						
RO321-ANSVSA-33284-1	Thiabendazole(1.59)	Pyrimethanil(0.058)				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Grapefruit

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3
RO321-ANSVSA-33295-3	TR	4	Pyrimethanil(0.025)	Imazalil(0.148)	Thiabendazole(0.03)
RO321-ANSVSA-33309-1	TR	2	Imazalil(0.199)	Pyrimethanil(0.059)	
RO321-ANSVSA-33309-3	TR	2	Pyrimethanil(0.205)	Imazalil(0.192)	
RO321-ANSVSA-33312	TR	4	Pyriproxyfen(0.028)	Acetamiprid(0.035)	Imazalil(0.307)
RO321-ANSVSA-33314	TR	5	Pyrimethanil(0.137)	Orthophenylphenol(0.077)	Carbendazim(0.032)
RO321-ANSVSA-33315-1	TR	5	Pyrimethanil(0.123)	Orthophenylphenol(0.082)	Carbendazim(0.032)
RO321-ANSVSA-33315-3	TR	2	Imazalil(1.19)	Thiabendazole(0.021)	
RO321-ANSVSA-33318-3	TR	5	Thiabendazole(0.338)	Pyriproxyfen(0.028)	Acetamiprid(0.039)
RO321-ANSVSA-33322	TR	3	Pyrimethanil(0.4)	Imazalil(0.569)	Thiabendazole(0.324)
RO321-ANSVSA-33325	TR	4	Pyrimethanil(0.025)	Acetamiprid(0.139)	Imazalil(0.237)
RO321-ANSVSA-33327-5	TR	2	Pyrimethanil(0.112)	Imazalil(0.979)	

LABSAMPCODE	Compound4	Compound5	Compound6	Compound7	Compound8	Compound9
RO321-ANSVSA-33295-3	Orthophenylphenol(0.121)					
RO321-ANSVSA-33309-1						
RO321-ANSVSA-33309-3						
RO321-ANSVSA-33312	Thiabendazole(0.278)					
RO321-ANSVSA-33314	Acetamiprid(0.353)	Imazalil(0.921)				
RO321-ANSVSA-33315-1	Acetamiprid(0.364)	Imazalil(0.842)				
RO321-ANSVSA-33315-3						
RO321-ANSVSA-33318-3	Imazalil(0.376)	Tebuconazole(0.017)				
RO321-ANSVSA-33322						
RO321-ANSVSA-33325	Thiabendazole(0.03)					
RO321-ANSVSA-33327-5						

Product=Head cabbage

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7	Compound8	Compound9
14-1026	RO	2	Etofenprox(0.031)	Pyrimethanil(0.01)							

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Leek

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
14-1050	RO	3	Tebuconazole(0.051)	Boscalid(0.025)	Chlorothalonil(0.204)		

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
14-1050				

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lemons

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-30042-5	TR	3	Thiabendazole(0.017)	Prochloraz(0.709)	Imazalil(0.118)
RO321-ANSVSA-30145	EG	2	Thiabendazole(0.07)	Imazalil(0.546)	
RO321-ANSVSA-30146	EG	2	Thiabendazole(0.09)	Imazalil(0.927)	
RO321-ANSVSA-30155	TR	2	Pyrimethanil(1.61)	Prochloraz(1.1)	
RO321-ANSVSA-30166	TR	2	Imazalil(0.305)	Prochloraz(0.216)	
RO321-ANSVSA-30189	TR	2	Malathion(0.011)	Imazalil(0.034)	
RO321-ANSVSA-30195-3	TR	3	Thiabendazole(0.071)	Pyrimethanil(0.044)	Imazalil(0.375)
RO321-ANSVSA-30202-1	TR	2	Prochloraz(0.128)	Imazalil(0.234)	
RO321-ANSVSA-30269	TR	2	Pyrimethanil(0.407)	Imazalil(0.477)	
RO321-ANSVSA-30310-1	TR	3	Thiabendazole(0.018)	Pyrimethanil(0.18)	Imazalil(0.116)
RO321-ANSVSA-30321	TR	3	Thiabendazole(0.216)	Imazalil(1.21)	Pyrimethanil(0.618)
RO321-ANSVSA-30385-1	TR	4	Thiophanate-methyl(0.036)	Thiabendazole(0.08)	Prochloraz(1.73)
RO321-ANSVSA-30449	TR	4	Pyrimethanil(0.055)	Prochloraz(1.65)	Imazalil(0.037)

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-30042-5						
RO321-ANSVSA-30145						
RO321-ANSVSA-30146						
RO321-ANSVSA-30155						
RO321-ANSVSA-30166						
RO321-ANSVSA-30189						
RO321-ANSVSA-30195-3						
RO321-ANSVSA-30202-1						
RO321-ANSVSA-30269						
RO321-ANSVSA-30310-1						
RO321-ANSVSA-30321						
RO321-ANSVSA-30385-1	Imazalil(0.135)					
RO321-ANSVSA-30449	Buprofezin(0.019)					

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lemons

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-30555	TR	2	Imazalil(0.024)	Carbendazim(0.015)	
RO321-ANSVSA-30595	TR	2	Prochloraz(2.21)	Chlorpyrifos(0.024)	
RO321-ANSVSA-30898	TR	3	Thiabendazole(0.016)	Pyrimethanil(1.48)	Imazalil(1.65)
RO321-ANSVSA-30907	TR	4	Pyrimethanil(0.028)	Imazalil(0.599)	Chlorpyrifos(0.023)
RO321-ANSVSA-30913-3	TR	2	Prochloraz(0.612)	Chlorpyrifos(0.019)	
RO321-ANSVSA-31020	ES	3	Propiconazole(0.093)	Imazalil(0.45)	Fludioxonil(0.111)
RO321-ANSVSA-31040	ES	2	Imazalil(0.401)	Propiconazole(0.112)	
RO321-ANSVSA-31057-1	ES	2	Propiconazole(0.071)	Prochloraz(0.195)	
RO321-ANSVSA-31069	ES	2	Carbendazim(0.035)	Imazalil(0.274)	
RO321-ANSVSA-31213	TR	5	Thiabendazole(0.122)	Imazalil(3.13)	Carbendazim(0.101)
RO321-ANSVSA-31537	TR	4	Thiabendazole(0.823)	Pyrimethanil(0.33)	Acetamiprid(0.346)
RO321-ANSVSA-31578	TR	3	Thiabendazole(0.027)	Chlorpyrifos(0.013)	Carbendazim(0.139)
RO321-ANSVSA-31781	AR	5	Pyrimethanil(0.784)	Pyraclostrobin(0.012)	Orthophenylphenol(0.51)

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-30555						
RO321-ANSVSA-30595						
RO321-ANSVSA-30898						
RO321-ANSVSA-30907	Carbendazim(0.068)					
RO321-ANSVSA-30913-3						
RO321-ANSVSA-31020						
RO321-ANSVSA-31040						
RO321-ANSVSA-31057-1						
RO321-ANSVSA-31069						
RO321-ANSVSA-31213	Orthophenylphenol(0.14)	Pyrimethanil(0.365)				
RO321-ANSVSA-31537	Imazalil(1.17)					
RO321-ANSVSA-31578						
RO321-ANSVSA-31781	Imazalil(0.944)	Carbendazim(0.227)				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lemons

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-31784	AR	4	Pyrimethanil(0.482)	Orthophenylphenol(0.79)	Imazalil(0.766)
RO321-ANSVSA-31785	AR	3	Thiabendazole(0.133)	Pyrimethanil(0.601)	Imazalil(1.56)
RO321-ANSVSA-31787	AR	4	Pyrimethanil(0.455)	Orthophenylphenol(0.47)	Imazalil(0.673)
RO321-ANSVSA-31796	IL	3	Thiabendazole(0.064)	Pyrimethanil(0.842)	Imazalil(1.14)
RO321-ANSVSA-31855-1	TR	4	Orthophenylphenol(0.17)	Imazalil(0.715)	Pyrimethanil(0.118)
RO321-ANSVSA-31859	AR	4	Orthophenylphenol(0.26)	Carbendazim(0.114)	Imazalil(1.45)
RO321-ANSVSA-31860	AR	4	Pyrimethanil(0.452)	Orthophenylphenol(0.28)	Imazalil(1.33)
RO321-ANSVSA-31897	AR	5	Thiabendazole(0.196)	Pyrimethanil(1.48)	Orthophenylphenol(0.2)
RO321-ANSVSA-31926	TR	3	Pyriproxyfen(0.03)	Prochloraz(1.07)	Chlorpyrifos(0.036)
RO321-ANSVSA-31943	IT	2	Imazalil(0.833)	Orthophenylphenol(0.038)	
RO321-ANSVSA-32135	AR	2	Orthophenylphenol(0.145)	Imazalil(1.22)	
RO321-ANSVSA-32211	TR	2	Imazalil(0.379)	Pyrimethanil(0.157)	
RO321-ANSVSA-32212	TR	3	Pyrimethanil(0.244)	Orthophenylphenol(0.035)	Imazalil(0.475)

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-31784	Carbendazim(0.135)					
RO321-ANSVSA-31785						
RO321-ANSVSA-31787	Carbendazim(0.112)					
RO321-ANSVSA-31796						
RO321-ANSVSA-31855-1	Acetamiprid(0.031)					
RO321-ANSVSA-31859	Pyrimethanil(0.47)					
RO321-ANSVSA-31860	Carbendazim(0.172)					
RO321-ANSVSA-31897	Imazalil(3.45)	Carbendazim(0.098)				
RO321-ANSVSA-31926						
RO321-ANSVSA-31943						
RO321-ANSVSA-32135						
RO321-ANSVSA-32211						
RO321-ANSVSA-32212						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lemons

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-32247	TR	2	Pyrimethanil(0.73)	Imazalil(0.589)	
RO321-ANSVSA-32248	TR	2	Orthophenylphenol(0.02)	Chlorpyrifos(0.015)	
RO321-ANSVSA-32256	TR	4	Prochloraz(0.339)	Orthophenylphenol(0.018)	Imazalil(0.32)
RO321-ANSVSA-32257	TR	2	Prochloraz(0.066)	Imazalil(0.035)	
RO321-ANSVSA-32267	TR	3	Chlorpyrifos(0.029)	Acetamiprid(0.052)	Imazalil(0.097)
RO321-ANSVSA-32268-3	TR	2	Pyrimethanil(0.069)	Imazalil(0.261)	
RO321-ANSVSA-32269	TR	3	Pyrimethanil(0.051)	Imazalil(0.068)	Acetamiprid(0.06)
RO321-ANSVSA-32296	TR	2	Thiabendazole(0.038)	Imazalil(0.394)	
RO321-ANSVSA-32301	TR	2	Imazalil(0.105)	Chlorpyrifos(0.015)	
RO321-ANSVSA-32303	TR	2	Carbendazim(0.52)	Imazalil(0.827)	
RO321-ANSVSA-32304-1	TR	2	Imazalil(0.771)	Chlorpyrifos(0.014)	
RO321-ANSVSA-32322	TR	2	Thiabendazole(0.046)	Imazalil(0.393)	
RO321-ANSVSA-32361	TR	3	Thiabendazole(0.052)	Tebufenpyrad(0.098)	Imazalil(0.199)

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-32247						
RO321-ANSVSA-32248						
RO321-ANSVSA-32256	Acetamiprid(0.011)					
RO321-ANSVSA-32257						
RO321-ANSVSA-32267						
RO321-ANSVSA-32268-3						
RO321-ANSVSA-32269						
RO321-ANSVSA-32296						
RO321-ANSVSA-32301						
RO321-ANSVSA-32303						
RO321-ANSVSA-32304-1						
RO321-ANSVSA-32322						
RO321-ANSVSA-32361						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lemons

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-32387	IL	3	Thiabendazole(0.537)	Imazalil(0.694)	Pyrimethanil(0.392)
RO321-ANSVSA-32390	TR	3	Prochloraz(0.314)	Imazalil(0.105)	Thiabendazole(0.018)
RO321-ANSVSA-32417	TR	3	Thiabendazole(0.127)	Imazalil(0.104)	Chlorpyrifos(0.075)
RO321-ANSVSA-32449-1	TR	2	Thiabendazole(0.015)	Imazalil(0.014)	
RO321-ANSVSA-32449-3	TR	3	Prochloraz(0.367)	Imazalil(0.124)	Thiabendazole(0.07)
RO321-ANSVSA-32482	TR	4	Orthophenylphenol(0.11)	Imazalil(0.556)	Chlorpyrifos(0.024)
RO321-ANSVSA-32505-1	TR	4	Chlorpyrifos(0.019)	Pyrimethanil(0.16)	Imazalil(0.212)
RO321-ANSVSA-32506-3	TR	4	Prochloraz(0.643)	Imazalil(0.305)	Thiabendazole(0.142)
RO321-ANSVSA-32510-5	TR	5	Thiabendazole(0.02)	Propiconazole(0.342)	Buprofezin(0.031)
RO321-ANSVSA-32528-3	TR	2	Orthophenylphenol(0.16)	Chlorpyrifos(0.013)	
RO321-ANSVSA-32550-1	TR	2	Imazalil(0.11)	Buprofezin(0.018)	
RO321-ANSVSA-32574-1	TR	2	Thiabendazole(0.242)	Imazalil(0.923)	
RO321-ANSVSA-32612-3	TR	2	Chlorpyrifos(0.012)	Boscalid(0.016)	

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-32387						
RO321-ANSVSA-32390						
RO321-ANSVSA-32417						
RO321-ANSVSA-32449-1						
RO321-ANSVSA-32449-3						
RO321-ANSVSA-32482	Thiabendazole(0.039)					
RO321-ANSVSA-32505-1	Thiabendazole(0.034)					
RO321-ANSVSA-32506-3	Orthophenylphenol(0.02)					
RO321-ANSVSA-32510-5	Imazalil(0.176)	Prochloraz(0.653)				
RO321-ANSVSA-32528-3						
RO321-ANSVSA-32550-1						
RO321-ANSVSA-32574-1						
RO321-ANSVSA-32612-3						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lemons

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-32730	TR	3	Orthophenylphenol(0.186)	Imazalil(0.64)	Pyrimethanil(0.084)
RO321-ANSVSA-32744-7	TR	2	Thiabendazole(0.464)	Imazalil(1.54)	
RO321-ANSVSA-32761-1	TR	2	Imazalil(0.042)	Chlorpyrifos(0.033)	
RO321-ANSVSA-32837-1	TR	5	Thiabendazole(0.086)	Pyrimethanil(0.089)	Orthophenylphenol(0.107)
RO321-ANSVSA-32894	TR	3	Prochloraz(0.05)	Imazalil(0.837)	Pyrimethanil(0.034)
RO321-ANSVSA-32955-1	TR	3	Pyrimethanil(0.028)	Imazalil(1.21)	Chlorpyrifos(0.024)
RO321-ANSVSA-32959-3	TR	4	Thiabendazole(0.027)	Pyrimethanil(0.084)	Prochloraz(0.368)
RO321-ANSVSA-33166-1	TR	3	Thiabendazole(0.082)	Prochloraz(0.34)	Imazalil(0.282)
RO321-ANSVSA-33180-5	TR	2	Imazalil(0.294)	Propiconazole(0.076)	
RO321-ANSVSA-33204-5	TR	2	Pyrimethanil(0.125)	Imazalil(0.21)	
RO321-ANSVSA-33284-3	TR	5	Thiabendazole(0.075)	Pyridaben(0.019)	Imazalil(0.272)
RO321-ANSVSA-33313	TR	2	Prochloraz(0.238)	Imazalil(0.303)	
RO321-ANSVSA-33316-3	TR	2	Prochloraz(0.211)	Imazalil(0.298)	

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-32730						
RO321-ANSVSA-32744-7						
RO321-ANSVSA-32761-1						
RO321-ANSVSA-32837-1	Imazalil(0.449)	Carbendazim(0.04)				
RO321-ANSVSA-32894						
RO321-ANSVSA-32955-1						
RO321-ANSVSA-32959-3	Imazalil(0.402)					
RO321-ANSVSA-33166-1						
RO321-ANSVSA-33180-5						
RO321-ANSVSA-33204-5						
RO321-ANSVSA-33284-3	Pyrimethanil(0.2)	Orthophenylphenol(0.018)				
RO321-ANSVSA-33313						
RO321-ANSVSA-33316-3						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lettuce

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*
14-003	RO	2	Fludioxonil(2.069)	Cyprodinil(2.011)		
14-0043	RO	4	Thiophanate-methyl(0.1)	Cyprodinil(3.274)	Fludioxonil(3.561)	Dimethomorph(0.028)
14-0067	RO	3	Azoxystrobin(0.016)	Fenhexamid(2.266)	Pendimethalin(0.03)	
14-0072	RO	2	Azoxystrobin(0.028)	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)(0.058)		
14-0117	RO	2	Azoxystrobin(0.172)	Thiophanate-methyl(0.169)		
14-0124	RO	2	Chlorothalonil(0.01)	Pyrimethanil(0.075)		
14-0126	RO	2	Carbendazim and benomyl(0.01)	Cyprodinil(0.045)		
14-0140	RO	2	Thiophanate-methyl(0.097)	Carbendazim and benomyl(0.1)		
14-0153	RO	2	Acetamiprid(0.018)	Thiophanate-methyl(0.09)		
14-0159	RO	5	Pendimethalin(0.03)	Fludioxonil(3.17)	Chlorpyrifos(0.02)	Cyprodinil(1.45)
14-0162	RO	3	Fludioxonil(0.4)	Fenhexamid(0.14)	Cyprodinil(0.35)	

LABSAMPCODE	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-003					
14-0043					
14-0067					
14-0072					
14-0117					
14-0124					
14-0126					
14-0140					
14-0153					
14-0159	Dimethomorph(0.208)				
14-0162					

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lettuce

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*
14-0164	RO	2	Fludioxonil(1.47)	Cyprodinil(1.66)		
14-0170	RO	2	Pendimethalin(0.04)	Cypermethrin (sum)(0.08)		
14-0174	RO	2	Fludioxonil(8.5)	Cyprodinil(4.26)		
14-0175	RO	3	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.04)	Imidacloprid(0.05)	Carbendazim and benomyl(0.1)	
14-0176	RO	2	Fludioxonil(2.05)	Cyprodinil(1.73)		
14-0190	RO	3	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.13)	Fludioxonil(0.37)	Cyprodinil(0.32)	
14-0193	RO	2	Cyprodinil(0.7)	Fludioxonil(0.88)		
14-0199	RO	2	Fludioxonil(0.06)	Cyprodinil(0.06)		
14-0202	RO	3	Pendimethalin(0.03)	Cyprodinil(0.02)	Imidacloprid(0.06)	

LABSAMPCODE	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-0164					
14-0170					
14-0174					
14-0175					
14-0176					
14-0190					
14-0193					
14-0199					
14-0202					

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lettuce

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*
14-0215	RO	2	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.08)	Cypermethrin (sum)(2)		
14-0216	RO	3	Cyprodinil(0.11)	Cypermethrin (sum)(0.286)	Fludioxonil(0.2)	
14-0225	RO	2	Cypermethrin (sum)(0.06)	Cyprodinil(0.02)		
14-028	RO	2	Pyrimethanil(2.717)	Cyprodinil(0.037)		
14-0391	RO	2	Fludioxonil(0.25)	Cyprodinil(0.251)		
14-0958	RO	5	Tebuconazole(0.143)	Pyraclostrobin(0.049)	Boscalid(0.131)	Iprodione(0.044)
RO321-ANSVSA-31304-5	HU	4	Thiametoxam(0.231)	Boscalid(0.072)	Fludioxonil(0.996)	Cyprodinil(1.76)
RO321-ANSVSA-32911	IT	3	Boscalid(0.048)	Imidacloprid(0.832)	Metalaxyl(0.359)	
RO321-ANSVSA-32912	HU	2	Cyprodinil(0.05)	Fludioxonil(0.226)		
RO321-ANSVSA-33238-3	ES	2	Metalaxyl(0.034)	Boscalid(0.015)		

LABSAMPCODE	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-0215					
14-0216					
14-0225					
14-028					
14-0391					
14-0958	Cyprodinil(0.022)				
RO321-ANSVSA-31304-5					
RO321-ANSVSA-32911					
RO321-ANSVSA-32912					
RO321-ANSVSA-33238-3					

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Mandarins

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3
RO321-ANSVSA-30063	TR	3	Imazalil(2.12)	Pyrimethanil(0.047)	Thiabendazole(1.59)
RO321-ANSVSA-30069	TR	3	Thiabendazole(0.022)	Imazalil(0.367)	Carbendazim(0.044)
RO321-ANSVSA-30086	TR	2	Imazalil(0.139)	Pyrimethanil(0.098)	
RO321-ANSVSA-30132	TR	3	Prochloraz(0.034)	Propiconazole(0.027)	Thiabendazole(0.049)
RO321-ANSVSA-30183-7	TR	2	Thiabendazole(0.423)	Imazalil(0.496)	
RO321-ANSVSA-30211	TR	2	Thiabendazole(0.06)	Imazalil(0.259)	
RO321-ANSVSA-30248	TR	2	Thiabendazole(0.016)	Propiconazole(0.114)	
RO321-ANSVSA-30354	EG	2	Thiabendazole(1.15)	Imazalil(1.1)	
RO321-ANSVSA-31266-1	ZA	4	Imazalil(1.07)	Thiabendazole(0.426)	Pyriproxyfen(0.018)
RO321-ANSVSA-32268-5	TR	4	Thiabendazole(0.103)	Pyrimethanil(0.087)	Imazalil(0.569)
RO321-ANSVSA-32346	TR	3	Thiabendazole(0.015)	Pyrimethanil(0.158)	Imazalil(0.167)
RO321-ANSVSA-32362	TR	3	Pyrimethanil(0.032)	Orthophenylphenol(0.047)	Imazalil(0.164)
RO321-ANSVSA-32370	TR	4	Thiabendazole(0.044)	Orthophenylphenol(0.097)	Imazalil(0.245)

LABSAMPCODE	Compound4	Compound5	Compound6	Compound7	Compound8	Compound9
RO321-ANSVSA-30063						
RO321-ANSVSA-30069						
RO321-ANSVSA-30086						
RO321-ANSVSA-30132						
RO321-ANSVSA-30183-7						
RO321-ANSVSA-30211						
RO321-ANSVSA-30248						
RO321-ANSVSA-30354						
RO321-ANSVSA-31266-1	Pyrimethanil(1.96)					
RO321-ANSVSA-32268-5	Acetamiprid(0.052)					
RO321-ANSVSA-32346						
RO321-ANSVSA-32362						
RO321-ANSVSA-32370	Chlorpyrifos(0.02)					

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Mandarins

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-32393	TR	4	Thiabendazole(0.032)	Imazalil(0.331)	Prochloraz(0.017)
RO321-ANSVSA-32510-3	TR	3	Chlorpyrifos(0.013)	Propiconazole(0.269)	Prochloraz(0.379)
RO321-ANSVSA-32521-1	TR	4	Thiabendazole(0.284)	Prochloraz(1.22)	Imazalil(0.406)
RO321-ANSVSA-32549	TR	3	Thiabendazole(0.074)	Orthophenylphenol(0.016)	Imazalil(0.214)
RO321-ANSVSA-32550-3	TR	3	Thiabendazole(0.048)	Imazalil(0.214)	Chlorpyrifos(0.018)
RO321-ANSVSA-32574-5	TR	3	Thiabendazole(0.471)	Prochloraz(0.154)	Imazalil(0.949)
RO321-ANSVSA-32592	TR	4	Thiabendazole(0.495)	Prochloraz(0.704)	Imazalil(1.071)
RO321-ANSVSA-32608	TR	3	Pyrimethanil(0.037)	Orthophenylphenol(0.022)	Imazalil(0.065)
RO321-ANSVSA-32611-3	TR	3	Propiconazole(0.2)	Prochloraz(0.114)	Imazalil(0.035)
RO321-ANSVSA-32688	TR	3	Thiabendazole(0.072)	Pyrimethanil(0.576)	Imazalil(0.265)
RO321-ANSVSA-32716-1	TR	3	Thiabendazole(0.641)	Imazalil(1.46)	Acetamiprid(0.02)
RO321-ANSVSA-32732	HR	2	Orthophenylphenol(0.553)	Imazalil(0.629)	
RO321-ANSVSA-32735	TR	5	Thiabendazole(0.922)	Pyrimethanil(0.164)	Orthophenylphenol(0.518)

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-32393	Orthophenylphenol(0.021)					
RO321-ANSVSA-32510-3						
RO321-ANSVSA-32521-1	Orthophenylphenol(0.084)					
RO321-ANSVSA-32549						
RO321-ANSVSA-32550-3						
RO321-ANSVSA-32574-5						
RO321-ANSVSA-32592	Acetamiprid(0.04)					
RO321-ANSVSA-32608						
RO321-ANSVSA-32611-3						
RO321-ANSVSA-32688						
RO321-ANSVSA-32716-1						
RO321-ANSVSA-32732						
RO321-ANSVSA-32735	Imazalil(2.31)	Chlorpyrifos(0.022)				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Mandarins

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-32745	TR	2	Prochloraz(0.594)	Imazalil(0.277)	
RO321-ANSVSA-32752	TR	3	Pyrimethanil(0.017)	Imazalil(0.287)	Orthophenylphenol(0.053)
RO321-ANSVSA-32784-5	TR	3	Thiabendazole(0.019)	Pyrimethanil(0.134)	Imazalil(0.398)
RO321-ANSVSA-32814	TR	3	Thiabendazole(0.02)	Pyrimethanil(0.202)	Imazalil(0.429)
RO321-ANSVSA-32837-3	TR	6	tau-Fluvalinate(0.018)	Pyrimethanil(0.036)	Orthophenylphenol(0.061)
RO321-ANSVSA-32839	TR	3	Thiabendazole(0.093)	Imazalil(0.33)	tau-Fluvalinate(0.045)
RO321-ANSVSA-32845	TR	3	Thiabendazole(0.145)	Pyrimethanil(0.03)	Imazalil(0.269)
RO321-ANSVSA-32849	TR	2	Imazalil(0.041)	Chlorpyrifos(0.014)	
RO321-ANSVSA-32908	TR	2	Imazalil(0.289)	Chlorpyrifos(0.015)	
RO321-ANSVSA-32938	TR	3	Thiabendazole(0.092)	Prochloraz(0.587)	Imazalil(0.213)
RO321-ANSVSA-32975	IT	4	Tebuconazole(0.013)	Pyrimethanil(0.027)	Imazalil(1.02)
RO321-ANSVSA-32986	TR	2	Imazalil(0.652)	Thiabendazole(0.038)	
RO321-ANSVSA-33166-3	TR	4	Thiabendazole(0.019)	Prochloraz(0.11)	Imazalil(0.237)

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-32745						
RO321-ANSVSA-32752						
RO321-ANSVSA-32784-5						
RO321-ANSVSA-32814						
RO321-ANSVSA-32837-3	Imazalil(0.648)	Chlorpyrifos(0.014)	Thiabendazole(0.729)			
RO321-ANSVSA-32839						
RO321-ANSVSA-32845						
RO321-ANSVSA-32849						
RO321-ANSVSA-32908						
RO321-ANSVSA-32938						
RO321-ANSVSA-32975	Prochloraz(0.135)					
RO321-ANSVSA-32986						
RO321-ANSVSA-33166-3	Carbendazim(0.066)					

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Mandarins

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3
RO321-ANSVSA-33180-1	TR	3	Pyrimethanil(0.83)	Imazalil(1.04)	Chlorpyrifos(0.014)
RO321-ANSVSA-33278	TR	3	Thiabendazole(0.129)	Pyrimethanil(0.02)	Imazalil(0.444)
RO321-ANSVSA-33281-1	TR	3	Thiabendazole(0.129)	Imazalil(0.169)	Pyrimethanil(0.02)
RO321-ANSVSA-33285-1	TR	4	Thiabendazole(0.71)	Orthophenylphenol(0.083)	Imazalil(0.818)
RO321-ANSVSA-33316-1	TR	5	Thiabendazole(0.027)	Prochloraz(0.111)	Orthophenylphenol(0.142)
RO321-ANSVSA-33317	TR	5	Thiabendazole(0.019)	Prochloraz(0.111)	Orthophenylphenol(0.119)

LABSAMPCODE	Compound4	Compound5	Compound6	Compound7	Compound8	Compound9
RO321-ANSVSA-33180-1						
RO321-ANSVSA-33278						
RO321-ANSVSA-33281-1						
RO321-ANSVSA-33285-1	Pyrimethanil(0.018)					
RO321-ANSVSA-33316-1	Imazalil(0.296)	Carbendazim(0.045)				
RO321-ANSVSA-33317	Carbendazim(0.039)	Imazalil(0.247)				

Product=Melons

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
RO321-ANSVSA-32668-5	AL	2	Fludioxonil(0.212)	Cyprodinil(0.085)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
RO321-ANSVSA-32668-5				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Milk Cattle

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
RO215-ANSVSA-30603-1	RO	2	Hexachlorocyclohexane (HCH), alpha-isomer(0.001)	DDT (sum)(0.001)			
RO215-ANSVSA-31352-1	RO	4	Hexachlorocyclohexane (HCH), alpha-isomer(0.002)	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.001)	DDT (sum)(0.002)	Aldrin and Dieldrin(0.003)	
RO223-ANSVSA-20447-1	RO	2	Hexachlorobenzene(0)	DDT (sum)(0.001)			

LABSAMPCODE	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO215-ANSVSA-30603-1				
RO215-ANSVSA-31352-1				
RO223-ANSVSA-20447-1				

Product=Onions

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-0160	RO	2	Tebuconazole(0.07)	Cypermethrin (sum)(0.05)							
14-0324	RO	2	Propiconazole(0.023)	Cyprodinil(0.024)							

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Oranges

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3
RO321-ANSVSA-30033	TR	2	Thiabendazole(0.039)	Imazalil(0.635)	
RO321-ANSVSA-30042-1	TR	4	Thiabendazole(0.048)	Prochloraz(0.016)	Imazalil(0.071)
RO321-ANSVSA-30064	TR	3	Thiabendazole(0.946)	Pyrimethanil(0.191)	Imazalil(1.56)
RO321-ANSVSA-30074	TR	2	Prochloraz(0.177)	Imazalil(0.051)	
RO321-ANSVSA-30122	TR	3	Thiabendazole(0.025)	Imazalil(1.13)	Carbendazim(0.038)
RO321-ANSVSA-30225	TR	4	Thiabendazole(0.49)	Pyrimethanil(0.023)	Propiconazole(0.199)
RO321-ANSVSA-30249	TR	2	Thiabendazole(0.014)	Propiconazole(0.104)	
RO321-ANSVSA-30307	EG	2	Thiabendazole(0.165)	Imazalil(0.273)	
RO321-ANSVSA-30308	EG	2	Thiabendazole(0.144)	Imazalil(0.22)	
RO321-ANSVSA-30309	TR	2	Thiabendazole(0.143)	Imazalil(0.2)	
RO321-ANSVSA-30323	EG	2	Thiabendazole(0.213)	Imazalil(0.387)	
RO321-ANSVSA-30353	EG	2	Thiabendazole(1.15)	Imazalil(1.22)	
RO321-ANSVSA-30385-3	TR	2	Thiabendazole(0.823)	Imazalil(0.779)	

LABSAMPCODE	Compound4	Compound5	Compound6	Compound7	Compound8	Compound9
RO321-ANSVSA-30033						
RO321-ANSVSA-30042-1	Chlorpyrifos(0.01)					
RO321-ANSVSA-30064						
RO321-ANSVSA-30074						
RO321-ANSVSA-30122						
RO321-ANSVSA-30225	Imazalil(0.037)					
RO321-ANSVSA-30249						
RO321-ANSVSA-30307						
RO321-ANSVSA-30308						
RO321-ANSVSA-30309						
RO321-ANSVSA-30323						
RO321-ANSVSA-30353						
RO321-ANSVSA-30385-3						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Oranges

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-30386	EG	2	Thiabendazole(0.723)	Imazalil(0.606)	
RO321-ANSVSA-30387	EG	2	Thiabendazole(0.608)	Imazalil(0.727)	
RO321-ANSVSA-30388	EG	2	Thiabendazole(0.656)	Imazalil(0.618)	
RO321-ANSVSA-30389	EG	2	Thiabendazole(0.705)	Imazalil(0.684)	
RO321-ANSVSA-30425	EG	2	Thiabendazole(0.502)	Imazalil(0.328)	
RO321-ANSVSA-30446	EG	2	Thiabendazole(0.8)	Imazalil(1.1)	
RO321-ANSVSA-30447	EG	2	Thiabendazole(0.661)	Imazalil(0.909)	
RO321-ANSVSA-30450	EG	2	Thiabendazole(0.217)	Imazalil(0.473)	
RO321-ANSVSA-30476	TR	5	Thiabendazole(0.25)	Pyrimethanil(0.013)	Prochloraz(0.299)
RO321-ANSVSA-30495	EG	3	Thiabendazole(0.514)	Pyrimethanil(0.104)	Imazalil(1.54)
RO321-ANSVSA-30515	EG	2	Thiabendazole(0.4)	Imazalil(0.491)	
RO321-ANSVSA-30516	EG	2	Thiabendazole(0.343)	Imazalil(0.617)	
RO321-ANSVSA-30539	TR	2	Thiabendazole(0.226)	Imazalil(0.136)	

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-30386						
RO321-ANSVSA-30387						
RO321-ANSVSA-30388						
RO321-ANSVSA-30389						
RO321-ANSVSA-30425						
RO321-ANSVSA-30446						
RO321-ANSVSA-30447						
RO321-ANSVSA-30450						
RO321-ANSVSA-30476	Imazalil(0.024)	Carbendazim(0.019)				
RO321-ANSVSA-30495						
RO321-ANSVSA-30515						
RO321-ANSVSA-30516						
RO321-ANSVSA-30539						

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2014 Romania on January 26, 2016 at 04:35:16 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Oranges

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3
RO321-ANSVSA-30541	EG	2	Thiabendazole(0.871)	Imazalil(1.15)	
RO321-ANSVSA-30608	EG	2	Thiabendazole(1.47)	Imazalil(2.08)	
RO321-ANSVSA-30631	EG	2	Thiabendazole(0.677)	Imazalil(1.17)	
RO321-ANSVSA-30633-1	TR	4	Thiabendazole(0.046)	Propiconazole(0.055)	Imazalil(1.58)
RO321-ANSVSA-30638	EG	2	Thiabendazole(0.75)	Imazalil(1.26)	
RO321-ANSVSA-30639	EG	2	Thiabendazole(0.875)	Imazalil(0.954)	
RO321-ANSVSA-30640-1	TR	4	Thiabendazole(0.029)	Pyrimethanil(0.668)	Prochloraz(0.019)
RO321-ANSVSA-30654	TR	2	Pyrimethanil(0.044)	Imazalil(0.573)	
RO321-ANSVSA-30658	EG	2	Thiabendazole(1.08)	Imazalil(1.18)	
RO321-ANSVSA-30669	EG	2	Thiabendazole(0.24)	Imazalil(1.16)	
RO321-ANSVSA-30714	EG	2	Thiabendazole(1.57)	Imazalil(4.7)	
RO321-ANSVSA-30715	EG	2	Thiabendazole(0.438)	Imazalil(1.56)	
RO321-ANSVSA-30842	EG	2	Thiabendazole(0.289)	Imazalil(1.32)	

LABSAMPCODE	Compound4	Compound5	Compound6	Compound7	Compound8	Compound9
RO321-ANSVSA-30541						
RO321-ANSVSA-30608						
RO321-ANSVSA-30631						
RO321-ANSVSA-30633-1	Carbendazim(0.062)					
RO321-ANSVSA-30638						
RO321-ANSVSA-30639						
RO321-ANSVSA-30640-1	Imazalil(0.02)					
RO321-ANSVSA-30654						
RO321-ANSVSA-30658						
RO321-ANSVSA-30669						
RO321-ANSVSA-30714						
RO321-ANSVSA-30715						
RO321-ANSVSA-30842						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Oranges

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-30851	EG	2	Thiabendazole(1.63)	Imazalil(4.45)	
RO321-ANSVSA-30864	EG	2	Thiabendazole(1.12)	Imazalil(2.68)	
RO321-ANSVSA-30891	EG	3	Pyrimethanil(0.617)	Imazalil(1.33)	Thiabendazole(1.25)
RO321-ANSVSA-30955	ES	3	Prochloraz(0.309)	Imazalil(1.038)	Chlorpyrifos-methyl(0.017)
RO321-ANSVSA-31064	EG	3	Thiabendazole(3.71)	Imazalil(1.14)	Acetamiprid(0.019)
RO321-ANSVSA-31065	EG	3	Thiabendazole(3.85)	Imazalil(1.17)	Acetamiprid(0.027)
RO321-ANSVSA-31214	EG	2	Thiabendazole(0.34)	Imazalil(0.778)	
RO321-ANSVSA-31216	EG	3	Thiabendazole(1.1)	Orthophenylphenol(0.41)	Imazalil(1.18)
RO321-ANSVSA-31235	EG	4	Thiabendazole(1.42)	Orthophenylphenol(0.65)	Carbendazim(0.046)
RO321-ANSVSA-31473	EG	3	Thiabendazole(0.722)	Imazalil(0.991)	Orthophenylphenol(0.056)
RO321-ANSVSA-31477-5	EG	2	Thiabendazole(0.36)	Imazalil(0.301)	
RO321-ANSVSA-31725	ZA	4	Thiabendazole(0.96)	Imidacloprid(0.021)	Imazalil(0.311)
RO321-ANSVSA-31789	ZA	2	Imazalil(1.1)	Chlorpyrifos(0.014)	

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-30851						
RO321-ANSVSA-30864						
RO321-ANSVSA-30891						
RO321-ANSVSA-30955						
RO321-ANSVSA-31064						
RO321-ANSVSA-31065						
RO321-ANSVSA-31214						
RO321-ANSVSA-31216						
RO321-ANSVSA-31235	Imazalil(0.869)					
RO321-ANSVSA-31473						
RO321-ANSVSA-31477-5						
RO321-ANSVSA-31725	Azoxystrobin(0.073)					
RO321-ANSVSA-31789						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Oranges

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-31939	ZA	2	Orthophenylphenol(0.028)	Imazalil(0.477)	
RO321-ANSVSA-32049	ZA	2	Pyrimethanil(0.238)	Imazalil(0.411)	
RO321-ANSVSA-32102	ZA	2	Pyrimethanil(0.746)	Imazalil(3.16)	
RO321-ANSVSA-32427	ZA	2	Thiabendazole(0.129)	Imazalil(0.84)	
RO321-ANSVSA-32601	TR	3	Pyrimethanil(0.11)	Orthophenylphenol(0.15)	Imazalil(0.297)
RO321-ANSVSA-32610	ES	3	Thiabendazole(0.227)	Imazalil(0.765)	Boscalid(0.015)
RO321-ANSVSA-32612-5	ZA	2	Thiabendazole(0.281)	Imazalil(0.67)	
RO321-ANSVSA-32655	TR	2	Thiabendazole(0.079)	Imazalil(0.297)	
RO321-ANSVSA-32702	TR	2	Imazalil(0.069)	Acetamiprid(0.021)	
RO321-ANSVSA-32744-5	TR	3	Imazalil(1.54)	Acetamiprid(0.021)	Thiabendazole(0.464)
RO321-ANSVSA-32787-1	ZA	2	Thiabendazole(0.018)	Imazalil(0.277)	
RO321-ANSVSA-32802	TR	5	Tebuconazole(0.016)	Propiconazole(0.231)	Prochloraz(0.224)
RO321-ANSVSA-32821	TR	5	Pyrimethanil(0.017)	Orthophenylphenol(0.032)	Imazalil(0.582)

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-31939						
RO321-ANSVSA-32049						
RO321-ANSVSA-32102						
RO321-ANSVSA-32427						
RO321-ANSVSA-32601						
RO321-ANSVSA-32610						
RO321-ANSVSA-32612-5						
RO321-ANSVSA-32655						
RO321-ANSVSA-32702						
RO321-ANSVSA-32744-5						
RO321-ANSVSA-32787-1						
RO321-ANSVSA-32802	Imazalil(0.153)	Chlorpyrifos(0.019)				
RO321-ANSVSA-32821	Chlorpyrifos(0.036)	Thiabendazole(0.053)				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Oranges

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-32965	TR	3	Thiabendazole(0.25)	Prochloraz(1.43)	Imazalil(1.52)
RO321-ANSVSA-32971	ZA	2	Thiabendazole(0.145)	Imazalil(0.335)	
RO321-ANSVSA-32984-1	TR	4	Thiabendazole(0.28)	Pyrimethanil(0.443)	Imazalil(1.43)
RO321-ANSVSA-33247-5	TR	3	Prochloraz(0.022)	Imazalil(0.225)	Pyrimethanil(0.176)
RO321-ANSVSA-33285-3	TR	7	Thiabendazole(0.37)	Pyrimethanil(0.328)	Orthophenylphenol(0.021)
RO321-ANSVSA-33296-1	GR	2	Pyrimethanil(0.019)	Imazalil(0.26)	
RO321-ANSVSA-33302	GR	3	Pyrimethanil(0.19)	Prochloraz(0.021)	Imazalil(0.237)
RO321-ANSVSA-33303	GR	2	Pyrimethanil(0.019)	Imazalil(0.257)	

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-32965						
RO321-ANSVSA-32971						
RO321-ANSVSA-32984-1	Chlorpyrifos(0.013)					
RO321-ANSVSA-33247-5						
RO321-ANSVSA-33285-3	Chlorpyrifos(0.014)	Bifenthrin(0.04)	Acetamiprid(0.033)	Imazalil(1.06)		
RO321-ANSVSA-33296-1						
RO321-ANSVSA-33302						
RO321-ANSVSA-33303						

Product=Other farm animals Muscle

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO223-ANSVSA-25859-3	RO	2	DDT (sum)(0.003)	Aldrin and Dieldrin(0.002)							

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Other terrestrial animal products

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
RO223-ANSVSA-22197-1	RO	4	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.003)	Hexachlorocyclohexane (HCH), beta-isomer(0.003)	Hexachlorocyclohexane (HCH), alpha-isomer(0.005)	DDT (sum)(0.004)		
RO223-ANSVSA-22197-2	RO	4	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.003)	Hexachlorocyclohexane (HCH), beta-isomer(0.003)	Hexachlorocyclohexane (HCH), alpha-isomer(0.005)	DDT (sum)(0.004)		
RO223-ANSVSA-22198-1	RO	4	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.003)	Hexachlorocyclohexane (HCH), beta-isomer(0.003)	Hexachlorocyclohexane (HCH), alpha-isomer(0.005)	DDT (sum)(0.002)		

LABSAMPCODE	Compound7	Compound8	Compound9
RO223-ANSVSA-22197-1			
RO223-ANSVSA-22197-2			
RO223-ANSVSA-22198-1			

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Other terrestrial animal products

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*	*Compound6*
RO223-ANSVSA-22198-2	RO	4	Hexachlorocyclohexane (HCH), beta-isomer(0.003)	Hexachlorocyclohexane (HCH), alpha-isomer(0.005)	DDT (sum)(0.005)	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.005)		
RO223-ANSVSA-22198-3	RO	4	Hexachlorocyclohexane (HCH), beta-isomer(0.003)	Hexachlorocyclohexane (HCH), alpha-isomer(0.005)	DDT (sum)(0.003)	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.003)		

LABSAMPCODE	*Compound7*	*Compound8*	*Compound9*
RO223-ANSVSA-22198-2			
RO223-ANSVSA-22198-3			

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Parsley

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
14-0029	RO	4	Endosulfan (sum)(0.05)	Cyprodinil(0.039)	Chlorpyrifos(0.05)	Chlorothalonil(0.085)	
14-0070	RO	4	Pendimethalin(0.6)	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)(0.53)	Imidacloprid(0.77)	Cyprodinil(0.038)	
14-0203	RO	2	Pendimethalin(0.04)	Chlorpyrifos-methyl(0.03)			
14-0221	RO	4	Trifloxystrobin(0.031)	Pendimethalin(0.03)	Chlorpyrifos-methyl(0.02)	Chlorpyrifos(0.05)	
14-0245	RO	2	Thiophanate-methyl(0.051)	Carbendazim and benomyl(0.1)			
14-0291	RO	2	Cyprodinil(0.029)	Carbendazim and benomyl(0.02)			
14-0299	RO	4	Thiacloprid(0.026)	Cyprodinil(0.023)	Chlorothalonil(0.055)	Carbendazim and benomyl(0.1)	
14-0317	RO	2	Cyprodinil(0.033)	Chlorpyrifos(0.05)			

LABSAMPCODE	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-0029				
14-0070				
14-0203				
14-0221				
14-0245				
14-0291				
14-0299				
14-0317				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Parsley

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
14-0336	RO	6	Triadimefon (sum of Triadimefon and Triadimenol)(0.162)	Propiconazole(0.024)	Dimethomorph(0.03)	Dimethoate (sum)(0.094)	Chlorpyrifos-methyl(0.148)
14-0955	RO	2	Cyprodinil(0.028)	Triadimefon (sum of Triadimefon and Triadimenol)(0.033)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
14-0336	Myclobutanil(0.394)			
14-0955				

Product=Parsnips

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7	Compound8	Compound9
14-1061	RO	2	Vinclozolin(0.042)	Dieldrin(0.02)							

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peaches

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
14-0388	RO	2	Dimethoate (sum)(0.013)	Carbendazim and benomyl(0.084)	
14-0486	RO	2	Lambda-Cyhalothrin(0.03)	Carbendazim and benomyl(0.088)	
14-0671	RO	2	Etofenprox(0.029)	Chlorpyrifos(0.134)	
RO321-ANSVSA-30523-1	TR	2	Pyraclostrobin(0.014)	Boscalid(0.039)	
RO321-ANSVSA-30551	TR	2	Chlorothalonil(0.061)	Acetamiprid(0.021)	
RO321-ANSVSA-31018	GR	4	Tebuconazole(0.042)	Cyprodinil(0.106)	Chlorpyrifos(0.031)
RO321-ANSVSA-31374	GR	3	Tebuconazole(0.023)	Chlorpyrifos(0.015)	Boscalid(0.05)
RO321-ANSVSA-31855-3	GR	3	Tebuconazole(0.031)	Iprodione(0.174)	Chlorpyrifos(0.012)
RO321-ANSVSA-32284	ES	2	Lambda-Cyhalothrin(0.063)	Chlorpyrifos(0.15)	

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-0388						
14-0486						
14-0671						
RO321-ANSVSA-30523-1						
RO321-ANSVSA-30551						
RO321-ANSVSA-31018	Acetamiprid(0.04)					
RO321-ANSVSA-31374						
RO321-ANSVSA-31855-3						
RO321-ANSVSA-32284						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Pears

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
14-0900	RO	3	Fludioxonil(0.116)	Chlorpyrifos-methyl(0.092)	Boscalid(0.06)
14-1028	RO	4	Tebuconazole(0.035)	Pyraclostrobin(0.277)	Iprodione(0.046)
14-1063	RO	3	Fludioxonil(0.916)	Cyprodinil(0.948)	Boscalid(0.095)
14-299	RO	2	Chlorpyrifos(0.043)	Captan(1.005)	
14-300	RO	2	Lambda-Cyhalothrin(0.024)	Boscalid(0.616)	
RO321-ANSVSA-30192-3	TR	3	Chlorpyrifos(0.011)	Carbendazim(0.013)	Boscalid(0.01)
RO321-ANSVSA-30544	IT	3	Tebuconazole(0.014)	Chlorpyrifos(0.032)	Boscalid(0.098)
RO321-ANSVSA-31007	CL	3	Pyrimethanil(0.658)	Fludioxonil(0.04)	Acetamiprid(0.057)
RO321-ANSVSA-31189	AR	2	Thiacloprid(0.016)	Thiabendazole(0.018)	
RO321-ANSVSA-31434	TR	7	Thiametoxam(0.024)	Thiacloprid(0.114)	Pyraclostrobin(0.174)
RO321-ANSVSA-31889	IT	3	Tebuconazole(0.019)	Chlorpyrifos(0.042)	Boscalid(0.253)
RO321-ANSVSA-32691	IT	2	Iprodione(0.033)	Boscalid(0.015)	

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-0900						
14-1028	Boscalid(0.299)					
14-1063						
14-299						
14-300						
RO321-ANSVSA-30192-3						
RO321-ANSVSA-30544						
RO321-ANSVSA-31007						
RO321-ANSVSA-31189						
RO321-ANSVSA-31434	Lambda-Cyhalothrin(0.019)	Chlorpyrifos(0.377)	Boscalid(0.174)	Difenoconazole(0.449)		
RO321-ANSVSA-31889						
RO321-ANSVSA-32691						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peas (without pods)

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7	Compound8	Compound9
14-0316	RO	2	Propiconazole(0.021)	Bifenthrin(0.04)							

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peppers

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*
14-0460	RO	5	Lambda-Cyhalothrin(0.042)	Imidacloprid(0.126)	Dimethoate (sum)(0.02)	Cyproconazole(0.049)
14-0501	RO	4	Propargite(0.051)	Imidacloprid(0.077)	Carbendazim and benomyl(0.026)	Acetamiprid(0.014)
14-0502	RO	2	Thiophanate-methyl(0.029)	Cyprodinil(0.018)		
14-0693	RO	2	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.05)	Chlorpyrifos(0.043)		
14-0962	RO	3	Cyprodinil(0.032)	Cypermethrin (sum)(0.066)	Chlorpyrifos(0.085)	
RO321-ANSVSA-30024	TR	3	Cyprodinil(0.099)	Carbendazim(0.039)	Boscalid(0.053)	
RO321-ANSVSA-30084-1	JO	3	Difenoconazole(0.345)	Cyprodinil(0.261)	Azoxystrobin(0.033)	
RO321-ANSVSA-30167-5	TR	2	Pyraclostrobin(0.126)	Boscalid(0.763)		
RO321-ANSVSA-30188-3	TR	3	Pyraclostrobin(0.063)	Boscalid(0.137)	Acetamiprid(0.131)	
RO321-ANSVSA-30200-1	JO	2	Penconazole(0.015)	Myclobutanil(0.172)		
RO321-ANSVSA-30271-1	TR	3	Tebuconazole(0.082)	Pyrimethanil(0.022)	Boscalid(0.177)	

LABSAMPCODE	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-0460	Azoxystrobin(0.083)				
14-0501					
14-0502					
14-0693					
14-0962					
RO321-ANSVSA-30024					
RO321-ANSVSA-30084-1					
RO321-ANSVSA-30167-5					
RO321-ANSVSA-30188-3					
RO321-ANSVSA-30200-1					
RO321-ANSVSA-30271-1					

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peppers

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*
RO321-ANSVSA-30306	TR	4	Tebuconazole(0.046)	Pyraclostrobin(0.03)	Boscalid(0.221)	Azoxystrobin(0.059)
RO321-ANSVSA-31233-3	TR	4	Pyriproxyfen(0.033)	Pirimiphos-methyl(0.309)	Imidacloprid(0.072)	Acetamiprid(0.288)
RO321-ANSVSA-31272-3	TR	7	Pyriproxyfen(0.138)	Pyrimethanil(0.072)	Chlorpyrifos-methyl(0.053)	Chlorpyrifos(0.414)
RO321-ANSVSA-31272-5	TR	2	Boscalid(0.055)	Tebuconazole(0.042)		
RO321-ANSVSA-31272-7	TR	2	Tebuconazole(0.027)	Boscalid(0.015)		
RO321-ANSVSA-31361	TR	2	Chlorpyrifos(0.02)	Iprodione(0.016)		
RO321-ANSVSA-31371	ES	2	Cypermethrin (sum)(0.104)	Chlorpyrifos(0.017)		
RO321-ANSVSA-33176-3	TR	2	Tebuconazole(0.032)	Boscalid(0.021)		
RO321-ANSVSA-33185	TR	2	Pyraclostrobin(0.021)	Boscalid(0.021)		
RO321-ANSVSA-33223	IT	2	Fludioxonil(0.023)	Flutriafol(0.117)		
RO321-ANSVSA-33250-9	TR	4	Pirimiphos-methyl(0.066)	Lambda-Cyhalothrin(0.058)	Chlorpyrifos-methyl(0.164)	Pyriproxyfen(0.039)

LABSAMPCODE	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-30306					
RO321-ANSVSA-31233-3					
RO321-ANSVSA-31272-3	Buprofezin(0.059)	Boscalid(0.024)	Pirimiphos-methyl(0.033)		
RO321-ANSVSA-31272-5					
RO321-ANSVSA-31272-7					
RO321-ANSVSA-31361					
RO321-ANSVSA-31371					
RO321-ANSVSA-33176-3					
RO321-ANSVSA-33185					
RO321-ANSVSA-33223					
RO321-ANSVSA-33250-9					

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Pineapples

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
RO321-ANSVSA-32464	CR	2	Triadimenol(0.277)	Triadimefon(0.027)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
RO321-ANSVSA-32464				

Product=Plums

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
14-0670	RO	2	Difenoconazole(0.326)	Chlorpyrifos(0.024)			
14-368	RO	2	Tebuconazole(0.111)	Pyrimethanil(0.19)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
14-0670				
14-368				

Product=Pomegranate

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
RO321-ANSVSA-30020	TR	3	Chlorpyrifos(0.032)	Carbendazim(0.077)	Bifenthrin(0.011)	
RO321-ANSVSA-30206-3	TR	2	Cypermethrin (sum)(0.038)	Boscalid(0.048)		
RO321-ANSVSA-30438	TR	3	Prochloraz(0.047)	Chlorpyrifos(0.011)	Boscalid(0.041)	
RO321-ANSVSA-32392	TR	2	Tebuconazole(0.018)	Boscalid(0.028)		
RO321-ANSVSA-32397	TR	3	Thiametoxam(0.031)	Pyraclostrobin(0.016)	Difenoconazole(0.025)	

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9
RO321-ANSVSA-30020					
RO321-ANSVSA-30206-3					
RO321-ANSVSA-30438					
RO321-ANSVSA-32392					
RO321-ANSVSA-32397					

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Potatoes

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7	Compound8	Compound9
14-0342	RO	2	Imazalil(0.025)	Carbendazim and benomyl(0.04)							

Product=Poultry Fat

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7	Compound8	Compound9
RO215-ANSVSA-30630-1	RO	2	DDT (sum)(0.012)	Chlordane (sum animal products)(0.04)							
RO215-ANSVSA-30630-2	RO	2	DDT (sum)(0.011)	Chlordane (sum animal products)(0.039)							

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Poultry Muscle

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
RO215-ANSVSA-30534-1	RO	2	Hexachlorocyclohexane (HCH), beta-isomer(0.001)	DDT (sum)(0.003)				
RO215-ANSVSA-30798-1	RO	2	Hexachlorobenzene(0.002)	DDT (sum)(0.005)				
RO215-ANSVSA-30861-1	RO	2	Hexachlorocyclohexane (HCH), alpha-isomer(0.001)	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.002)				
RO215-ANSVSA-30861-2	RO	3	Hexachlorocyclohexane (HCH), alpha-isomer(0.001)	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.006)	Chlordane (sum animal products)(0.002)			
RO215-ANSVSA-30877-1	RO	2	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.005)	Chlordane (sum animal products)(0.002)				

LABSAMPCODE	Compound7	Compound8	Compound9
RO215-ANSVSA-30534-1			
RO215-ANSVSA-30798-1			
RO215-ANSVSA-30861-1			
RO215-ANSVSA-30861-2			
RO215-ANSVSA-30877-1			

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Poultry Muscle

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
RO215-ANSVSA-30893-1	RO	2	Hexachlorocyclohexane (HCH), alpha-isomer(0.001)	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.002)				
RO215-ANSVSA-31028-1	RO	2	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.002)	DDT (sum)(0.002)				
RO215-ANSVSA-31107-1	RO	2	DDT (sum)(0.003)	Chlordane (sum animal products)(0.002)				
RO215-ANSVSA-31238-1	RO	2	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.003)	DDT (sum)(0.003)				
RO215-ANSVSA-31240-1	RO	2	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.003)	DDT (sum)(0.002)				

LABSAMPCODE	Compound7	Compound8	Compound9
RO215-ANSVSA-30893-1			
RO215-ANSVSA-31028-1			
RO215-ANSVSA-31107-1			
RO215-ANSVSA-31238-1			
RO215-ANSVSA-31240-1			

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Poultry Muscle

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
RO215-ANSVSA-31242-1	RO	2	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.003)	DDT (sum)(0.003)				
RO215-ANSVSA-31282-1	RO	2	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.003)	DDT (sum)(0.002)				
RO215-ANSVSA-31300-1	RO	2	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.002)	DDT (sum)(0.002)				
RO215-ANSVSA-31327-2	RO	2	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.002)	DDT (sum)(0.001)				

LABSAMPCODE	Compound7	Compound8	Compound9
RO215-ANSVSA-31242-1			
RO215-ANSVSA-31282-1			
RO215-ANSVSA-31300-1			
RO215-ANSVSA-31327-2			

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Poultry Muscle

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*	*Compound6*
RO223-ANSVSA-21961-2	RO	4	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.007)	Hexachlorobenzene(0.009)	Endosulfan (sum)(0.004)	Chlordane (sum animal products)(0.003)		
RO223-ANSVSA-22320-1	RO	2	Hexachlorocyclohexane (HCH), beta-isomer(0.006)	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.011)				
RO223-ANSVSA-22336-1	RO	3	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.013)	Hexachlorocyclohexane (HCH), beta-isomer(0.007)	DDT (sum)(0.002)			
RO223-ANSVSA-22594-1	RO	3	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.004)	Hexachlorocyclohexane (HCH), beta-isomer(0.004)	DDT (sum)(0.003)			
RO223-ANSVSA-22704-1	RO	2	Hexachlorocyclohexane (HCH), beta-isomer(0.003)	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.004)				

LABSAMPCODE	*Compound7*	*Compound8*	*Compound9*
RO223-ANSVSA-21961-2			
RO223-ANSVSA-22320-1			
RO223-ANSVSA-22336-1			
RO223-ANSVSA-22594-1			
RO223-ANSVSA-22704-1			

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Poultry Muscle

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
RO223-ANSVSA-22969-1	RO	3	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.007)	Hexachlorocyclohexane (HCH), alpha-isomer(0.001)	DDT (sum)(0.003)			
RO223-ANSVSA-23213-1	RO	4	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.005)	Hexachlorocyclohexane (HCH), beta-isomer(0.003)	Hexachlorocyclohexane (HCH), alpha-isomer(0.005)	DDT (sum)(0.002)		
RO223-ANSVSA-24558-1	RO	2	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.001)	Hexachlorocyclohexane (HCH), alpha-isomer(0.005)				

LABSAMPCODE	Compound7	Compound8	Compound9
RO223-ANSVSA-22969-1			
RO223-ANSVSA-23213-1			
RO223-ANSVSA-24558-1			

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Poultry — chicken, geese, duck, turkey and Guinea fowl — ostrich, pigeon Tissues

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
RO321-IISPV-20779-1	RO	2	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.007)	DDT (sum)(0.031)		
RO321-IISPV-20840-1	RO	2	Hexachlorocyclohexane (HCH), beta-isomer(0.005)	DDT (sum)(0.119)		
RO321-IISPV-23087-1	RO	2	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.008)	DDT (sum)(0.061)		
RO321-IISPV-27309-2	RO	2	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.014)	DDT (sum)(0.032)		
RO321-IISPV-27310-2	RO	2	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.012)	DDT (sum)(0.03)		
RO321-IISPV-28479-1	RO	3	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.006)	Hexachlorocyclohexane (HCH), beta-isomer(0.006)	DDT (sum)(0.052)	

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9
RO321-IISPV-20779-1					
RO321-IISPV-20840-1					
RO321-IISPV-23087-1					
RO321-IISPV-27309-2					
RO321-IISPV-27310-2					
RO321-IISPV-28479-1					

Product=Quinces

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
RO321-ANSVSA-32560-1	GR	3	Tebuconazole(0.04)	Chlorpyrifos(0.013)	Boscalid(0.04)		

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
RO321-ANSVSA-32560-1				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Radishes

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
14-0044	RO	2	Fludioxonil(0.103)	Cyprodinil(0.08)			
14-0048	RO	2	Dimethomorph(0.016)	Azoxystrobin(0.015)			
14-0086	RO	2	Pyraclostrobin(0.01)	Azoxystrobin(0.038)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
14-0044				
14-0048				
14-0086				

Product=Rice

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7	Compound8	Compound9
14-1119	RO	2	Iprodione(0.062)	Deltamethrin(0.153)							

Product=Sheep Fat

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
RO215-ANSVSA-30741-1	RO	3	Hexachlorocyclohexane (HCH), alpha-isomer(0.017)	DDT (sum)(0.023)	Chlordane (sum animal products)(0.027)	

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9
RO215-ANSVSA-30741-1					

Product=Spinach

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
14-0131	RO	6	Thiophanate-methyl(0.078)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.213)	Cyprodinil(0.02)	Clothianidin(0.165)

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9
14-0131	Chlorpyrifos(0.02)	Carbendazim and benomyl(0.08)			

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Spring onions

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
14-0110	RO	2	Cyprodinil(0.02)	Azoxystrobin(0.084)			
14-0122	RO	2	Cyprodinil(0.02)	Chlorpyrifos(0.02)			
14-0212	RO	2	Iprodione(0.388)	Dimethomorph(0.02)			
14-0360	RO	2	Pyrimethanil(0.095)	Dimethoate (sum)(0.023)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
14-0110				
14-0122				
14-0212				
14-0360				

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Strawberries

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
14-0217	RO	4	Pyrimethanil(0.02)	Fludioxonil(0.056)	Cyprodinil(0.11)	Chlorpyrifos(0.02)	
14-0233	RO	5	Lambda-Cyhalothrin(0.02)	Fludioxonil(0.15)	Fenhexamid(0.37)	Cyprodinil(0.24)	Azoxystrobin(0.07)
14-0239	RO	4	Fludioxonil(0.505)	Dimethoate (sum)(0.02)	Cyprodinil(0.68)	Carbendazim and benomyl(0.037)	
14-0240	RO	5	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)(0.03)	Lambda-Cyhalothrin(0.03)	Fludioxonil(0.16)	Difenoconazole(0.02)	Cyprodinil(0.35)
14-0266	RO	2	Thiabendazole(0.05)	Imazalil(0.026)			
14-0272	RO	6	Thiophanate-methyl(3.08)	Fludioxonil(0.169)	Difenoconazole(0.075)	Cyprodinil(0.15)	Chlorothalonil(1.2)
14-0277	RO	3	Thiophanate-methyl(0.049)	Chlorothalonil(1.96)	Acetamiprid(0.016)		
14-0279	RO	2	Pyraclostrobin(0.03)	Boscalid(1.7)			
14-0290	RO	4	Pyraclostrobin(0.09)	Difenoconazole(0.02)	Carbendazim and benomyl(0.04)	Boscalid(0.831)	

LABSAMPCODE	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-0217				
14-0233				
14-0239				
14-0240				
14-0266				
14-0272	Carbendazim and benomyl(0.72)			
14-0277				
14-0279				
14-0290				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Strawberries

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
14-0427	RO	6	Pyraclostrobin(0.027)	Mepanipyrim(0.374)	Fludioxonil(0.376)	Chlorpyrifos(0.05)	Boscalid(0.251)
RO321-ANSVSA-30369	TR	2	Kresoxim-methyl(0.021)	Boscalid(0.212)			
RO321-ANSVSA-30411	TR	2	Tebufenpyrad(0.014)	Chlorothalonil(1.07)			
RO321-ANSVSA-30432	TR	3	Tebufenpyrad(0.052)	Bupirimate(0.206)	Acetamiprid(0.147)		

LABSAMPCODE	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-0427	Cyprodinil(0.216)			
RO321-ANSVSA-30369				
RO321-ANSVSA-30411				
RO321-ANSVSA-30432				

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Swine Fat

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
RO215-ANSVSA-30083-1	RO	2	Hexachlorocyclohexane (HCH), alpha-isomer(0.02)	DDT (sum)(0.036)			
RO215-ANSVSA-31160-1	RO	3	Hexachlorocyclohexane (HCH), alpha-isomer(0.039)	Endosulfan (sum)(0.036)	Chlordane (sum animal products)(0.024)		
RO215-ANSVSA-31183-1	RO	4	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.015)	Hexachlorocyclohexane (HCH), alpha-isomer(0.1)	DDT (sum)(0.258)	Chlordane (sum animal products)(0.025)	
RO321-IISPV-27311-3	RO	2	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.012)	DDT (sum)(0.098)			

LABSAMPCODE	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO215-ANSVSA-30083-1				
RO215-ANSVSA-31160-1				
RO215-ANSVSA-31183-1				
RO321-IISPV-27311-3				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Swine Muscle

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
RO215-ANSVSA-30567-1	RO	2	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.001)	Hexachlorobenzene(0.002)			
RO215-ANSVSA-31049-1	RO	5	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.001)	Hexachlorocyclohexane (HCH), alpha-isomer(0.006)	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.007)	DDT (sum)(0.012)	Chlordane (sum animal products)(0.001)
RO215-ANSVSA-31076-1	RO	4	Hexachlorocyclohexane (HCH), alpha-isomer(0.002)	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.012)	Chlordane (sum animal products)(0.001)	Aldrin and Dieldrin(0.005)	
RO215-ANSVSA-31086-1	RO	2	Hexachlorocyclohexane (HCH), alpha-isomer(0.003)	Chlordane (sum animal products)(0.003)			
RO215-ANSVSA-31266-1	RO	4	Hexachlorocyclohexane (HCH), alpha-isomer(0.008)	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.01)	DDT (sum)(0.008)	Chlordane (sum animal products)(0.001)	

LABSAMPCODE	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO215-ANSVSA-30567-1				
RO215-ANSVSA-31049-1				
RO215-ANSVSA-31076-1				
RO215-ANSVSA-31086-1				
RO215-ANSVSA-31266-1				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Swine Muscle

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
RO215-ANSVSA-31284-1	RO	3	Hexachlorocyclohexane (HCH), alpha-isomer(0.006)	Heptachlor (sum of heptachlor and the cis and trans isomers of heptachlor epoxide)(0.008)	DDT (sum)(0.008)		
RO223-ANSVSA-22301-1	RO	3	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.01)	Hexachlorocyclohexane (HCH), beta-isomer(0.005)	DDT (sum)(0.001)		
RO223-ANSVSA-22548-3	RO	3	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.008)	Hexachlorocyclohexane (HCH), beta-isomer(0.004)	DDT (sum)(0.001)		
RO223-ANSVSA-23192-1	RO	4	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.003)	Hexachlorocyclohexane (HCH), beta-isomer(0.004)	Hexachlorocyclohexane (HCH), alpha-isomer(0.005)	DDT (sum)(0.003)	
RO223-ANSVSA-23435-1	RO	4	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.002)	Hexachlorocyclohexane (HCH), beta-isomer(0.002)	Hexachlorocyclohexane (HCH), alpha-isomer(0.005)	DDT (sum)(0.002)	

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
RO215-ANSVSA-31284-1				
RO223-ANSVSA-22301-1				
RO223-ANSVSA-22548-3				
RO223-ANSVSA-23192-1				
RO223-ANSVSA-23435-1				

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Swine Muscle

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
RO223-ANSVSA-24311-1	RO	2	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.001)	DDT (sum)(0.002)			
RO223-ANSVSA-24409-1	RO	2	Hexachlorocyclohexane (HCH), alpha-isomer(0.005)	DDT (sum)(0.002)			
RO223-ANSVSA-25844-1	RO	2	Hexachlorocyclohexane (HCH), alpha-isomer(0.003)	Aldrin and Dieldrin(0.003)			
RO321-IISPV-20561-1	RO	2	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.007)	DDT (sum)(0.327)			
RO321-IISPV-20802-1	RO	3	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.01)	Hexachlorocyclohexane (HCH), beta-isomer(0.007)	DDT (sum)(0.232)		

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
RO223-ANSVSA-24311-1				
RO223-ANSVSA-24409-1				
RO223-ANSVSA-25844-1				
RO321-IISPV-20561-1				
RO321-IISPV-20802-1				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Swine Muscle

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
RO321-IISPV-23566-2	RO	2	DDT (sum)(0.076)	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.006)			
RO321-IISPV-27546-1	RO	2	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.006)	DDT (sum)(0.06)			
RO321-IISPV-28665-1	RO	2	DDT (sum)(0.008)	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.006)			

LABSAMPCODE	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-IISPV-23566-2				
RO321-IISPV-27546-1				
RO321-IISPV-28665-1				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Swine Others

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
RO215-ANSVSA-30295-1	RO	3	Hexachlorocyclohexane (HCH), alpha-isomer(0.014)	Hexachlorobenzene(0.012)	DDT (sum)(0.079)	
RO215-ANSVSA-30297-1	RO	3	Hexachlorocyclohexane (HCH), alpha-isomer(0.014)	Hexachlorobenzene(0.012)	DDT (sum)(0.074)	
RO321-IISPV-20550-1	RO	3	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.007)	Hexachlorocyclohexane (HCH), beta-isomer(0.006)	DDT (sum)(0.344)	
RO321-IISPV-20553-1	RO	3	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.011)	Hexachlorocyclohexane (HCH), beta-isomer(0.009)	DDT (sum)(0.387)	
RO321-IISPV-20568-1	RO	3	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))(0.006)	Hexachlorocyclohexane (HCH), beta-isomer(0.006)	DDT (sum)(0.294)	

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9
RO215-ANSVSA-30295-1					
RO215-ANSVSA-30297-1					
RO321-IISPV-20550-1					
RO321-IISPV-20553-1					
RO321-IISPV-20568-1					

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Table grapes

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*
14-0700	RO	2	Pyrimethanil(0.017)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.041)		
14-0795	RO	2	Pyrimethanil(0.503)	Cyprodinil(0.071)		
14-0830	RO	3	Pyrimethanil(0.32)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.091)	Cyprodinil(0.328)	
14-0851	RO	3	Pyrimethanil(0.148)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.039)	Cyprodinil(0.251)	
14-0852	RO	4	Pyrimethanil(0.342)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.096)	Lambda-Cyhalothrin(0.046)	Cyprodinil(1.072)
14-0888	RO	2	Pyrimethanil(0.033)	Cyprodinil(0.422)		
14-0889	RO	4	Pyrimethanil(0.043)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.047)	Cyprodinil(0.033)	Chlorpyrifos(0.132)

LABSAMPCODE	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-0700					
14-0795					
14-0830					
14-0851					
14-0852					
14-0888					
14-0889					

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Table grapes

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*
14-0959	RO	3	Pyrimethanil(0.036)	Cyprodinil(0.539)	Cypermethrin (sum)(0.085)	
14-0960	RO	2	Pyrimethanil(0.277)	Cypermethrin (sum)(0.136)		
14-470	RO	2	Fenhexamid(0.632)	Cyprodinil(0.199)		
14-476	RO	2	Pyrimethanil(1.007)	Metalaxyl(0.073)		
14-520	RO	2	Pyrimethanil(0.065)	Cyprodinil(0.387)		
14-525	RO	2	Fenhexamid(0.815)	Cyprodinil(0.125)		
RO321-ANSVSA-30023	TR	5	Pyrimethanil(0.366)	Propargite(0.15)	Penconazole(0.014)	Cyprodinil(0.09)
RO321-ANSVSA-30085	TR	2	Cyprodinil(0.021)	Chlorpyrifos(0.011)		
RO321-ANSVSA-30317-3	MK	3	Metalaxyl(0.012)	Chlorpyrifos(0.034)	Chlorothalonil(0.013)	
RO321-ANSVSA-30493	PE	2	Fenhexamid(0.144)	Carbendazim(0.017)		
RO321-ANSVSA-30632-5	TR	3	Pyrimethanil(0.992)	Cyprodinil(0.059)	Chlorpyrifos(0.21)	
RO321-ANSVSA-31101	CL	3	Pyraclostrobin(0.029)	Kresoxim-methyl(0.047)	Fenhexamid(0.363)	
RO321-ANSVSA-31362	TR	4	Tebuconazole(0.08)	Pyrimethanil(0.364)	Boscalid(0.035)	Azoxystrobin(0.261)

LABSAMPCODE	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-0959					
14-0960					
14-470					
14-476					
14-520					
14-525					
RO321-ANSVSA-30023	Boscalid(0.22)				
RO321-ANSVSA-30085					
RO321-ANSVSA-30317-3					
RO321-ANSVSA-30493					
RO321-ANSVSA-30632-5					
RO321-ANSVSA-31101					
RO321-ANSVSA-31362					

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Table grapes

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*
RO321-ANSVSA-31369	IT	3	Spiroxamine(0.021)	Myclobutanil(0.035)	Chlorpyrifos(0.015)	
RO321-ANSVSA-31421	TR	9	Tetraconazole(0.095)	Pyrimethanil(0.023)	Lambda-Cyhalothrin(0.024)	Imazalil(0.227)
RO321-ANSVSA-31449-3	TR	5	Fenhexamid(0.138)	Cyprodinil(0.188)	Chlorpyrifos(0.052)	Carbendazim(0.057)
RO321-ANSVSA-31625	TR	3	Mandipropamid(0.054)	Fludioxonil(0.072)	Cyprodinil(0.11)	
RO321-ANSVSA-31685	IT	2	Chlorpyrifos(0.056)	Penconazole(0.067)		
RO321-ANSVSA-31698	IT	5	Tetraconazole(0.06)	Mandipropamid(0.161)	Fludioxonil(0.037)	Cyprodinil(0.166)
RO321-ANSVSA-31879	RO	2	Thiophanate-methyl(0.076)	Carbendazim(0.046)		
RO321-ANSVSA-32430	MK	2	Metalaxyl(0.094)	Boscalid(0.095)		
RO321-ANSVSA-32533	MD	2	Metalaxyl(0.032)	Azoxystrobin(0.074)		
RO321-ANSVSA-32599	TR	6	Tebuconazole(0.25)	Kresoxim-methyl(0.11)	Chlorpyrifos(0.14)	Boscalid(0.72)
RO321-ANSVSA-32660	TR	4	Pyrimethanil(2.49)	Fludioxonil(0.097)	Cyprodinil(0.214)	Penconazole(0.041)
RO321-ANSVSA-32733	IT	3	Trifloxystrobin(0.094)	Spiroxamine(0.416)	Fenamidone(0.028)	

LABSAMPCODE	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-31369					
RO321-ANSVSA-31421	Cypermethrin (sum)(0.04)	Metalaxyl(0.034)	Chlorpyrifos(0.052)	Boscalid(0.02)	Azoxystrobin(0.36)
RO321-ANSVSA-31449-3	Azoxystrobin(0.324)				
RO321-ANSVSA-31625					
RO321-ANSVSA-31685					
RO321-ANSVSA-31698	Tebufenozide(0.039)				
RO321-ANSVSA-31879					
RO321-ANSVSA-32430					
RO321-ANSVSA-32533					
RO321-ANSVSA-32599	Azoxystrobin(0.127)	Methoxyfenozide(0.071)			
RO321-ANSVSA-32660					
RO321-ANSVSA-32733					

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Table grapes

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*
RO321-ANSVSA-32740	IT	2	Trifloxystrobin(0.102)	Spiroxamine(0.298)		
RO321-ANSVSA-32910	IT	2	Iprovalicarb(0.016)	Myclobutanil(0.03)		
RO321-ANSVSA-32942	IT	2	Myclobutanil(0.024)	Fenhexamid(0.28)		
RO321-ANSVSA-32961	TR	5	Pyrimethanil(1.43)	Fludioxonil(0.039)	Difenoconazole(0.101)	Azoxystrobin(0.255)
RO321-ANSVSA-32987	TR	4	Pyrimethanil(0.171)	Lambda-Cyhalothrin(0.023)	Iprodione(0.049)	Boscalid(0.147)
RO321-ANSVSA-33205	IT	4	Spiroxamine(0.083)	Fludioxonil(0.248)	Chlorpyrifos-methyl(0.03)	Boscalid(0.121)
RO321-ANSVSA-33283	TR	7	Myclobutanil(0.025)	Lambda-Cyhalothrin(0.045)	Fludioxonil(0.19)	Cyprodinil(0.106)

LABSAMPCODE	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-32740					
RO321-ANSVSA-32910					
RO321-ANSVSA-32942					
RO321-ANSVSA-32961	Cyprodinil(0.069)				
RO321-ANSVSA-32987					
RO321-ANSVSA-33205					
RO321-ANSVSA-33283	Chlorpyrifos(0.036)	Boscalid(0.053)	Iprodione(0.7)		

Product=Tea

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*
RO321-ANSVSA-30006	CN	2	Buprofezin(0.042)	Acetamiprid(0.096)	
RO321-ANSVSA-31548	VN	4	Pyridaben(0.031)	Carbendazim(0.053)	Buprofezin(0.046)
RO321-ANSVSA-31925	VN	2	Permethrin (sum of isomers)(0.056)	Cypermethrin (sum)(0.23)	

LABSAMPCODE	*Compound4*	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-30006						
RO321-ANSVSA-31548	Acetamiprid(0.091)					
RO321-ANSVSA-31925						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Tomatoes

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*
14-0351	RO	2	Thiophanate-methyl(0.067)	Carbendazim and benomyl(0.081)		
14-0358	RO	5	Thiophanate-methyl(0.195)	Imidacloprid(0.073)	Chlorpyrifos(0.72)	Chlorothalonil(0.111)
14-0359	RO	3	Thiophanate-methyl(0.183)	Imidacloprid(0.024)	Carbendazim and benomyl(0.083)	
14-0413	RO	3	Thiophanate-methyl(0.035)	Carbendazim and benomyl(0.036)	Azoxystrobin(0.03)	
14-0463	RO	4	Thiophanate-methyl(0.055)	Pyraclostrobin(0.034)	Propiconazole(0.049)	Carbendazim and benomyl(0.146)
14-0493	RO	3	Thiophanate-methyl(0.162)	Carbendazim and benomyl(0.105)	Acetamiprid(0.047)	
14-0519	RO	2	Iprodione(0.125)	Cyprodinil(0.018)		
14-0534	RO	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.072)	Difenoconazole(0.154)		

LABSAMPCODE	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-0351					
14-0358	Carbendazim and benomyl(0.09)				
14-0359					
14-0413					
14-0463					
14-0493					
14-0519					
14-0534					

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Tomatoes

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*
14-0598	RO	3	Thiophanate-methyl(0.076)	Imidacloprid(0.043)	Carbendazim and benomyl(0.211)	
14-0605	RO	4	Thiophanate-methyl(0.034)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.048)	Chlorothalonil(0.27)	Carbendazim and benomyl(0.354)
14-0615	RO	3	Pyraclostrobin(0.033)	Diazinon(0.02)	Carbendazim and benomyl(0.187)	
14-0635	RO	3	Lambda-Cyhalothrin(0.066)	Chlorothalonil(0.707)	Acetamiprid(0.017)	
14-0636	RO	2	Dimethomorph(0.018)	Carbendazim and benomyl(0.029)		
14-0638	RO	2	Imidacloprid(0.025)	Carbendazim and benomyl(0.05)		
14-0643	RO	2	Carbendazim and benomyl(0.125)	Azoxystrobin(0.099)		
14-0691	RO	2	Carbendazim and benomyl(0.06)	Azoxystrobin(0.046)		
14-0694	RO	3	Imidacloprid(0.029)	Carbendazim and benomyl(0.095)	Azoxystrobin(0.022)	

LABSAMPCODE	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-0598					
14-0605					
14-0615					
14-0635					
14-0636					
14-0638					
14-0643					
14-0691					
14-0694					

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Tomatoes

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*
14-0698	RO	2	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.033)	Chlorpyrifos(0.053)		
14-307	RO	2	Iprodione(0.15)	Folpet(0.221)		
RO321-ANSVSA-30016-3	TR	2	Chlorothalonil(0.012)	Acetamiprid(0.025)		
RO321-ANSVSA-30027	TR	3	Tebuconazole(0.134)	Pyraclostrobin(0.064)	Boscalid(0.196)	
RO321-ANSVSA-30059	TR	2	Pyraclostrobin(0.036)	Pirimicarb(0.013)		
RO321-ANSVSA-30137-1	TR	3	Tebuconazole(0.013)	Chlorothalonil(0.03)	Carbendazim(0.063)	
RO321-ANSVSA-30167-7	TR	2	Tebuconazole(0.035)	Boscalid(0.061)		
RO321-ANSVSA-30181	TR	3	Tebuconazole(0.064)	Acetamiprid(0.017)	Pyrimethanil(0.298)	
RO321-ANSVSA-30188-1	TR	2	Pyrimethanil(0.022)	Acetamiprid(0.016)		
RO321-ANSVSA-30191	JO	3	Procymidone(0.051)	Carbendazim(0.24)	Acetamiprid(0.032)	
RO321-ANSVSA-30196	TR	3	Pirimiphos-methyl(0.027)	Boscalid(0.027)	Cyprodinil(0.061)	

LABSAMPCODE	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
14-0698					
14-307					
RO321-ANSVSA-30016-3					
RO321-ANSVSA-30027					
RO321-ANSVSA-30059					
RO321-ANSVSA-30137-1					
RO321-ANSVSA-30167-7					
RO321-ANSVSA-30181					
RO321-ANSVSA-30188-1					
RO321-ANSVSA-30191					
RO321-ANSVSA-30196					

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Tomatoes

LABSAMPCODE	*ORIGCOUNTRY*	*NoResidues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*
RO321-ANSVSA-30205	TR	6	Tebuconazole(0.012)	Pyrimethanil(0.667)	Pyridaben(0.088)	Metalaxyl(0.108)
RO321-ANSVSA-30210	TR	4	Tebuconazole(0.141)	Pyridaben(0.011)	Cyprodinil(0.174)	Boscalid(0.051)
RO321-ANSVSA-30280	TR	2	Chlorothalonil(0.011)	Boscalid(0.037)		
RO321-ANSVSA-30310-3	TR	2	Tebuconazole(0.021)	Boscalid(0.123)		
RO321-ANSVSA-30361	TR	3	Chlorpyrifos(0.024)	Chlorothalonil(0.035)	Boscalid(0.04)	
RO321-ANSVSA-30422	TR	2	Tebuconazole(0.024)	Acetamiprid(0.011)		
RO321-ANSVSA-30542	TR	2	Carbendazim(0.055)	Acetamiprid(0.143)		
RO321-ANSVSA-30546	IT	2	Acetamiprid(0.14)	Carbendazim(0.049)		
RO321-ANSVSA-30554-5	TR	2	Pyridaben(0.011)	Boscalid(0.172)		
RO321-ANSVSA-30607	TR	2	Chlorothalonil(0.033)	Pyridaben(0.012)		
RO321-ANSVSA-32089	RO	2	Cyprodinil(0.035)	Chlorothalonil(0.017)		
RO321-ANSVSA-32516	PL	2	Folpet(0.024)	Orthophenylphenol(0.014)		
RO321-ANSVSA-32600	TR	5	Tebuconazole(0.017)	Propargite(0.183)	Chlorpyrifos(0.05)	Boscalid(0.02)

LABSAMPCODE	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
RO321-ANSVSA-30205	Chlorothalonil(0.011)	Acetamiprid(0.043)			
RO321-ANSVSA-30210					
RO321-ANSVSA-30280					
RO321-ANSVSA-30310-3					
RO321-ANSVSA-30361					
RO321-ANSVSA-30422					
RO321-ANSVSA-30542					
RO321-ANSVSA-30546					
RO321-ANSVSA-30554-5					
RO321-ANSVSA-30607					
RO321-ANSVSA-32089					
RO321-ANSVSA-32516					
RO321-ANSVSA-32600	Acetamiprid(0.045)				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Tomatoes

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
RO321-ANSVSA-32668-1	AL	4	Propargite(0.424)	Cypermethrin (sum)(0.141)	Chlorpyrifos(0.483)	Myclobutanil(0.054)
RO321-ANSVSA-32727	AL	3	Chlorpyrifos(0.23)	Acetamiprid(0.133)	Propargite(0.054)	
RO321-ANSVSA-32848-1	AL	2	Chlorpyrifos(0.197)	Acetamiprid(0.122)		
RO321-ANSVSA-32901	AL	3	Tebuconazole(0.043)	Propamocarb(0.09)	Pyridaben(0.039)	
RO321-ANSVSA-33176-5	TR	3	Propamocarb(0.221)	Fenamidone(0.036)	Boscalid(0.029)	

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9
RO321-ANSVSA-32668-1					
RO321-ANSVSA-32727					
RO321-ANSVSA-32848-1					
RO321-ANSVSA-32901					
RO321-ANSVSA-33176-5					

Product=Wheat

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
14-0106	RO	2	Pirimiphos-methyl(0.305)	Chlorpyrifos-methyl(0.122)		
14-016	RO	2	Fludioxonil(0.11)	Cyprodinil(0.081)		
14-1112	RO	2	Pirimiphos-methyl(0.241)	Fenpropidin(0.077)		
RO321-ANSVSA-30293-1	US	2	Malathion(0.182)	Chlorpyrifos-methyl(0.137)		
RO321-ANSVSA-31812	HU	2	Pirimiphos-methyl(0.046)	Chlorpyrifos(0.013)		

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9
14-0106					
14-016					
14-1112					
RO321-ANSVSA-30293-1					
RO321-ANSVSA-31812					

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Wine grapes

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
14-0723	RO	2	Pyrimethanil(0.178)	Cyprodinil(0.059)			
14-0794	RO	2	Pyrimethanil(0.766)	Cyprodinil(0.319)			
14-0840	RO	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.056)	Cyprodinil(1.04)			
14-0841	RO	3	Pyrimethanil(0.258)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.139)	Cyprodinil(0.072)		
14-0853	RO	3	Pyrimethanil(0.707)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.087)	Cyprodinil(0.159)		
14-405	RO	2	Pyrimethanil(1.137)	Cyprodinil(0.148)			
14-406	RO	2	Pyrimethanil(1.158)	Cyprodinil(0.167)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
14-0723				
14-0794				
14-0840				
14-0841				
14-0853				
14-405				
14-406				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Wine grapes

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
14-407	RO	2	Pyrimethanil(1.998)	Cyprodinil(0.348)			
14-408	RO	2	Pyrimethanil(1.369)	Cyprodinil(0.254)			
14-409	RO	2	Pyrimethanil(0.801)	Cyprodinil(0.277)			
14-429	RO	3	Pyrimethanil(0.49)	Metalaxyl(0.08)	Iprodione(0.143)		
14-444	RO	2	Fludioxonil(0.095)	Cyprodinil(0.135)			
14-445	RO	2	Fludioxonil(0.082)	Cyprodinil(0.12)			
14-453	RO	2	Fenhexamid(0.173)	Cyprodinil(0.027)			
RO321-ANSVSA-32018	RO	3	Fenhexamid(0.021)	Carbendazim(0.234)	Iprodione(0.051)		
RO321-ANSVSA-32068	RO	3	Iprodione(0.028)	Fenhexamid(0.318)	Carbendazim(0.129)		
RO321-ANSVSA-32069	RO	2	Fenhexamid(0.024)	Carbendazim(0.251)			
RO321-ANSVSA-32201	RO	2	Pyrimethanil(0.046)	Iprodione(0.204)			
RO321-ANSVSA-32259	RO	2	Tebuconazole(0.021)	Pyrimethanil(0.044)			
RO321-ANSVSA-32260	RO	2	Iprodione(0.151)	Carbendazim(0.027)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
14-407				
14-408				
14-409				
14-429				
14-444				
14-445				
14-453				
RO321-ANSVSA-32018				
RO321-ANSVSA-32068				
RO321-ANSVSA-32069				
RO321-ANSVSA-32201				
RO321-ANSVSA-32259				
RO321-ANSVSA-32260				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Wine grapes

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
RO321-ANSVSA-32305	RO	2	Thiophanate-methyl(0.2)	Metalaxyl(0.015)			
RO321-ANSVSA-32310	RO	3	Metalaxyl(0.057)	Carbendazim(0.069)	Thiophanate-methyl(0.146)		
RO321-ANSVSA-32670	RO	2	Thiophanate-methyl(0.053)	Carbendazim(0.06)			
RO321-ANSVSA-32674	RO	2	Thiophanate-methyl(0.054)	Carbendazim(0.067)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9
RO321-ANSVSA-32305				
RO321-ANSVSA-32310				
RO321-ANSVSA-32670				
RO321-ANSVSA-32674				

Table G: Summary of transmissions included in report by laboratory

SAMPCOUNTRY	*LABCODE*	*SETID*	*FILENAMEORIGINAL*	*Laboratory Accreditation*	*Method Status*	*Determinations*	*TRANSMISSIONTIME*
RO	MS-RO113-MS	32819	MS 08.07.150 II.xml	Accredited	ISO/IEC17025	800	20JUL15:11:21:09
RO	MS-RO113-MS	32819	MS 08.07.150 II.xml	Accredited	Internally validated	2560	20JUL15:11:21:09
RO	R0223	34219	CT 31.08.2015.xml	Accredited		2172	31AUG15:12:09:39
RO	RO113-ANSVSA	32830	CJ 20.07.15 II.xml	Accredited	ISO/IEC17025	9593	20JUL15:15:21:22
RO	RO215-ANSVSA	36448	SV 26.01.2016.xml	Accredited		2338	26JAN16:13:14:43
RO	RO321-ANSVSA	36446	B 26.01.2016.xml	Accredited		306449	26JAN16:12:10:29
RO	RO321-IISPV	36440	IISPV 26.01.2016.xml	Accredited		4488	26JAN16:08:47:33
RO	RO_125_LZDRPPPV	36441	MADR MS 26.01.2016.xml	Accredited	ISO/IEC17025	44784	26JAN16:08:49:29
RO	RO_125_LZDRPPPV	36441	MADR MS 26.01.2016.xml	Accredited	Internally validated	3732	26JAN16:08:49:29
RO	RO_321_LCRPPPV	36447	MADR II 26.01.2016.xml	Accredited	ISO/IEC17025	244240	26JAN16:13:12:06